

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8570301/publications.pdf>

Version: 2024-02-01

163  
papers

24,031  
citations

5558

82  
h-index

8138

148  
g-index

182  
all docs

182  
docs citations

182  
times ranked

16339  
citing authors

#	ARTICLE	IF	CITATIONS
1	Fluorescence activated cell sorting“ A selective tool for plant cell isolation and analysis. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2022, 101, 725-736.	1.1	13
2	Potassium transporter TRH1/KUP4 contributes to distinct auxin-mediated root system architecture responses. <i>Plant Physiology</i> , 2022, 188, 1043-1060.	2.3	21
3	Auxin boosts energy generation pathways to fuel pollen maturation in barley. <i>Current Biology</i> , 2022, 32, 1798-1811.e8.	1.8	16
4	Inactivation of the entire Arabidopsis group II GH3s confers tolerance to salinity and water deficit. <i>New Phytologist</i> , 2022, 235, 263-275.	3.5	23
5	KAI2 regulates seedling development by mediating light“induced remodelling of auxin transport. <i>New Phytologist</i> , 2022, 235, 126-140.	3.5	9
6	iP & OEIP “ Cytokinin Micro Application Modulates Root Development with High Spatial Resolution. <i>Advanced Materials Technologies</i> , 2022, 7, .	3.0	3
7	Nitrogen represses haustoria formation through abscisic acid in the parasitic plant <i>Phtheirospermum japonicum</i> . <i>Nature Communications</i> , 2022, 13, .	5.8	13
8	Modulation of <i>Arabidopsis</i> root growth by specialized triterpenes. <i>New Phytologist</i> , 2021, 230, 228-243.	3.5	20
9	Studies of moss reproductive development indicate that auxin biosynthesis in apical stem cells may constitute an ancestral function for focal growth control. <i>New Phytologist</i> , 2021, 229, 845-860.	3.5	24
10	Auxin Metabolism in Plants. <i>Cold Spring Harbor Perspectives in Biology</i> , 2021, 13, a039867.	2.3	110
11	Best practices in plant cytometry. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2021, 99, 311-317.	1.1	16
12	Dynamics of Auxin and Cytokinin Metabolism during Early Root and Hypocotyl Growth in <i>Theobroma cacao</i> . <i>Plants</i> , 2021, 10, 967.	1.6	4
13	The chemical compound “Heatin“™ stimulates hypocotyl elongation and interferes with the Arabidopsis NIT1“subfamily of nitrilases. <i>Plant Journal</i> , 2021, 106, 1523-1540.	2.8	7
14	Alterations in hormonal signals spatially coordinate distinct responses to DNA double-strand breaks in <i>Arabidopsis</i> roots. <i>Science Advances</i> , 2021, 7, .	4.7	10
15	Broadening the roles of UDP“glycosyltransferases in auxin homeostasis and plant development. <i>New Phytologist</i> , 2021, 232, 642-654.	3.5	31
16	A WOX/Auxin Biosynthesis Module Controls Growth to Shape Leaf Form. <i>Current Biology</i> , 2020, 30, 4857-4868.e6.	1.8	69
17	HEARTBREAK Controls Post-translational Modification of INDEHISCENT to Regulate Fruit Morphology in <i>Capsella</i> . <i>Current Biology</i> , 2020, 30, 3880-3888.e5.	1.8	5
18	Cell-surface receptors enable perception of extracellular cytokinins. <i>Nature Communications</i> , 2020, 11, 4284.	5.8	47

#	ARTICLE	IF	CITATIONS
19	Reaction Wood Anatomical Traits and Hormonal Profiles in Poplar Bent Stem and Root. <i>Frontiers in Plant Science</i> , 2020, 11, 590985.	1.7	11
20	HY5 and phytochrome activity modulate shoot-to-root coordination during thermomorphogenesis in <i>Arabidopsis</i> . <i>Development (Cambridge)</i> , 2020, 147, .	1.2	27
21	The CEP5 Peptide Promotes Abiotic Stress Tolerance, As Revealed by Quantitative Proteomics, and Attenuates the AUX/IAA Equilibrium in <i>Arabidopsis</i> . <i>Molecular and Cellular Proteomics</i> , 2020, 19, 1248-1262.	2.5	35
22	Nyctinastic thallus movement in the liverwort <i>Marchantia polymorpha</i> is regulated by a circadian clock. <i>Scientific Reports</i> , 2020, 10, 8658.	1.6	11
23	Natural Variation in Adventitious Rooting in the Alpine Perennial <i>Arabis alpina</i> . <i>Plants</i> , 2020, 9, 184.	1.6	7
24	Vernalization shapes shoot architecture and ensures the maintenance of dormant buds in the perennial <i>Arabis alpina</i> . <i>New Phytologist</i> , 2020, 227, 99-115.	3.5	24
25	Conifers exhibit a characteristic inactivation of auxin to maintain tissue homeostasis. <i>New Phytologist</i> , 2020, 226, 1753-1765.	3.5	33
26	Auxin export from proximal fruits drives arrest in temporally competent inflorescences. <i>Nature Plants</i> , 2020, 6, 699-707.	4.7	33
27	Control of root meristem establishment in conifers. <i>Physiologia Plantarum</i> , 2019, 165, 81-89.	2.6	9
28	Implantable Organic Electronic Ion Pump Enables ABA Hormone Delivery for Control of Stomata in an Intact Tobacco Plant. <i>Small</i> , 2019, 15, e1902189.	5.2	33
29	PIN-driven auxin transport emerged early in streptophyte evolution. <i>Nature Plants</i> , 2019, 5, 1114-1119.	4.7	44
30	A MYC2/MYC3/MYC4-dependent transcription factor network regulates water spray-responsive gene expression and jasmonate levels. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 23345-23356.	3.3	95
31	Epigenetic Regulation of Auxin Homeostasis. <i>Biomolecules</i> , 2019, 9, 623.	1.8	29
32	A role for the auxin precursor anthranilic acid in root gravitropism via regulation of PIN-FORMED protein polarity and relocalisation in <i>Arabidopsis</i> . <i>New Phytologist</i> , 2019, 223, 1420-1432.	3.5	12
33	Surveillance of cell wall diffusion barrier integrity modulates water and solute transport in plants. <i>Scientific Reports</i> , 2019, 9, 4227.	1.6	60
34	Regulatory Diversification of INDEHISCENT in the <i>Capsella</i> Genus Directs Variation in Fruit Morphology. <i>Current Biology</i> , 2019, 29, 1038-1046.e4.	1.8	12
35	Selective auxin agonists induce specific AUX/IAA protein degradation to modulate plant development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 6463-6472.	3.3	23
36	HISTONE DEACETYLASE 9 stimulates auxin-dependent thermomorphogenesis in <i>Arabidopsis thaliana</i> by mediating H2A.Z depletion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 25343-25354.	3.3	91

#	ARTICLE	IF	CITATIONS
37	A bacterial assay for rapid screening of IAA catabolic enzymes. <i>Plant Methods</i> , 2019, 15, 126.	1.9	13
38	Tissue-specific hormone profiles from woody poplar roots under bending stress. <i>Physiologia Plantarum</i> , 2019, 165, 101-113.	2.6	14
39	Auxin Function in the Brown Alga <i>Dictyota dichotoma</i> . <i>Plant Physiology</i> , 2019, 179, 280-299.	2.3	24
40	Ultra-rapid auxin metabolite profiling for high-throughput mutant screening in <i>Arabidopsis</i> . <i>Journal of Experimental Botany</i> , 2018, 69, 2569-2579.	2.4	60
41	Circadian clock components control daily growth activities by modulating cytokinin levels and cell division-associated gene expression in <i>Populus</i> trees. <i>Plant, Cell and Environment</i> , 2018, 41, 1468-1482.	2.8	22
42	A mechanistic framework for auxin dependent <i>Arabidopsis</i> root hair elongation to low external phosphate. <i>Nature Communications</i> , 2018, 9, 1409.	5.8	146
43	Rice auxin influx carrier OsAUX1 facilitates root hair elongation in response to low external phosphate. <i>Nature Communications</i> , 2018, 9, 1408.	5.8	110
44	Plant Hormonomics: Multiple Phytohormone Profiling by Targeted Metabolomics. <i>Plant Physiology</i> , 2018, 177, 476-489.	2.3	293
45	Combined transcriptome and translome analyses reveal a role for tryptophan-dependent auxin biosynthesis in the control of <i>DOG1</i> -dependent seed dormancy. <i>New Phytologist</i> , 2018, 217, 1077-1085.	3.5	32
46	The Xerobranching Response Represses Lateral Root Formation When Roots Are Not in Contact with Water. <i>Current Biology</i> , 2018, 28, 3165-3173.e5.	1.8	94
47	Broad spectrum developmental role of <i>Brachypodium</i> AUX1. <i>New Phytologist</i> , 2018, 219, 1216-1223.	3.5	18
48	Zooming In on Plant Hormone Analysis: Tissue- and Cell-Specific Approaches. <i>Annual Review of Plant Biology</i> , 2017, 68, 323-348.	8.6	74
49	Regulating plant physiology with organic electronics. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 4597-4602.	3.3	51
50	Altered expression of maize PLASTOCHRON1 enhances biomass and seed yield by extending cell division duration. <i>Nature Communications</i> , 2017, 8, 14752.	5.8	89
51	Contrasting patterns of cytokinins between years in senescing aspen leaves. <i>Plant, Cell and Environment</i> , 2017, 40, 622-634.	2.8	34
52	Auxin minimum triggers the developmental switch from cell division to cell differentiation in the <i>Arabidopsis</i> root. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E7641-E7649.	3.3	193
53	Type B Response Regulators Act As Central Integrators in Transcriptional Control of the Auxin Biosynthesis Enzyme TAA1. <i>Plant Physiology</i> , 2017, 175, 1438-1454.	2.3	43
54	Brassinosteroid signaling-dependent root responses to prolonged elevated ambient temperature. <i>Nature Communications</i> , 2017, 8, 309.	5.8	102

#	ARTICLE	IF	CITATIONS
55	Enhanced Secondary- and Hormone Metabolism in Leaves of Arbuscular Mycorrhizal <i>Medicago truncatula</i> . <i>Plant Physiology</i> , 2017, 175, 392-411.	2.3	81
56	cis-Cinnamic Acid Is a Novel, Natural Auxin Efflux Inhibitor That Promotes Lateral Root Formation. <i>Plant Physiology</i> , 2017, 173, 552-565.	2.3	61
57	SHADE AVOIDANCE 4 Is Required for Proper Auxin Distribution in the Hypocotyl. <i>Plant Physiology</i> , 2017, 173, 788-800.	2.3	22
58	The Arabidopsis bZIP11 transcription factor links low-energy signalling to auxin-mediated control of primary root growth. <i>PLoS Genetics</i> , 2017, 13, e1006607.	1.5	115
59	High-Resolution Cell-Type Specific Analysis of Cytokinins in Sorted Root Cell Populations of <i>Arabidopsis thaliana</i> . <i>Methods in Molecular Biology</i> , 2017, 1497, 231-248.	0.4	4
60	The epidermis coordinates auxin-induced stem growth in response to shade. <i>Genes and Development</i> , 2016, 30, 1529-1541.	2.7	99
61	The PLETHORA Gene Regulatory Network Guides Growth and Cell Differentiation in Arabidopsis Roots. <i>Plant Cell</i> , 2016, 28, 2937-2951.	3.1	127
62	The Effects of High Steady State Auxin Levels on Root Cell Elongation in <i>Brachypodium</i> . <i>Plant Cell</i> , 2016, 28, 1009-1024.	3.1	65
63	Dioxygenase-encoding <i>AtDAO1</i> gene controls IAA oxidation and homeostasis in <i>Arabidopsis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 11016-11021.	3.3	162
64	The allelochemical MDCA inhibits lignification and affects auxin homeostasis. <i>Plant Physiology</i> , 2016, 172, pp.01972.2015.	2.3	14
65	Local auxin metabolism regulates environment-induced hypocotyl elongation. <i>Nature Plants</i> , 2016, 2, 16025.	4.7	122
66	Dynamic regulation of auxin oxidase and conjugating enzymes <i>AtDAO1</i> and <i>GH3</i> modulates auxin homeostasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 11022-11027.	3.3	119
67	Quantitative Auxin Metabolite Profiling Using Stable Isotope Dilution UHPLC-MS/MS. <i>Current Protocols in Plant Biology</i> , 2016, 1, 419-430.	2.8	6
68	Cryptochromes Interact Directly with PIFs to Control Plant Growth in Limiting Blue Light. <i>Cell</i> , 2016, 164, 233-245.	13.5	445
69	Connective Auxin Transport in the Shoot Facilitates Communication between Shoot Apices. <i>PLoS Biology</i> , 2016, 14, e1002446.	2.6	133
70	Contrasting growth responses in lamina and petiole during neighbor detection depend on differential auxin responsiveness rather than different auxin levels. <i>New Phytologist</i> , 2015, 208, 198-209.	3.5	100
71	New mechanistic links between sugar and hormone signalling networks. <i>Current Opinion in Plant Biology</i> , 2015, 25, 130-137.	3.5	179
72	Cell-Type-Specific Cytokinin Distribution within the Arabidopsis Primary Root Apex. <i>Plant Cell</i> , 2015, 27, 1955-1967.	3.1	143

#	ARTICLE	IF	CITATIONS
73	The circadian clock rephases during lateral root organ initiation in <i>Arabidopsis thaliana</i> . <i>Nature Communications</i> , 2015, 6, 7641.	5.8	119
74	Development of the Poplar <i>Laccaria bicolor</i> Ectomycorrhiza Modifies Root Auxin Metabolism, Signaling, and Response. <i>Plant Physiology</i> , 2015, 169, 890-902.	2.3	70
75	Cell-type specific metabolic profiling of <i>Arabidopsis thaliana</i> protoplasts as a tool for plant systems biology. <i>Metabolomics</i> , 2015, 11, 1679-1689.	1.4	23
76	Modelling of <i>Arabidopsis</i> LAX3 expression suggests auxin homeostasis. <i>Journal of Theoretical Biology</i> , 2015, 366, 57-70.	0.8	12
77	Three ancient hormonal cues co-ordinate shoot branching in a moss. <i>ELife</i> , 2015, 4, .	2.8	84
78	Auxin and Strigolactone Signaling Are Required for Modulation of <i>Arabidopsis</i> Shoot Branching by Nitrogen Supply. <i>Plant Physiology</i> , 2014, 166, 384-395.	2.3	112
79	Cotyledon-Generated Auxin Is Required for Shade-Induced Hypocotyl Growth in <i>Brassica rapa</i> . <i>Plant Physiology</i> , 2014, 165, 1285-1301.	2.3	128
80	ADP1 Affects Plant Architecture by Regulating Local Auxin Biosynthesis. <i>PLoS Genetics</i> , 2014, 10, e1003954.	1.5	47
81	Alleviation of Zn toxicity by low water availability. <i>Physiologia Plantarum</i> , 2014, 150, 412-424.	2.6	17
82	Identification of new adventitious rooting mutants amongst suppressors of the <i>Arabidopsis thaliana</i> superroot2 mutation. <i>Journal of Experimental Botany</i> , 2014, 65, 1605-1618.	2.4	38
83	Auxin-mediated nitrate signalling by NRT1.1 participates in the adaptive response of <i>Arabidopsis</i> root architecture to the spatial heterogeneity of nitrate availability. <i>Plant, Cell and Environment</i> , 2014, 37, 162-174.	2.8	187
84	Reduced phototropism in <i>pks</i> mutants may be due to altered auxin-regulated gene expression or reduced lateral auxin transport. <i>Plant Journal</i> , 2014, 77, 393-403.	2.8	41
85	Directional Auxin Transport Mechanisms in Early Diverging Land Plants. <i>Current Biology</i> , 2014, 24, 2786-2791.	1.8	113
86	Auxin-like simple compound with a profound effect on plant development. <i>Physiologia Plantarum</i> , 2014, 151, 1-2.	2.6	4
87	Integration of growth and patterning during vascular tissue formation in <i>Arabidopsis</i> . <i>Science</i> , 2014, 345, 1255-1261.	6.0	286
88	Identification and Profiling of Auxin and Auxin Metabolites. , 2014, , 39-60.		6
89	Light intensity modulates the regulatory network of the shade avoidance response in <i>Arabidopsis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 6515-6520.	3.3	111
90	<i>Arabidopsis gulliver1/superroot2</i> identifies a metabolic basis for auxin and brassinosteroid synergy. <i>Plant Journal</i> , 2014, 80, 797-808.	2.8	35

#	ARTICLE	IF	CITATIONS
91	Root gravitropism and root hair development constitute coupled developmental responses regulated by auxin homeostasis in the <i>Arabidopsis</i> root apex. <i>New Phytologist</i> , 2013, 197, 1130-1141.	3.5	115
92	Auxin controls <i>Arabidopsis</i> anther dehiscence by regulating endothecium lignification and jasmonic acid biosynthesis. <i>Plant Journal</i> , 2013, 74, 411-422.	2.8	114
93	Spatial Coordination between Stem Cell Activity and Cell Differentiation in the Root Meristem. <i>Developmental Cell</i> , 2013, 26, 405-415.	3.1	113
94	Auxin metabolism and homeostasis during plant development. <i>Development (Cambridge)</i> , 2013, 140, 943-950.	1.2	474
95	Coordination of auxin and ethylene biosynthesis by the aminotransferase VAS1. <i>Nature Chemical Biology</i> , 2013, 9, 244-246.	3.9	99
96	Thermospermine levels are controlled by an auxin-dependent feedback loop mechanism in <i>Populus</i> xylem. <i>Plant Journal</i> , 2013, 75, 685-698.	2.8	57
97	<i>Arabidopsis</i> AT1 is a vacuolar auxin transport facilitator required for auxin homeostasis. <i>Nature Communications</i> , 2013, 4, 2625.	5.8	249
98	Disturbed Local Auxin Homeostasis Enhances Cellular Anisotropy and Reveals Alternative Wiring of Auxin-ethylene Crosstalk in <i>Brachypodium distachyon</i> Seminal Roots. <i>PLoS Genetics</i> , 2013, 9, e1003564.	1.5	59
99	Regulation of Auxin Homeostasis and Gradients in <i>Arabidopsis</i> Roots through the Formation of the Indole-3-Acetic Acid Catabolite 2-Oxindole-3-Acetic Acid. <i>Plant Cell</i> , 2013, 25, 3858-3870.	3.1	131
100	Sequential induction of auxin efflux and influx carriers regulates lateral root emergence. <i>Molecular Systems Biology</i> , 2013, 9, 699.	3.2	104
101	Soluble Carbohydrates Regulate Auxin Biosynthesis via PIF Proteins in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2013, 24, 4907-4916.	3.1	205
102	Root gravitropism is regulated by a transient lateral auxin gradient controlled by a tipping-point mechanism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 4668-4673.	3.3	304
103	An Endogenous Carbon-Sensing Pathway Triggers Increased Auxin Flux and Hypocotyl Elongation. <i>Plant Physiology</i> , 2012, 160, 2261-2270.	2.3	157
104	Tissue-specific profiling of the <i>Arabidopsis thaliana</i> auxin metabolome. <i>Plant Journal</i> , 2012, 72, 523-536.	2.8	277
105	Fruit Growth in <i>Arabidopsis</i> Occurs via DELLA-Dependent and DELLA-Independent Gibberellin Responses. <i>Plant Cell</i> , 2012, 24, 3982-3996.	3.1	129
106	Linking photoreceptor excitation to changes in plant architecture. <i>Genes and Development</i> , 2012, 26, 785-790.	2.7	460
107	The <i>Arabidopsis thaliana</i> transcriptional activator <i>STYLISH1</i> regulates genes affecting stamen development, cell expansion and timing of flowering. <i>Plant Molecular Biology</i> , 2012, 78, 545-559.	2.0	36
108	Subterranean space exploration: the development of root system architecture. <i>Current Opinion in Plant Biology</i> , 2012, 15, 97-102.	3.5	40

#	ARTICLE	IF	CITATIONS
109	Phytochrome interacting factors 4 and 5 control seedling growth in changing light conditions by directly controlling auxin signaling. <i>Plant Journal</i> , 2012, 71, 699-711.	2.8	498
110	<i>TFL2/LHP1</i> is involved in auxin biosynthesis through positive regulation of <i>YUCCA</i> genes. <i>Plant Journal</i> , 2011, 65, 897-906.	2.8	39
111	SHORT-ROOT Regulates Primary, Lateral, and Adventitious Root Development in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2011, 155, 384-398.	2.3	163
112	The <i>Arabidopsis</i> YUCCA1 Flavin Monooxygenase Functions in the Indole-3-Pyruvic Acid Branch of Auxin Biosynthesis. <i>Plant Cell</i> , 2011, 23, 3961-3973.	3.1	320
113	Auxin and cytokinin regulate each other's levels via a metabolic feedback loop. <i>Plant Signaling and Behavior</i> , 2011, 6, 901-904.	1.2	30
114	Strigolactone signaling is required for auxin-dependent stimulation of secondary growth in plants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 20242-20247.	3.3	348
115	Interplay between the NADP-Linked Thioredoxin and Glutathione Systems in <i>Arabidopsis</i> Auxin Signaling. <i>Plant Cell</i> , 2010, 22, 376-391.	3.1	272
116	Role of polyamines in plant vascular development. <i>Plant Physiology and Biochemistry</i> , 2010, 48, 534-539.	2.8	88
117	A role for ABCB19-mediated polar auxin transport in seedling photomorphogenesis mediated by cryptochrome1 and phytochromeB. <i>Plant Journal</i> , 2010, 62, 179-191.	2.8	77
118	Hormonal control of the shoot stem-cell niche. <i>Nature</i> , 2010, 465, 1089-1092.	13.7	421
119	Homologues of the <i>Arabidopsis thaliana</i> SHI/STY/LRP1 genes control auxin biosynthesis and affect growth and development in the moss <i>Physcomitrella patens</i>. <i>Development (Cambridge)</i> , 2010, 137, 1275-1284.	1.2	97
120	Cytokinin Regulation of Auxin Synthesis in <i>Arabidopsis</i> Involves a Homeostatic Feedback Loop Regulated via Auxin and Cytokinin Signal Transduction. <i>Plant Cell</i> , 2010, 22, 2956-2969.	3.1	247
121	Auxin Metabolism and Function in the Multicellular Brown Alga <i>Ectocarpus siliculosus</i>. <i>Plant Physiology</i> , 2010, 153, 128-144.	2.3	103
122	Methods of Plant Hormone Analysis. , 2010, , 717-740.		14
123	Nitrate-Regulated Auxin Transport by NRT1.1 Defines a Mechanism for Nutrient Sensing in Plants. <i>Developmental Cell</i> , 2010, 18, 927-937.	3.1	870
124	REVEILLE1, a Myb-like transcription factor, integrates the circadian clock and auxin pathways. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 16883-16888.	3.3	226
125	Control of bud activation by an auxin transport switch. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 17431-17436.	3.3	319
126	Quantification of indole-3-acetic acid from plant associated <i>Bacillus</i> spp. and their phytostimulatory effect on <i>Vigna radiata</i> (L.). <i>World Journal of Microbiology and Biotechnology</i> , 2009, 25, 519-526.	1.7	56



#	ARTICLE	IF	CITATIONS
127	Auxin transport into cotyledons and cotyledon growth depend similarly on the ABCB19 Multidrug Resistance-like transporter. <i>Plant Journal</i> , 2009, 60, 91-101.	2.8	50
128	A regulated auxin minimum is required for seed dispersal in <i>Arabidopsis</i> . <i>Nature</i> , 2009, 459, 583-586.	13.7	237
129	Local auxin biosynthesis modulates gradient-directed planar polarity in <i>Arabidopsis</i> . <i>Nature Cell Biology</i> , 2009, 11, 731-738.	4.6	153
130	An Auxin Gradient and Maximum in the <i>Arabidopsis</i> Root Apex Shown by High-Resolution Cell-Specific Analysis of IAA Distribution and Synthesis. <i>Plant Cell</i> , 2009, 21, 1659-1668.	3.1	439
131	The AUXIN BINDING PROTEIN 1 Is Required for Differential Auxin Responses Mediating Root Growth. <i>PLoS ONE</i> , 2009, 4, e6648.	1.1	124
132	The auxin influx carrier LAX3 promotes lateral root emergence. <i>Nature Cell Biology</i> , 2008, 10, 946-954.	4.6	715
133	Inhibited polar auxin transport results in aberrant embryo development in Norway spruce. <i>New Phytologist</i> , 2008, 177, 356-366.	3.5	69
134	Auxin can act independently of <i>CRC</i> , <i>LUG</i> , <i>SEU</i> , <i>SPT</i> and <i>STY1</i> in style development but not apical-basal patterning of the <i>Arabidopsis</i> gynoecium. <i>New Phytologist</i> , 2008, 180, 798-808.	3.5	86
135	Rapid Synthesis of Auxin via a New Tryptophan-Dependent Pathway Is Required for Shade Avoidance in Plants. <i>Cell</i> , 2008, 133, 164-176.	13.5	928
136	Cytokinin signaling regulates cambial development in poplar. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 20032-20037.	3.3	245
137	Requirement of B2-Type Cyclin-Dependent Kinases for Meristem Integrity in <i>Arabidopsis thaliana</i> . <i>Plant Cell</i> , 2008, 20, 88-100.	3.1	181
138	Disruptions in AUX1-Dependent Auxin Influx Alter Hypocotyl Phototropism in <i>Arabidopsis</i> . <i>Molecular Plant</i> , 2008, 1, 129-144.	3.9	53
139	Ethylene Regulates Root Growth through Effects on Auxin Biosynthesis and Transport-Dependent Auxin Distribution. <i>Plant Cell</i> , 2007, 19, 2197-2212.	3.1	682
140	Ethylene Upregulates Auxin Biosynthesis in <i>Arabidopsis</i> Seedlings to Enhance Inhibition of Root Cell Elongation. <i>Plant Cell</i> , 2007, 19, 2186-2196.	3.1	536
141	Ubiquitin Lysine 63 Chain-Forming Ligases Regulate Apical Dominance in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2007, 19, 1898-1911.	3.1	97
142	A gradient of auxin and auxin-dependent transcription precedes tropic growth responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 236-241.	3.3	210
143	Vectorial Information for <i>Arabidopsis</i> Planar Polarity Is Mediated by Combined AUX1, EIN2, and GNOM Activity. <i>Current Biology</i> , 2006, 16, 2143-2149.	1.8	141
144	Computer simulations reveal properties of the cell-cell signaling network at the shoot apex in <i>Arabidopsis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 1627-1632.	3.3	330

#	ARTICLE	IF	CITATIONS
145	Maintenance of Embryonic Auxin Distribution for Apical-Basal Patterning by PIN-FORMED-Dependent Auxin Transport in Arabidopsis. <i>Plant Cell</i> , 2005, 17, 2517-2526.	3.1	135
146	Cell Cycle Progression in the Pericycle Is Not Sufficient for SOLITARY ROOT/IAA14-Mediated Lateral Root Initiation in Arabidopsis thaliana. <i>Plant Cell</i> , 2005, 17, 3035-3050.	3.1	309
147	Auxin and Light Control of Adventitious Rooting in Arabidopsis Require ARGONAUTE1. <i>Plant Cell</i> , 2005, 17, 1343-1359.	3.1	339
148	Sites and Regulation of Auxin Biosynthesis in Arabidopsis Roots. <i>Plant Cell</i> , 2005, 17, 1090-1104.	3.1	466
149	A PINOID-Dependent Binary Switch in Apical-Basal PIN Polar Targeting Directs Auxin Efflux. <i>Science</i> , 2004, 306, 862-865.	6.0	703
150	A Family of Auxin-Conjugate Hydrolases That Contributes to Free Indole-3-Acetic Acid Levels during Arabidopsis Germination. <i>Plant Physiology</i> , 2004, 135, 978-988.	2.3	220
151	Biosynthesis, conjugation, catabolism and homeostasis of indole-3-acetic acid in Arabidopsis thaliana. , 2002, , 249-272.		13
152	FLOOZY of petunia is a flavin mono-oxygenase-like protein required for the specification of leaf and flower architecture. <i>Genes and Development</i> , 2002, 16, 753-763.	2.7	166
153	AtPIN4 Mediates Sink-Driven Auxin Gradients and Root Patterning in Arabidopsis. <i>Cell</i> , 2002, 108, 661-673.	13.5	763
154	Cell Polarity Signaling in Arabidopsis Involves a BFA-Sensitive Auxin Influx Pathway. <i>Current Biology</i> , 2002, 12, 329-334.	1.8	131
155	Shoot-derived auxin is essential for early lateral root emergence in Arabidopsis seedlings. <i>Plant Journal</i> , 2002, 29, 325-332.	2.8	463
156	Sites and homeostatic control of auxin biosynthesis in Arabidopsis during vegetative growth. <i>Plant Journal</i> , 2002, 28, 465-474.	2.8	531
157	Title is missing!. <i>Plant Molecular Biology</i> , 2002, 49, 249-272.	2.0	145
158	Biosynthesis, conjugation, catabolism and homeostasis of indole-3-acetic acid in Arabidopsis thaliana. <i>Plant Molecular Biology</i> , 2002, 50, 309-332.	2.0	191
159	Biosynthesis, conjugation, catabolism and homeostasis of indole-3-acetic acid in Arabidopsis thaliana. <i>Plant Molecular Biology</i> , 2002, 49, 249-72.	2.0	70
160	Localization of the auxin permease AUX1 suggests two functionally distinct hormone transport pathways operate in the Arabidopsis root apex. <i>Genes and Development</i> , 2001, 15, 2648-2653.	2.7	571
161	Control of axillary bud initiation and shoot architecture in Arabidopsis through the SUPERSHOOT gene. <i>Genes and Development</i> , 2001, 15, 1577-1588.	2.7	169
162	Developmental Regulation of Indole-3-Acetic Acid Turnover in Scots Pine Seedlings. <i>Plant Physiology</i> , 2001, 125, 464-475.	2.3	99

#	ARTICLE	IF	CITATIONS
163	The Xerobranching Response Represses Lateral Root Formation When Roots Are Not in Contact With Water. SSRN Electronic Journal, 0, , .	0.4	1