

Roman Hovorka

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8570422/publications.pdf>

Version: 2024-02-01

312
papers

17,979
citations

18465

62
h-index

16636

123
g-index

322
all docs

322
docs citations

322
times ranked

8496
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical Targets for Continuous Glucose Monitoring Data Interpretation: Recommendations From the International Consensus on Time in Range. <i>Diabetes Care</i> , 2019, 42, 1593-1603.	4.3	2,101
2	International Consensus on Use of Continuous Glucose Monitoring. <i>Diabetes Care</i> , 2017, 40, 1631-1640.	4.3	1,376
3	Nonlinear model predictive control of glucose concentration in subjects with type 1 diabetes. <i>Physiological Measurement</i> , 2004, 25, 905-920.	1.2	1,025
4	Intensive insulin therapy: enhanced Model Predictive Control algorithm versus standard care. <i>Intensive Care Medicine</i> , 2009, 35, 123-128.	3.9	525
5	Manual closed-loop insulin delivery in children and adolescents with type 1 diabetes: a phase 2 randomised crossover trial. <i>Lancet, The</i> , 2010, 375, 743-751.	6.3	429
6	Home Use of an Artificial Beta Cell in Type 1 Diabetes. <i>New England Journal of Medicine</i> , 2015, 373, 2129-2140.	13.9	397
7	Continuous glucose monitoring and closed-loop systems. <i>Diabetic Medicine</i> , 2006, 23, 1-12.	1.2	371
8	Closed-loop insulin delivery in suboptimally controlled type 1 diabetes: a multicentre, 12-week randomised trial. <i>Lancet, The</i> , 2018, 392, 1321-1329.	6.3	302
9	Partitioning glucose distribution/transport, disposal, and endogenous production during IVGTT. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2002, 282, E992-E1007.	1.8	297
10	Artificial pancreas treatment for outpatients with type 1 diabetes: systematic review and meta-analysis. <i>BMJ: British Medical Journal</i> , 2018, 361, k1310.	2.4	294
11	Closed-loop insulin delivery: from bench to clinical practice. <i>Nature Reviews Endocrinology</i> , 2011, 7, 385-395.	4.3	274
12	Overnight closed loop insulin delivery (artificial pancreas) in adults with type 1 diabetes: crossover randomised controlled studies. <i>BMJ: British Medical Journal</i> , 2011, 342, d1855-d1855.	2.4	217
13	Insulin Kinetics in Type-1 Diabetes: Continuous and Bolus Delivery of Rapid Acting Insulin. <i>IEEE Transactions on Biomedical Engineering</i> , 2005, 52, 3-12.	2.5	209
14	Closed-Loop Insulin Delivery during Pregnancy in Women with Type 1 Diabetes. <i>New England Journal of Medicine</i> , 2016, 375, 644-654.	13.9	203
15	Simulation Environment to Evaluate Closed-Loop Insulin Delivery Systems in Type 1 Diabetes. <i>Journal of Diabetes Science and Technology</i> , 2010, 4, 132-144.	1.3	195
16	Outcome Measures for Artificial Pancreas Clinical Trials: A Consensus Report. <i>Diabetes Care</i> , 2016, 39, 1175-1179.	4.3	195
17	Overnight Closed-Loop Insulin Delivery in Young People With Type 1 Diabetes: A Free-Living, Randomized Clinical Trial. <i>Diabetes Care</i> , 2014, 37, 1204-1211.	4.3	193
18	Multicentric, Randomized, Controlled Trial to Evaluate Blood Glucose Control by the Model Predictive Control Algorithm Versus Routine Glucose Management Protocols in Intensive Care Unit Patients. <i>Diabetes Care</i> , 2006, 29, 271-276.	4.3	189

#	ARTICLE	IF	CITATIONS
19	Coming of age: the artificial pancreas for type 1 diabetes. <i>Diabetologia</i> , 2016, 59, 1795-1805.	2.9	187
20	Clinical review: Consensus recommendations on measurement of blood glucose and reporting glycemic control in critically ill adults. <i>Critical Care</i> , 2013, 17, 229.	2.5	169
21	ISEC: a program to calculate insulin secretion. <i>Computer Methods and Programs in Biomedicine</i> , 1996, 50, 253-264.	2.6	150
22	New closed-loop insulin systems. <i>Diabetologia</i> , 2021, 64, 1007-1015.	2.9	146
23	Closed-Loop Basal Insulin Delivery Over 36 Hours in Adolescents With Type 1 Diabetes. <i>Diabetes Care</i> , 2013, 36, 838-844.	4.3	144
24	Closed-Loop Insulin Delivery for Glycemic Control in Noncritical Care. <i>New England Journal of Medicine</i> , 2018, 379, 547-556.	13.9	144
25	Home use of closed-loop insulin delivery for overnight glucose control in adults with type 1 diabetes: a 4-week, multicentre, randomised crossover study. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 701-709.	5.5	140
26	Closing the loop overnight at home setting: psychosocial impact for adolescents with type 1 diabetes and their parents. <i>BMJ Open Diabetes Research and Care</i> , 2014, 2, e000025.	1.2	132
27	Closing the Loop: The Adicol Experience. <i>Diabetes Technology and Therapeutics</i> , 2004, 6, 307-318.	2.4	131
28	Day-and-night glycaemic control with closed-loop insulin delivery versus conventional insulin pump therapy in free-living adults with well controlled type 1 diabetes: an open-label, randomised, crossover study. <i>Lancet Diabetes and Endocrinology</i> , 2017, 5, 261-270.	5.5	120
29	Closed-Loop Insulin Delivery During Pregnancy Complicated by Type 1 Diabetes. <i>Diabetes Care</i> , 2011, 34, 406-411.	4.3	115
30	Continuous subcutaneous insulin infusion in diabetes: patient populations, safety, efficacy, and pharmacoeconomics. <i>Diabetes/Metabolism Research and Reviews</i> , 2016, 32, 21-39.	1.7	115
31	Day and Night Home Closed-Loop Insulin Delivery in Adults With Type 1 Diabetes: Three-Center Randomized Crossover Study. <i>Diabetes Care</i> , 2014, 37, 1931-1937.	4.3	113
32	Day-and-Night Closed-Loop Insulin Delivery in a Broad Population of Pregnant Women With Type 1 Diabetes: A Randomized Controlled Crossover Trial. <i>Diabetes Care</i> , 2018, 41, 1391-1399.	4.3	113
33	A probabilistic approach to glucose prediction and insulin dose adjustment: description of metabolic model and pilot evaluation study. <i>Computer Methods and Programs in Biomedicine</i> , 1994, 41, 153-165.	2.6	112
34	Day-and-Night Hybrid Closed-Loop Insulin Delivery in Adolescents With Type 1 Diabetes: A Free-Living, Randomized Clinical Trial. <i>Diabetes Care</i> , 2016, 39, 1168-1174.	4.3	105
35	Technology in the management of type 1 diabetes mellitus – current status and future prospects. <i>Nature Reviews Endocrinology</i> , 2018, 14, 464-475.	4.3	103
36	Patients' and caregivers' experiences of using continuous glucose monitoring to support diabetes self-management: qualitative study. <i>BMC Endocrine Disorders</i> , 2018, 18, 12.	0.9	102

#	ARTICLE	IF	CITATIONS
37	Safety and Efficacy of 24-h Closed-Loop Insulin Delivery in Well-Controlled Pregnant Women With Type 1 Diabetes. <i>Diabetes Care</i> , 2011, 34, 2527-2529.	4.3	101
38	Glycemic Variability Correlates Strongly With Postprandial β -Cell Dysfunction in a Segment of Type 2 Diabetic Patients Using Oral Hypoglycemic Agents. <i>Diabetes Care</i> , 2009, 32, 1058-1062.	4.3	99
39	Closing the Loop in Adults, Children and Adolescents With Suboptimally Controlled Type 1 Diabetes Under Free Living Conditions: A Psychosocial Substudy. <i>Journal of Diabetes Science and Technology</i> , 2017, 11, 1080-1088.	1.3	99
40	Randomized Trial of Closed-Loop Control in Very Young Children with Type 1 Diabetes. <i>New England Journal of Medicine</i> , 2022, 386, 209-219.	13.9	99
41	Blood Glucose Control by a Model Predictive Control Algorithm with Variable Sampling Rate Versus a Routine Glucose Management Protocol in Cardiac Surgery Patients: A Randomized Controlled Trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 2960-2964.	1.8	98
42	Day and Night Closed-Loop Control in Adults With Type 1 Diabetes. <i>Diabetes Care</i> , 2013, 36, 3882-3887.	4.3	95
43	Feasibility of fully automated closed-loop glucose control using continuous subcutaneous glucose measurements in critical illness: a randomized controlled trial. <i>Critical Care</i> , 2013, 17, R159.	2.5	94
44	Psychosocial aspects of closed- and open-loop insulin delivery: closing the loop in adults with Type 1 diabetes in the home setting. <i>Diabetic Medicine</i> , 2015, 32, 601-608.	1.2	91
45	Closed-loop insulin delivery in inpatients with type 2 diabetes: a randomised, parallel-group trial. <i>Lancet Diabetes and Endocrinology</i> , 2017, 5, 117-124.	5.5	91
46	Comparison of Three Protocols for Tight Glycemic Control in Cardiac Surgery Patients. <i>Diabetes Care</i> , 2009, 32, 757-761.	4.3	90
47	Tight glycaemic control by an automated algorithm with time-variant sampling in medical ICU patients. <i>Intensive Care Medicine</i> , 2008, 34, 1224-1230.	3.9	87
48	A simulation model of glucose regulation in the critically ill. <i>Physiological Measurement</i> , 2008, 29, 959-978.	1.2	86
49	Pathophysiology of postprandial hyperglycaemia in women with type 1 diabetes during pregnancy. <i>Diabetologia</i> , 2012, 55, 282-293.	2.9	85
50	Quantifying the Acute Changes in Glucose with Exercise in Type 1 Diabetes: A Systematic Review and Meta-Analysis. <i>Sports Medicine</i> , 2015, 45, 587-599.	3.1	83
51	Closed-loop insulin delivery for treatment of type 1 diabetes. <i>BMC Medicine</i> , 2011, 9, 120.	2.3	82
52	Effects of Intravenous Infusion of Lipid-Free Apo A-I in Humans. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1996, 16, 1203-1214.	1.1	80
53	Home Use of Day-and-Night Hybrid Closed-Loop Insulin Delivery in Very Young Children: A Multicenter, 3-Week, Randomized Trial. <i>Diabetes Care</i> , 2019, 42, 594-600.	4.3	79
54	Continuous Glucose Monitors and Automated Insulin Dosing Systems in the Hospital Consensus Guideline. <i>Journal of Diabetes Science and Technology</i> , 2020, 14, 1035-1064.	1.3	77

#	ARTICLE	IF	CITATIONS
55	Pancreatic β -Cell Responsiveness during Meal Tolerance Test: Model Assessment in Normal Subjects and Subjects with Newly Diagnosed Noninsulin-Dependent Diabetes Mellitus ¹ . <i>Journal of Clinical Endocrinology and Metabolism</i> , 1998, 83, 744-750.	1.8	73
56	Reduced burden of diabetes and improved quality of life: Experiences from unrestricted day&night hybrid closed-loop use in very young children with type 1 diabetes. <i>Pediatric Diabetes</i> , 2019, 20, 794-799.	1.2	72
57	Is an artificial pancreas (closed-loop system) for Type 1 diabetes effective?. <i>Diabetic Medicine</i> , 2019, 36, 279-286.	1.2	72
58	The Future of Continuous Glucose Monitoring: Closed Loop. <i>Current Diabetes Reviews</i> , 2008, 4, 269-279.	0.6	69
59	A Glycemia Risk Index (GRI) of Hypoglycemia and Hyperglycemia for Continuous Glucose Monitoring Validated by Clinician Ratings. <i>Journal of Diabetes Science and Technology</i> , 2023, 17, 1226-1242.	1.3	69
60	Continuous glucose control in the ICU: report of a 2013 round table meeting. <i>Critical Care</i> , 2014, 18, 226.	2.5	68
61	Perioperative Tight Glucose Control Reduces Postoperative Adverse Events in Nondiabetic Cardiac Surgery Patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 3081-3089.	1.8	67
62	How to measure insulin secretion. <i>Diabetes/metabolism Reviews</i> , 1994, 10, 91-117.	0.4	66
63	Home Use of Day-and-Night Hybrid Closed-Loop Insulin Delivery in Suboptimally Controlled Adolescents With Type 1 Diabetes: A 3-Week, Free-Living, Randomized Crossover Trial. <i>Diabetes Care</i> , 2016, 39, 2019-2025.	4.3	65
64	Closed-Loop Insulin Delivery in Type 1 Diabetes. <i>Endocrinology and Metabolism Clinics of North America</i> , 2012, 41, 105-117.	1.2	64
65	Glucose Control in the ICU. <i>Journal of Diabetes Science and Technology</i> , 2016, 10, 1372-1381.	1.3	64
66	Fully closed-loop insulin delivery in inpatients receiving nutritional support: a two-centre, open-label, randomised controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2019, 7, 368-377.	5.5	59
67	Pancreatic β -Cell Responsiveness during Meal Tolerance Test: Model Assessment in Normal Subjects and Subjects with Newly Diagnosed Noninsulin-Dependent Diabetes Mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1998, 83, 744-750.	1.8	59
68	Overnight Closed-Loop Insulin Delivery with Model Predictive Control: Assessment of Hypoglycemia and Hyperglycemia Risk Using Simulation Studies. <i>Journal of Diabetes Science and Technology</i> , 2009, 3, 1109-1120.	1.3	58
69	Hybrid closed-loop glucose control with faster insulin aspart compared with standard insulin aspart in adults with type 1 diabetes: A double-blind, multicentre, multinational, randomized, crossover study. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 1389-1396.	2.2	58
70	A comparison of six deconvolution techniques. <i>Journal of Pharmacokinetics and Pharmacodynamics</i> , 1996, 24, 283-299.	0.6	55
71	Attainment of Metabolic Goals in the Integrated UK Islet Transplant Program With Locally Isolated and Transported Preparations. <i>American Journal of Transplantation</i> , 2013, 13, 3236-3243.	2.6	55
72	Evaluation of glucose controllers in virtual environment: methodology and sample application. <i>Artificial Intelligence in Medicine</i> , 2004, 32, 171-181.	3.8	54

#	ARTICLE	IF	CITATIONS
73	Measuring prehepatic insulin secretion using a population model of C-peptide kinetics: accuracy and required sampling schedule. <i>Diabetologia</i> , 1998, 41, 548-554.	2.9	52
74	Automated Overnight Closed-Loop Glucose Control in Young Children with Type 1 Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2011, 13, 419-424.	2.4	52
75	Modeling Day-to-Day Variability of Glucose-Insulin Regulation Over 12-Week Home Use of Closed-Loop Insulin Delivery. <i>IEEE Transactions on Biomedical Engineering</i> , 2017, 64, 1412-1419.	2.5	52
76	Participants' Experiences of, and Views About, Daytime Use of a Day-and-Night Hybrid Closed-Loop System in Real Life Settings: Longitudinal Qualitative Study. <i>Diabetes Technology and Therapeutics</i> , 2019, 21, 119-127.	2.4	52
77	Closed-loop control in insulin pumps for type-1 diabetes mellitus: safety and efficacy. <i>Expert Review of Medical Devices</i> , 2020, 17, 707-720.	1.4	52
78	Young Children Have Higher Variability of Insulin Requirements: Observations During Hybrid Closed-Loop Insulin Delivery. <i>Diabetes Care</i> , 2019, 42, 1344-1347.	4.3	51
79	Fully closed-loop insulin delivery improves glucose control of inpatients with type 2 diabetes receiving hemodialysis. <i>Kidney International</i> , 2019, 96, 593-596.	2.6	51
80	On-line adaptive algorithm with glucose prediction capacity for subcutaneous closed loop control of glucose: evaluation under fasting conditions in patients with Type 1 diabetes. <i>Diabetic Medicine</i> , 2006, 23, 90-93.	1.2	50
81	Artificial pancreas: an emerging approach to treat Type 1 diabetes. <i>Expert Review of Medical Devices</i> , 2009, 6, 401-410.	1.4	50
82	Treatment with Recombinant Human Insulin-Like Growth Factor (rhIGF)-I/rhIGF Binding Protein-3 Complex Improves Metabolic Control in Subjects with Severe Insulin Resistance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 2113-2122.	1.8	50
83	Management of diabetes using adaptive control. <i>International Journal of Adaptive Control and Signal Processing</i> , 2005, 19, 309-325.	2.3	49
84	Stochastic Virtual Population of Subjects With Type 1 Diabetes for the Assessment of Closed-Loop Glucose Controllers. <i>IEEE Transactions on Biomedical Engineering</i> , 2013, 60, 3524-3533.	2.5	49
85	Feasibility of Closed-Loop Insulin Delivery in Type 2 Diabetes: A Randomized Controlled Study. <i>Diabetes Care</i> , 2014, 37, 1198-1203.	4.3	49
86	Variability of Insulin Requirements Over 12 Weeks of Closed-Loop Insulin Delivery in Adults With Type 1 Diabetes. <i>Diabetes Care</i> , 2016, 39, 830-832.	4.3	49
87	Evaluation of a portable ambulatory prototype for automated overnight closed-loop insulin delivery in young people with type 1 diabetes. <i>Pediatric Diabetes</i> , 2012, 13, 449-453.	1.2	48
88	Assessing Performance of Closed-Loop Insulin Delivery Systems by Continuous Glucose Monitoring: Drawbacks and Way Forward. <i>Diabetes Technology and Therapeutics</i> , 2013, 15, 4-12.	2.4	48
89	Prandial Hypertriglyceridemia in Metabolic Syndrome Is Due to an Overproduction of Both Chylomicron and VLDL Triacylglycerol. <i>Diabetes</i> , 2013, 62, 4063-4069.	0.3	47
90	Pharmacokinetics of Insulin Aspart in Pump-Treated Subjects With Type 1 Diabetes: Reproducibility and Effect of Age, Weight, and Duration of Diabetes. <i>Diabetes Care</i> , 2013, 36, e173-e174.	4.3	47

#	ARTICLE	IF	CITATIONS
91	Advances in artificial pancreas systems. <i>Science Translational Medicine</i> , 2019, 11, .	5.8	46
92	Continuous subcutaneous insulin infusion therapy and multiple daily insulin injections in type 1 diabetes mellitus: a comparative overview and future horizons. <i>Expert Opinion on Drug Delivery</i> , 2016, 13, 389-400.	2.4	45
93	Parental Attitudes Towards Overnight Closed-Loop Glucose Control in Children with Type 1 Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2010, 12, 35-39.	2.4	44
94	Experiences of closed-loop insulin delivery among pregnant women with Type 1 diabetes. <i>Diabetic Medicine</i> , 2017, 34, 1461-1469.	1.2	44
95	IGF-I treatment in adults with type 1 diabetes: effects on glucose and protein metabolism in the fasting state and during a hyperinsulinemic-euglycemic amino acid clamp. <i>Diabetes</i> , 2000, 49, 789-796.	0.3	42
96	The Use of Continuous Glucose Monitoring Combined with Computer-Based eMPC Algorithm for Tight Glucose Control in Cardiosurgical ICU. <i>BioMed Research International</i> , 2013, 2013, 1-8.	0.9	42
97	Improving glycemic control in critically ill patients: personalized care to mimic the endocrine pancreas. <i>Critical Care</i> , 2018, 22, 182.	2.5	42
98	Parents' experiences of caring for a young child with type 1 diabetes: a systematic review and synthesis of qualitative evidence. <i>BMC Pediatrics</i> , 2021, 21, 160.	0.7	41
99	Evaluating the Accuracy and Large Inaccuracy of Two Continuous Glucose Monitoring Systems. <i>Diabetes Technology and Therapeutics</i> , 2013, 15, 143-149.	2.4	40
100	A Model-Based Approach to Insulin Adjustment. <i>Lecture Notes in Medical Informatics</i> , 1991, , 239-248.	0.1	40
101	Simulation models for in silico testing of closed-loop glucose controllers in type 1 diabetes. <i>Drug Discovery Today: Disease Models</i> , 2008, 5, 289-298.	1.2	38
102	Effects of prolonged fasting and sustained lipolysis on insulin secretion and insulin sensitivity in normal subjects. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009, 296, E454-E461.	1.8	38
103	Accuracy of Subcutaneous Continuous Glucose Monitoring in Critically Ill Adults: Improved Sensor Performance with Enhanced Calibrations. <i>Diabetes Technology and Therapeutics</i> , 2014, 16, 97-101.	2.4	38
104	Health professionals' views about who would benefit from using a closed-loop system: a qualitative study. <i>Diabetic Medicine</i> , 2020, 37, 1030-1037.	1.2	38
105	Real-time continuous glucose monitoring in preterm infants (REACT): an international, open-label, randomised controlled trial. <i>The Lancet Child and Adolescent Health</i> , 2021, 5, 265-273.	2.7	38
106	Fully automated closed-loop glucose control compared with standard insulin therapy in adults with type 2 diabetes requiring dialysis: an open-label, randomized crossover trial. <i>Nature Medicine</i> , 2021, 27, 1471-1476.	15.2	38
107	Hybrid closed-loop glucose control compared with sensor augmented pump therapy in older adults with type 1 diabetes: an open-label multicentre, multinational, randomised, crossover study. <i>The Lancet Healthy Longevity</i> , 2022, 3, e135-e142.	2.0	38
108	Suspended insulin infusion during overnight closed-loop glucose control in children and adolescents with Type 1 diabetes. <i>Diabetic Medicine</i> , 2010, 27, 480-484.	1.2	37

#	ARTICLE	IF	CITATIONS
109	Absorption patterns of meals containing complex carbohydrates in type 1 diabetes. <i>Diabetologia</i> , 2013, 56, 1108-1117.	2.9	37
110	Quantitative Measurement of 3-O-Methyl-D-glucose by Gas Chromatography-Mass Spectrometry as a Measure of Glucose Transport In Vivo. , 1996, 31, 961-966.		34
111	Roadmap to the artificial pancreas. <i>Diabetes Research and Clinical Practice</i> , 2006, 74, S178-S182.	1.1	34
112	Technology in the management of type 2 diabetes: Present status and future prospects. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 1722-1732.	2.2	34
113	A consultation system for insulin therapy. <i>Computer Methods and Programs in Biomedicine</i> , 1990, 32, 303-310.	2.6	33
114	Five-compartment model of insulin kinetics and its use to investigate action of chloroquine in NIDDM. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1993, 265, E162-E175.	1.8	33
115	DIAS – the diabetes advisory system: an outline of the system and the evaluation results obtained so far. <i>Computer Methods and Programs in Biomedicine</i> , 1997, 54, 49-58.	2.6	33
116	Accuracy of Continuous Glucose Monitoring During Three Closed-Loop Home Studies Under Free-Living Conditions. <i>Diabetes Technology and Therapeutics</i> , 2015, 17, 801-807.	2.4	33
117	Cambridge hybrid closed-loop algorithm in children and adolescents with type 1 diabetes: a multicentre 6-month randomised controlled trial. <i>The Lancet Digital Health</i> , 2022, 4, e245-e255.	5.9	33
118	Causal probabilistic network modeling – illustration of its role in the management of chronic diseases. <i>IBM Systems Journal</i> , 1992, 31, 635-648.	3.1	32
119	Fitting dynamic models with forcing functions: Application to continuous glucose monitoring in insulin therapy. <i>Statistics in Medicine</i> , 2011, 30, 2234-2250.	0.8	32
120	Pharmacokinetics of Insulin Aspart in Pregnant Women With Type 1 Diabetes: Every Day Is Different. <i>Diabetes Care</i> , 2014, 37, e121-e122.	4.3	32
121	Women's Experiences of Day-and-Night Closed-Loop Insulin Delivery During Type 1 Diabetes Pregnancy. <i>Journal of Diabetes Science and Technology</i> , 2018, 12, 1125-1131.	1.3	32
122	The impact of using a closed-loop system on food choices and eating practices among people with Type 1 diabetes: a qualitative study involving adults, teenagers and parents. <i>Diabetic Medicine</i> , 2019, 36, 753-760.	1.2	32
123	Feasibility of overnight closed-loop therapy in young children with type 1 diabetes aged 3 to 6 years: comparison between diluted and standard insulin strength. <i>BMJ Open Diabetes Research and Care</i> , 2014, 2, e000040.	1.2	31
124	Impact of liver fat on the differential partitioning of hepatic triacylglycerol into VLDL subclasses on high and low sugar diets. <i>Clinical Science</i> , 2017, 131, 2561-2573.	1.8	31
125	Accuracy of Continuous Glucose Monitoring During Exercise in Type 1 Diabetes Pregnancy. <i>Diabetes Technology and Therapeutics</i> , 2013, 15, 223-229.	2.4	30
126	Glucose Control in the Intensive Care Unit by Use of Continuous Glucose Monitoring: What Level of Measurement Error Is Acceptable?. <i>Clinical Chemistry</i> , 2014, 60, 1500-1509.	1.5	30

#	ARTICLE	IF	CITATIONS
127	Safety of closed-loop therapy during reduction or omission of meal boluses in adolescents with type 1 diabetes: a randomized clinical trial. <i>Diabetes, Obesity and Metabolism</i> , 2014, 16, 1174-1178.	2.2	29
128	Closed-loop for type 1 diabetes – an introduction and appraisal for the generalist. <i>BMC Medicine</i> , 2017, 15, 14.	2.3	29
129	Benefits and Challenges of Current Closed-Loop Technologies in Children and Young People With Type 1 Diabetes. <i>Frontiers in Pediatrics</i> , 2021, 9, 679484.	0.9	29
130	<i>In Silico</i> Testing – Impact on the Progress of the Closed Loop Insulin Infusion for Critically Ill Patients Project. <i>Journal of Diabetes Science and Technology</i> , 2008, 2, 417-423.	1.3	28
131	Glucose-responsive insulin delivery for type 1 diabetes: The artificial pancreas story. <i>International Journal of Pharmaceutics</i> , 2018, 544, 309-318.	2.6	28
132	Efficacy and Safety of Glucose Control with Space GlucoseControl in the Medical Intensive Care Unit – An Open Clinical Investigation. <i>Diabetes Technology and Therapeutics</i> , 2012, 14, 690-695.	2.4	27
133	Feasibility of automated insulin delivery guided by continuous glucose monitoring in preterm infants. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2020, 105, 279-284.	1.4	27
134	Preliminary experience of the DIAS computer model in providing insulin dose advice to patients with insulin dependent diabetes. <i>Computer Methods and Programs in Biomedicine</i> , 1998, 56, 157-164.	2.6	26
135	Unsupervised home use of an overnight closed-loop system over 3 – 4 weeks: a pooled analysis of randomized controlled studies in adults and adolescents with type 1 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2015, 17, 452-458.	2.2	26
136	Finding the right route for insulin delivery – an overview of implantable pump therapy. <i>Expert Opinion on Drug Delivery</i> , 2017, 14, 1103-1111.	2.4	26
137	Bayesian hierarchical approach to estimate insulin sensitivity by minimal model. <i>Clinical Science</i> , 2003, 105, 551-560.	1.8	25
138	Evaluation of nonlinear regression approaches to estimation of insulin sensitivity by the minimal model with reference to Bayesian hierarchical analysis. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006, 291, E167-E174.	1.8	25
139	Closed-loop insulin delivery: towards improved diabetes care. <i>Discovery Medicine</i> , 2012, 13, 159-70.	0.5	25
140	Interstitial glucose kinetics in subjects with type 1 diabetes under physiologic conditions. <i>Metabolism: Clinical and Experimental</i> , 2004, 53, 1484-1491.	1.5	24
141	Evaluating Glycemic Control Algorithms by Computer Simulations. <i>Diabetes Technology and Therapeutics</i> , 2011, 13, 713-722.	2.4	24
142	Population and individual minimal modeling of the frequently sampled insulin-modified intravenous glucose tolerance test. <i>Metabolism: Clinical and Experimental</i> , 2004, 53, 1349-1354.	1.5	23
143	Calculating glucose fluxes during meal tolerance test: a new computational approach. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007, 293, E610-E619.	1.8	23
144	Hospital Glucose Control: Safe and Reliable Glycemic Control Using Enhanced Model Predictive Control Algorithm in Medical Intensive Care Unit Patients. <i>Diabetes Technology and Therapeutics</i> , 2010, 12, 405-412.	2.4	23

#	ARTICLE	IF	CITATIONS
145	Adaptability of Closed Loop During Labor, Delivery, and Postpartum: A Secondary Analysis of Data from Two Randomized Crossover Trials in Type 1 Diabetes Pregnancy. <i>Diabetes Technology and Therapeutics</i> , 2018, 20, 501-505.	2.4	23
146	Evaluation of Implementation of a Fully Automated Algorithm (Enhanced Model Predictive Control) in an Interacting Infusion Pump System for Establishment of Tight Glycemic Control in Medical Intensive Care Unit Patients. <i>Journal of Diabetes Science and Technology</i> , 2008, 2, 963-970.	1.3	22
147	Physical Activity Energy Expenditure and Glucose Control in Pregnant Women With Type 1 Diabetes. <i>Diabetes Care</i> , 2013, 36, 1095-1101.	4.3	22
148	The artificial pancreas. <i>Current Opinion in Organ Transplantation</i> , 2020, Publish Ahead of Print, 336-342.	0.8	22
149	CODE: a deconvolution program implementing a regularization method of deconvolution constrained to non-negative values. Description and pilot evaluation. , 1998, 19, 39-53.		21
150	Training and Support for Hybrid Closed-Loop Therapy. <i>Journal of Diabetes Science and Technology</i> , 2022, 16, 218-223.	1.3	21
151	Adolescents' and their parents' experiences of using a closed-loop system to manage type 1 diabetes in everyday life: qualitative study. <i>Chronic Illness</i> , 2022, 18, 742-756.	0.6	21
152	Measurement delay associated with the Guardian® RT continuous glucose monitoring system. <i>Diabetic Medicine</i> , 2010, 27, 117-122.	1.2	20
153	Meta-Analysis of Overnight Closed-Loop Randomized Studies in Children and Adults with Type 1 Diabetes: The Cambridge Cohort. <i>Journal of Diabetes Science and Technology</i> , 2011, 5, 1352-1362.	1.3	20
154	Evaluating Glucose Control With a Novel Composite Continuous Glucose Monitoring Index. <i>Journal of Diabetes Science and Technology</i> , 2020, 14, 277-283.	1.3	20
155	Use of the DIAS model to predict unrecognised hypoglycaemia in patients with insulin-dependent diabetes. <i>Computer Methods and Programs in Biomedicine</i> , 1996, 50, 241-246.	2.6	19
156	Insulin pump therapy in youth with type 1 diabetes: toward closed-loop systems. <i>Expert Opinion on Drug Delivery</i> , 2014, 11, 943-955.	2.4	19
157	Safety, efficacy and glucose turnover of reduced prandial boluses during closed-loop therapy in adolescents with type 1 diabetes: a randomized clinical trial. <i>Diabetes, Obesity and Metabolism</i> , 2015, 17, 1173-1179.	2.2	19
158	Hypoglycaemia incidence and recovery during home use of hybrid closed-loop insulin delivery in adults with type 1 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 2004-2008.	2.2	19
159	Lixisenatide Reduces Chylomicron Triacylglycerol by Increased Clearance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 359-368.	1.8	19
160	Broadening the Debate About Post-trial Access to Medical Interventions: A Qualitative Study of Participant Experiences at the End of a Trial Investigating a Medical Device to Support Type 1 Diabetes Self-Management. <i>AJOB Empirical Bioethics</i> , 2019, 10, 100-112.	0.8	19
161	What Training, Support, and Resourcing Do Health Professionals Need to Support People Using a Closed-Loop System? A Qualitative Interview Study with Health Professionals Involved in the Closed Loop from Onset in Type 1 Diabetes (CLOuD) Trial. <i>Diabetes Technology and Therapeutics</i> , 2020, 22, 468-475.	2.4	19
162	Using a double blind controlled clinical trial to evaluate the function of a Diabetes Advisory System: a feasible approach?. <i>Computer Methods and Programs in Biomedicine</i> , 1998, 56, 165-173.	2.6	18

#	ARTICLE	IF	CITATIONS
163	Associations of Glucose Control with Insulin Sensitivity and Pancreatic β -Cell Responsiveness in Newly Presenting Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 198-203.	1.8	18
164	Insulin Administration and Rate of Glucose Appearance in People With Type 1 Diabetes. <i>Diabetes Care</i> , 2008, 31, 2183-2187.	4.3	18
165	Validity of triple- and dual-tracer techniques to estimate glucose appearance. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2012, 302, E1493-E1501.	1.8	18
166	Bringing closed-loop home. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2014, 21, 95-101.	1.2	18
167	Pharmacokinetics of diluted (U20) insulin aspart compared with standard (U100) in children aged 3-6 years with type 1 diabetes during closed-loop insulin delivery: a randomised clinical trial. <i>Diabetologia</i> , 2015, 58, 687-690.	2.9	18
168	Unsupervised overnight closed loop insulin delivery during free living: analysis of randomised cross-over home studies in adults and adolescents with type 1 diabetes. <i>Lancet, The</i> , 2015, 385, S96.	6.3	18
169	Glucose control in intensive care: usability, efficacy and safety of Space GlucoseControl in two medical European intensive care units. <i>BMC Endocrine Disorders</i> , 2014, 14, 62.	0.9	17
170	Glucose Management Indicator (GMI): Insights and Validation Using Guardian 3 and Navigator 2 Sensor Data. <i>Diabetes Care</i> , 2019, 42, e60-e61.	4.3	17
171	Automated Insulin Delivery in Adults. <i>Endocrinology and Metabolism Clinics of North America</i> , 2020, 49, 167-178.	1.2	17
172	Multicentric, Randomized, Controlled Trial to Evaluate Blood Glucose Control by the Model Predictive Control Algorithm Versus Routine Glucose Management Protocols in Intensive Care Unit Patients: Response to Ligtenberg et al.. <i>Diabetes Care</i> , 2006, 29, 1987-1988.	4.3	16
173	Holistic Impact of Closed-Loop Technology on People With Type 1 Diabetes. <i>Journal of Diabetes Science and Technology</i> , 2015, 9, 932-933.	1.3	16
174	Bridging technology and clinical practice: innovating inpatient hyperglycaemia management in non-critical care settings. <i>Diabetic Medicine</i> , 2018, 35, 460-471.	1.2	16
175	Recent advances in closed-loop insulin delivery. <i>Metabolism: Clinical and Experimental</i> , 2022, 127, 154953.	1.5	16
176	AiDAPT: automated insulin delivery amongst pregnant women with type 1 diabetes: a multicentre randomized controlled trial - study protocol. <i>BMC Pregnancy and Childbirth</i> , 2022, 22, 282.	0.9	16
177	Gender Differences in VLDL ₁ and VLDL ₂ Triglyceride Kinetics and Fatty Acid Kinetics in Obese Postmenopausal Women and Obese Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 2475-2481.	1.8	15
178	Glucose control in non-critically ill inpatients with diabetes: towards closed-loop. <i>Diabetes, Obesity and Metabolism</i> , 2014, 16, 500-509.	2.2	15
179	Artificial Pancreas Project at Cambridge 2013. <i>Diabetic Medicine</i> , 2015, 32, 987-992.	1.2	15
180	The importance of prandial insulin bolus timing with hybrid closed-loop systems. <i>Diabetic Medicine</i> , 2019, 36, 1716-1717.	1.2	15

#	ARTICLE	IF	CITATIONS
181	Computer models of albumin and haemoglobin glycation. <i>Computer Methods and Programs in Biomedicine</i> , 1990, 32, 259-263.	2.6	14
182	Analysing the hypoglycaemic counter-regulation: a clinically relevant phenomenon?. <i>Computer Methods and Programs in Biomedicine</i> , 1996, 50, 231-240.	2.6	14
183	DIASâ€œNIDDMâ€œ a model-based decision support system for insulin dose adjustment in insulin-treated subjects with NIDDM. <i>Computer Methods and Programs in Biomedicine</i> , 1998, 56, 175-192.	2.6	14
184	Grading System to Assess Clinical Performance of Closed-Loop Glucose Control. <i>Diabetes Technology and Therapeutics</i> , 2005, 7, 72-82.	2.4	14
185	Effects of rosiglitazone and pioglitazone on lipoprotein metabolism in patients with Type 2 diabetes and normal lipids. <i>Diabetic Medicine</i> , 2009, 26, 532-539.	1.2	14
186	Assessing the efficacy, safety and utility of 6-month day-and-night automated closed-loop insulin delivery under free-living conditions compared with insulin pump therapy in children and adolescents with type 1 diabetes: an open-label, multicentre, multinational, single-period, randomised, parallel group study protocol. <i>BMJ Open</i> , 2019, 9, e027856.	0.8	14
187	Who Should Access Closed-Loop Technology? A Qualitative Study of Clinician Attitudes in England. <i>Diabetes Technology and Therapeutics</i> , 2020, 22, 404-410.	2.4	14
188	A qualitative study of clinician attitudes towards closed-loop systems in mainstream diabetes care in England. <i>Diabetic Medicine</i> , 2020, 37, 1023-1029.	1.2	14
189	Duration of Hybrid Closed-Loop Insulin Therapy to Achieve Representative Glycemic Outcomes in Adults With Type 1 Diabetes. <i>Diabetes Care</i> , 2020, 43, e38-e39.	4.3	14
190	Assessing the effect of closed-loop insulin delivery from onset of type 1 diabetes in youth on residual beta-cell function compared to standard insulin therapy (CLOuD study): a randomised parallel study protocol. <i>BMJ Open</i> , 2020, 10, e033500.	0.8	14
191	Associations of Glucose Control with Insulin Sensitivity and Pancreatic Î-Cell Responsiveness in Newly Presenting Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 198-203.	1.8	14
192	Computers in diabetes. <i>Computer Methods and Programs in Biomedicine</i> , 1994, 41, 151-152.	2.6	13
193	Reproducibility and comparability of insulin sensitivity indices measured by stable-label intravenous glucose tolerance test. , 1998, 15, 234-246.		13
194	Mass kinetics of apolipoprotein A-I in interstitial fluid after administration of intravenous apolipoprotein A-I/lecithin discs in humans. <i>Journal of Lipid Research</i> , 2006, 47, 975-981.	2.0	13
195	Intense Exercise in Type 1 Diabetes: Exploring the Role of Continuous Glucose Monitoring. <i>Journal of Diabetes Science and Technology</i> , 2007, 1, 570-573.	1.3	13
196	Lipohypertrophy and the Artificial Pancreas. <i>Journal of Diabetes Science and Technology</i> , 2014, 8, 915-917.	1.3	13
197	Assessing the effectiveness of a 3-month day-and-night home closed-loop control combined with pump suspend feature compared with sensor-augmented pump therapy in youths and adults with suboptimally controlled type 1 diabetes: a randomised parallel study protocol. <i>BMJ Open</i> , 2017, 7, e016738.	0.8	13
198	Short-term fully closed-loop insulin delivery using faster insulin aspart compared with standard insulin aspart in type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 2718-2722.	2.2	13

#	ARTICLE	IF	CITATIONS
199	Automated Glucose Control in the ICU: Effect of Nutritional Protocol and Measurement Error. , 2006, 2006, 67-70.		12
200	Assessing the effectiveness of 3 months day and night home closed-loop insulin delivery in adults with suboptimally controlled type 1 diabetes: a randomised crossover study protocol. <i>BMJ Open</i> , 2014, 4, e006075-e006075.	0.8	12
201	Mixed-meal tolerance test to assess residual beta-cell secretion: Beyond the area-under-curve of plasma C-peptide concentration. <i>Pediatric Diabetes</i> , 2019, 20, 282-285.	1.2	12
202	User Engagement With the CamAPS FX Hybrid Closed-Loop App According to Age and User Characteristics. <i>Diabetes Care</i> , 2021, 44, e148-e150.	4.3	12
203	Parents' experiences of using remote monitoring technology to manage type 1 diabetes in very young children during a clinical trial: Qualitative study. <i>Diabetic Medicine</i> , 2022, 39, e14828.	1.2	12
204	Lived experience of <sc>CamAPS FX</sc> closed loop system in youth with type 1 diabetes and their parents. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 2309-2318.	2.2	12
205	Relation between insulin kinetics and insulin sensitivity in pregnancy. <i>European Journal of Clinical Investigation</i> , 2003, 33, 698-703.	1.7	11
206	A Stepwise Approach toward Closed-Loop Blood Glucose Control for Intensive Care Unit Patients: Results from a Feasibility Study in Type 1 Diabetic Subjects Using Vascular Microdialysis with Infrared Spectrometry and a Model Predictive Control Algorithm. <i>Journal of Diabetes Science and Technology</i> , 2011, 5, 901-905.	1.3	11
207	Estimating postprandial glucose fluxes using hierarchical Bayes modelling. <i>Computer Methods and Programs in Biomedicine</i> , 2012, 108, 102-112.	2.6	11
208	Modelling endogenous insulin concentration in type 2 diabetes during closed-loop insulin delivery. <i>BioMedical Engineering OnLine</i> , 2015, 14, 19.	1.3	11
209	COVID-19 and Diabetes: Could Diabetes Technology Research Help Pave the Way for Remote Healthcare?. <i>Journal of Diabetes Science and Technology</i> , 2020, 14, 735-736.	1.3	11
210	Behavioral Patterns and Associations with Glucose Control During 12-Week Randomized Free-Living Clinical Trial of Day and Night Hybrid Closed-Loop Insulin Delivery in Adults with Type 1 Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2017, 19, 433-437.	2.4	11
211	Plasma C-peptide concentration in women with Type-1 diabetes during early and late pregnancy. <i>Diabetic Medicine</i> , 2012, 29, e361-4.	1.2	10
212	Novel Single-Site Device for Conjoined Glucose Sensing and Insulin Infusion: Performance Evaluation in Diabetes Patients During Home-Use. <i>IEEE Transactions on Biomedical Engineering</i> , 2020, 67, 323-332.	2.5	10
213	Assessing the efficacy, safety and utility of closed-loop insulin delivery compared with sensor-augmented pump therapy in very young children with type 1 diabetes (KidsAPO2 study): an open-label, multicentre, multinational, randomised cross-over study protocol. <i>BMJ Open</i> , 2021, 11, e042790.	0.8	10
214	Closed-loop technology: a practical guide. <i>Practical Diabetes</i> , 2021, 38, 33-39.	0.1	10
215	Dynamic updating in DIAS-NIDDM and DIAS causal probabilistic networks. <i>IEEE Transactions on Biomedical Engineering</i> , 1999, 46, 158-168.	2.5	9
216	A novel method for measuring intestinal and hepatic triacylglycerol kinetics. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2013, 305, E1041-E1047.	1.8	9

#	ARTICLE	IF	CITATIONS
217	Closing the Loop. <i>Diabetes Technology and Therapeutics</i> , 2016, 18, S-29-S-42.	2.4	9
218	Data Sharing While Using a Closed-Loop System: Qualitative Study of Adolescents' and Parents' Experiences and Views. <i>Diabetes Technology and Therapeutics</i> , 2021, 23, 500-507.	2.4	9
219	Adolescents'™ Experiences of Using a Smartphone Application Hosting a Closed-loop Algorithm to Manage Type 1 Diabetes in Everyday Life: Qualitative Study. <i>Journal of Diabetes Science and Technology</i> , 2021, 15, 1042-1051.	1.3	9
220	Parents'™ experiences of using a hybrid closed-loop system (CamAPS FX) to care for a very young child with type 1 diabetes: Qualitative study. <i>Diabetes Research and Clinical Practice</i> , 2022, 187, 109877.	1.1	9
221	The role of a diabetic advisory system (dias) in the management of insulin-dependent diabetes mellitus. , O, , .		8
222	Risk calculation of type 2 diabetes. <i>Computer Methods and Programs in Biomedicine</i> , 1994, 41, 297-303.	2.6	8
223	The artificial pancreas: making headway. <i>Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide</i> , 2007, 24, 56-58.	0.2	8
224	Comment on Doyle et al. Closed-Loop Artificial Pancreas Systems: Engineering the Algorithms. <i>Diabetes Care</i> 2014;37:1191-1197. <i>Diabetes Care</i> , 2014, 37, e226-e227.	4.3	8
225	Closed-Loop Insulin for Glycemic Control in Noncritical Care. <i>New England Journal of Medicine</i> , 2018, 379, 1970-1971.	13.9	8
226	Day-to-day variability of insulin requirements in the inpatient setting: Observations during fully closed-loop insulin delivery. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 1978-1982.	2.2	8
227	Constant infusion and bolus injection of stable-label tracer give reproducible and comparable fasting HGO. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1997, 273, E192-E201.	1.8	7
228	Evaluating the Performance of a Novel Embedded Closed-loop System. <i>Journal of Diabetes Science and Technology</i> , 2014, 8, 267-272.	1.3	7
229	Rapid model exploration for complex hierarchical data: application to pharmacokinetics of insulin aspart. <i>Statistics in Medicine</i> , 2015, 34, 3144-3158.	0.8	7
230	Faster insulin action is associated with improved glycaemic outcomes during closed-loop insulin delivery and sensor-augmented pump therapy in adults with type 1 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 1485-1489.	2.2	7
231	Parents' views about healthcare professionals having real-time remote access to their young child's diabetes data: Qualitative study. <i>Pediatric Diabetes</i> , 2022, 23, 799-808.	1.2	7
232	Factors Associated With Glycemic Control During Free-Living Overnight Closed-Loop Insulin Delivery in Children and Adults With Type 1 Diabetes. <i>Journal of Diabetes Science and Technology</i> , 2015, 9, 1346-1347.	1.3	6
233	Modelling the effect of insulin on the disposal of meal-attributable glucose in type 1 diabetes. <i>Medical and Biological Engineering and Computing</i> , 2017, 55, 271-282.	1.6	6
234	Bolusing frequency and amount impacts glucose control during hybrid closed-loop. <i>Diabetic Medicine</i> , 2018, 35, 347-351.	1.2	6

#	ARTICLE	IF	CITATIONS
235	Lower plasma insulin levels during overnight closed-loop in school children with type 1 diabetes: Potential advantage? A randomized cross-over trial. PLoS ONE, 2019, 14, e0212013.	1.1	6
236	Resistant Starch Production and Glucose Release from Pre-Prepared Chilled Food: The SPUD Project. Nutrition Bulletin, 2021, 46, 52-59.	0.8	6
237	Parenteral Glucose and Glucose Control in the Critically Ill: A Kinetic Appraisal. Journal of Diabetes Science and Technology, 2007, 1, 357-365.	1.3	5
238	Closed-loop in children with type 1 diabetes: Specific challenges. Diabetes Research and Clinical Practice, 2011, 93, S131-S135.	1.1	5
239	Closing the Loop. Diabetes Technology and Therapeutics, 2014, 16, S-23-S-33.	2.4	5
240	Self-Monitoring of Blood Glucose—An Overview. Diabetes Technology and Therapeutics, 2014, 16, S-3-S-10.	2.4	5
241	Pharmacokinetics of insulin lispro in type 2 diabetes during closed-loop insulin delivery. Computer Methods and Programs in Biomedicine, 2014, 117, 298-307.	2.6	5
242	Glucose Turnover After Replacement of Usual Therapy by Insulin in Insulin-naïve Type 2 Diabetes Subjects. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 2225-2232.	1.8	5
243	Estimated HbA 1c and glucose management indicator (GMI): are they the same?. Diabetic Medicine, 2021, 38, e14423.	1.2	5
244	Psychological Well-Being of Parents of Very Young Children With Type 1 Diabetes — Baseline Assessment. Frontiers in Endocrinology, 2021, 12, 721028.	1.5	5
245	Acid-base chemistry of the blood — a general model. Computer Methods and Programs in Biomedicine, 1996, 51, 107-119.	2.6	4
246	Relationship between β -cell responsiveness and fasting plasma glucose in Caucasian subjects with newly presenting Type 2 diabetes. Diabetic Medicine, 2001, 18, 797-802.	1.2	4
247	Further Development of Artificial Pancreas: Blocked by Patents?. Journal of Diabetes Science and Technology, 2008, 2, 971-976.	1.3	4
248	Closing the Loop. Diabetes Technology and Therapeutics, 2013, 15, S-29-S-39.	2.4	4
249	Insulin delivery and nocturnal glucose control in children and adolescents with type 1 diabetes. Expert Opinion on Drug Delivery, 2017, 14, 1367-1377.	2.4	4
250	Closed-loop insulin delivery in end-of-life care: a case report. Diabetic Medicine, 2019, 36, 1711-1714.	1.2	4
251	Simulation Models for In-Silico Evaluation of Closed-Loop Insulin Delivery Systems in Type 1 Diabetes. Lecture Notes in Bioengineering, 2014, , 131-149.	0.3	4
252	Identification of insulin receptor systems: Assessing the impact of model selection and measurement error on precision of parameter estimates using monte carlo study. Journal of Theoretical Biology, 1991, 151, 367-383.	0.8	3

#	ARTICLE	IF	CITATIONS
253	Estimating Protein Turnover with a [13N,15C]Leucine Tracer: a Study Using Simulated Data. <i>Journal of Theoretical Biology</i> , 1999, 198, 165-172.	0.8	3
254	Effect of delay on measurement of blood glucose levels in young subjects with type 1 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2009, 86, e31-e33.	1.1	3
255	The Future of the Artificial Pancreas. <i>Diabetes Technology and Therapeutics</i> , 2015, 17, 763-765.	2.4	3
256	Factors Affecting Recruitment of Participants for Studies of Diabetes Technology in Newly Diagnosed Youth with Type 1 Diabetes: A Qualitative Focus Group Study with Parents and Children. <i>Diabetes Technology and Therapeutics</i> , 2016, 18, 568-573.	2.4	3
257	Available at a flash: a new way to check glucose. <i>Lancet, The</i> , 2016, 388, 2213-2214.	6.3	3
258	Rapid Benefits of Structured Optimization and Sensor-Augmented Insulin Pump Therapy in Adults With Type 1 Diabetes. <i>Journal of Diabetes Science and Technology</i> , 2017, 11, 180-181.	1.3	3
259	Sensor Life and Overnight Closed Loop: A Randomized Clinical Trial. <i>Journal of Diabetes Science and Technology</i> , 2017, 11, 513-521.	1.3	3
260	Pharmacokinetics of Faster and Standard Insulin Aspart During Fully Closed-Loop Insulin Delivery in Type 2 Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2020, 22, 691-696.	2.4	3
261	A Validation Methodology for Testing Decision-Support Systems for Insulin Dosage Adjustment. <i>Lecture Notes in Medical Informatics</i> , 1991, , 382-388.	0.1	3
262	A simulation study to determine optimal insulin priming during glucose clamp studies. <i>Computer Methods and Programs in Biomedicine</i> , 1994, 41, 231-241.	2.6	2
263	Modelling and decision support in physiology and medicine: a methodological framework with Illustration. <i>Mathematical and Computer Modelling of Dynamical Systems</i> , 1998, 4, 73-99.	1.4	2
264	Artificial pancreas: the bridge to a cure for type 1 diabetes. <i>European Diabetes Nursing</i> , 2012, 9, 56-60.	0.2	2
265	A diet low in sugar reduces the production of atherogenic lipoproteins in men with high liver fat. <i>Atherosclerosis</i> , 2015, 241, e46.	0.4	2
266	Diabetes Technology and Therapy in the Pediatric Age Group. <i>Diabetes Technology and Therapeutics</i> , 2016, 18, S-86-S-100.	2.4	2
267	Effect of nutrition on postprandial glucose control in hospitalized patients with type 2 diabetes receiving fully automated closed-loop insulin therapy. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 234-239.	2.2	2
268	214-OR: Cambridge Hybrid Closed-Loop in Children and Adolescents with T1D: A Multicentre Six-Month Randomised Trial. <i>Diabetes</i> , 2021, 70, 214-OR.	0.3	2
269	Optimizing the use of technology to support people with diabetes: research recommendations from Diabetes UK's 2019 diabetes and technology workshop. <i>Diabetic Medicine</i> , 2021, 38, e14647.	1.2	2
270	A Causal Probabilistic Network Model Of Carbohydrate Metabolism For Insulin Therapy Adjustment. , 0, , .		1

#	ARTICLE	IF	CITATIONS
271	A Dynamic Model of Carbon Dioxide Transport in the Blood. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 1997, 30, 57-62.	0.4	1
272	A surrogate measure of whole body leucine transport across the cell membrane. American Journal of Physiology - Endocrinology and Metabolism, 1999, 276, E573-E579.	1.8	1
273	Continuous glucose monitoring in critically ill adults: comparison of two different calibration protocols. Critical Care, 2013, 17, .	2.5	1
274	Diabetes Technology and Therapy in the Pediatric Age Group. Diabetes Technology and Therapeutics, 2015, 17, S-96-S-108.	2.4	1
275	Closed-loop management of inpatient hyperglycaemia. British Journal of Hospital Medicine (London,) Tj ETQq1 1 0.784314 rgBT /Overlo 0.2	0.2	1
276	Does eating a reheated starchy carbohydrate meal improve postprandial glycaemia?. Proceedings of the Nutrition Society, 2020, 79, .	0.4	1
277	Closed-loop insulin delivery system enhances type 1 diabetes glycemic control. Journal of Pediatrics, 2020, 218, 259-262.	0.9	1
278	CODE: a deconvolution program implementing a regularization method of deconvolution constrained to non-negative values. Description and pilot evaluation. Biopharmaceutics and Drug Disposition, 1998, 19, 39-53.	1.1	1
279	A Novel Composite Glucose Index (COGI) for Evaluating Closed-Loop Performance in Type 1 Diabetes. Diabetes, 2018, 67, .	0.3	1
280	Continuous glucose monitoring in extremely preterm infants in intensive care: the REACT RCT and pilot study of "closed-loop"™ technology. Efficacy and Mechanism Evaluation, 2021, 8, 1-142.	0.9	1
281	Strategies For Insulin Dosage Adjustment Using Model-based Blood Glucose Prediction. , 0, , .		0
282	Computer simulation in clinical practice. International Journal of Medical Informatics, 1997, 45, 129-130.	1.6	0
283	Insulin sensitivity of glucose transport and glucose disposal during IVGTT. Diabetes Research and Clinical Practice, 2000, 50, 163.	1.1	0
284	Modeling interstitial glucose kinetics in subjects with type I diabetes during physiological conditions. , 0, , .		0
285	Evaluation of cold two compartment minimal model in type 2 diabetes. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2003, 36, 445-450.	0.4	0
286	Reduced sampling protocols with Bayesian hierarchical analysis during minimal model of IVGTT. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2003, 36, 421-425.	0.4	0
287	TIME-VARIANT INSULIN SENSITIVITY IN CRITICALLY ILL SUBJECTS. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2006, 39, 458-462.	0.4	0
288	Technological advances in pregnancy complicated by type 1 diabetes. Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide, 2011, 28, 104.	0.2	0

#	ARTICLE	IF	CITATIONS
289	Response to Mitre et al.: "Analysis of Continuous Glucose Monitoring Data to Assess Outpatient Closed-Loop Studies: Considerations for Different Sensors" Diabetes Technology and Therapeutics, 2014, 16, 328-329.	2.4	0
290	Diabetes Technology and Therapy in the Pediatric Age Group. Diabetes Technology and Therapeutics, 2014, 16, S-100-S-109.	2.4	0
291	Prandial Hypertriglyceridemia in Metabolic Syndrome Is Due to an Overproduction of Both Chylomicron and VLDL Triacylglycerol. Diabetes 2013;62:4063-4069. Diabetes, 2014, 63, 815-815.	0.3	0
292	Closing the Loop. Diabetes Technology and Therapeutics, 2015, 17, S-27-S-38.	2.4	0
293	Closed-Loop Insulin Delivery During Pregnancy in Women With Type 1 Diabetes. Obstetrical and Gynecological Survey, 2016, 71, 699-701.	0.2	0
294	The use of closed loop in outpatient/home studies. Diabetes Research and Clinical Practice, 2016, 120, S21.	1.1	0
295	Role of Dual-Hormone Closed-Loop Delivery System in the Future. Diabetes Technology and Therapeutics, 2016, 18, 452-454.	2.4	0
296	Cover Image, Volume 19, Issue 10. Diabetes, Obesity and Metabolism, 2017, 19, i-i.	2.2	0
297	Sensor mightier than pump"the jury is still out. Lancet Diabetes and Endocrinology,the, 2017, 5, 672-673.	5.5	0
298	Glucose Monitoring and Insulin Pump Therapy in the Management of Children and Adolescents with Type 1 Diabetes. , 2017, , 163-172.		0
299	Effect of fully automated closed-loop insulin delivery using faster aspart versus standard aspart on gluco-regulatory hormones in type 2 diabetes. Diabetes, Obesity and Metabolism, 2021, 23, 228-233.	2.2	0
300	Progress with Closed-loop Systems in Type 1 Diabetes. European Endocrinology, 2010, 6, 31.	0.8	0
301	Consultation System for Insulin Dosage Adjustment. Lecture Notes in Medical Informatics, 1991, , 1044-1044.	0.1	0
302	Ten Years of Computer Support in a Metabolic Intensive Care Unit. Lecture Notes in Medical Informatics, 1991, , 930-933.	0.1	0
303	Fully Closed-Loop Glucose Control in Noncritical Care Settings" A Randomised, Controlled Two-Centre Study. Diabetes, 2018, 67, 350-OR.	0.3	0
304	Looking Beyond HbA1c"Evaluating Glycaemic Control during Closed-Loop Use in Type 1 Diabetes. Diabetes, 2018, 67, .	0.3	0
305	Adaptability of Closed-Loop during Labor, Delivery, and Postpartum"A Secondary Analysis of Data From Two Randomized Crossover Trials in Type 1 Diabetes Pregnancy. Diabetes, 2018, 67, .	0.3	0
306	1039-P: Hybrid Closed-Loop in Adults with Type 1 Diabetes: Impact of Baseline A1c on Glucose Outcomes and Insulin Delivery. Diabetes, 2019, 68, 1039-P.	0.3	0

#	ARTICLE	IF	CITATIONS
307	1047-P: Can Closed-Loop Overcome High Day-to-Day Variability of Insulin Needs in Inpatients on General Wards?. Diabetes, 2019, 68, .	0.3	0
308	1046-P: Day-to-Day Variability of Insulin Requirements in Inpatients on General Wards. Diabetes, 2019, 68, .	0.3	0
309	79-OR: Fully Closed-Loop Using Faster vs. Standard Aspart in Type 2 Diabetes (T2D): A Double-Blind Randomised Crossover Trial. Diabetes, 2019, 68, .	0.3	0
310	115-LB: Optimal Sampling Duration of Hybrid Closed-Loop Therapy to Determine Long-Term Glycemic Control in Adults with Type 1 Diabetes. Diabetes, 2019, 68, .	0.3	0
311	Closed-loop management of inpatient hyperglycemia. Aging, 2019, 11, 5292-5293.	1.4	0
312	Can exenatide flatten the post-prandial glucose curve in type 1 diabetes?. Annals of Translational Medicine, 2020, 8, 1535.	0.7	0