

Ali S Arbab

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8570848/publications.pdf>

Version: 2024-02-01

121
papers

5,667
citations

70961

41
h-index

88477

70
g-index

131
all docs

131
docs citations

131
times ranked

9165
citing authors

#	ARTICLE	IF	CITATIONS
1	Inhalant Cannabidiol Inhibits Glioblastoma Progression Through Regulation of Tumor Microenvironment. <i>Cannabis and Cannabinoid Research</i> , 2023, 8, 824-834.	1.5	9
2	The Stroke Preclinical Assessment Network: Rationale, Design, Feasibility, and Stage 1 Results. <i>Stroke</i> , 2022, 53, 1802-1812.	1.0	22
3	Engineered exosomes for studies in tumor immunology. <i>Immunological Reviews</i> , 2022, 312, 76-102.	2.8	18
4	Current status of recurrent glioblastoma therapies. , 2021, , 1-7.		0
5	Critical immunosuppressive effect of MDSC-derived exosomes in the tumor microenvironment. <i>Oncology Reports</i> , 2021, 45, 1171-1181.	1.2	34
6	Targeting tumor microenvironment-associated cells to reverse therapy resistance. , 2021, , 115-144.		0
7	Changes in the tumor microenvironment and outcome for TME-targeting therapy in glioblastoma: A pilot study. <i>PLoS ONE</i> , 2021, 16, e0246646.	1.1	15
8	Proteomic Characterization, Biodistribution, and Functional Studies of Immune-Therapeutic Exosomes: Implications for Inflammatory Lung Diseases. <i>Frontiers in Immunology</i> , 2021, 12, 636222.	2.2	13
9	Pulsed Focal Ultrasound as a Non-Invasive Method to Deliver Exosomes in the Brain/Stroke. <i>Journal of Biomedical Nanotechnology</i> , 2021, 17, 1170-1183.	0.5	6
10	Mechanisms of glioblastoma resistance to antiangiogenic agents and reversal approaches. , 2021, , 429-452.		1
11	Intervention of IL-8-CXCR2 axis to reverse the resistance to GBM therapies. , 2021, , 65-81.		0
12	Generation of Novel Diagnostic and Therapeutic Exosomes to Detect and Deplete Protumorigenic M2 Macrophages. <i>Advanced Therapeutics</i> , 2020, 3, 1900209.	1.6	14
13	Dendritic cell derived exosomes loaded with immunoregulatory cargo reprogram local immune responses and inhibit degenerative bone disease <i>in vivo</i> . <i>Journal of Extracellular Vesicles</i> , 2020, 9, 1795362.	5.5	63
14	Neutrophil extracellular traps exacerbate neurological deficits after traumatic brain injury. <i>Science Advances</i> , 2020, 6, eaax8847.	4.7	94
15	Oncoprotein GT198 vaccination delays tumor growth in MMTV-PyMT mice. <i>Cancer Letters</i> , 2020, 476, 57-66.	3.2	6
16	CD73 on cancer-associated fibroblasts enhanced by the A2B-mediated feedforward circuit enforces an immune checkpoint. <i>Nature Communications</i> , 2020, 11, 515.	5.8	117
17	Molecular Bio-Imaging Probe for Non-Invasive Differentiation Between Human Leiomyoma Versus Leiomyosarcoma. <i>Reproductive Sciences</i> , 2020, 27, 644-654.	1.1	4
18	Differential <i>in vivo</i> biodistribution of ¹³¹ I-labeled exosomes from diverse cellular origins and its implication for theranostic application. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2019, 21, 102072.	1.7	59

#	ARTICLE	IF	CITATIONS
19	Primary tumor-induced immunity eradicates disseminated tumor cells in syngeneic mouse model. <i>Nature Communications</i> , 2019, 10, 1430.	5.8	77
20	CYP4A/20-HETE regulates ischemia-induced neovascularization via its actions on endothelial progenitor and preexisting endothelial cells. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2019, 316, H1468-H1479.	1.5	19
21	Human Neural Stem Cell Extracellular Vesicles Improve Tissue and Functional Recovery in the Murine Thromboembolic Stroke Model. <i>Translational Stroke Research</i> , 2018, 9, 530-539.	2.3	200
22	Giant Magnetic Heat Induction of Magnesium-Doped Fe_2O_3 Superparamagnetic Nanoparticles for Completely Killing Tumors. <i>Advanced Materials</i> , 2018, 30, 1704362.	11.1	99
23	Selective activation of cannabinoid receptor-2 reduces neuroinflammation after traumatic brain injury via alternative macrophage polarization. <i>Brain, Behavior, and Immunity</i> , 2018, 68, 224-237.	2.0	85
24	Glucocorticoid-Induced Leucine Zipper Promotes Neutrophil and T-Cell Polarization with Protective Effects in Acute Kidney Injury. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2018, 367, 483-493.	1.3	19
25	Remote ischemic post-conditioning promotes hematoma resolution via AMPK-dependent immune regulation. <i>Journal of Experimental Medicine</i> , 2018, 215, 2636-2654.	4.2	56
26	CXCR2-Expressing Tumor Cells Drive Vascular Mimicry in Antiangiogenic Therapy-Resistant Glioblastoma. <i>Neoplasia</i> , 2018, 20, 1070-1082.	2.3	54
27	Delineating Pro-Angiogenic Myeloid Cells in Cancer Therapy. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2565.	1.8	10
28	[^{125}I]IodoDPA-713 Binding to 18 kDa Translocator Protein (TSPO) in a Mouse Model of Intracerebral Hemorrhage: Implications for Neuroimaging. <i>Frontiers in Neuroscience</i> , 2018, 12, 66.	1.4	4
29	The innate immune receptor TREM-1 promotes liver injury and fibrosis. <i>Journal of Clinical Investigation</i> , 2018, 128, 4870-4883.	3.9	70
30	Intravenous Formulation of HET0016 Decreased Human Glioblastoma Growth and Implicated Survival Benefit in Rat Xenograft Models. <i>Scientific Reports</i> , 2017, 7, 41809.	1.6	26
31	Monocytic and granulocytic myeloid derived suppressor cells differentially regulate spatiotemporal tumour plasticity during metastatic cascade. <i>Nature Communications</i> , 2017, 8, 14979.	5.8	292
32	Canonical $\text{NF-}\kappa\text{B}$ signaling in myeloid cells is required for the glioblastoma growth. <i>Scientific Reports</i> , 2017, 7, 13754.	1.6	36
33	Anti-Jagged Immunotherapy Inhibits MDSCs and Overcomes Tumor-Induced Tolerance. <i>Cancer Research</i> , 2017, 77, 5628-5638.	0.4	70
34	Vascular Mimicry: A Novel Neovascularization Mechanism Driving Anti-Angiogenic Therapy (AAT) Resistance in Glioblastoma. <i>Translational Oncology</i> , 2017, 10, 650-660.	1.7	110
35	Arachidonic Acid Metabolite as a Novel Therapeutic Target in Breast Cancer Metastasis. <i>International Journal of Molecular Sciences</i> , 2017, 18, 2661.	1.8	61
36	Major Challenges and Potential Microenvironment-Targeted Therapies in Glioblastoma. <i>International Journal of Molecular Sciences</i> , 2017, 18, 2732.	1.8	26

#	ARTICLE	IF	CITATIONS
37	Encapsulation of Anticancer Drugs (5-Fluorouracil and Paclitaxel) into Polycaprolactone (PCL) Nanofibers and <i>In Vitro</i> Testing for Sustained and Targeted Therapy. <i>Journal of Biomedical Nanotechnology</i> , 2017, 13, 355-366.	0.5	60
38	Malignant pericytes expressing GT198 give rise to tumor cells through angiogenesis. <i>Oncotarget</i> , 2017, 8, 51591-51607.	0.8	22
39	HET0016 decreases lung metastasis from breast cancer in immune-competent mouse model. <i>PLoS ONE</i> , 2017, 12, e0178830.	1.1	25
40	Vascular mimicry in glioblastoma following anti-angiogenic and anti-20-HETE therapies. <i>Histology and Histopathology</i> , 2017, 32, 917-928.	0.5	37
41	Taming immune suppressor: application of myeloid-derived suppressor cells in anti-cancer gene therapy. <i>Translational Cancer Research</i> , 2017, 6, S160-S162.	0.4	5
42	p53 Mutation: Critical Mediator of Therapy Resistance against Tumor Microenvironment. <i>Biochemistry & Physiology</i> , 2016, 05, .	0.2	4
43	Targeting Triple Negative Breast Cancer with a Small-sized Paramagnetic Nanoparticle. <i>Journal of Nanomedicine & Nanotechnology</i> , 2016, 07, .	1.1	13
44	Myeloid cell signatures in tumor microenvironment predicts therapeutic response in cancer. <i>OncoTargets and Therapy</i> , 2016, 9, 1047.	1.0	30
45	Combination of vatalanib and a 20-HETE synthesis inhibitor results in decreased tumor growth in an animal model of human glioma. <i>OncoTargets and Therapy</i> , 2016, 9, 1205.	1.0	18
46	Melatonin decreases breast cancer metastasis by modulating Rho-associated kinase protein expression. <i>Journal of Pineal Research</i> , 2016, 60, 3-15.	3.4	116
47	Inflammatory properties of inhibitor of DNA binding 1 secreted by synovial fibroblasts in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2016, 18, 87.	1.6	23
48	Chimeric Mouse model to track the migration of bone marrow derived cells in glioblastoma following anti-angiogenic treatments. <i>Cancer Biology and Therapy</i> , 2016, 17, 280-290.	1.5	20
49	STING Promotes the Growth of Tumors Characterized by Low Antigenicity via IDO Activation. <i>Cancer Research</i> , 2016, 76, 2076-2081.	0.4	225
50	Abstract 252: CXCL7-CXCR2 axis as a novel prognostic factor in myeloid cell associated glioblastoma. , 2016, , .		1
51	Concentration-independent MRI of pH with a dendrimer-based pH-responsive nanoprobe. <i>Contrast Media and Molecular Imaging</i> , 2015, 10, 481-486.	0.4	15
52	Fluorescent magnetic iron oxide nanoparticles for cardiac precursor cell selection from stromal vascular fraction and optimization for magnetic resonance imaging. <i>International Journal of Nanomedicine</i> , 2015, 10, 711.	3.3	14
53	Vascular Mimicry: The Next Big Glioblastoma Target. <i>Biochemistry & Physiology</i> , 2015, 04, .	0.2	30
54	A critical role of CXCR2 PDZ-mediated interactions in endothelial progenitor cell homing and angiogenesis. <i>Stem Cell Research</i> , 2015, 14, 133-143.	0.3	24

#	ARTICLE	IF	CITATIONS
55	Bone marrow derived myeloid cells orchestrate antiangiogenic resistance in glioblastoma through coordinated molecular networks. <i>Cancer Letters</i> , 2015, 369, 416-426.	3.2	52
56	Effect of Curcumin on Pro-angiogenic Factors in the Xenograft Model of Breast Cancer. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2015, 15, 1285-1296.	0.9	33
57	Effect of Melatonin on Tumor Growth and Angiogenesis in Xenograft Model of Breast Cancer. <i>PLoS ONE</i> , 2014, 9, e85311.	1.1	139
58	Application of Umbilical Cord Blood Derived Stem Cells in Diseases of the Nervous System. <i>Journal of Stem Cell Research & Therapy</i> , 2014, 04, .	0.3	16
59	When Seed and Soil Theory Meets Chicken or Egg Theory in Cancer Metastasis. <i>Biochemistry & Physiology</i> , 2014, 04, .	0.2	3
60	Myeloid Derived Suppressor Cells: Fuel the Fire. <i>Biochemistry & Physiology</i> , 2014, 03, e123.	0.2	11
61	Inhibitor of DNA binding 1 as a secreted angiogenic transcription factor in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2014, 16, R68.	1.6	13
62	Measurement of rat brain tumor kinetics using an intravascular MR contrast agent and DCE-MRI nested model selection. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 40, 1223-1229.	1.9	15
63	20-HETE Regulates the Angiogenic Functions of Human Endothelial Progenitor Cells and Contributes to Angiogenesis In Vivo. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2014, 348, 442-451.	1.3	54
64	HET0016, a Selective Inhibitor of 20-HETE Synthesis, Decreases Pro-Angiogenic Factors and Inhibits Growth of Triple Negative Breast Cancer in Mice. <i>PLoS ONE</i> , 2014, 9, e116247.	1.1	34
65	Subcurative radiation significantly increases cell proliferation, invasion, and migration of primary glioblastoma multiforme in vivo. <i>Chinese Journal of Cancer</i> , 2014, 33, 148-158.	4.9	39
66	Differential biodistribution of intravenously administered endothelial progenitor and cytotoxic T-cells in rat bearing orthotopic human glioma. <i>BMC Medical Imaging</i> , 2013, 13, 17.	1.4	14
67	Effects of Tyrosine Kinase Inhibitors and CXCR4 Antagonist on Tumor Growth and Angiogenesis in Rat Glioma Model: MRI and Protein Analysis Study. <i>Translational Oncology</i> , 2013, 6, 660-669.	1.7	37
68	Evidence That CXCL16 Is a Potent Mediator of Angiogenesis and Is Involved in Endothelial Progenitor Cell Chemotaxis: Studies in Mice With K/BxN Serum-Induced Arthritis. <i>Arthritis and Rheumatism</i> , 2013, 65, 1736-1746.	6.7	64
69	Intravenous Administration of Human Umbilical Cord Blood-Derived AC133+ Endothelial Progenitor Cells in Rat Stroke Model Reduces Infarct Volume: Magnetic Resonance Imaging and Histological Findings. <i>Stem Cells Translational Medicine</i> , 2013, 2, 703-714.	1.6	55
70	Display of the Viral Epitopes on <i>Lactococcus lactis</i> : A Model for Food Grade Vaccine against EV71. <i>Biotechnology Research International</i> , 2013, 2013, 1-9.	1.4	10
71	Pristimerin Induces Apoptosis in Prostate Cancer Cells by Downregulating Bcl-2 through ROS-dependent Ubiquitin-proteasomal Degradation Pathway. <i>Journal of Carcinogenesis & Mutagenesis</i> , 2013, Suppl 6, 005.	0.3	27
72	Inhibition of Telomerase Activity by Oleanane Triterpenoid CDDO-Me in Pancreatic Cancer Cells is ROS-Dependent. <i>Molecules</i> , 2013, 18, 3250-3265.	1.7	38

#	ARTICLE	IF	CITATIONS
73	Monitoring adenoviral based gene delivery in rat glioma by molecular imaging. World Journal of Clinical Oncology, 2013, 4, 91.	0.9	9
74	Abstract A009: Effect of melatonin on the tumor growth and angiogenesis of breast cancer. , 2013, , .		0
75	Neovascularization in Glioblastoma: Current Pitfall in Anti-angiogenic therapy. Zhong Liu Za Zhi, 2013, 1, 16-19.	0.3	8
76	Cord blood endothelial progenitor cells as therapeutic and imaging probes. Imaging in Medicine, 2012, 4, 477-490.	0.0	19
77	A nano-sized PARACEST-fluorescence imaging contrast agent facilitates and validates <i>in vivo</i> CEST MRI detection of glioma. Nanomedicine, 2012, 7, 1827-1837.	1.7	34
78	Inhibition of cell proliferation and induction of apoptosis by oleanane triterpenoid (CDDO-Me) in pancreatic cancer cells is associated with the suppression of hTERT gene expression and its telomerase activity. Biochemical and Biophysical Research Communications, 2012, 422, 561-567.	1.0	30
79	Tracking of In-111-labeled human umbilical tissue-derived cells (hUTC) in a rat model of cerebral ischemia using SPECT imaging. BMC Medical Imaging, 2012, 12, 33.	1.4	29
80	Self-assembling nanocomplexes by combining ferumoxytol, heparin and protamine for cell tracking by magnetic resonance imaging. Nature Medicine, 2012, 18, 463-467.	15.2	190
81	Endothelial Progenitor Cells (EPCs) as Gene Carrier System for Rat Model of Human Glioma. PLoS ONE, 2012, 7, e30310.	1.1	26
82	MRI Detects Brain Reorganization after Human Umbilical Tissue-Derived Cells (hUTC) Treatment of Stroke in Rat. PLoS ONE, 2012, 7, e42845.	1.1	27
83	Telomerase Reverse Transcriptase (TERT) is a Therapeutic Target of Oleanane Triterpenoid CDDO-Me in Prostate Cancer. Molecules, 2012, 17, 14795-14809.	1.7	17
84	Model selection for DCE-MRI studies in glioblastoma. Magnetic Resonance in Medicine, 2012, 68, 241-251.	1.9	74
85	Development of a novel animal model to differentiate radiation necrosis from tumor recurrence. Journal of Neuro-Oncology, 2012, 108, 411-420.	1.4	26
86	MRI Tracking of FePro Labeled Fresh and Cryopreserved Long Term In Vitro Expanded Human Cord Blood AC133+ Endothelial Progenitor Cells in Rat Glioma. PLoS ONE, 2012, 7, e37577.	1.1	13
87	Activation of alternative pathways of angiogenesis and involvement of stem cells following anti-angiogenesis treatment in glioma. Histology and Histopathology, 2012, 27, 549-57.	0.5	38
88	Differentiating treatment-induced necrosis from recurrent/progressive brain tumor using nonmodel-based semiquantitative indices derived from dynamic contrast-enhanced T1-weighted MR perfusion. Neuro-Oncology, 2011, 13, 1037-1046.	0.6	103
89	MRI to assess chemoprevention in transgenic adenocarcinoma of mouse prostate (TRAMP). BMC Medical Imaging, 2011, 11, 21.	1.4	3
90	The Cytochrome P450 4A/F-20-Hydroxyeicosatetraenoic Acid System: A Regulator of Endothelial Precursor Cells Derived from Human Umbilical Cord Blood. Journal of Pharmacology and Experimental Therapeutics, 2011, 338, 421-429.	1.3	37

#	ARTICLE	IF	CITATIONS
91	Synthetic triterpenoid CDDO prevents the progression and metastasis of prostate cancer in TRAMP mice by inhibiting survival signaling. <i>Carcinogenesis</i> , 2011, 32, 757-764.	1.3	38
92	Prevention of Prostate Cancer with Oleanane Synthetic Triterpenoid CDDO-Me in the TRAMP Mouse Model of Prostate Cancer. <i>Cancers</i> , 2011, 3, 3353-3369.	1.7	30
93	Gliosarcoma Stem Cells Undergo Glial and Mesenchymal Differentiation In Vivo. <i>Stem Cells</i> , 2010, 28, 181-190.	1.4	65
94	Research Highlights. <i>Imaging in Medicine</i> , 2010, 2, 129-130.	0.0	3
95	Oleanane triterpenoid CDDO-Me inhibits growth and induces apoptosis in prostate cancer cells through a ROS-dependent mechanism. <i>Biochemical Pharmacology</i> , 2010, 79, 350-360.	2.0	97
96	The Role and Therapeutic Potential of Endothelial Progenitor Cells in Tumor Neovascularization. <i>Scientific World Journal</i> , The, 2010, 10, 1088-1099.	0.8	50
97	Changes in Vascular Permeability and Expression of Different Angiogenic Factors Following Anti-Angiogenic Treatment in Rat Glioma. <i>PLoS ONE</i> , 2010, 5, e8727.	1.1	72
98	Human Cord Blood-Derived AC133+ Progenitor Cells Preserve Endothelial Progenitor Characteristics after Long Term In Vitro Expansion. <i>PLoS ONE</i> , 2010, 5, e9173.	1.1	54
99	Differentiation of Glioma and Radiation Injury in Rats Using In Vitro Produce Magnetically Labeled Cytotoxic T-Cells and MRI. <i>PLoS ONE</i> , 2010, 5, e9365.	1.1	17
100	CDDO-Me: A Novel Synthetic Triterpenoid for the Treatment of Pancreatic Cancer. <i>Cancers</i> , 2010, 2, 1779-1793.	1.7	15
101	Cytotoxic T-cells as imaging probes for detecting glioma. <i>World Journal of Clinical Oncology</i> , 2010, 1, 3.	0.9	1
102	Optimization and Validation of FePro Cell Labeling Method. <i>PLoS ONE</i> , 2009, 4, e5873.	1.1	55
103	Investigation of relationships between transverse relaxation rate, diffusion coefficient, and labeled cell concentration in ischemic rat brain using MRI. <i>Magnetic Resonance in Medicine</i> , 2009, 61, 587-594.	1.9	7
104	AC133+ progenitor cells as gene delivery vehicle and cellular probe in subcutaneous tumor models: a preliminary study. <i>BMC Biotechnology</i> , 2009, 9, 28.	1.7	31
105	In Vivo Cellular Imaging for Translational Medical Research. <i>Current Medical Imaging</i> , 2009, 5, 19-38.	0.4	72
106	The CYP4A α 2 α CHETE System in Regulation of Endothelial Progenitor Cell Functions. <i>FASEB Journal</i> , 2009, 23, 965-18.	0.2	0
107	Treatment with bone marrow α derived stromal cells accelerates wound healing in diabetic rats. <i>International Wound Journal</i> , 2008, 5, 453-463.	1.3	165
108	Bone Marrow-Derived Stromal Cells (BMSCs) Interact with Fibroblasts in Accelerating Wound Healing. <i>Journal of Investigative Surgery</i> , 2008, 21, 270-279.	0.6	6

#	ARTICLE	IF	CITATIONS
109	Detection of migration of locally implanted AC133 + stem cells by cellular magnetic resonance imaging with histological findings. <i>FASEB Journal</i> , 2008, 22, 3234-3246.	0.2	58
110	Expression of CYP4A1 in U251 Human Glioma Cell Induces Hyperproliferative Phenotype in Vitro and Rapidly Growing Tumors in Vivo. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2008, 327, 10-19.	1.3	42
111	Cellular MRI and its role in stem cell therapy. <i>Regenerative Medicine</i> , 2008, 3, 199-215.	0.8	78
112	Iron Oxide Transfection Agent Complexes Are Not Expected to Coat the Cell Membrane and Prevent CD71 Expression. <i>Radiology</i> , 2008, 247, 914-915.	3.6	0
113	Effects of Ferumoxides Protamine Sulfate Labeling on Immunomodulatory Characteristics of Macrophage-like THP-1 Cells. <i>PLoS ONE</i> , 2008, 3, e2499.	1.1	25
114	Activation of Vascular Endothelial Growth Factor through Reactive Oxygen Species Mediates 20-Hydroxyeicosatetraenoic Acid-Induced Endothelial Cell Proliferation. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007, 321, 18-27.	1.3	103
115	Magnetically labeled sensitized splenocytes to identify glioma by MRI: A preliminary study. <i>Magnetic Resonance in Medicine</i> , 2007, 58, 519-526.	1.9	19
116	Color transformation and fluorescence of Prussian blue-positive cells: implications for histologic verification of cells labeled with superparamagnetic iron oxide nanoparticles. <i>Molecular Imaging</i> , 2007, 6, 212-8.	0.7	7
117	Cellular magnetic resonance imaging: current status and future prospects. <i>Expert Review of Medical Devices</i> , 2006, 3, 427-439.	1.4	129
118	9L Gliosarcoma Cell Proliferation and Tumor Growth in Rats Are Suppressed by N-Hydroxy-N-(4-butyl-2-methylphenol) Formamidine (HET0016), a Selective Inhibitor of CYP4A. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006, 317, 97-108.	1.3	59
119	Noninvasive MR imaging of magnetically labeled stem cells to directly identify neovasculature in a glioma model. <i>Blood</i> , 2005, 105, 420-425.	0.6	248
120	Labeling of cells with ferumoxides-protamine sulfate complexes does not inhibit function or differentiation capacity of hematopoietic or mesenchymal stem cells. <i>NMR in Biomedicine</i> , 2005, 18, 553-559.	1.6	295
121	Cellular Iron Metabolism Studies Demonstrate Safety of Magnetic Tracking of Mesenchymal Stem Cells. <i>Blood</i> , 2005, 106, 4320-4320.	0.6	0