

Ming Wang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8571504/ming-wang-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83
papers

3,217
citations

35
h-index

55
g-index

83
ext. papers

4,087
ext. citations

6.6
avg, IF

6.05
L-index

#	Paper	IF	Citations
83	Superstructure silver micro-tube composites for ultrahigh electromagnetic wave shielding. <i>Chemical Engineering Journal</i> , 2022 , 430, 132949	14.7	13
82	Liquid metal coated copper micro-particles to construct core-shell structure and multiple heterojunctions for high-efficiency microwave absorption. <i>Journal of Colloid and Interface Science</i> , 2022 , 607, 210-218	9.3	6
81	Electric-magnetic-dielectric synergism and Salisbury screen effect in laminated polymer composites with multiwall carbon nanotube, nickel, and antimony trioxide for enhancing electromagnetic interference shielding. <i>Composites Part A: Applied Science and Manufacturing</i> , 2022 , 156, 106901	8.4	2
80	Controllable construction of cross-linking network for regulating on the mechanical properties of polydimethylsiloxane and polydimethylsiloxane/carbon nanotubes composites. <i>Journal of Applied Polymer Science</i> , 2022 , 139, 52113	2.9	1
79	Effect interfacial size and multiple interface on electromagnetic shielding of silicon rubber/carbon nanotube composites with mixing segregated particles. <i>Composite Structures</i> , 2022 , 292, 115668	5.3	5
78	Piezoresistive anisotropy in conductive silicon rubber/multi-walled carbon nanotube/nickel particle composites via alignment of nickel particles. <i>Composites Science and Technology</i> , 2022 , 109520	8.6	1
77	Migration mechanism of carbon nanotubes and matching viscosity-dependent morphology in Co-continuous Poly(lactic acid)/Poly(Ecaprolactone) blend: Towards electromagnetic shielding enhancement. <i>Polymer</i> , 2022 , 252, 124963	3.9	7
76	Improving dispersion and delamination of graphite in biodegradable starch materials via constructing cation- π interaction: Towards microwave shielding enhancement. <i>Journal of Materials Science and Technology</i> , 2022 , 129, 196-205	9.1	3
75	Robust electromagnetic interference shielding, joule heating, thermal conductivity, and anti-dripping performances of polyoxymethylene with uniform distribution and high content of carbon-based nanofillers. <i>Composites Science and Technology</i> , 2021 , 206, 108681	8.6	31
74	Construction, mechanism and prospective of conductive polymer composites with multiple interfaces for electromagnetic interference shielding: A review. <i>Carbon</i> , 2021 , 177, 377-402	10.4	104
73	Temperature and strain-induced tunable electromagnetic interference shielding in polydimethylsiloxane/multi-walled carbon nanotube composites with temperature-sensitive microspheres. <i>Composites Part A: Applied Science and Manufacturing</i> , 2021 , 140, 106188	8.4	36
72	Multifunctional cotton non-woven fabrics coated with silver nanoparticles and polymers for antibacterial, superhydrophobic and high performance microwave shielding. <i>Journal of Colloid and Interface Science</i> , 2021 , 582, 112-123	9.3	81
71	Thermo-expandable microspheres strengthened polydimethylsiloxane foam with unique softening behavior and high-efficient energy absorption. <i>Applied Surface Science</i> , 2021 , 540, 148364	6.7	8
70	Fabrication of recyclable nucleating agent and its effect on crystallization, gas barrier, thermal, and mechanical performance of Poly(-lactide). <i>Polymer</i> , 2021 , 231, 124121	3.9	4
69	Achieving high-performance and tunable microwave shielding in multi-walled carbon nanotubes/polydimethylsiloxane composites containing liquid metals. <i>Applied Surface Science</i> , 2021 , 563, 150255	6.7	17
68	Processing temperature-dependent distribution of multiwall carbon nanotube in poly(ethylene-co-1-octene)/high density polyethylene for electrical conductivity and microwave shielding enhancement. <i>Polymer Composites</i> , 2021 , 42, 1396-1406	3	11
67	Interfacial metallization in segregated poly (lactic acid)/poly (Ecaprolactone)/multi-walled carbon nanotubes composites for enhancing electromagnetic interference shielding. <i>Composites Part A: Applied Science and Manufacturing</i> , 2020 , 139, 106116	8.4	32

66	Controlling distribution of multi-walled carbon nanotube on surface area of Poly(ϵ -caprolactone) to form sandwiched structure for high-efficiency electromagnetic interference shielding. <i>Composites Part B: Engineering</i> , 2020 , 196, 108121	10	29
65	Effect of phase morphology and distribution of multi-walled carbon nanotubes on microwave shielding of poly(L-lactide)/poly(ϵ -caprolactone) composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2020 , 137, 106008	8.4	27
64	Constructing nanopores in poly(oxymethylene)/multi-wall carbon nanotube nanocomposites via poly(L-lactide) assisting for improving electromagnetic interference shielding. <i>Journal of Colloid and Interface Science</i> , 2020 , 565, 536-545	9.3	45
63	Multifunctional polydimethylsiloxane foam with multi-walled carbon nanotube and thermo-expandable microsphere for temperature sensing, microwave shielding and piezoresistive sensor. <i>Chemical Engineering Journal</i> , 2020 , 393, 124805	14.7	82
62	Achieving highly crystalline rate and crystallinity in Poly(L-lactide) via in-situ melting reaction with diisocyanate and benzohydrazine to form nucleating agents. <i>Polymer Testing</i> , 2020 , 81, 106216	4.5	5
61	Achieve high performance microwave shielding in poly(ϵ -caprolactone)/multi-wall carbon nanotube composites via balancing absorption in conductive domains and multiple scattering at interfaces. <i>Applied Surface Science</i> , 2020 , 508, 145178	6.7	30
60	Negative liquid sensing effect and tunable piezoresistive sensitivity in polydimethylsiloxane/carbon nanotubes/water-absorbing-expansion particles nanocomposites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2019 , 126, 105608	8.4	9
59	Comparative study on solid and hollow glass microspheres for enhanced electromagnetic interference shielding in polydimethylsiloxane/multi-walled carbon nanotube composites. <i>Composites Part B: Engineering</i> , 2019 , 177, 107378	10	43
58	Achieving high electrical conductivity and excellent electromagnetic interference shielding in poly(lactic acid)/silver nanocomposites by constructing large-area silver nanoplates in polymer matrix. <i>Composites Part B: Engineering</i> , 2019 , 171, 204-213	10	54
57	Achieving highly electrical conductivity and piezoresistive sensitivity in polydimethylsiloxane/multi-walled carbon nanotube composites via the incorporation of silicon dioxide micro-particles. <i>Composites Science and Technology</i> , 2019 , 177, 41-48	8.6	37
56	Asymmetric deformation in poly(ethylene-co-1-octene)/multi-walled carbon nanotube composites with glass micro-beads for highly piezoresistive sensitivity. <i>Chemical Engineering Journal</i> , 2019 , 370, 176-184	14.7	22
55	Gentle crosslinking to enhance interfacial interaction in thermoplastic polyurethane/poly(ethylene-co-1-octene)/multi-walled carbon nanotube composites for conductive improvement and piezoresistive stability. <i>Polymer Testing</i> , 2019 , 75, 142-150	4.5	10
54	Adjusting Distribution of Multiwall Carbon Nanotubes in Poly(L-lactide)/Poly(oxymethylene) Blends via Constructing Stereocomplex Crystallites: Toward Conductive and Microwave Shielding Enhancement. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 27884-27895	3.8	14
53	Percolation behavior of electromagnetic interference shielding in polymer/multi-walled carbon nanotube nanocomposites. <i>Composites Science and Technology</i> , 2019 , 170, 70-76	8.6	70
52	Constructing multiple interfaces in polydimethylsiloxane/multi-walled carbon nanotubes nanocomposites by the incorporation of cotton fibers for high-performance electromagnetic interference shielding and mechanical enhancement. <i>Applied Surface Science</i> , 2019 , 466, 657-665	6.7	62
51	Graphene oxide-assisted dispersion of multi-walled carbon nanotubes in biodegradable Poly(ϵ -caprolactone) for mechanical and electrically conductive enhancement. <i>Polymer Testing</i> , 2018 , 65, 387-397	4.5	30
50	Reprocessable Epoxy Networks with Tunable Physical Properties: Synthesis, Stress Relaxation and Recyclability. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2018 , 36, 641-648	3.5	26
49	A facile approach to constructing efficiently segregated conductive networks in poly(lactic acid)/silver nanocomposites via silver plating on microfibers for electromagnetic interference shielding. <i>Composites Science and Technology</i> , 2018 , 156, 136-143	8.6	97

48	Low magnetic field-induced alignment of nickel particles in segregated poly(l-lactide)/poly(ϵ -caprolactone)/multi-walled carbon nanotube nanocomposites: Towards remarkable and tunable conductive anisotropy. <i>Chemical Engineering Journal</i> , 2018 , 347, 472-482	14.7	51
47	Segregated polypropylene/cross-linked poly(ethylene-co-1-octene)/multi-walled carbon nanotube nanocomposites with low percolation threshold and dominated negative temperature coefficient effect: Towards electromagnetic interference shielding and thermistors. <i>Composites Science and Technology</i> , 2018 , 159, 152-161	8.6	67
46	Uniform fiber orientation and transcrystallization formed in isotactic polypropylene/short glass fiber composites via a shear-induced orientation extrusion. <i>Polymer Composites</i> , 2018 , 39, 3168-3177	3	5
45	A facile approach to fabricating silver-coated cotton fiber non-woven fabrics for ultrahigh electromagnetic interference shielding. <i>Applied Surface Science</i> , 2018 , 458, 236-244	6.7	111
44	Low magnetic field-induced morphological regulation in isotactic polypropylene/poly(ϵ -caprolactone)/carbon black composites for high electrical conductivity and conductive anisotropy. <i>Composites Communications</i> , 2018 , 9, 58-62	6.7	11
43	Morphology and isothermal crystallization of graphene oxide reinforced biodegradable poly(butylene succinate). <i>Polymer Testing</i> , 2017 , 59, 1-9	4.5	14
42	Ultralow Percolation Threshold in Poly(l-lactide)/Poly(ϵ -caprolactone)/Multiwall Carbon Nanotubes Composites with a Segregated Electrically Conductive Network. <i>Journal of Physical Chemistry C</i> , 2017 , 121, 3087-3098	3.8	72
41	Toughening polylactide by dynamic vulcanization with castor oil and different types of diisocyanates. <i>Polymer Testing</i> , 2017 , 59, 470-477	4.5	25
40	Morphological regulation improved electrical conductivity and electromagnetic interference shielding in poly(L-lactide)/poly(ϵ -caprolactone)/carbon nanotube nanocomposites via constructing stereocomplex crystallites. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 2807-2817	7.1	129
39	Morphology, crystallization and rheological behavior in poly(butylene succinate)/cellulose nanocrystal nanocomposites fabricated by solution coagulation. <i>Carbohydrate Polymers</i> , 2017 , 164, 75-82	10.3	50
38	Crystallization kinetics and morphology of biodegradable Poly(ϵ -caprolactone) with chain-like distribution of ferroferric oxide nanoparticles: Toward mechanical enhancements. <i>Polymer</i> , 2017 , 117, 84-95	3.9	11
37	Enhanced electrical conductivity and piezoresistive sensing in multi-wall carbon nanotubes/polydimethylsiloxane nanocomposites via the construction of a self-segregated structure. <i>Nanoscale</i> , 2017 , 9, 11017-11026	7.7	151
36	Morphology, rheological and crystallization behavior in thermoplastic polyurethane toughed poly(l-lactide) with stereocomplex crystallites. <i>Polymer Testing</i> , 2017 , 62, 1-12	4.5	19
35	Curing of epoxidized soybean oil with crystalline oligomeric poly(butylene succinate) towards high performance and sustainable epoxy resins. <i>Chemical Engineering Journal</i> , 2017 , 326, 875-885	14.7	59
34	Progress in Toughening Poly(Lactic Acid) with Renewable Polymers. <i>Polymer Reviews</i> , 2017 , 57, 557-593	14	115
33	High Performance and Thermal Processable Dicarboxylic Acid Cured Epoxidized Plant Oil Resins through Dynamic Vulcanization with Poly(lactic acid). <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 1938-1947	8.3	39
32	New approach to morphological control for polypropylene/polyethylene blends via magnetic self-organization. <i>Materials and Design</i> , 2017 , 117, 24-36	8.1	20
31	Curing behavior of epoxidized soybean oil with biobased dicarboxylic acids. <i>Polymer Testing</i> , 2017 , 57, 281-287	4.5	49

30	Morphological, rheological, crystalline and mechanical properties of ethylene-vinyl acetate copolymer/linear low-density polyethylene/amphiphilic graphene oxide nanocomposites. <i>Polymer Testing</i> , 2017 , 63, 289-297	4.5	20
29	Poly(cetyl trimethylammonium 4-styrenesulfonate)-wrapped carbon nanotubes filled in polylactide nanocomposites: Fabrication and properties. <i>Polymer Testing</i> , 2017 , 63, 323-333	4.5	6
28	All Plant Oil Derived Epoxy Thermosets with Excellent Comprehensive Properties. <i>Macromolecules</i> , 2017 , 50, 5729-5738	5.5	62
27	Ultralow percolation threshold and enhanced electromagnetic interference shielding in poly(L-lactide)/multi-walled carbon nanotube nanocomposites with electrically conductive segregated networks. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 9359-9369	7.1	276
26	Control of the Crystalline Morphology of Poly(L-lactide) by Addition of High-Melting-Point Poly(l-lactide) and Its Effect on the Distribution of Multiwalled Carbon Nanotubes. <i>Journal of Physical Chemistry B</i> , 2016 , 120, 7423-37	3.4	37
25	Magnetic Responsive Polymer Nanocomposites with In Situ Tunable Anisotropy by Magnetic Self-Organization. <i>ChemistrySelect</i> , 2016 , 1, 5542-5546	1.8	6
24	Enhancement of the interfacial interaction between poly(vinyl chloride) and zinc oxide modified reduced graphene oxide. <i>RSC Advances</i> , 2016 , 6, 5784-5791	3.7	32
23	Shear-induced orientation of functional graphene oxide sheets in isotactic polypropylene. <i>Journal of Materials Science</i> , 2016 , 51, 5185-5195	4.3	29
22	Effect of base-deposited graphene oxide on the thermal stabilization of poly(vinyl chloride). <i>Polymer International</i> , 2016 , 65, 125-132	3.3	10
21	Crystallization Behavior of Poly(sodium 4-styrenesulfonate)-Functionalized Carbon Nanotubes Filled Poly(ϵ -caprolactone) Nanocomposites. <i>Industrial & Engineering Chemistry Research</i> , 2016 , 55, 1881-1889	3.9	11
20	Poly(sodium 4-styrenesulfonate) wrapped carbon nanotube with low percolation threshold in poly(ϵ -caprolactone) nanocomposites. <i>Polymer Testing</i> , 2016 , 51, 40-48	4.5	25
19	Morphology, rheological and crystallization behavior in non-covalently functionalized carbon nanotube reinforced poly(butylene succinate) nanocomposites with low percolation threshold. <i>Polymer Testing</i> , 2016 , 50, 182-190	4.5	48
18	Dynamic vulcanization of castor oil in a polylactide matrix for toughening. <i>RSC Advances</i> , 2016 , 6, 79542-79553	3.7	41
17	Formation of thermally conductive networks in isotactic polypropylene/hexagonal boron nitride composites via Bridge Effect of multi-wall carbon nanotubes and graphene nanoplatelets. <i>RSC Advances</i> , 2016 , 6, 98571-98580	3.7	22
16	Effect of zinc maleate/zinc oxide complex on thermal stability of poly(vinyl chloride). <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	4
15	Poly(sodium 4-styrenesulfonate) modified graphene for reinforced biodegradable poly(ϵ -caprolactone) nanocomposites. <i>RSC Advances</i> , 2015 , 5, 73146-73154	3.7	20
14	Functionalized graphene sheets filled isotactic polypropylene nanocomposites. <i>Composites Part B: Engineering</i> , 2015 , 71, 175-183	10	65
13	Network alteration theory on Mullins effect in semicrystalline polymers. <i>Polymer International</i> , 2015 , 64, 105-112	3.3	5

12	Fabrication of hierarchically crystallographic morphologies in isotactic polypropylene. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	4
11	The effect of talc orientation and transcrystallization on mechanical properties and thermal stability of the polypropylene/talc composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2014 , 58, 7-15	8.4	40
10	Crystallization and mechanical properties of isotactic polypropylene/calcium carbonate nanocomposites with a stratified distribution of calcium carbonate. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	6
9	Zinc maleate and calcium stearate as a complex thermal stabilizer for poly(vinyl chloride). <i>Journal of Vinyl and Additive Technology</i> , 2014 , 20, 1-9	2	18
8	Effect of morphology on the interfacial slip of immiscible polypropylene/polystyrene blends. <i>Rheologica Acta</i> , 2013 , 52, 963-972	2.3	5
7	Effect of calcium stearates and zinc stearates on polyene formation of poly(vinyl chloride) under degradation. <i>Journal of Elastomers and Plastics</i> , 2013 , 45, 173-186	1.6	8
6	In situ fibrillation of polyamide 6 in isotactic polypropylene occurring in the laminating-multiplying die. <i>Polymers for Advanced Technologies</i> , 2011 , 22, 237-245	3.2	51
5	Controlled Folding of 2D Au Polymer Brush Composites into 3D Microstructures. <i>Advanced Functional Materials</i> , 2011 , 21, 652-657	15.6	71
4	Formation of Hierarchically Structured Thin Films. <i>Advanced Functional Materials</i> , 2009 , 19, 2236-2243	15.6	35
3	Simulation of mechanical properties of multilayered propylene/ethylene copolymer/ethylene 1-octene copolymer composites by equivalent box model and its experimental verification. <i>European Polymer Journal</i> , 2009 , 45, 3269-3281	5.2	47
2	Structure and properties of electrically conducting composites consisting of alternating layers of pure polypropylene and polypropylene with a carbon black filler. <i>Polymer</i> , 2008 , 49, 4861-4870	3.9	88
1	Effect of pentaerythritol and organic tin with calcium/zinc stearates on the stabilization of poly(vinyl chloride). <i>Polymer Degradation and Stability</i> , 2006 , 91, 2101-2109	4.7	73