

Abou el kacem Qaiss

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/857278/abou-el-kacem-qaiss-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

87 papers	3,823 citations	34 h-index	60 g-index
87 ext. papers	4,379 ext. citations	4.4 avg, IF	5.73 L-index

#	Paper	IF	Citations
87	pH-indicative Films Based on Chitosan/PVA/Sepiolite and Anthocyanin from Red Cabbage: Application in Milk Packaging. <i>Journal of Bionic Engineering</i> , 2022 , 19, 837	2.7	2
86	Characterization and numerical simulation of laminated glass fiber/polyester composites for a prosthetic running blade. <i>Journal of Reinforced Plastics and Composites</i> , 2021 , 40, 118-133	2.9	2
85	Effect of iron doped titanium oxide encapsulated in alginate on photocatalytic activity for the removal of dye pollutants.. <i>RSC Advances</i> , 2020 , 10, 22311-22317	3.7	8
84	Synthesis, characterization and in vitro anticancer activity of thiabendazole-derived 1,2,3-triazole derivatives. <i>New Journal of Chemistry</i> , 2020 , 44, 12099-12106	3.6	9
83	Tomato plant residue as new renewable source for cellulose production: extraction of cellulose nanocrystals with different surface functionalities. <i>Cellulose</i> , 2020 , 27, 4287-4303	5.5	45
82	Injection molding of short fiber thermoplastic bio-composites: Prediction of the fiber orientation. <i>Journal of Composite Materials</i> , 2020 , 54, 4787-4797	2.7	6
81	Recycled tires shreds based polyurethane binder: Production and characterization. <i>Mechanics of Materials</i> , 2020 , 144, 103351	3.3	6
80	Synthesis, crystal structure, spectroscopic, thermal properties and DFT calculation of a novel ethyl 2-(2-(thiazol-4-yl)-1H-benzimidazol-1-yl)acetate. <i>Journal of Molecular Structure</i> , 2020 , 1209, 127939	3.4	3
79	Effect of chitosan/modified montmorillonite coating on the antibacterial and mechanical properties of date palm fiber trays. <i>International Journal of Biological Macromolecules</i> , 2020 , 148, 316-323	7.9	17
78	Effects of bleaching and functionalization of kaolinite on the mechanical and thermal properties of polyamide 6 nanocomposites.. <i>RSC Advances</i> , 2020 , 10, 4916-4926	3.7	14
77	Recent Advances in the Synthesis and Applications of Thiabendazole Derivatives: A Short Review. <i>Current Organic Chemistry</i> , 2020 , 24, 2367-2377	1.7	5
76	Characteristics of sulfated and carboxylated cellulose nanocrystals extracted from Juncus plant stems. <i>International Journal of Biological Macromolecules</i> , 2020 , 154, 1419-1425	7.9	24
75	The effect of benzothiazolium surfactant modified montmorillonite content on the properties of polyamide 6 nanocomposites. <i>Applied Clay Science</i> , 2020 , 185, 105417	5.2	16
74	Hybrid composites and intra-ply hybrid composites based on jute and glass fibers: A comparative study on moisture absorption and mechanical properties. <i>Materials Today Communications</i> , 2020 , 22, 100861	2.5	18
73	Identifying Juncus plant as viable source for the production of micro- and nano-cellulose fibers: Application for PVA composite materials development. <i>Industrial Crops and Products</i> , 2020 , 144, 112035	5.9	26
72	Synthesis, characterization and DFT studies of 6-bis(2-(thiazol-4-yl)-benzimidazol-1-yl)hexane hemihydrate crystal: Experimental and theoretical investigation. <i>Journal of Molecular Structure</i> , 2020 , 1202, 127253	3.4	4
71	Sunflower oil cake-derived cellulose nanocrystals: Extraction, physico-chemical characteristics and potential application. <i>International Journal of Biological Macromolecules</i> , 2019 , 136, 241-252	7.9	28

70	Chitosan/polyvinyl alcohol/thiabendazolum-montmorillonite bio-nanocomposite films: Mechanical, morphological and antimicrobial properties. <i>Composites Part B: Engineering</i> , 2019 , 172, 103-110	10	45
69	Synthesis, crystal and DFT studies of N-(carboxyethyl)-2-methylbenzothiazolium bromide. <i>Journal of Molecular Structure</i> , 2019 , 1193, 303-309	3-4	7
68	Synthesis, characterization and in vitro antiproliferative evaluation of ionic liquids based on alkyl-substituted thiabendazolium. <i>Journal of Molecular Liquids</i> , 2019 , 282, 63-69	6	10
67	Injection molding of short coir fiber polypropylene biocomposites: Prediction of the mold filling phase. <i>Polymer Composites</i> , 2019 , 40, 4042-4055	3	11
66	Mechanical properties prediction of polypropylene/short coir fibers composites using a self-consistent approach. <i>Polymer Composites</i> , 2019 , 40, 1919-1929	3	15
65	Black phosphorus-based polyvinylidene fluoride nanocomposites: Synthesis, processing and characterization. <i>Composites Part B: Engineering</i> , 2019 , 175, 107165	10	20
64	A Comparison between Sabra and Alfa Fibers in Rubber Biocomposites. <i>Journal of Bionic Engineering</i> , 2019 , 16, 754-767	2.7	16
63	N-Silylated Benzothiazolium Dye as a Coupling Agent for Polylactic Acid/Date Palm Fiber Bio-composites. <i>Journal of Polymers and the Environment</i> , 2019 , 27, 2974-2987	4.5	17
62	Utilization of volcanic amorphous aluminosilicate rocks (perlite) as alternative materials in lightweight composites. <i>Composites Part B: Engineering</i> , 2019 , 165, 47-54	10	18
61	Effect of silane functionalization on properties of polypropylene/clay nanocomposites. <i>Composites Part B: Engineering</i> , 2018 , 146, 106-115	10	79
60	Bio-active nanocomposite films based on nanocrystalline cellulose reinforced styrylquinoxalin-grafted-chitosan: Antibacterial and mechanical properties. <i>International Journal of Biological Macromolecules</i> , 2018 , 114, 733-740	7.9	28
59	Morphological, thermal, mechanical, and rheological properties of high density polyethylene reinforced with Illite clay. <i>Polymer Composites</i> , 2018 , 39, 1522-1533	3	19
58	Effect of nylon 6 (PA6) addition on the properties of glass fiber reinforced acrylonitrile-butadiene-styrene. <i>Polymer Composites</i> , 2018 , 39, 14-21	3	11
57	Graphene/montmorillonite hybrid nanocomposites based on polypropylene: Morphological, mechanical, and rheological properties. <i>Polymer Composites</i> , 2018 , 39, 2046-2053	3	10
56	A Comparative Study of Doum fiber and Shrimp Chitin Based Reinforced Low Density Polyethylene Biocomposites. <i>Journal of Polymers and the Environment</i> , 2018 , 26, 443-451	4.5	6
55	Influence of graphene oxide and graphene nanosheet on the properties of polyvinylidene fluoride nanocomposites. <i>Polymer Composites</i> , 2018 , 39, 2932-2941	3	18
54	Alfa fibers/clay hybrid composites based on polypropylene: Mechanical, thermal, and structural properties. <i>Journal of Thermoplastic Composite Materials</i> , 2018 , 31, 974-991	1.9	19
53	Structural laminated hybrid composites based on raffia and glass fibers: Effect of alkali treatment, mechanical and thermal properties. <i>Composites Part B: Engineering</i> , 2018 , 154, 128-137	10	36

52	Thermo-mechanical performances of polypropylene biocomposites based on untreated, treated and compatibilized spent coffee grounds. <i>Composites Part B: Engineering</i> , 2018 , 149, 1-11	10	58
51	Production and Characterization of High Density Polyethylene Reinforced by Eucalyptus Capsule Fibers. <i>Journal of Bionic Engineering</i> , 2018 , 15, 558-566	2.7	10
50	Chitosan-graphene oxide films and CO-dried porous aerogel microspheres: Interfacial interplay and stability. <i>Carbohydrate Polymers</i> , 2017 , 167, 297-305	10.3	71
49	Mechanical, thermal, and rheological properties of polypropylene hybrid composites based clay and graphite. <i>Journal of Composite Materials</i> , 2017 , 51, 3563-3576	2.7	34
48	Bio-composites based on polylactic acid and argan nut shell: Production and properties. <i>International Journal of Biological Macromolecules</i> , 2017 , 104, 30-42	7.9	61
47	Laminated epoxy biocomposites based on clay and jute fibers. <i>Journal of Bionic Engineering</i> , 2017 , 14, 379-389	2.7	27
46	A comparison between bio- and mineral calcium carbonate on the properties of polypropylene composites. <i>Construction and Building Materials</i> , 2017 , 134, 549-555	6.7	51
45	Morphological, thermal, mechanical, electrical and magnetic properties of ABS/PA6/SBR blends with Fe ₃ O ₄ nano-particles. <i>Journal of Materials Science: Materials in Electronics</i> , 2017 , 28, 17120-17130	2.1	24
44	Impact of Chemical Treatment and the Manufacturing Process on Mechanical, Thermal, and Rheological Properties of Natural Fibers-Based Composites 2017 , 225-252		10
43	Phosphogypsum Waste Used as Reinforcing Fillers in Polypropylene Based Composites: Structural, Mechanical and Thermal Properties. <i>Journal of Polymers and the Environment</i> , 2017 , 25, 658-666	4.5	18
42	Recent Advances in Polymer Recycling: A Short Review. <i>Current Organic Synthesis</i> , 2017 , 14, 171-185	1.9	10
41	Copper(I) Confined in Interlayer Space of Montmorillonite: A Highly Efficient and Recyclable Catalyst for Click Reaction. <i>Catalysis Letters</i> , 2016 , 146, 136-143	2.8	23
40	Effect of graphene nanosheets on the mechanical, electrical, and rheological properties of polyamide 6/acrylonitrile-Butadiene-Styrene blends. <i>Polymer Composites</i> , 2016 , 37, 998-1006	3	30
39	Fluorescent bio-nanocomposites based on chitosan reinforced hemicyanine dye-modified montmorillonite. <i>RSC Advances</i> , 2016 , 6, 111472-111481	3.7	13
38	Insightful understanding of the role of clay topology on the stability of biomimetic hybrid chitosan-clay thin films and CO ₂ -dried porous aerogel microspheres. <i>Carbohydrate Polymers</i> , 2016 , 146, 353-61	10.3	41
37	Biocomposites based on Argan nut shell and a polymer matrix: Effect of filler content and coupling agent. <i>Carbohydrate Polymers</i> , 2016 , 143, 70-83	10.3	70
36	Structural, mechanical and thermal properties of bio-based hybrid composites from waste coir residues: Fibers and shell particles. <i>Mechanics of Materials</i> , 2016 , 93, 134-144	3.3	121
35	Extraction and Characterization of Nanocrystalline Cellulose From Doum (<i>Chamaerops humilis</i>) Leaves: A Potential Reinforcing Biomaterial. <i>Journal of Polymers and the Environment</i> , 2016 , 24, 356-362	4.5	18

34	Mechanical and thermal properties of hybrid composites: Oil-palm fiber/clay reinforced high density polyethylene. <i>Mechanics of Materials</i> , 2016 , 98, 36-43	3.3	100
33	Hybrid composites based on polyethylene and coir/oil palm fibers. <i>Journal of Reinforced Plastics and Composites</i> , 2015 , 34, 1684-1697	2.9	32
32	Mechanical and thermal properties of polypropylene reinforced with almond shells particles: Impact of chemical treatments. <i>Journal of Bionic Engineering</i> , 2015 , 12, 483-494	2.7	71
31	Fabrication, characterization and modelling of laminated composites based on woven jute fibres reinforced epoxy resin. <i>Materials & Design</i> , 2015 , 68, 104-113		62
30	Comparative study for the talc and two kinds of moroccan clay as reinforcements in polypropylene-SEBS-g-MA matrix. <i>Polymer Composites</i> , 2015 , 36, 675-684	3	42
29	Experimental and modeling study of viscoelastic behaviour of woven dried jute under compressive stress. <i>Journal of Reinforced Plastics and Composites</i> , 2015 , 34, 405-420	2.9	8
28	Morphological, Structural, Thermal and Tensile Properties of High Density Polyethylene Composites Reinforced with Treated Argan Nut Shell Particles. <i>Journal of Bionic Engineering</i> , 2015 , 12, 129-141	2.7	95
27	Mechanical and Thermal Properties of Polymer Composite Based on Natural Fibers: Moroccan Luffa Sponge/High Density Polyethylene. <i>Journal of Biobased Materials and Bioenergy</i> , 2015 , 9, 350-357	1.4	25
26	Influence of coupling agent content on the properties of high density polyethylene composites reinforced with oil palm fibers. <i>Materials & Design</i> , 2014 , 63, 641-649		54
25	Fracture study of the composite using essential work of fracture method: PP/SEBS/g-MA/E1 clay. <i>Materials & Design</i> , 2014 , 53, 741-748		43
24	Composite from Polypropylene and Henna Fiber: Structural, Mechanical and Thermal Properties. <i>Journal of Biobased Materials and Bioenergy</i> , 2014 , 8, 246-252	1.4	32
23	Fabrication and Characterization of Apricot Shells Particles Reinforced High Density Polyethylene Based Bio-Composites: Mechanical and Thermal Properties. <i>Journal of Biobased Materials and Bioenergy</i> , 2014 , 8, 344-351	1.4	34
22	Preparation and characterization of melt-blended graphene nanosheets/poly(vinylidene fluoride) nanocomposites with enhanced properties. <i>Journal of Applied Polymer Science</i> , 2013 , 127, 4697-4707	2.9	50
21	Theoretical modeling and experiments on the piezoelectric coefficient in cellular polymer films. <i>Polymer Engineering and Science</i> , 2013 , 53, 105-111	2.3	18
20	Nanocomposite films of poly(vinylidene fluoride) filled with polyvinylpyrrolidone-coated multiwalled carbon nanotubes: Enhancement of polymorph formation and tensile properties. <i>Polymer Engineering and Science</i> , 2013 , 53, 34-43	2.3	46
19	Mechanical and thermal properties of compatibilized polypropylene reinforced by woven doum. <i>Journal of Applied Polymer Science</i> , 2013 , 130, n/a-n/a	2.9	6
18	Dynamic mechanical thermal behavior analysis of doum fibers reinforced polypropylene composites. <i>Materials & Design</i> , 2013 , 51, 780-788		87
17	Melt Processing of PolyVinylidene Fluoride Based Composites Containing Mineral Microparticles. <i>Key Engineering Materials</i> , 2013 , 550, 165-170	0.4	1

16	Modification of montmorillonite by novel geminal benzimidazolium surfactant and its use for the preparation of polymer organoclay nanocomposites. <i>Composites Part B: Engineering</i> , 2013 , 51, 310-317	10	47
15	Tensile, flexural and torsional properties of chemically treated alfa, coir and bagasse reinforced polypropylene. <i>Composites Part B: Engineering</i> , 2013 , 47, 35-41	10	105
14	Mechanical and thermal properties of polymer composite based on natural fibers: Moroccan hemp fibers/polypropylene. <i>Materials & Design</i> , 2013 , 49, 203-208		104
13	Bio-composites based on polypropylene reinforced with Almond Shells particles: Mechanical and thermal properties. <i>Materials & Design</i> , 2013 , 51, 225-230		96
12	Pine cone fiber/clay hybrid composite: Mechanical and thermal properties. <i>Materials & Design</i> , 2013 , 50, 376-381		75
11	Processing and properties of polyethylene reinforced by graphene nanosheets and carbon nanotubes. <i>Materials & Design</i> , 2013 , 44, 81-89		162
10	Mechanical and thermal properties of natural fibers reinforced polymer composites: Doum/low density polyethylene. <i>Materials & Design</i> , 2013 , 43, 200-205		208
9	Injection Molding of PP/CaCO ₃ Hybrid Composites Toughened with SEBS-g-MA Elastomer: Morphological and Tensile Properties. <i>Key Engineering Materials</i> , 2013 , 550, 57-62	0.4	
8	Mechanical and thermal properties of polypropylene reinforced with Alfa fiber under different chemical treatment. <i>Materials & Design</i> , 2012 , 35, 318-322		118
7	Mechanical properties of high density polyethylene reinforced with chemically modified coir fibers: Impact of chemical treatments. <i>Materials & Design</i> , 2012 , 37, 379-383		124
6	Evaluation of mechanical and thermal properties of Pine cone fibers reinforced compatibilized polypropylene. <i>Materials & Design</i> , 2012 , 40, 528-535		93
5	Porosity formation by biaxial stretching in polyolefin films filled with calcium carbonate particles. <i>Journal of Applied Polymer Science</i> , 2012 , 123, 3425-3436	2.9	15
4	Piezoelectric β polymorph formation and properties enhancement in graphene oxide /PVDF nanocomposite films. <i>Applied Surface Science</i> , 2012 , 258, 7668-7677	6.7	293
3	Cellular polypropylene-based piezoelectric films. <i>Polymer Engineering and Science</i> , 2012 , 52, 2637-2644	2.3	22
2	Mechanical, thermal, and rheological properties of graphene-based polypropylene nanocomposites prepared by melt mixing. <i>Polymer Composites</i> , 2012 , 33, 733-744	3	225
1	Biaxial stretching of polymers using a novel and versatile stretching system. <i>Polymer Engineering and Science</i> , 2011 , 51, 1347-1353	2.3	22