

Bettina M Willie

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8573179/publications.pdf>

Version: 2024-02-01

92
papers

3,025
citations

168829

31
h-index

214428

50
g-index

100
all docs

100
docs citations

100
times ranked

4059
citing authors

#	ARTICLE	IF	CITATIONS
1	The combined effects of dynamization time and degree on bone healing. <i>Journal of Orthopaedic Research</i> , 2022, 40, 634-643.	1.2	10
2	Bone adaptation to mechanical loading in mice is affected by circadian rhythms. <i>Bone</i> , 2022, 154, 116218.	1.4	15
3	Fabric-elasticity relationships of tibial trabecular bone are similar in osteogenesis imperfecta and healthy individuals. <i>Bone</i> , 2022, 155, 116282.	1.4	4
4	In vivo and in silico monitoring bone regeneration during distraction osteogenesis of the mouse femur. <i>Computer Methods and Programs in Biomedicine</i> , 2022, 216, 106679.	2.6	5
5	Bone strength and composition in spacefaring rodents: systematic review and meta-analysis. <i>Npj Microgravity</i> , 2022, 8, 10.	1.9	0
6	In vivo microCT-based time-lapse morphometry reveals anatomical site-specific differences in bone (re)modeling serving as baseline parameters to detect early pathological events. <i>Bone</i> , 2022, 161, 116432.	1.4	4
7	Mechanical loading prevents bone destruction and exerts anti-tumor effects in the MOPC315.BM.Luc model of myeloma bone disease. <i>Acta Biomaterialia</i> , 2021, 119, 247-258.	4.1	9
8	Prevention of Bone Destruction by Mechanical Loading Is Not Enhanced by the Bruton's Tyrosine Kinase Inhibitor CC-292 in Myeloma Bone Disease. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3840.	1.8	3
9	Bone morphogenetic protein 2-induced cellular chemotaxis drives tissue patterning during critical-sized bone defect healing: an in silico study. <i>Biomechanics and Modeling in Mechanobiology</i> , 2021, 20, 1627-1644.	1.4	13
10	Multisite longitudinal calibration of HR-pQCT scanners and precision in osteogenesis imperfecta. <i>Bone</i> , 2021, 147, 115880.	1.4	6
11	Association between obesity and risk of fracture, bone mineral density and bone quality in adults: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2021, 16, e0252487.	1.1	66
12	Enhancing the Efficiency of Distraction Osteogenesis through Rate-Varying Distraction: A Computational Study. <i>International Journal of Molecular Sciences</i> , 2021, 22, 11734.	1.8	5
13	HR-pQCT Measures of Bone Microarchitecture Predict Fracture: Systematic Review and Meta-Analysis. <i>Journal of Bone and Mineral Research</i> , 2020, 35, 446-459.	3.1	92
14	Bone adaptation: Safety factors and load predictability in shaping skeletal form. <i>Bone</i> , 2020, 131, 115114.	1.4	31
15	Murine Axial Compression Tibial Loading Model to Study Bone Mechanobiology: Implementing the Model and Reporting Results. <i>Journal of Orthopaedic Research</i> , 2020, 38, 233-252.	1.2	38
16	Effects of Long-Term Sclerostin Deficiency on Trabecular Bone Mass and Adaption to Limb Loading Differ in Male and Female Mice. <i>Calcified Tissue International</i> , 2020, 106, 415-430.	1.5	13
17	Smoking as a risk factor for spontaneous bone anchored hearing implant extrusion: A case report and review of literature. <i>Otolaryngology Case Reports</i> , 2020, 14, 100140.	0.0	1
18	Heterogeneity of the osteocyte lacuno-canalicular network architecture and material characteristics across different tissue types in healing bone. <i>Journal of Structural Biology</i> , 2020, 212, 107616.	1.3	7

#	ARTICLE	IF	CITATIONS
19	Cortical bone adaptation to a moderate level of mechanical loading in male Sost deficient mice. <i>Scientific Reports</i> , 2020, 10, 22299.	1.6	5
20	The mechanoresponse of bone is closely related to the osteocyte lacunocanalicular network architecture. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 32251-32259.	3.3	69
21	In Vivo and In Vitro Mechanical Loading of Mouse Achilles Tendons and Tenocytes—A Pilot Study. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1313.	1.8	21
22	Decoding rejuvenating effects of mechanical loading on skeletal aging using in vivo μ CT imaging and deep learning. <i>Acta Biomaterialia</i> , 2020, 106, 193-207.	4.1	7
23	Finite element analysis of bone strength in osteogenesis imperfecta. <i>Bone</i> , 2020, 133, 115250.	1.4	10
24	Compressive Strength of Iliac Bone ECM Is Not Reduced in Osteogenesis Imperfecta and Increases With Mineralization. <i>Journal of Bone and Mineral Research</i> , 2020, 36, 1364-1375.	3.1	11
25	3D Image Registration Marginally Improves the Precision of HR-pQCT Measurements Compared to Cross-Sectional-Area Registration in Adults With Osteogenesis Imperfecta. <i>Journal of Bone and Mineral Research</i> , 2020, 37, 908-924.	3.1	8
26	Multi-Method 3D Characterization of Different Tissue Types in Healing Bone. <i>Microscopy and Microanalysis</i> , 2019, 25, 358-359.	0.2	0
27	Age-Related Changes in the Mechanical Regulation of Bone Healing Are Explained by Altered Cellular Mechanoresponse. <i>Journal of Bone and Mineral Research</i> , 2019, 34, 1923-1937.	3.1	35
28	Experience in the Adaptive Immunity Impacts Bone Homeostasis, Remodeling, and Healing. <i>Frontiers in Immunology</i> , 2019, 10, 797.	2.2	57
29	NOTCH Signaling Is Activated through Mechanical Strain in Human Bone Marrow-Derived Mesenchymal Stromal Cells. <i>Stem Cells International</i> , 2019, 2019, 1-13.	1.2	29
30	Transcriptional profiling of cortical bone after mechanical loading in the MOPC315.BM myeloma bone disease model. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, e37-e38.	0.2	0
31	<i>Sost</i> deficiency leads to reduced mechanical strains at the tibia midshaft in strain-matched <i>in vivo</i> loading experiments in mice. <i>Journal of the Royal Society Interface</i> , 2018, 15, 20180012.	1.5	8
32	The Interaction of BMP2-Induced Defect Healing in Rat and Fixator Stiffness Modulates Matrix Alignment and Contraction. <i>JBMR Plus</i> , 2018, 2, 174-186.	1.3	7
33	Correlations between nanostructure and micromechanical properties of healing bone. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2018, 77, 258-266.	1.5	22
34	A Systematic Review on Factors Associated With Percutaneous Bone Anchored Hearing Implants Loss. <i>Otology and Neurotology</i> , 2018, 39, e897-e906.	0.7	12
35	Sclerostin Neutralizing Antibody Treatment Enhances Bone Formation but Does Not Rescue Mechanically Induced Delayed Healing. <i>Journal of Bone and Mineral Research</i> , 2018, 33, 1686-1697.	3.1	26
36	Impaired proteoglycan glycosylation, elevated TGF- β 2 signaling, and abnormal osteoblast differentiation as the basis for bone fragility in a mouse model for gerodermia osteodysplastica. <i>PLoS Genetics</i> , 2018, 14, e1007242.	1.5	36

#	ARTICLE	IF	CITATIONS
37	Mechanically stimulated ATP release from murine bone cells is regulated by a balance of injury and repair. <i>ELife</i> , 2018, 7, .	2.8	38
38	Mechanical Loading Shows Anti-Myeloma Effects While Rescuing Bone Loss with Net Bone Formation in a Myeloma Bone Disease Murine Model. <i>Blood</i> , 2018, 132, 3164-3164.	0.6	0
39	OVERLOAD of joints and its role in osteoarthritis. <i>Zeitschrift Fur Rheumatologie</i> , 2017, 76, 1-4.	0.5	1
40	Tomography-Based Quantification of Regional Differences in Cortical Bone Surface Remodeling and Mechano-Response. <i>Calcified Tissue International</i> , 2017, 100, 255-270.	1.5	40
41	Examining tissue composition, whole-bone morphology and mechanical behavior of <i>CorabPrx1</i> mice tibiae: A mouse model of premature aging. <i>Journal of Biomechanics</i> , 2017, 65, 145-153.	0.9	21
42	Sost deficiency led to a greater cortical bone formation response to mechanical loading and altered gene expression. <i>Scientific Reports</i> , 2017, 7, 9435.	1.6	33
43	Multiscale characterization of the mineral phase at skeletal sites of breast cancer metastasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 10542-10547.	3.3	55
44	Registered Micro-Computed Tomography Data as a Four-Dimensional Imaging Biomarker of Bone Formation and Resorption. <i>Biomarkers in Disease</i> , 2017, , 557-586.	0.0	1
45	Recent advances in bone regeneration: The role of adipose tissue-derived stromal vascular fraction and mesenchymal stem cells. <i>Journal of Limb Lengthening & Reconstruction</i> , 2017, 3, 4.	0.2	8
46	The Periosteal Bone Surface is Less Mechano-Responsive than the Endocortical. <i>Scientific Reports</i> , 2016, 6, 23480.	1.6	75
47	BMPs in bone regeneration: Less is more effective, a paradigm-shift. <i>Cytokine and Growth Factor Reviews</i> , 2016, 27, 141-148.	3.2	85
48	Hydrogels: One Step Creation of Multifunctional 3D Architected Hydrogels Inducing Bone Regeneration (<i>Adv. Mater.</i> 10/2015). <i>Advanced Materials</i> , 2015, 27, 1800-1800.	11.1	1
49	Aging Leads to a Dysregulation in Mechanically Driven Bone Formation and Resorption. <i>Journal of Bone and Mineral Research</i> , 2015, 30, 1864-1873.	3.1	111
50	Registering 2D and 3D imaging data of bone during healing. <i>Connective Tissue Research</i> , 2015, 56, 133-143.	1.1	9
51	Improved bone defect healing by a superagonistic GDF5 variant derived from a patient with multiple synostoses syndrome. <i>Bone</i> , 2015, 73, 111-119.	1.4	12
52	Effect of in vivo loading on bone composition varies with animal age. <i>Experimental Gerontology</i> , 2015, 63, 48-58.	1.2	20
53	One Step Creation of Multifunctional 3D Architected Hydrogels Inducing Bone Regeneration. <i>Advanced Materials</i> , 2015, 27, 1738-1744.	11.1	100
54	Skeletal maturity leads to a reduction in the strain magnitudes induced within the bone: A murine tibia study. <i>Acta Biomaterialia</i> , 2015, 13, 301-310.	4.1	75

#	ARTICLE	IF	CITATIONS
55	Skeletal maturation substantially affects elastic tissue properties in the endosteal and periosteal regions of loaded mice tibiae. <i>Acta Biomaterialia</i> , 2015, 21, 154-164.	4.1	9
56	High resolution 3D laboratory x-ray tomography data of femora from young, 14 day old C57BL/6 mice. <i>Data in Brief</i> , 2015, 4, 32-33.	0.5	3
57	Long bone maturation is driven by pore closing: A quantitative tomography investigation of structural formation in young C57BL/6 mice. <i>Acta Biomaterialia</i> , 2015, 22, 92-102.	4.1	20
58	Monitoring in vivo (re)modeling: A computational approach using 4D microCT data to quantify bone surface movements. <i>Bone</i> , 2015, 75, 210-221.	1.4	57
59	Registered Micro-Computed Tomography Data as a Four-Dimensional Imaging Biomarker of Bone Formation and Resorption. <i>Exposure and Health</i> , 2015, , 1-30.	2.8	0
60	Notch pathway inhibition controls myeloma bone disease in the murine MOPC315.BM model. <i>Blood Cancer Journal</i> , 2014, 4, e217-e217.	2.8	38
61	Relationship between nanoscale mineral properties and calcein labeling in mineralizing bone surfaces. <i>Connective Tissue Research</i> , 2014, 55, 15-17.	1.1	12
62	The influence of age on adaptive bone formation and bone resorption. <i>Biomaterials</i> , 2014, 35, 9290-9301.	5.7	94
63	Mechanical and structural properties of bone in non-critical and critical healing in rat. <i>Acta Biomaterialia</i> , 2014, 10, 4009-4019.	4.1	40
64	Mineralizing surface is the main target of mechanical stimulation independent of age: 3D dynamic in vivo morphometry. <i>Bone</i> , 2014, 66, 15-25.	1.4	89
65	Diminished response to in vivo mechanical loading in trabecular and not cortical bone in adulthood of female C57Bl/6 mice coincides with a reduction in deformation to load. <i>Bone</i> , 2013, 55, 335-346.	1.4	123
66	CHAPTER 2. Bone Structural Adaptation and Wolff's Law. <i>RSC Smart Materials</i> , 2013, , 17-45.	0.1	3
67	Trabecular bone adaptation to loading in a rabbit model is not magnitude-dependent. <i>Journal of Orthopaedic Research</i> , 2013, 31, 930-934.	1.2	10
68	Mechanical Load Modulates the Stimulatory Effect of BMP2 in a Rat Nonunion Model. <i>Tissue Engineering - Part A</i> , 2013, 19, 247-254.	1.6	66
69	Rodent animal models of delayed bone healing and non-union formation: a comprehensive review. , 2013, 26, 1-14.		116
70	GLOBAL AND SITE-SPECIFIC ADAPTATION OF CANCELLOUS BONE TO IN VIVO LOADING. <i>Journal of Biomechanics</i> , 2012, 45, S97.	0.9	0
71	Does Using Autograft Bone Chips Achieve Consistent Bone Ingrowth in Primary TKA?. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 1869-1878.	0.7	7
72	Small animal bone healing models: Standards, tips, and pitfalls results of a consensus meeting. <i>Bone</i> , 2011, 49, 591-599.	1.4	141

#	ARTICLE	IF	CITATIONS
73	Late Dynamization by Reduced Fixation Stiffness Enhances Fracture Healing in a Rat Femoral Osteotomy Model. <i>Journal of Orthopaedic Trauma</i> , 2011, 25, 169-174.	0.7	59
74	Local BMP-2 application can rescue the delayed osteotomy healing in a rat model. <i>Injury</i> , 2011, 42, 746-752.	0.7	25
75	Temporal Variation in Fixation Stiffness Affects Healing by Differential Cartilage Formation in a Rat Osteotomy Model. <i>Clinical Orthopaedics and Related Research</i> , 2011, 469, 3094-3101.	0.7	28
76	Osseointegration into a novel titanium foam implant in the distal femur of a rabbit. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2010, 92B, 479-488.	1.6	11
77	Designing biomimetic scaffolds for bone regeneration: why aim for a copy of mature tissue properties if nature uses a different approach?. <i>Soft Matter</i> , 2010, 6, 4976.	1.2	88
78	Cancellous Bone Osseointegration Is Enhanced by <i>In Vivo</i> Loading. <i>Tissue Engineering - Part C: Methods</i> , 2010, 16, 1399-1406.	1.1	36
79	Early dynamization by reduced fixation stiffness does not improve fracture healing in a rat femoral osteotomy model. <i>Journal of Orthopaedic Research</i> , 2009, 27, 22-27.	1.2	85
80	Mechanical characterization of external fixator stiffness for a rat femoral fracture model. <i>Journal of Orthopaedic Research</i> , 2009, 27, 687-693.	1.2	42
81	Surface damage analysis of retrieved highly crosslinked polyethylene tibial components after short-term implantation. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2008, 85B, 114-124.	1.6	18
82	Examining the influence of short-term implantation on oxidative degradation in retrieved highly crosslinked polyethylene tibial components. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2008, 85B, 385-397.	1.6	7
83	Relationship between bone ingrowth, mineral apposition rate, and osteoblast activity. <i>Journal of Biomedical Materials Research - Part A</i> , 2007, 81A, 505-514.	2.1	47
84	The enhancement of bone regeneration by ultrasound. <i>Progress in Biophysics and Molecular Biology</i> , 2007, 93, 384-398.	1.4	208
85	Oxidative degradation in highly cross-linked and conventional polyethylene after 2 years of real-time shelf aging. <i>Biomaterials</i> , 2006, 27, 2275-2284.	5.7	36
86	Analysis of 16 Retrieved Proximally Cemented Femoral Stems. <i>Journal of Arthroplasty</i> , 2005, 20, 84-93.	1.5	18
87	Quantifying the effect of resin type and sterilization method on the degradation of ultrahigh molecular weight polyethylene after 4 years of real-time shelf aging. <i>Journal of Biomedical Materials Research Part B</i> , 2004, 69A, 477-489.	3.0	12
88	Determining relevance of a weight-bearing ovine model for bone ingrowth assessment. <i>Journal of Biomedical Materials Research Part B</i> , 2004, 69A, 567-576.	3.0	63
89	A comparative staining technique to detect mineral oil contaminants from orthopedic implants. <i>Journal of Biomedical Materials Research Part B</i> , 2004, 70B, 130-138.	3.0	1
90	Spinal Cage Retrieval and Assessment of Biologic Response. <i>Journal of Spinal Disorders and Techniques</i> , 2002, 15, 206-212.	1.8	7

#	ARTICLE	IF	CITATIONS
91	Elemental and morphological identification of third-body particulate and calcium stearate inclusions in polyethylene components. , 2000, 53, 137-142.		15
92	Possible explanation for the white band artifact seen in clinically retrieved polyethylene tibial components. Journal of Biomedical Materials Research Part B, 2000, 52, 558-566.	3.0	16