

# Kelly Benini

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8575598/publications.pdf>

Version: 2024-02-01

19  
papers

560  
citations

933264

10  
h-index

839398

18  
g-index

19  
all docs

19  
docs citations

19  
times ranked

851  
citing authors

#	ARTICLE	IF	CITATIONS
1	Valorization of Spent Coffee Grounds as Precursors for Biopolymers and Composite Production. <i>Polymers</i> , 2022, 14, 437.	2.0	21
2	Survey on chemical, physical, and thermal prediction behaviors for sequential chemical treatments used to obtain cellulose from <i>Imperata Brasiliensis</i> . <i>Journal of Thermal Analysis and Calorimetry</i> , 2021, 143, 73-85.	2.0	14
3	Sustainable application of recycled espresso coffee capsules: Natural composite development for a home composter product. <i>Journal of Cleaner Production</i> , 2021, 297, 126647.	4.6	12
4	Thermal characterization and lifetime prediction of the PHBV/nanocellulose biocomposites using different kinetic approaches. <i>Cellulose</i> , 2020, 27, 7503-7522.	2.4	10
5	Permeability of untreated and atmospheric plasma treated coconut fiber mats. <i>Materials Research Express</i> , 2019, 6, 095323.	0.8	5
6	Novel biodegradable composites based on PHBV: Effect of nanocellulose incorporation on the nonisothermal crystallization kinetic and structural parameters. <i>Polymer Composites</i> , 2019, 40, 3156-3165.	2.3	8
7	Obtainment and characterization of nanocellulose from an unwoven industrial textile cotton waste: Effect of acid hydrolysis conditions. <i>International Journal of Biological Macromolecules</i> , 2019, 126, 496-506.	3.6	65
8	Effect of different degradation types on properties of plastic waste obtained from espresso coffee capsules. <i>Waste Management</i> , 2019, 83, 123-130.	3.7	25
9	Preparation of nanocellulose from <i>Imperata brasiliensis</i> grass using Taguchi method. <i>Carbohydrate Polymers</i> , 2018, 192, 337-346.	5.1	106
10	Effect of fiber chemical treatment of nonwoven coconut fiber/epoxy composites adhesion obtained by RTM process. <i>Polymer Composites</i> , 2017, 38, 2518-2527.	2.3	10
11	Effect of acid hydrolysis conditions on the degradation properties of cellulose from <i>Imperata brasiliensis</i> fibers. <i>Procedia Engineering</i> , 2017, 200, 244-251.	1.2	14
12	Effects of plasma treatment on the sorption properties of coconut fibers. <i>Procedia Engineering</i> , 2017, 200, 357-364.	1.2	14
13	Characterization of a New Lignocellulosic Fiber from Brazil: <i>Imperata brasiliensis</i> (Brazilian) Tj ETQq1 1 0.784314 rgBT /Overlock 112-125.	1.7	34
14	PHBV/cellulose nanofibrils composites obtained by solution casting and electrospinning process. <i>Revista Materia</i> , 2017, 22, .	0.1	11
15	Manufacturing and Characterization of High Impact Polystyrene (HIPS) Reinforced with Treated Sugarcane Bagasse. <i>Journal of Research Updates in Polymer Science</i> , 2017, 6, 2-11.	0.3	2
16	Featuring High Impact Polystyrene Composites Strengthened with Green Coconut Fiber Developed for Automotive Industry Application. <i>Journal of Research Updates in Polymer Science</i> , 2017, 6, 17-20.	0.3	3
17	Vegetal fibers in polymeric composites: a review. <i>Polimeros</i> , 2015, 25, 9-22.	0.2	163
18	Mechanical properties of HIPS/sugarcane bagasse fiber composites after accelerated weathering. <i>Procedia Engineering</i> , 2011, 10, 3246-3251.	1.2	39

#	ARTICLE	IF	CITATIONS
19	Thermal Analysis of Sisal/Epoxy Composite Processed by RTM. Applied Mechanics and Materials, 0, 719-720, 50-54.	0.2	4