

Eugenia A Sar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8575635/publications.pdf>

Version: 2024-02-01

39

papers

316

citations

840776

11

h-index

940533

16

g-index

39

all docs

39

docs citations

39

times ranked

288

citing authors

#	ARTICLE	IF	CITATIONS
1	Marine diatoms from Buenos Aires coastal waters (Argentina). V. Species of the genus <i>Chaetoceros</i> . Revista De Biología Marina Y Oceanografía, 2008, 43, .	0.2	26
2	< i> COCCONEIS </i> EHRENBERG AND < i> PSAMMOCOCCKONEIS </i> GARCIA (BACILLARIOPHYTA) FROM THE GULF OF SAN MATÁAS, PATAGONIA, ARGENTINA. Diatom Research, 2003, 18, 79-106.	1.2	23
3	The diatom genus <i>Thalassiosira</i> : species from the northern San Matías Gulf (Rio Negro, Argentina). Nova Hedwigia, 2002, 74, 373-386.	0.4	21
4	< i> Thalassiosira rotula </i>, a heterotypic synonym of < i> Thalassiosira gravida </i>: morphological evidence. Diatom Research, 2011, 26, 109-119.	1.2	20
5	Marine diatoms from Buenos Aires coastal waters (Argentina): II. Thalassionemataceae and Rhaphoneidaceae. Revista Chilena De Historia Natural, 2007, 80, .	1.2	18
6	Dinophysis spp. asociadas a detección de toxinas diarreicas (DSTs) en moluscos y a intoxicación diarreica en humanos (Provincia de Buenos Aires, Argentina). Revista De Biología Marina Y Oceanografía, 2010, 45, 451-460.	0.2	17
7	A MORPHOLOGICAL STUDY OF < i> CHAETOCEROS TENUISSIMUS </i> MEUNIER, A LITTLE-KNOWN PLANKTONIC DIATOM, WITH A DISCUSSION OF THE SECTION SIMPLICIA, SUBGENUS HYALOCHAETE. Diatom Research, 2002, 17, 327-335.	1.2	16
8	Episodios de toxicidad en moluscos de aguas marinas costeras de la Provincia de Buenos Aires (Argentina) asociados a algas tóxicas (marzo de 2008-marzo de 2013). Boletín De La Sociedad Argentina De Botánica, 2014, 49, 327-333.	0.3	15
9	Marine diatoms from Buenos Aires coastal waters (República Argentina). I. Thalassiosiraceae. Nova Hedwigia, 2001, 73, 199-228.	0.4	14
10	LICMOPHORA FLABELLATA: ULTRA STRUCTURE AND TAXONOMY I. IMPLICATION. Diatom Research, 1990, 5, 403-408.	1.2	13
11	Studies on Amphora subgenus Halamphora (Bacillariophyta): the revision of some species described by Hustedt using type material. European Journal of Phycology, 2006, 41, 155-167.	2.0	12
12	Marine diatoms from Buenos Aires coastal waters (Argentina). IV. Rhizosolenia s. str., Neocalyptrella, Pseudosolenia, Proboscia. Phycologia, 2007, 46, 628-643.	1.4	12
13	Chaetoceros resting spores in the Gerlache Strait, Antarctic Peninsula. Polar Biology, 1998, 19, 286-288.	1.2	10
14	Diatomeas potencialmente nocivas del Golfo San Matías (Argentina). Revista De Biología Marina Y Oceanografía, 2009, 44, .	0.2	9
15	Species of < i> Pleurosigma </i> (Pleurosigmataceae) with lanceolate or slightly sigmoid valve outlines: analysis of type material. Diatom Research, 2012, 27, 237-253.	1.2	9
16	Revision of Amphora holsatica (Bacillariophyceae). European Journal of Phycology, 2003, 38, 73-81.	2.0	7
17	AN EMENDED DESCRIPTION OF AMPHORA TUMIDA HUSTEDT (BACILLARIOPHYCEAE). Diatom Research, 2004, 19, 71-80.	1.2	7
18	Morphological, taxonomic and nomenclatural analysis of species of < i> Odontella </i>, < i> Trieser </i> and < i> Zygocephalus </i> (Triceratiaceae, Bacillariophyta) from Anegada Bay (Province of Buenos Aires, Argentina). Diatom Research, 2015, 30, 307-331.	1.2	7

#	ARTICLE	IF	CITATIONS
19	AUTHENTICATION OF THE TYPE MATERIAL OF <i>PSEUDO-NITZSCHIA AUSTRALIS</i> FRENGUELLI. Diatom Research, 1998, 13, 183-185.	1.2	6
20	Thalassiosira fryxelliae nov. spec. (Bacillariophyceae) from Argentinian coastal waters. Botanica Marina, 2004, 47, .	1.2	6
21	FINE MORPHOLOGY OF <i>COSCINODISCUS JONESIANUS</i> AND <i>COSCINODISCUS CQMUTATUS</i> AND THEIR TRANSFER TO <i>COSCINODISCOPSIS GEN.</i> NOV.. Diatom Research, 2008, 23, 401-421.	1.2	6
22	Coscinodiscus perforatus revisited and compared with Coscinodiscus radiatus (Bacillariophyceae). Phycologia, 2010, 49, 514-524.	1.4	5
23	The epizoic marine diatom <i>Sceptronema orientale</i> (Lichenophaceae, Lichenophales): epitypification and emendation of specific and generic descriptionsA. Phytotaxa, 2014, 177, 269.	0.3	5
24	Morphological and molecular characterization of <i>Heterocapsa claromecoensis</i> sp. nov. (Peridiniales, Dinophyceae) from Buenos Aires coastal waters (Argentina). European Journal of Phycology, 2020, 55, 490-506.	2.0	5
25	Morphology, genetics and toxin profile of <i>Prorocentrum texanum</i> (Dinophyceae) from Argentinian marine coastal waters. Phycologia, 2020, 59, 634-650.	1.4	5
26	<i>Pleurosigma hinzianum</i> sp. nov. and <i>P. frenguelli</i> sp. nov. (Pleurosigmataceae,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 4 and <i>P. elongatum</i> W. Smith. European Journal of Phycology, 2014, 49, 151-164.	2.0	4
27	<i>Nanofructulum shiloii</i> (Bacillariophyceae) from the Gulf of San Matias (Argentina): Morphology, distribution and comments about nomenclature. Nova Hedwigia, 2003, 77, 399-406.	0.4	3
28	FINE MORPHOLOGY OF <i>GOMPHONEMA MARGARITAE</i> FRENGUELLI & ORLANDO AND ITS VALIDATION AND TRANSFER TO <i>TRIPTERION</i> HOLMES, NAGASAWA & TAKANO. Diatom Research, 2009, 24, 63-78.	1.2	3
29	<i>Pleurosigma guarneranum</i> , sp. nov. (Pleurosigmataceae, Bacillariophyta), from the Gulf of San MatÃas, Argentina, and comparison with the allied species <i>Pleurosigma exemptum</i> and <i>P. obesum</i> . European Journal of Phycology, 2013, 48, 451-460.	2.0	3
30	Diatom assemblages from surface sediments of the RÃo de la Plata estuary, Uruguay. New Zealand Journal of Marine and Freshwater Research, 2018, 52, 383-397.	2.0	3
31	REVISION OF <i>DONTIELLA ATLANTICA</i> (FRENGUELLI) SARCOMB. ET STAT. NOV. WITH COMPARISON TO TWO RELATED SPECIES, <i>O. RHOMBUS</i> (EHRENB.) KÃœTZ. ANDO. RHOMBOIDESR. JAHN ET KUSBER. Diatom Research, 2007, 22, 341-353.	1.2	2
32	<i>Pseudopodosira boltovskoyi</i> sp. nov. (Pseudopodosiraceae, Bacillariophyta) from coastal waters of Argentina. Phycologia, 2017, 56, 239-252.	1.4	2
33	A comparative study of <i>Pleurosigma subrectum</i> and <i>P. acus</i> (Bacillariophyta). Phytotaxa, 2015, 207, 273.	0.3	1
34	New combinations and typification of Neotropical <i>Cosmioneis</i> species (Cosmioneidaceae). Diatom Research, 2017, 32, 229-240.	1.2	1
35	A re-investigation of three Frenguelliâ€™s <i>Caloneis</i> taxa (Pinnulariaceae, Bacillariophyta) from Argentina. Phytotaxa, 2017, 305, 165.	0.3	0
36	Morphological variability of the nanoplanktonic diatom <i>Thalassiosira laevis</i> from coastal waters of Province of Buenos Aires (Argentina).. Boletin De La Sociedad Argentina De Botanica, 2017, 52, 617-622.	0.3	0

ARTICLE

IF

CITATIONS

37	First record of <i>Thalassiosira catharinensis</i> (Bacillariophyta) from argentinean marine coastal waters.. Boletin De La Sociedad De Botanica, 2018, 53, 195-200.	0.3	0
38	Análisis de los materiales tipo de <i>Pleurosigma formosum</i> y <i>P. decorum</i> (Pleurosigmataceae,) Tj ETQq0 0 0 rgBT /Overlock 10 _{0.3} Tf 50 702 Tg		
39	Naviculares (Bacillariophyta) from coastal waters of the Gulf of San Matías (Province of Río Negro,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 _{0.2} Tg		