

Eugenia A Sar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8575635/publications.pdf>

Version: 2024-02-01

39
papers

316
citations

840776

11
h-index

940533

16
g-index

39
all docs

39
docs citations

39
times ranked

288
citing authors

#	ARTICLE	IF	CITATIONS
1	Morphological and molecular characterization of <i>Heterocapsa claromecoensis</i> sp. nov. (Peridinales, Dinophyceae) from Buenos Aires coastal waters (Argentina). <i>European Journal of Phycology</i> , 2020, 55, 490-506.	2.0	5
2	Morphology, genetics and toxin profile of <i>Prorocentrum texanum</i> (Dinophyceae) from Argentinian marine coastal waters. <i>Phycologia</i> , 2020, 59, 634-650.	1.4	5
3	Naviculales (Bacillariophyta) from coastal waters of the Gulf of San Mat�as (Province of R�o Negro,) Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.2	0
4	Diatom assemblages from surface sediments of the R�o de la Plata estuary, Uruguay. <i>New Zealand Journal of Marine and Freshwater Research</i> , 2018, 52, 383-397.	2.0	3
5	First record of <i>Thalassiosira catharinensis</i> (Bacillariophyta) from argentinean marine coastal waters.. <i>Bolet�n De La Sociedad Argentina De Botanica</i> , 2018, 53, 195-200.	0.3	0
6	<i>Pseudopodosira boltovskoyi</i> sp. nov. (Pseudopodosiraceae, Bacillariophyta) from coastal waters of Argentina. <i>Phycologia</i> , 2017, 56, 239-252.	1.4	2
7	A re-investigation of three Frenguelli's Caloneis taxa (Pinnulariaceae, Bacillariophyta) from Argentina. <i>Phytotaxa</i> , 2017, 305, 165.	0.3	0
8	New combinations and typification of Neotropical <i>Cosmioneis</i> species (Cosmioneidaceae). <i>Diatom Research</i> , 2017, 32, 229-240.	1.2	1
9	Morphological variability of the nanoplanktonic diatom <i>Thalassiosira laevis</i> from coastal waters of Province of Buenos Aires (Argentina).. <i>Bolet�n De La Sociedad Argentina De Botanica</i> , 2017, 52, 617-622.	0.3	0
10	A comparative study of <i>Pleurosigma subrectum</i> and <i>P. acus</i> (Bacillariophyta). <i>Phytotaxa</i> , 2015, 207, 273.	0.3	1
11	Morphological, taxonomic and nomenclatural analysis of species of <i>Odontella</i> , <i>Trieres</i> and <i>Zygoceros</i> (Triceratiaceae, Bacillariophyta) from Anegada Bay (Province of Buenos Aires, Argentina). <i>Diatom Research</i> , 2015, 30, 307-331.	1.2	7
12	Episodios de toxicidad en moluscos de aguas marinas costeras de la Provincia de Buenos Aires (Argentina) asociados a algas tox�genas (marzo de 2008-marzo de 2013). <i>Bolet�n De La Sociedad Argentina De Botanica</i> , 2014, 49, 327-333.	0.3	15
13	<i>Pleurosigma hinzianum</i> sp. nov. and <i>P. frenguellianum</i> sp. nov. (Pleurosigmataceae,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 and <i>P. elongatum</i> W. Smith. <i>European Journal of Phycology</i> , 2014, 49, 151-164.	2.0	4
14	The epizoid marine diatom <i>Sceptronema orientale</i> (Licmophoraceae, Licmophorales): epitypification and emendation of specific and generic descriptions. <i>Phytotaxa</i> , 2014, 177, 269.	0.3	5
15	An�lisis de los materiales tipo de <i>Pleurosigma formosum</i> y <i>P. decorum</i> (Pleurosigmataceae,) Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.3	0
16	<i>Pleurosigma guarreranum</i> , sp. nov. (Pleurosigmataceae, Bacillariophyta), from the Gulf of San Mat�as, Argentina, and comparison with the allied species <i>Pleurosigma exemptum</i> and <i>P. obesum</i> . <i>European Journal of Phycology</i> , 2013, 48, 451-460.	2.0	3
17	Species of <i>Pleurosigma</i> (Pleurosigmataceae) with lanceolate or slightly sigmoid valve outlines: analysis of type material. <i>Diatom Research</i> , 2012, 27, 237-253.	1.2	9
18	<i>Thalassiosira rotula</i> , a heterotypic synonym of <i>Thalassiosira gravida</i> : morphological evidence. <i>Diatom Research</i> , 2011, 26, 109-119.	1.2	20

#	ARTICLE	IF	CITATIONS
19	Dinophysis spp. asociadas a detección de toxinas diarreicas (DSTs) en moluscos y a intoxicación diarreica en humanos (Provincia de Buenos Aires, Argentina). Revista De Biología Marina Y Oceanografía, 2010, 45, 451-460.	0.2	17
20	Coscinodiscus perforatus revisited and compared with Coscinodiscus radiatus (Bacillariophyceae). Phycologia, 2010, 49, 514-524.	1.4	5
21	Diatomeas potencialmente nocivas del Golfo San Matías (Argentina). Revista De Biología Marina Y Oceanografía, 2009, 44, .	0.2	9
22	FINE MORPHOLOGY OF <i>GOMPHONEMA MARGARITAE</i> FRENGUELLI & ORLANDO AND ITS VALIDATION AND TRANSFER TO <i>TRIPTERION</i> HOLMES, NAGASAWA & TAKANO. Diatom Research, 2009, 24, 63-78.	1.2	3
23	FINE MORPHOLOGY OF <i>COSCINODISCUS JONESIANUS</i> AND <i>COSCINODISCUS COMMUTATUS</i> AND THEIR TRANSFER TO <i>COSCINODISCOPSIS</i> GEN. NOV.. Diatom Research, 2008, 23, 401-421.	1.2	6
24	Marine diatoms from Buenos Aires coastal waters (Argentina). V. Species of the genus Chaetoceros. Revista De Biología Marina Y Oceanografía, 2008, 43, .	0.2	26
25	REVISION OF <i>ODONTELLA ATLANTICA</i> (FRENGUELLI) SARCOMB. ET STAT. NOV. WITH COMPARISON TO TWO RELATED SPECIES, <i>O. RHOMBUS</i> (EHRENB.) KÖTZ. AND <i>O. RHOMBOIDES</i> R. JAHN ET KUSBER. Diatom Research, 2007, 22, 341-353.	1.2	2
26	Marine diatoms from Buenos Aires coastal waters (Argentina). IV. Rhizosolenia s. str., Neocalyptrella, Pseudosolenia, Proboscia. Phycologia, 2007, 46, 628-643.	1.4	12
27	Marine diatoms from Buenos Aires coastal waters (Argentina): II. Thalassionemataceae and Raphoneidaceae. Revista Chilena De Historia Natural, 2007, 80, .	1.2	18
28	Studies on Amphora subgenus Halamphora (Bacillariophyta): the revision of some species described by Hustedt using type material. European Journal of Phycology, 2006, 41, 155-167.	2.0	12
29	AN EMENDED DESCRIPTION OF <i>AMPHORA TUMIDA</i> HUSTEDT (BACILLARIOPHYCEAE). Diatom Research, 2004, 19, 71-80.	1.2	7
30	Thalassiosira fryxelliae nov. spec. (Bacillariophyceae) from Argentinian coastal waters. Botanica Marina, 2004, 47, .	1.2	6
31	Revision of Amphora holsatica (Bacillariophyceae). European Journal of Phycology, 2003, 38, 73-81.	2.0	7
32	<i>COCconeis</i> EHRENBERG AND <i>PSAMMOCOCconeis</i> GARCIA (BACILLARIOPHYTA) FROM THE GULF OF SAN MATÍAS, PATAGONIA, ARGENTINA. Diatom Research, 2003, 18, 79-106.	1.2	23
33	Nanofrustulum shiloi (Bacillariophyceae) from the Gulf of San Matias (Argentina): Morphology, distribution and comments about nomenclature. Nova Hedwigia, 2003, 77, 399-406.	0.4	3
34	The diatom genus Thalassiosira: species from the northern San Matias Gulf (Rio Negro, Argentina). Nova Hedwigia, 2002, 74, 373-386.	0.4	21
35	A MORPHOLOGICAL STUDY OF <i>CHAETOCEROS TENUISSIMUS</i> MEUNIER, A LITTLE-KNOWN PLANKTONIC DIATOM, WITH A DISCUSSION OF THE SECTION SIMPLICIA, SUBGENUS HYALOCHEATE. Diatom Research, 2002, 17, 327-335.	1.2	16
36	Marine diatoms from Buenos Aires coastal waters (República Argentina). I. Thalassiosiraceae. Nova Hedwigia, 2001, 73, 199-228.	0.4	14

#	ARTICLE	IF	CITATIONS
37	Chaetoceros resting spores in the Gerlache Strait, Antarctic Peninsula. Polar Biology, 1998, 19, 286-288.	1.2	10
38	AUTHENTICATION OF THE TYPE MATERIAL OF <i>PSEUDO-NITZSCHIA AUSTRALIS</i> FRENGUELLI. Diatom Research, 1998, 13, 183-185.	1.2	6
39	LICMOPHORA FLABELLATA: ULTRA STRUCTURE AND TAXONOMY I. IMPLICATION. Diatom Research, 1990, 5, 403-408.	1.2	13