

Massimo Zecchin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8575813/massimo-zecchin-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

102
papers

2,786
citations

31
h-index

48
g-index

106
ext. papers

3,186
ext. citations

3.9
avg, IF

5.45
L-index

#	Paper	IF	Citations
102	The Petilia-Sosti Shear Zone (Calabrian Arc, southern Italy): An onshore-offshore regional active structure. <i>Marine and Petroleum Geology</i> , 2022 , 105693	4.7	1
101	Mid-Miocene to recent tectonic evolution of the Punta Stilo Swell (Calabrian Arc, southern Italy): An effect of Calabrian Arc migration. <i>Marine Geology</i> , 2022 , 448, 106810	3.3	0
100	Plio-Quaternary sequences and tectonic events in the northern Adriatic Sea (northern Italy). <i>Marine and Petroleum Geology</i> , 2022 , 142, 105745	4.7	0
99	High-resolution sequence stratigraphy of clastic shelves VIII: Full-cycle subaerial unconformities. <i>Marine and Petroleum Geology</i> , 2021 , 135, 105425	4.7	0
98	Seismic hazard for the Trans Adriatic Pipeline (TAP). Part 2: broadband scenarios at the Fier Compressor Station (Albania). <i>Bulletin of Earthquake Engineering</i> , 2021 , 19, 3389-3413	3.7	1
97	Seismic hazard for the Trans Adriatic Pipeline (TAP). Part 1: probabilistic seismic hazard analysis along the pipeline. <i>Bulletin of Earthquake Engineering</i> , 2021 , 19, 3349-3388	3.7	2
96	Morphostructural Setting and Tectonic Evolution of the Central Part of the Sicilian Channel (Central Mediterranean). <i>Lithosphere</i> , 2021 , 2021,	2.7	6
95	Recognizing maximum flooding surfaces in shallow-water deposits: An integrated sedimentological and micropaleontological approach (Crotone Basin, southern Italy). <i>Marine and Petroleum Geology</i> , 2021 , 133, 105225	4.7	0
94	Large-scale gravity-driven phenomena in the Crotone Basin, southern Italy. <i>Marine and Petroleum Geology</i> , 2020 , 117, 104386	4.7	4
93	Sedimentary evolution of the Neogene-Quaternary Crotone Basin (southern Italy) and relationships with large-scale tectonics: A sequence stratigraphic approach. <i>Marine and Petroleum Geology</i> , 2020 , 117, 104381	4.7	16
92	Post-LGM coastline evolution of the NW Sicilian Channel: Comparing high-resolution geophysical data with Glacial Isostatic Adjustment modeling. <i>PLoS ONE</i> , 2020 , 15, e0228087	3.7	7
91	Emergence of a submarine canyon, Crotone Basin, southern Italy. <i>Marine and Petroleum Geology</i> , 2020 , 114, 104204	4.7	2
90	Parasequences: Allostratigraphic misfits in sequence stratigraphy. <i>Earth-Science Reviews</i> , 2020 , 208, 103289	2.9	8
89	High-resolution sequence stratigraphy of clastic shelves VII: 3D variability of stacking patterns. <i>Marine and Petroleum Geology</i> , 2020 , 121, 104582	4.7	4
88	A series of volcanic edifices discovered a few kilometers off the coast of SW Sicily. <i>Marine Geology</i> , 2019 , 416, 105999	3.3	9
87	New insights on the Adria plate geodynamics from the northern Adriatic perspective. <i>Marine and Petroleum Geology</i> , 2019 , 109, 687-697	4.7	12
86	Wave-ravinement surfaces: Classification and key characteristics. <i>Earth-Science Reviews</i> , 2019 , 188, 210-239	2.9	51

85	Glacigenic and glacial marine sedimentation from shelf to trough settings in the NW Barents Sea. <i>Marine Geology</i> , 2018 , 402, 184-193	3-3	2
84	Petrographic and geochemical characterization of the early formative stages of Northern Adriatic shelf rocky buildups. <i>Marine and Petroleum Geology</i> , 2018 , 91, 321-337	4-7	3
83	Management of patients with cardiac implantable electronic devices (CIED) undergoing radiotherapy: A consensus document from Associazione Italiana Aritmologia e Cardiostimolazione (AIAC), Associazione Italiana Radioterapia Oncologica (AIRO), Associazione Italiana Fisica Medica (AIFM). <i>International Journal of Cardiology</i> , 2018 , 255, 175-183	3-2	35
82	Implantable cardioverter-defibrillator-computed respiratory disturbance index accurately identifies severe sleep apnea: The DASAP-HF study. <i>Heart Rhythm</i> , 2018 , 15, 211-217	6-7	12
81	Capo Granitola-Sciaccà Fault Zone (Sicilian Channel, Central Mediterranean): Structure vs magmatism. <i>Marine and Petroleum Geology</i> , 2018 , 96, 627-644	4-7	14
80	The Crotona Megalandslide, southern Italy: Architecture, timing and tectonic control. <i>Scientific Reports</i> , 2018 , 8, 7778	4-9	13
79	Comment on Non-unique stratal geometries: implications for sequence stratigraphic interpretations, by: P.M. Burgess and G.D. Prince, <i>Basin Research</i> (2015) 27, 351-365. <i>Basin Research</i> , 2017 , 29, 625-629	3-2	
78	Intermuscular Two-Incision Technique for Subcutaneous Implantable Cardioverter Defibrillator Implantation: Results from a Multicenter Registry. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017 , 40, 278-285	1-6	35
77	High-resolution sequence stratigraphy of clastic shelves V: Criteria to discriminate between stratigraphic sequences and sedimentological cycles. <i>Marine and Petroleum Geology</i> , 2017 , 85, 259-271	4-7	26
76	Paleochannel and beach-bar palimpsest topography as initial substrate for coralligenous buildups offshore Venice, Italy. <i>Scientific Reports</i> , 2017 , 7, 1321	4-9	13
75	Discrimination between wave-ravinement surfaces and bedset boundaries in Pliocene shallow-marine deposits, Crotona Basin, southern Italy: An integrated sedimentological, micropalaeontological and mineralogical approach. <i>Sedimentology</i> , 2017 , 64, 1755-1791	3-3	24
74	Genesis of the Northern Adriatic Sea (Northern Italy) since early Pliocene. <i>Marine and Petroleum Geology</i> , 2017 , 79, 108-130	4-7	15
73	Hydrogeological effects of dredging navigable canals through lagoon shallows. A case study in Venice. <i>Hydrology and Earth System Sciences</i> , 2017 , 21, 5627-5646	5-5	11
72	High-resolution sequence stratigraphy of clastic shelves VI: Mixed siliciclastic-carbonate systems. <i>Marine and Petroleum Geology</i> , 2017 , 88, 712-723	4-7	29
71	Geology of the Pergola-Melandro basin area, Southern Apennines, Italy. <i>Journal of Maps</i> , 2017 , 13, 7-18	2-2	2
70	Three-Dimensional Electroanatomic Mapping System-Enhanced Cardiac Resynchronization Therapy Device Implantation: Results From a Multicenter Registry. <i>Journal of Cardiovascular Electrophysiology</i> , 2017 , 28, 85-93	2-7	17
69	Malfunction of cardiac devices after radiotherapy without direct exposure to ionizing radiation: mechanisms and experimental data. <i>Europace</i> , 2016 , 18, 288-93	3-9	31
68	Early right ventricular response to cardiac resynchronization therapy: impact on clinical outcomes. <i>European Journal of Heart Failure</i> , 2016 , 18, 205-13	12-3	12

67	Buried iceberg-keel scouring on the southern Spitsbergenbanken, NW Barents Sea. <i>Marine Geology</i> , 2016 , 382, 68-79	3.3	7
66	Interplay between regional uplift and glacio-eustasy in the Croton Basin (Calabria, southern Italy) since 0.45 Ma: A review. <i>Global and Planetary Change</i> , 2016 , 143, 196-213	4.2	16
65	Unique vs. non-unique stratal geometries: Relevance to sequence stratigraphy. <i>Marine and Petroleum Geology</i> , 2016 , 78, 184-195	4.7	20
64	Early Arrhythmic Events in Idiopathic Dilated Cardiomyopathy. <i>JACC: Clinical Electrophysiology</i> , 2016 , 2, 535-543	4.6	18
63	Onshore to offshore correlation of regional unconformities in the Plio-Pleistocene sedimentary successions of the Calabrian Arc (central Mediterranean). <i>Earth-Science Reviews</i> , 2015 , 142, 60-78	10.2	52
62	Recognition of a drowned delta in the northern Adriatic Sea, Italy: Stratigraphic characteristics and its significance in the frame of the early Holocene sea-level rise. <i>Holocene</i> , 2015 , 25, 1027-1038	2.6	24
61	Episodic, rapid sea-level rises on the central Mediterranean shelves after the Last Glacial Maximum: A review. <i>Marine Geology</i> , 2015 , 369, 212-223	3.3	29
60	High-resolution sequence stratigraphy of clastic shelves IV: High-latitude settings. <i>Marine and Petroleum Geology</i> , 2015 , 68, 427-437	4.7	28
59	First evidence of testate amoebae in Lago Fagnano (54°S), Tierra del Fuego (Argentina): Proxies to reconstruct environmental changes. <i>Journal of South American Earth Sciences</i> , 2015 , 64, 27-41	2	4
58	High-resolution sequence stratigraphy of clastic shelves III: Applications to reservoir geology. <i>Marine and Petroleum Geology</i> , 2015 , 62, 161-175	4.7	49
57	Acute Hemodynamic Response to Cardiac Resynchronization in Dilated Cardiomyopathy: Effect on Late Mitral Regurgitation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015 , 38, 1287-96	1.6	13
56	Selection of potential predictors of worsening heart failure: rationale and design of the SELENE HF study. <i>Journal of Cardiovascular Medicine</i> , 2015 , 16, 782-9	1.9	7
55	The lost Adventure Archipelago (Sicilian Channel, Mediterranean Sea): Morpho-bathymetry and Late Quaternary palaeogeographic evolution. <i>Global and Planetary Change</i> , 2015 , 125, 36-47	4.2	22
54	A Neogene-Quaternary Geotraverse within the northern Calabrian Arc from the foreland peri-Ionian margin to the backarc Tyrrhenian margin. <i>Geological Field Trips</i> , 2015 , 7, 1-65	1.3	11
53	Long-term outcome of 'Super-responder' patients to cardiac resynchronization therapy. <i>Europace</i> , 2014 , 16, 363-71	3.9	38
52	Multi-sourced depositional sequences in the Neogene to Quaternary succession of the Venice area (northern Italy). <i>Marine and Petroleum Geology</i> , 2014 , 56, 1-15	4.7	16
51	Sequence stratigraphic significance of tidal channel systems in a shallow lagoon (Venice, Italy). <i>Holocene</i> , 2014 , 24, 646-658	2.6	19
50	New-onset left bundle branch block independently predicts long-term mortality in patients with idiopathic dilated cardiomyopathy: data from the Trieste Heart Muscle Disease Registry. <i>Europace</i> , 2014 , 16, 1450-9	3.9	31

49	Long-term prognostic impact of therapeutic strategies in patients with idiopathic dilated cardiomyopathy: changing mortality over the last 30 years. <i>European Journal of Heart Failure</i> , 2014 , 16, 317-24	12.3	119
48	Seafloor distribution and last glacial to postglacial activity of mud volcanoes on the Calabrian accretionary prism, Ionian Sea. <i>Geo-Marine Letters</i> , 2014 , 34, 111-129	1.9	21
47	Dilated Cardiomyopathy: Usefulness of Imaging in Prognostic Stratification and Choice of Treatment 2014 , 75-81		
46	Arrhythmogenic Right Ventricular Cardiomyopathy: Usefulness of Imaging in Prognostic Stratification and Choice of Treatment 2014 , 173-181		
45	Indication to cardioverter-defibrillator therapy and outcome in real world primary prevention. Data from the IRIDE [Italian registry of prophylactic implantation of defibrillators] study. <i>International Journal of Cardiology</i> , 2013 , 168, 1416-21	3.2	11
44	CO ₂ geological storage in the Italian carbonate successions. <i>International Journal of Greenhouse Gas Control</i> , 2013 , 19, 101-116	4.2	15
43	High-resolution sequence stratigraphy of clastic shelves I: Units and bounding surfaces. <i>Marine and Petroleum Geology</i> , 2013 , 39, 1-25	4.7	174
42	High-resolution sequence stratigraphy of clastic shelves II: Controls on sequence development. <i>Marine and Petroleum Geology</i> , 2013 , 39, 26-38	4.7	120
41	The northernmost Adriatic Sea: A potential location for CO ₂ geological storage?. <i>Marine and Petroleum Geology</i> , 2013 , 42, 148-159	4.7	12
40	The Messinian succession of the Croton Basin (southern Italy) II: Facies architecture and stratal surfaces across the Miocene/Pliocene boundary. <i>Marine and Petroleum Geology</i> , 2013 , 48, 474-492	4.7	38
39	The Messinian succession of the Croton Basin (southern Italy) I: Stratigraphic architecture reconstructed by seismic and well data. <i>Marine and Petroleum Geology</i> , 2013 , 48, 455-473	4.7	43
38	Cardiac hypertrophy, accessory pathway, and conduction system disease in an adolescent: the PRKAG2 cardiac syndrome. <i>Journal of the American College of Cardiology</i> , 2013 , 62, e17	15.1	13
37	Electrocardiographic criteria of true left bundle branch block: a simple sign to predict a better clinical and instrumental response to CRT. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012 , 35, 927-34	1.6	68
36	The Plio-Pleistocene evolution of the Croton Basin (southern Italy): Interplay between sedimentation, tectonics and eustasy in the frame of Calabrian Arc migration. <i>Earth-Science Reviews</i> , 2012 , 115, 273-303	10.2	65
35	The vertical compartmentalization of reservoirs: An example from an outcrop analog, Croton Basin, southern Italy. <i>AAPG Bulletin</i> , 2012 , 96, 155-175	2.5	5
34	How can optimization of medical treatment avoid unnecessary implantable cardioverter-defibrillator implantations in patients with idiopathic dilated cardiomyopathy presenting with "SCD-HeFT criteria?". <i>American Journal of Cardiology</i> , 2012 , 109, 729-35	3	55
33	Three-dimensional analysis of the Plio-Pleistocene seismic sequences in the Venice Lagoon (Italy). <i>Journal of the Geological Society</i> , 2012 , 169, 507-510	2.7	16
32	The interplay between adjacent Adige and Po alluvial systems and deltas in the late Holocene (Northern Italy). <i>Geomorphologie Relief, Processus, Environnement</i> , 2012 , 18, 427-440	0.7	26

31	Sequence stratigraphy in the context of rapid regional uplift and high-amplitude glacio-eustatic changes: the Pleistocene Cutro Terrace (Calabria, southern Italy). <i>Sedimentology</i> , 2011 , 58, 442-477	3-3	38
30	Relationships between high-magnitude relative sea-level changes and filling of a coarse-grained submarine canyon (Pleistocene, Ionian Calabria, Southern Italy). <i>Sedimentology</i> , 2011 , 58, 1030-1064	3-3	17
29	Understanding the hydrogeology of the Venice Lagoon subsurface with airborne electromagnetics. <i>Journal of Hydrology</i> , 2011 , 411, 342-354	6	35
28	Predictors for restoration of normal left ventricular function in response to cardiac resynchronization therapy measured at time of implantation. <i>American Journal of Cardiology</i> , 2011 , 108, 75-80	3	26
27	Cliff overstep model and variability in the geometry of transgressive erosional surfaces in high-gradient shelves: The case of the Ionian Calabrian margin (southern Italy). <i>Marine Geology</i> , 2011 , 281, 43-58	3-3	40
26	Relationship between peat bed formation and climate changes during the last glacial in the Venice area. <i>Sedimentary Geology</i> , 2011 , 238, 172-180	2.8	14
25	Key features of mixed carbonate-siliciclastic shallow-marine systems: the case of the Capo Colonna terrace (southern Italy). <i>Italian Journal of Geosciences</i> , 2011 , 370-379	1.7	1
24	The impact of Late Quaternary glacio-eustasy and tectonics on sequence development: evidence from both uplifting and subsiding settings in Italy. <i>Terra Nova</i> , 2010 , 22, 324-329	3	28
23	Impact of atrial fibrillation on outcome of patients with idiopathic dilated cardiomyopathy: data from the Heart Muscle Disease Registry of Trieste. <i>Clinical Medicine and Research</i> , 2010 , 8, 142-9	1.4	21
22	Modern geological mapping and subsurface lithostratigraphic setting of the Venice Lagoon (Italy). <i>Rendiconti Lincei</i> , 2010 , 21, 239-252	1.7	3
21	Towards the standardization of sequence stratigraphy: Is the parasequence concept to be redefined or abandoned?. <i>Earth-Science Reviews</i> , 2010 , 102, 117-119	10.2	17
20	Anatomy of a late Pleistocene clinoformal sedimentary body (Le Castella, Calabria, southern Italy): A case of prograding spit system?. <i>Sedimentary Geology</i> , 2010 , 223, 291-309	2.8	26
19	Facies and cycle architecture of a Pleistocene marine terrace (Crotone, southern Italy): A sedimentary response to late Quaternary, high-frequency glacio-eustatic changes. <i>Sedimentary Geology</i> , 2009 , 216, 138-157	2.8	34
18	Anatomy of the Holocene succession of the southern Venice lagoon revealed by very high-resolution seismic data. <i>Continental Shelf Research</i> , 2009 , 29, 1343-1359	2.4	61
17	Morphostratigraphic framework of the Venice Lagoon (Italy) by very shallow water VHRS surveys: Evidence of radical changes triggered by human-induced river diversions. <i>Geophysical Research Letters</i> , 2009 , 36,	4.9	30
16	Natural history of dilated cardiomyopathy: from asymptomatic left ventricular dysfunction to heart failure—a subgroup analysis from the Trieste Cardiomyopathy Registry. <i>Journal of Cardiovascular Medicine</i> , 2009 , 10, 699-705	1.9	32
15	Heart failure and sudden death in dilated cardiomyopathy: a hidden competition we should not forget about when modelling mortality. <i>Journal of Evaluation in Clinical Practice</i> , 2008 , 14, 53-8	2.5	1
14	Sequence stratigraphy based on high-resolution seismic profiles in the late Pleistocene and Holocene deposits of the Venice area. <i>Marine Geology</i> , 2008 , 253, 185-198	3-3	77

13	Are nonsustained ventricular tachycardias predictive of major arrhythmias in patients with dilated cardiomyopathy on optimal medical treatment?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2008 , 31, 290-9	1.6	37
12	The architectural variability of small-scale cycles in shelf and ramp clastic systems: The controlling factors. <i>Earth-Science Reviews</i> , 2007 , 84, 21-55	10.2	81
11	Superimposed Cycles of Composite Marine Terraces: The Example of Cutro Terrace (Calabria, Southern Italy). <i>Journal of Sedimentary Research</i> , 2007 , 77, 340-354	2.1	21
10	Sequence stratigraphy and architectural variability in growth fault-bounded basin fills: a review of Plio-Pleistocene stratal units of the Crotona Basin, southern Italy. <i>Journal of the Geological Society</i> , 2006 , 163, 471-486	2.7	70
9	Relationships Between Fault-Controlled Subsidence and Preservation of Shallow-Marine Small-Scale Cycles: Example from the Lower Pliocene of the Crotona Basin (Southern Italy). <i>Journal of Sedimentary Research</i> , 2005 , 75, 300-312	2.1	44
8	Stratigraphy and sedimentology of fault-controlled backstepping shorefaces, middle Pliocene of Crotona Basin, Southern Italy. <i>Sedimentary Geology</i> , 2005 , 176, 281-303	2.8	27
7	The role of implantable cardioverter defibrillator for primary vs secondary prevention of sudden death in patients with idiopathic dilated cardiomyopathy. <i>Europace</i> , 2004 , 6, 400-6	3.9	9
6	Anatomy and evolution of a Mediterranean-type fault bounded basin: the Lower Pliocene of the northern Crotona Basin (Southern Italy). <i>Basin Research</i> , 2004 , 16, 117-143	3.2	54
5	Raised Pleistocene marine terraces of the Crotona peninsula (Calabria, southern Italy): facies analysis and organization of their deposits. <i>Sedimentary Geology</i> , 2004 , 172, 165-185	2.8	59
4	Architectural styles of prograding wedges in a tectonically active setting, Crotona Basin, Southern Italy. <i>Journal of the Geological Society</i> , 2003 , 160, 863-880	2.7	42
3	Persistence of restrictive left ventricular filling pattern in dilated cardiomyopathy: an ominous prognostic sign. <i>Journal of the American College of Cardiology</i> , 1997 , 29, 604-12	15.1	207
2	Nonpredictive value of fibrosis in dilated cardiomyopathy treated with metoprolol. <i>Cardiovascular Pathology</i> , 1996 , 5, 21-8	3.8	7
1	Stratigraphic signature of the Perito Moreno ice-damming during the Little Ice Age (southern Patagonia, Argentina). <i>Holocene</i> , 095968362110604	2.6	0