Per S Stå1

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8576924/publications.pdf

Version: 2024-02-01

86 papers 7,197 citations

32 h-index 82 g-index

86 all docs

86 docs citations

86 times ranked 8395 citing authors

#	Article	IF	Citations
1	Fibrosis stage is the strongest predictor for diseaseâ€specific mortality in NAFLD after up to 33 years of followâ€up. Hepatology, 2015, 61, 1547-1554.	7.3	1,683
2	Increased risk of mortality by fibrosis stage in nonalcoholic fatty liver disease: Systematic review and metaâ€analysis. Hepatology, 2017, 65, 1557-1565.	7.3	1,294
3	Fibrosis stage but not NASH predicts mortality and time to development of severe liver disease in biopsy-proven NAFLD. Journal of Hepatology, 2017, 67, 1265-1273.	3.7	730
4	Decreased survival of subjects with elevated liver function tests during a 28-year follow-up. Hepatology, 2010, 51, 595-602.	7.3	643
5	Cancer risk in patients with hereditary hemochromatosis and in their first-degree relatives. Gastroenterology, 2003, 125, 1733-1741.	1.3	246
6	A Risk for Hepatocellular Carcinoma Persists Long-term After Sustained Virologic Response in Patients With Hepatitis C–Associated Liver Cirrhosis. Clinical Infectious Diseases, 2013, 57, 230-236.	5.8	206
7	Risk for development of severe liver disease in lean patients with nonalcoholic fatty liver disease: A longâ€ŧerm followâ€up study. Hepatology Communications, 2018, 2, 48-57.	4.3	200
8	Liver fibrosis in non-alcoholic fatty liver disease - diagnostic challenge with prognostic significance. World Journal of Gastroenterology, 2015, 21, 11077.	3.3	132
9	Treatment of NAFLD with intermittent calorie restriction or low-carb high-fat diet – a randomised controlled trial. JHEP Reports, 2021, 3, 100256.	4.9	87
10	Cardiovascular risk factors in nonâ€alcoholic fatty liver disease. Liver International, 2019, 39, 197-204.	3.9	75
11	Iron increases ethanol toxicity in rat liver. Journal of Hepatology, 1993, 17, 108-115.	3.7	72
12	Accuracy of Noninvasive Scoring Systems in Assessing Risk of Death and Liver-Related Endpoints in Patients With Nonalcoholic Fatty Liver Disease. Clinical Gastroenterology and Hepatology, 2019, 17, 1148-1156.e4.	4.4	71
13	Overweight in late adolescence predicts development of severe liver disease later in life: A 39years follow-up study. Journal of Hepatology, 2016, 65, 363-368.	3.7	68
14	Liver transplantation for erythropoietic protoporphyria in Europe. Liver Transplantation, 2011, 17, 1021-1026.	2.4	60
15	Low to moderate lifetime alcohol consumption is associated with less advanced stages of fibrosis in non-alcoholic fatty liver disease. Scandinavian Journal of Gastroenterology, 2017, 52, 159-165.	1.5	60
16	Characteristics and outcome of hepatocellular carcinoma in patients with NAFLD without cirrhosis. Liver International, 2019, 39, 1098-1108.	3.9	59
17	Retained NK Cell Phenotype and Functionality in Non-alcoholic Fatty Liver Disease. Frontiers in Immunology, 2019, 10, 1255.	4.8	58
18	Application of hepatocellular carcinoma surveillance in a European setting. What can we learn from clinical practice?. Liver International, 2015, 35, 1862-1871.	3.9	55

#	Article	IF	CITATIONS
19	Elevated serum ferritin is associated with increased mortality in nonâ€alcoholic fatty liver disease after 16 years of followâ€up. Liver International, 2016, 36, 1688-1695.	3.9	54
20	Hepatotoxicity induced by iron overload and alcohol. Journal of Hepatology, 1996, 25, 538-546.	3.7	52
21	Evaluation of genome-wide loci of iron metabolism in hereditary hemochromatosis identifies PCSK7 as a host risk factor of liver cirrhosis. Human Molecular Genetics, 2014, 23, 3883-3890.	2.9	50
22	Nonalcoholic fatty liver disease is an increasing indication for liver transplantation in the Nordic countries. Liver International, 2018, 38, 2082-2090.	3.9	47
23	Quantitative determination of 8-hydroxy-2′-deoxyguanosine in human urine by isotope dilution mass spectrometry: normal levels in hemochromatosis. Free Radical Biology and Medicine, 1999, 26, 129-135.	2.9	46
24	Perfusion computed tomography for detection of hepatocellular carcinoma in patients with liver cirrhosis. European Radiology, 2015, 25, 3123-3132.	4.5	43
25	Liver cell damage and lysosomal iron storage in patients with idiopathic hemochromatosis. Journal of Hepatology, 1990, 11, 172-180.	3.7	41
26	The effects of dietary iron on initiation and promotion in chemical hepatocarcinogenesis. Hepatology, 1995, 21, 521-528.	7.3	38
27	Iron as a Hepatotoxin. Digestive Diseases, 1995, 13, 205-222.	1.9	38
28	Expression of iron regulatory genes in a rat model of hepatocellular carcinoma. Liver International, 2006, 26, 976-985.	3.9	38
29	Histologic Scores for Fat and Fibrosis Associate With Development of Type 2 Diabetes in Patients With Nonalcoholic Fatty Liver Disease. Clinical Gastroenterology and Hepatology, 2017, 15, 1461-1468.	4.4	37
30	Abnormal Mitochondria Organization and Oxidative Activity in the Palate Muscles of Long-Term Snorers with Obstructive Sleep Apnea. Respiration, 2012, 83, 407-417.	2.6	36
31	IGFBP-1 and IGF-I as markers for advanced fibrosis in NAFLD – a pilot study. Scandinavian Journal of Gastroenterology, 2017, 52, 1427-1434.	1.5	36
32	Dietary iron overload inhibits carbon tetrachloride-induced promotion in chemical hepatocarcinogenesis: effects on cell proliferation, apoptosis, and antioxidation. Journal of Hepatology, 1999, 30, 689-698.	3.7	35
33	Microvesicular fat, inter cellular adhesion molecule-1 and regulatory T-lymphocytes are of importance for the inflammatory process in livers with non-alcoholic steatohepatitis. Apmis, 2011, 119, 412-420.	2.0	32
34	SAF score and mortality in NAFLD after up to 41 years of follow-up. Scandinavian Journal of Gastroenterology, 2017, 52, 87-91.	1.5	32
35	Pembrolizumab Monotherapy for Previously Untreated Advanced Hepatocellular Carcinoma: Data from the Open-Label, Phase II KEYNOTE-224 Trial. Clinical Cancer Research, 2022, 28, 2547-2554.	7.0	32
36	Effects on Contralateral Muscles after Unilateral Electrical Muscle Stimulation and Exercise. PLoS ONE, 2012, 7, e52230.	2.5	30

#	Article	IF	Citations
37	<i>In Vivo</i> Drug Delivery Performance of Lipiodol-Based Emulsion or Drug-Eluting Beads in Patients with Hepatocellular Carcinoma. Molecular Pharmaceutics, 2017, 14, 448-458.	4.6	30
38	A novel mutation in the biliverdin reductaseâ€A gene combined with liver cirrhosis results in hyperbiliverdinaemia (green jaundice). Liver International, 2009, 29, 1116-1124.	3.9	29
39	Structure and liver cell expression pattern of the HFE gene in the rat. Journal of Hepatology, 2003, 39, 308-314.	3.7	27
40	Hepcidin levels correlate to liver iron content, but not steatohepatitis, in non-alcoholic fatty liver disease. BMC Gastroenterology, 2018, 18, 78.	2.0	27
41	Expression of autoantibodies to specific cytochromes P450 in a case of disulfiram hepatitis. Journal of Hepatology, 1998, 29, 819-825.	3.7	26
42	Transient liver elastography in normal pregnancy $\hat{a} \in \hat{a}$ a longitudinal cohort study. Scandinavian Journal of Gastroenterology, 2019, 54, 761-765.	1.5	26
43	Non-alcoholic fatty liver disease does not increase dementia risk although histology data might improve risk prediction. JHEP Reports, 2021, 3, 100218.	4.9	26
44	Quality of life as a prognostic factor for survival in hepatocellular carcinoma. Liver International, 2018, 38, 885-894.	3.9	25
45	A Dynamic Aspartateâ€toâ€Alanine Aminotransferase Ratio Provides Valid Predictions of Incident Severe Liver Disease. Hepatology Communications, 2021, 5, 1021-1035.	4.3	23
46	Liver transplantation of patients with cryptogenic cirrhosis: Clinical characteristics and outcome. Scandinavian Journal of Gastroenterology, 2010, 45, 60-69.	1.5	21
47	Health Care Costs of Patients With Biopsy-Confirmed Nonalcoholic Fatty Liver Disease Are Nearly Twice Those of Matched Controls. Clinical Gastroenterology and Hepatology, 2020, 18, 1592-1599.e8.	4.4	21
48	Risk of hepatocellular carcinoma in hepatitis B and D virus coâ€infected patients: A systematic review and metaâ€analysis of longitudinal studies. Journal of Viral Hepatitis, 2021, 28, 1431-1442.	2.0	20
49	Liquid Biopsy in Hepatocellular Carcinoma: Opportunities and Challenges for Immunotherapy. Cancers, 2021, 13, 4334.	3.7	20
50	Neutrophil extracellular traps in patients with liver cirrhosis and hepatocellular carcinoma. Scientific Reports, 2021, 11, 18025.	3.3	20
51	Increased Mortality Risk in Patients With Phenotypic Hereditary Hemochromatosis But Not in Their First-Degree Relatives. Gastroenterology, 2009, 137, 1301-1309.	1.3	19
52	Reverse lectin ELISA for detecting fucosylated forms of $\hat{l}\pm 1$ -acid glycoprotein associated with hepatocellular carcinoma. PLoS ONE, 2017, 12, e0173897.	2.5	19
53	Uncoordinated Expression of Myosin Heavy Chains and Myosin-Binding Protein C Isoforms in Human Extraocular Muscles., 2006, 47, 4188.		18
54	<scp>FTY</scp> 720 (Fingolimod) sensitizes hepatocellular carcinoma cells to sorafenibâ€mediated cytotoxicity. Pharmacology Research and Perspectives, 2015, 3, e00171.	2.4	17

#	Article	IF	CITATIONS
55	Comparison of lipiodol infusion and drug-eluting beads transarterial chemoembolization of hepatocellular carcinoma in a real-life setting. Scandinavian Journal of Gastroenterology, 2019, 54, 905-912.	1.5	17
56	Development of Serum Marker Models to Increase Diagnostic Accuracy of Advanced Fibrosis in Nonalcoholic Fatty Liver Disease: The New LINKI Algorithm Compared with Established Algorithms. PLoS ONE, 2016, 11, e0167776.	2.5	17
57	Alcohol consumption in patients with primary sclerosing cholangitis. World Journal of Gastroenterology, 2012, 18, 3105.	3.3	17
58	Regulatory effects of tumor necrosis factor-alpha and interleukin-6 on HAMP expression in iron loaded rat hepatocytes. Journal of Hepatology, 2006, 44, 544-551.	3.7	16
59	Steatohepatitis Is Not Associated with an Increased Risk for Fibrosis Progression in Nonalcoholic Fatty Liver Disease. Gastroenterology Research and Practice, 2018, 2018, 1-7.	1.5	16
60	The risk of hepatocellular carcinoma in cirrhosis differs by etiology, age and sex: A Swedish nationwide populationâ€based cohort study. United European Gastroenterology Journal, 2022, 10, 465-476.	3.8	15
61	DNA adducts in normal colonic mucosa from healthy controls and patients with colon polyps and colorectal carcinomas. Mutagenesis, 2010, 25, 499-504.	2.6	14
62	Studies on genotoxic effects of iron overload and alcohol in an animal model of hepatocarcinogenesis. Journal of Hepatology, 1997, 27, 562-571.	3.7	13
63	Impact of sorafenib dosing on outcome from the European patient subset of the GIDEON study. Future Oncology, 2015, 11, 2553-2562.	2.4	13
64	Triple Arterial Phase CT of the Liver with Radiation Dose Equivalent to That of Single Arterial Phase CT: Initial Experience. Radiology, 2018, 289, 111-118.	7. 3	13
65	Health check-ups and family screening allow detection of hereditary hemochromatosis with less advanced liver fibrosis and survival comparable with the general population. Scandinavian Journal of Gastroenterology, 2011, 46, 1118-1126.	1.5	12
66	Validation of a competitive ELISA assay for the quantification of human serum hepcidin. Scandinavian Journal of Clinical and Laboratory Investigation, 2015, 75, 652-8.	1.2	12
67	Attenuated liver fibrosis after bile duct ligation and defective hepatic stellate cell activation in neural cell adhesion molecule knockout mice. Liver International, 2011, 31, 630-641.	3.9	11
68	Morbidity, risk of cancer and mortality in 3645 <i>HFE</i> mutations carriers. Liver International, 2021, 41, 545-553.	3.9	11
69	Effects of dietary iron overload on progression in chemical hepatocarcinogenesis. Liver International, 1999, 19, 326-334.	3.9	10
70	Iron-regulatory gene expression during liver regeneration. Scandinavian Journal of Gastroenterology, 2012, 47, 591-600.	1.5	9
71	Statins and Angiotensinâ€Converting Enzyme Inhibitors are Associated with Reduced Mortality and Morbidity in Chronic Liver Disease. Basic and Clinical Pharmacology and Toxicology, 2018, 122, 104-110.	2.5	9
72	Sorafenib prolongs liver regeneration after hepatic resection in rats. Journal of Surgical Research, 2013, 184, 847-854.	1.6	6

#	Article	IF	Citations
73	Ubiquinone, Oxidative Stress, and Liver Carcinogenesis. Modern Nutrition, 2000, , 317-329.	0.1	6
74	Bilateral muscle fiber and nerve influences by TNF-alpha in response to unilateral muscle overuse – studies on TNF receptor expressions. BMC Musculoskeletal Disorders, 2017, 18, 498.	1.9	5
75	Pembrolizumab (pembro) monotherapy for previously untreated advanced hepatocellular carcinoma (HCC): Phase II KEYNOTE-224 study Journal of Clinical Oncology, 2021, 39, 297-297.	1.6	4
76	Serum levels of endotrophin are associated with nonalcoholic steatohepatitis. Scandinavian Journal of Gastroenterology, 2021, 56, 437-442.	1.5	4
77	A personalized treatment program in persons with type 2 diabetes is associated with a reduction in liver steatosis. European Journal of Gastroenterology and Hepatology, 2021, 33, 1420-1426.	1.6	4
78	Liver transplantation in patients with post-hepatectomy liver failure – A Northern European multicenter cohort study. Hpb, 2022, 24, 1138-1144.	0.3	4
79	Alcohol and drug use prior to liver transplantation: more common than expected in patients with non-alcoholic liver disease. Scandinavian Journal of Gastroenterology, 2019, 54, 1146-1154.	1.5	3
80	Glucagon and Liver Fat are Downregulated in Response to Very Low-calorie Diet in Patients with Obesity and Type-2 Diabetes. Experimental and Clinical Endocrinology and Diabetes, 2022, 130, 55-60.	1.2	2
81	Macrophage Markers Do Not Add to the Prediction of Liver Fibrosis by Transient Elastography in Patients With Metabolic Associated Fatty Liver Disease. Frontiers in Medicine, 2020, 7, 616212.	2.6	2
82	Reply to "Comment on â€~ <i>In Vivo</i> Drug Delivery Performance of Lipiodol-Based Emulsion or Drug-Eluting Beads in Patients with Hepatocellular Carcinoma'― Molecular Pharmaceutics, 2018, 15, 336-340.	4.6	1
83	Variation in textural parameters of hepatic lesions during contrast medium injection. Acta Radiologica, 2021, 62, 1317-1323.	1.1	1
84	Reply. Hepatology, 2016, 64, 310-311.	7.3	0
85	SAT-416-Transient elastography in normal pregnancies: A prospective cohort study. Journal of Hepatology, 2019, 70, e817-e818.	3.7	0
86	Reply to: "Reduced steatosis and weight as a result of specific diets or the dietitian themselves― JHEP Reports, 2021, 3, 100366.	4.9	0