

Patrick Meimoun

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/857784/publications.pdf>

Version: 2024-02-01

29
papers

2,594
citations

394286

19
h-index

395590

33
g-index

46
all docs

46
docs citations

46
times ranked

2768
citing authors

#	ARTICLE	IF	CITATIONS
1	International Expert Consensus Document on Takotsubo Syndrome (Part I): Clinical Characteristics, Diagnostic Criteria, and Pathophysiology. <i>European Heart Journal</i> , 2018, 39, 2032-2046.	1.0	972
2	International Expert Consensus Document on Takotsubo Syndrome (Part II): Diagnostic Workup, Outcome, and Management. <i>European Heart Journal</i> , 2018, 39, 2047-2062.	1.0	521
3	Usefulness of exercise-stress echocardiography for risk stratification of true asymptomatic patients with aortic valve stenosis. <i>European Heart Journal</i> , 2010, 31, 1390-1397.	1.0	231
4	Non-invasive assessment of coronary flow and coronary flow reserve by transthoracic Doppler echocardiography: a magic tool for the real world. <i>European Journal of Echocardiography</i> , 2008, 9, 449-457.	2.3	104
5	Standard and Advanced Echocardiography in Takotsubo (Stress) Cardiomyopathy: Clinical and Prognostic Implications. <i>Journal of the American Society of Echocardiography</i> , 2015, 28, 57-74.	1.2	97
6	The Coronary Flow Reserve Is Transiently Impaired in Tako-Tsubo Cardiomyopathy: A Prospective Study Using Serial Doppler Transthoracic Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2008, 21, 72-77.	1.2	94
7	Takotsubo cardiomyopathy: an integrated multi-imaging approach. <i>European Heart Journal Cardiovascular Imaging</i> , 2014, 15, 366-377.	0.5	69
8	Multimodality imaging in takotsubo syndrome: a joint consensus document of the European Association of Cardiovascular Imaging (EACVI) and the Japanese Society of Echocardiography (JSE). <i>European Heart Journal Cardiovascular Imaging</i> , 2020, 21, 1184-1207.	0.5	45
9	Assessment of left ventricular twist mechanics in Tako-tsubo cardiomyopathy by two-dimensional speckle-tracking echocardiography. <i>European Journal of Echocardiography</i> , 2011, 12, 931-939.	2.3	41
10	Comparison Between Non-Invasive Coronary Flow Reserve and Fractional Flow Reserve to Assess the Functional Significance of Left Anterior Descending Artery Stenosis of Intermediate Severity. <i>Journal of the American Society of Echocardiography</i> , 2011, 24, 374-381.	1.2	40
11	Transient impairment of coronary flow reserve in tako-tsubo cardiomyopathy is related to left ventricular systolic parameters. <i>European Journal of Echocardiography</i> , 2008, 10, 265-270.	2.3	35
12	Multimodality imaging in takotsubo syndrome: a joint consensus document of the European Association of Cardiovascular Imaging (EACVI) and the Japanese Society of Echocardiography (JSE). <i>Journal of Echocardiography</i> , 2020, 18, 199-224.	0.4	35
13	Prognostic value of transthoracic coronary flow reserve in medically treated patients with proximal left anterior descending artery stenosis of intermediate severity. <i>European Journal of Echocardiography</i> , 2009, 10, 127-132.	2.3	34
14	Evaluation of Left Anterior Descending Coronary Artery Stenosis of Intermediate Severity Using Transthoracic Coronary Flow Reserve and Dobutamine Stress Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2005, 18, 1233-1240.	1.2	32
15	Usefulness of Noninvasive Myocardial Work to Predict Left Ventricular Recovery and Acute Complications after Acute Anterior Myocardial Infarction Treated by Percutaneous Coronary Intervention. <i>Journal of the American Society of Echocardiography</i> , 2020, 33, 1180-1190.	1.2	32
16	Significance of systolic anterior motion of the mitral valve during dobutamine stress echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2005, 18, 49-56.	1.2	30
17	Non-invasive detection of tako-tsubo cardiomyopathy vs. acute anterior myocardial infarction by transthoracic Doppler echocardiography. <i>European Heart Journal Cardiovascular Imaging</i> , 2013, 14, 464-470.	0.5	24
18	Factors Associated with Noninvasive Coronary Flow Reserve in Severe Aortic Stenosis. <i>Journal of the American Society of Echocardiography</i> , 2012, 25, 835-841.	1.2	22

#	ARTICLE	IF	CITATIONS
19	Left atrial strain and distensibility in relation to left ventricular dysfunction and prognosis in aortic stenosis. <i>Echocardiography</i> , 2019, 36, 469-477.	0.3	21
20	Non-Invasive Coronary Flow Reserve After Successful Primary Angioplasty for Acute Anterior Myocardial Infarction Is an Independent Predictor of Left Ventricular Recovery and In-Hospital Cardiac Events. <i>Journal of the American Society of Echocardiography</i> , 2009, 22, 1071-1079.	1.2	18
21	Non-invasive coronary flow reserve after successful primary angioplasty for acute anterior myocardial infarction is an independent predictor of left ventricular adverse remodelling. <i>European Journal of Echocardiography</i> , 2010, 11, 711-718.	2.3	15
22	Relationship between acute strain pattern and recovery in tako-tsubo cardiomyopathy and acute anterior myocardial infarction: a comparative study using two-dimensional longitudinal strain. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 1491-1500.	0.7	15
23	Usefulness of Two-Dimensional Longitudinal Strain Pattern to Predict Left Ventricular Recovery and In-Hospital Complications after Acute Anterior Myocardial Infarction Treated Successfully by Primary Angioplasty. <i>Journal of the American Society of Echocardiography</i> , 2015, 28, 1366-1375.	1.2	15
24	The left atrial function is transiently impaired in Tako-tsubo cardiomyopathy and associated to in-hospital complications: a prospective study using two-dimensional strain. <i>International Journal of Cardiovascular Imaging</i> , 2020, 36, 299-307.	0.7	8
25	Noninvasive Coronary Flow Reserve Predicts Response to Exercise in Asymptomatic Severe Aortic Stenosis. <i>Journal of the American Society of Echocardiography</i> , 2017, 30, 736-744.	1.2	7
26	Systolic anterior motion of the mitral valve in tako-tsubo cardiomyopathy: Still a matter of debate?. <i>Annales De Cardiologie Et D'Angeiologie</i> , 2015, 64, 385-389.	0.3	5
27	Assessment of left anterior descending artery stenosis of intermediate severity by fractional flow reserve, instantaneous wave-free ratio, and non-invasive coronary flow reserve. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 999-1007.	0.7	5
28	Assessment of left anterior descending artery stenosis of intermediate severity by fractional flow reserve, instantaneous wave-free ratio and non-invasive coronary flow reserve. <i>Annales De Cardiologie Et D'Angeiologie</i> , 2016, 65, 380-381.	0.3	0
29	Apical rotation, a simplified index of left ventricular twist is independently linked to recovery after acute anterior myocardial infarction. <i>Annales De Cardiologie Et D'Angeiologie</i> , 2016, 65, 381.	0.3	0