

Anne Margriet Pot

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8578026/anne-margriet-pot-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

99
papers

3,689
citations

33
h-index

59
g-index

110
ext. papers

4,584
ext. citations

4.1
avg, IF

5.28
L-index

#	Paper	IF	Citations
99	The Turkish version of the SPPIC validated among informal caregivers with a Turkish immigrant background. <i>BMC Geriatrics</i> , 2021 , 21, 284	4.1	
98	Use and impact of the Alzheimer Experience: a free online media production to raise public awareness and enhance knowledge and understanding of dementia. <i>Aging and Mental Health</i> , 2020 , 24, 985-992	3.5	2
97	Nursing home care for people with dementia: Update of the design of the Living Arrangements for people with Dementia (LAD)-study. <i>Journal of Advanced Nursing</i> , 2019 , 75, 3792-3804	3.1	3
96	Exploring the usefulness of indicators for referring people with dementia and their informal caregivers to activating interventions: a qualitative analysis of needs assessments. <i>BMC Geriatrics</i> , 2019 , 19, 230	4.1	1
95	An Online Minimally Guided Intervention to Support Family and Other Unpaid Carers of People With Dementia: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2019 , 8, e14106	2	5
94	Process Evaluation of Nurse-Led Online Self-Management Support for Family Caregivers to Deal With Behavior Changes of a Relative With Dementia (Part 1): Mixed Methods Study. <i>Journal of Medical Internet Research</i> , 2019 , 21, e13002	7.6	6
93	The course of neuropsychiatric symptoms in patients with dementia in primary care. <i>Family Practice</i> , 2019 , 36, 437-444	1.9	4
92	How do activating interventions fit the personal needs, characteristics and preferences of people with dementia living in the community and their informal caregivers?. <i>Dementia</i> , 2019 , 18, 157-177	3	9
91	Factors facilitating dementia case management: Results of online focus groups. <i>Dementia</i> , 2018 , 17, 1103-1125	3.125	4
90	Neuropsychiatric symptoms and psychotropic drug use in patients with dementia in general practices. <i>Family Practice</i> , 2018 , 35, 22-28	1.9	10
89	A virtual reality intervention to improve the understanding and empathy for people with dementia in informal caregivers: results of a pilot study. <i>Aging and Mental Health</i> , 2018 , 22, 1115-1123	3.5	43
88	Indicators to estimate the appropriateness of activating interventions for people living with dementia and for their informal caregivers. <i>Aging and Mental Health</i> , 2018 , 22, 1416-1423	3.5	3
87	iSupport, an online training and support program for caregivers of people with dementia: study protocol for a randomized controlled trial in India. <i>Trials</i> , 2018 , 19, 271	2.8	13
86	Psychologische interventies voor mantelzorgers van mensen met dementie* 2018 , 293-310		
85	Working mechanisms of dyadic, psychosocial, activating interventions for people with dementia and informal caregivers: a qualitative study. <i>Clinical Interventions in Aging</i> , 2018 , 13, 1847-1857	4	3
84	The Sustainable Development Agenda Needs to Include Long-term Care. <i>Journal of the American Medical Directors Association</i> , 2018 , 19, 725-727	5.9	10
83	Dementia case management through the eyes of informal carers: A national evaluation study. <i>Dementia</i> , 2017 , 16, 642-655	3	1

82	The Effects of a Multicomponent Dyadic Intervention With Physical Exercise on the Cognitive Functioning of People With Dementia: A Randomized Controlled Trial. <i>Journal of Aging and Physical Activity</i> , 2017 , 25, 539-552	1.6	15
81	Predictors of activity involvement in dementia care homes: a cross-sectional study. <i>BMC Geriatrics</i> , 2017 , 17, 175	4.1	14
80	Organizing integrated health-care services to meet older people's needs. <i>Bulletin of the World Health Organization</i> , 2017 , 95, 756-763	8.2	79
79	Volunteer provision of long-term care for older people in Thailand and Costa Rica. <i>Bulletin of the World Health Organization</i> , 2017 , 95, 774-778	8.2	10
78	Activity involvement and quality of life of people at different stages of dementia in long term care facilities. <i>Aging and Mental Health</i> , 2016 , 20, 100-9	3.5	38
77	Is an unhealthy work environment in nursing home care for people with dementia associated with the prescription of psychotropic drugs and physical restraints?. <i>International Psychogeriatrics</i> , 2016 , 28, 983-94	3.4	5
76	Does the organisational model of dementia case management make a difference in satisfaction with case management and caregiver burden? An evaluation study. <i>BMC Geriatrics</i> , 2016 , 16, 65	4.1	2
75	Psychological distress in informal caregivers of patients with dementia in primary care: course and determinants. <i>Family Practice</i> , 2016 , 33, 374-81	1.9	40
74	The World report on ageing and health: a policy framework for healthy ageing. <i>Lancet, The</i> , 2016 , 387, 2145-2154	40	839
73	Innovation for healthy ageing: a call for papers. <i>Bulletin of the World Health Organization</i> , 2016 , 94, 407-407A	3	
72	The effects of a multicomponent dyadic intervention on the mood, behavior, and physical health of people with dementia: a randomized controlled trial. <i>Clinical Interventions in Aging</i> , 2016 , 11, 383-95	4	20
71	Encouraging Innovation for Assistive Health Technologies in Dementia: Barriers, Enablers and Next Steps to Be Taken. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 357-63	5.9	25
70	The course of neuropsychiatric symptoms in community-dwelling patients with dementia: a systematic review. <i>International Psychogeriatrics</i> , 2015 , 27, 385-405	3.4	57
69	Staff-resident interactions in long-term care for people with dementia: the role of meeting psychological needs in achieving residents' well-being. <i>Aging and Mental Health</i> , 2015 , 19, 444-52	3.5	24
68	Staff's person-centredness in dementia care in relation to job characteristics and job-related well-being: a cross-sectional survey in nursing homes. <i>Journal of Advanced Nursing</i> , 2015 , 71, 404-16	3.1	32
67	Acceptability of a guided self-help Internet intervention for family caregivers: mastery over dementia. <i>International Psychogeriatrics</i> , 2015 , 27, 1343-54	3.4	31
66	The effects of a multi-component dyadic intervention on the psychological distress of family caregivers providing care to people with dementia: a randomized controlled trial. <i>International Psychogeriatrics</i> , 2015 , 27, 2031-44	3.4	40
65	Effectiveness of an Internet intervention for family caregivers of people with dementia: results of a randomized controlled trial. <i>PLoS ONE</i> , 2015 , 10, e0116622	3.7	111

64	Omgaan met onbegrepen gedrag. <i>Denkbeeld</i> , 2014 , 26, 6-9	0	
63	Grip on challenging behavior: process evaluation of the implementation of a care program. <i>Trials</i> , 2014 , 15, 302	2.8	25
62	Managing depression in older age: psychological interventions. <i>Maturitas</i> , 2014 , 79, 160-9	5	90
61	Coming to grips with challenging behavior: a cluster randomized controlled trial on the effects of a multidisciplinary care program for challenging behavior in dementia. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 531.e1-531.e10	5.9	58
60	Effectiveness and predictors of outcome in routine out-patient mental health care for older adults. <i>International Psychogeriatrics</i> , 2014 , 1-10	3.4	9
59	The development of the Grip on Challenging Behaviour dementia care programme. <i>International Journal of Palliative Nursing</i> , 2014 , 20, 15-21	0.9	13
58	Process evaluation of a multicomponent dyadic intervention study with exercise and support for people with dementia and their family caregivers. <i>Trials</i> , 2014 , 15, 401	2.8	20
57	Adverse Childhood and Recent Negative Life Events: Contrasting Associations With Cognitive Decline in Older Persons. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2014 , 27, 128-38	3.8	27
56	Wellbeing-enhancing occupation and organizational and environmental contributors in long-term dementia care facilities: an explorative study. <i>International Psychogeriatrics</i> , 2014 , 26, 69-80	3.4	29
55	Richtlijnen en protocollen 2014 , 59-65		
54	Ouderen online!? 2014 , 67-73		
53	The diagnosis of depression and use of antidepressants in nursing home residents with and without dementia. <i>International Journal of Geriatric Psychiatry</i> , 2013 , 28, 312-8	3.9	15
52	Effectiveness and cost-effectiveness of an internet intervention for family caregivers of people with dementia: design of a randomized controlled trial. <i>BMC Psychiatry</i> , 2013 , 13, 17	4.2	40
51	Psychometric properties of the Dutch version of the Health of the Nation Outcome Scales for older adults (HoNOS 65+) in daily care. <i>International Journal of Nursing Studies</i> , 2013 , 50, 1711-9	5.8	4
50	De kunst van case management. <i>Denkbeeld</i> , 2013 , 25, 26-29	0	1
49	Is de zorg persoonsgericht?. <i>Denkbeeld</i> , 2013 , 25, 22-24	0	1
48	Partners in de zorg?. <i>Denkbeeld</i> , 2013 , 25, 34-35	0	
47	Het geheim van de succesvolle woonvoorziening. <i>Denkbeeld</i> , 2013 , 25, 26-29	0	

46	Specifieke aandachtspunten bij ouderen. <i>Psychopraktijk</i> , 2013 , 5, 30-33		
45	Ouderen online!? Hulpverlening voor ouderen via internet. <i>Psychopraktijk</i> , 2013 , 5, 34-37		
44	Dyadic interventions for community-dwelling people with dementia and their family caregivers: a systematic review. <i>International Psychogeriatrics</i> , 2013 , 25, 1581-603	3.4	121
43	Mental health care Monitor Older adults (MEMO): monitoring patient characteristics and outcome in Dutch mental health services for older adults. <i>International Journal of Methods in Psychiatric Research</i> , 2013 , 22, 100-9	4.3	7
42	The moderating role of decision authority and coworker- and supervisor support on the impact of job demands in nursing homes: a cross-sectional study. <i>International Journal of Nursing Studies</i> , 2012 , 49, 822-33	5.8	53
41	A comparative validation of the abbreviated Apathy Evaluation Scale (AES-10) with the Neuropsychiatric Inventory apathy subscale against diagnostic criteria of apathy. <i>Journal of the American Medical Directors Association</i> , 2012 , 13, 308.e1-6	5.9	12
40	A pilot study on the use of tracking technology: feasibility, acceptability, and benefits for people in early stages of dementia and their informal caregivers. <i>Aging and Mental Health</i> , 2012 , 16, 127-34	3.5	85
39	The relationship between small-scale care and activity involvement of residents with dementia. <i>International Psychogeriatrics</i> , 2012 , 24, 722-32	3.4	26
38	Clinicians' perspectives on a Web-based system for routine outcome monitoring in old-age psychiatry in the Netherlands. <i>Journal of Medical Internet Research</i> , 2012 , 14, e76	7.6	8
37	The ideals of group living homes for people with dementia: do they practice what they preach?. <i>International Psychogeriatrics</i> , 2011 , 23, 1526-7	3.4	11
36	Home-based exercise and support programme for people with dementia and their caregivers: study protocol of a randomised controlled trial. <i>BMC Public Health</i> , 2011 , 11, 894	4.1	18
35	op zoek naar zin. <i>Denkbeeld</i> , 2011 , 23, 22-25	0	1
34	Nursing home care for people with dementia and residents' quality of life, quality of care and staff well-being: design of the Living Arrangements for people with Dementia (LAD)-study. <i>BMC Geriatrics</i> , 2011 , 11, 11	4.1	19
33	Reminiscence and adaptation to critical life events in older adults with mild to moderate depressive symptoms. <i>Aging and Mental Health</i> , 2011 , 15, 638-46	3.5	44
32	The long-term effect of group living homes versus regular nursing homes for people with dementia on psychological distress of informal caregivers. <i>Aging and Mental Health</i> , 2011 , 15, 557-61	3.5	4
31	Improvement in personal meaning mediates the effects of a life review intervention on depressive symptoms in a randomized controlled trial. <i>Gerontologist</i> , 2010 , 50, 541-9	5	82
30	The impact of life review on depression in older adults: a randomized controlled trial. <i>International Psychogeriatrics</i> , 2010 , 22, 572-81	3.4	49
29	Screening for mental disorders in residential aged care facilities. <i>International Psychogeriatrics</i> , 2010 , 22, 1107-20	3.4	19

28	The effects of group living homes on older people with dementia: a comparison with traditional nursing home care. <i>International Journal of Geriatric Psychiatry</i> , 2009 , 24, 970-8	3.9	60
27	Ouderenpsychologie: de grijsheid voorbij. <i>Psychologie and Gezondheid</i> , 2009 , 37, 65-74		1
26	Utilization of acute and long-term care in the last year of life: comparison with survivors in a population-based study. <i>BMC Health Services Research</i> , 2009 , 9, 139	2.9	39
25	(Cost)effectiveness of life review for older adults: design of a randomized controlled trial. <i>BMC Public Health</i> , 2008 , 8, 211	4.1	9
24	Group living homes for older people with dementia: the effects on psychological distress of informal caregivers. <i>Aging and Mental Health</i> , 2008 , 12, 761-8	3.5	18
23	Screening for depression and assessing change in severity of depression. Is the Geriatric Depression Scale (30-, 15- and 8-item versions) useful for both purposes in nursing home patients?. <i>Aging and Mental Health</i> , 2008 , 12, 244-8	3.5	40
22	Working in group living homes for older people with dementia: the effects on job satisfaction and burnout and the role of job characteristics. <i>International Psychogeriatrics</i> , 2008 , 20, 927-40	3.4	40
21	Effects of combined intervention programmes for people with dementia living at home and their caregivers: a systematic review. <i>International Journal of Geriatric Psychiatry</i> , 2007 , 22, 1181-93	3.9	127
20	Pain among nursing home patients in the Netherlands: prevalence, course, clinical correlates, recognition and analgesic treatment--an observational cohort study. <i>BMC Geriatrics</i> , 2007 , 7, 3	4.1	54
19	Pain in the nursing home: assessment and treatment on different types of care wards. <i>Journal of Pain and Symptom Management</i> , 2007 , 34, 480-7	4.8	30
18	Long-term adaptation to institutionalization in dementia caregivers. <i>Gerontologist, The</i> , 2007 , 47, 730-40		55
17	The impact of depression and anxiety on well being, disability and use of health care services in nursing home patients. <i>International Journal of Geriatric Psychiatry</i> , 2006 , 21, 325-32	3.9	85
16	Depressive symptoms in newly admitted nursing home residents. <i>International Journal of Geriatric Psychiatry</i> , 2006 , 21, 1156-62	3.9	37
15	Incidence and outcome of depressive symptoms in nursing home patients in the Netherlands. <i>American Journal of Geriatric Psychiatry</i> , 2006 , 14, 1069-76	6.5	54
14	Depressie en pijn: een ongelukkig huwelijk. <i>Tijdschrift Voor Verpleeghuisgeneeskunde</i> , 2006 , 31, 231-234		
13	Transitions in caregivers Use of paid home help: associations with stress appraisals and well-being. <i>Psychology and Aging</i> , 2005 , 20, 211-9	3.6	19
12	Comorbidity and 1-year mortality risks in nursing home residents. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 660-5	5.6	98
11	Comorbidity of depression and anxiety in nursing home patients. <i>International Journal of Geriatric Psychiatry</i> , 2005 , 20, 218-26	3.9	46

10	Self-injurious behaviour in nursing home residents with dementia. <i>International Journal of Geriatric Psychiatry</i> , 2005 , 20, 651-7	3.9	17
9	The effect of somatic symptom attribution on the prevalence rate of depression and anxiety among nursing home patients. <i>International Journal of Methods in Psychiatric Research</i> , 2005 , 14, 146-50	4.3	4
8	The longitudinal relationship between the use of long-term care and depressive symptoms in older adults. <i>Gerontologist, The</i> , 2005 , 45, 359-69	5	25
7	Predicting transitions in the use of informal and professional care by older adults. <i>Ageing and Society</i> , 2005 , 25, 111-130	1.7	91
6	The effect of depression on social engagement in newly admitted Dutch nursing home residents. <i>Gerontologist, The</i> , 2003 , 43, 213-8	5	97
5	Pyscholoog in de verpleeghuiszorg: een veelzijdig vak. <i>Dth</i> , 2003 , 23, 165-171		
4	Improvements in the quality of co-ordination of nursing care following implementation of the Resident Assessment Instrument in Dutch nursing homes. <i>Journal of Advanced Nursing</i> , 2001 , 35, 268-75	3.1	24
3	Institutionalization of demented elderly: the role of caregiver characteristics. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 273-80	3.9	49
2	Risk Indicators of Elder Mistreatment in the Community. <i>Journal of Elder Abuse and Neglect</i> , 1999 , 9, 67-76	1.9	29
1	Elder abuse in the community: prevalence and consequences. <i>Journal of the American Geriatrics Society</i> , 1998 , 46, 885-8	5.6	139