

Kazuyuki Nakagome

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8579168/publications.pdf>

Version: 2024-02-01

137
papers

3,739
citations

147801

31
h-index

161849

54
g-index

138
all docs

138
docs citations

138
times ranked

4555
citing authors

#	ARTICLE	IF	CITATIONS
1	Executive and prefrontal dysfunction in unipolar depression: a review of neuropsychological and imaging evidence. <i>Neuroscience Research</i> , 2004, 50, 1-11.	1.9	405
2	Restoring function in major depressive disorder: A systematic review. <i>Journal of Affective Disorders</i> , 2017, 215, 299-313.	4.1	108
3	Reduced frontopolar activation during verbal fluency task associated with poor social functioning in late-onset major depression: Multi-channel near-infrared spectroscopy study. <i>Psychiatry and Clinical Neurosciences</i> , 2008, 62, 728-737.	1.8	103
4	Impaired Cortical Network for Preattentive Detection of Change in Speech Sounds in Schizophrenia: A High-Resolution Event-Related Potential Study. <i>American Journal of Psychiatry</i> , 2002, 159, 546-553.	7.2	101
5	A multi-channel near-infrared spectroscopy study of prefrontal cortex activation during working memory task in major depressive disorder. <i>Neuroscience Research</i> , 2011, 70, 91-97.	1.9	92
6	Suicidal ideation is associated with reduced prefrontal activation during a verbal fluency task in patients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2015, 181, 9-17.	4.1	92
7	A Longitudinal Functional Neuroimaging Study in Medication-Naïve Depression after Antidepressant Treatment. <i>PLoS ONE</i> , 2015, 10, e0120828.	2.5	86
8	The relationship between the prefrontal activation during a verbal fluency task and stress-coping style in major depressive disorder: A near-infrared spectroscopy study. <i>Journal of Psychiatric Research</i> , 2012, 46, 1427-1434.	3.1	83
9	Phonetic mismatch negativity predicts social skills acquisition in schizophrenia. <i>Psychiatry Research</i> , 2007, 152, 261-265.	3.3	82
10	Hypofrontality in panic disorder and major depressive disorder assessed by multi-channel near-infrared spectroscopy. <i>Depression and Anxiety</i> , 2008, 25, 1053-1059.	4.1	74
11	Delayed automatic detection of change in speech sounds in adults with autism: A magnetoencephalographic study. <i>Clinical Neurophysiology</i> , 2005, 116, 1655-1664.	1.5	71
12	Neuroanatomy and neurophysiology in schizophrenia. <i>Neuroscience Research</i> , 2002, 43, 93-110.	1.9	69
13	Association between lower P300 amplitude and smaller anterior cingulate cortex volume in patients with posttraumatic stress disorder: a study of victims of Tokyo subway sarin attack. <i>NeuroImage</i> , 2005, 25, 43-50.	4.2	68
14	Do high or low doses of anxiolytics and hypnotics affect mismatch negativity in schizophrenic subjects? An EEG and MEG study. <i>Clinical Neurophysiology</i> , 2002, 113, 141-150.	1.5	67
15	In Vivo IL-10 Gene Delivery Suppresses Airway Eosinophilia and Hyperreactivity by Down-Regulating APC Functions and Migration without Impairing the Antigen-Specific Systemic Immune Response in a Mouse Model of Allergic Airway Inflammation. <i>Journal of Immunology</i> , 2005, 174, 6955-6966.	0.8	66
16	High Expression of IL-22 Suppresses Antigen-Induced Immune Responses and Eosinophilic Airway Inflammation via an IL-10-Associated Mechanism. <i>Journal of Immunology</i> , 2011, 187, 5077-5089.	0.8	66
17	Mismatch negativity and N2b attenuation as an indicator for dysfunction of the preattentive and controlled processing for deviance detection in schizophrenia: a topographic event-related potential study. <i>Schizophrenia Research</i> , 1999, 35, 141-156.	2.0	64
18	Multiple generators in the auditory automatic discrimination process in humans. <i>NeuroReport</i> , 1999, 10, 2267-2271.	1.2	58

#	ARTICLE	IF	CITATIONS
19	Infusion of neuropeptide Y into CA3 region of hippocampus produces antidepressant-like effect via Y1 receptor. <i>Hippocampus</i> , 2007, 17, 271-280.	1.9	58
20	Efficacy and safety of the novel glycine transporter inhibitor BI 425809 once daily in patients with schizophrenia: a double-blind, randomised, placebo-controlled phase 2 study. <i>Lancet Psychiatry</i> , 2021, 8, 191-201.	7.4	58
21	Phonetic mismatch negativity predicts verbal memory deficits in schizophrenia. <i>NeuroReport</i> , 2006, 17, 1043-1046.	1.2	55
22	Neuromagnetic correlates of impaired automatic categorical perception of speech sounds in schizophrenia. <i>Schizophrenia Research</i> , 2003, 59, 159-172.	2.0	54
23	Brain lateralization for mismatch response to across- and within-category change of vowels. <i>NeuroReport</i> , 2001, 12, 2467-2471.	1.2	52
24	Reduced prefrontal cortex activation during the working memory task associated with poor social functioning in late-onset depression: Multi-channel near-infrared spectroscopy study. <i>Psychiatry Research - Neuroimaging</i> , 2012, 203, 222-228.	1.8	52
25	Hippocampal astrocytes are necessary for antidepressant treatment of learned helplessness rats. <i>Hippocampus</i> , 2011, 21, 877-884.	1.9	50
26	No effect of gender on tonal and phonetic mismatch negativity in normal adults assessed by a high-resolution EEG recording. <i>Cognitive Brain Research</i> , 2002, 13, 305-312.	3.0	44
27	Gender differences in lateralization of mismatch negativity in dichotic listening tasks. <i>International Journal of Psychophysiology</i> , 2008, 68, 41-50.	1.0	41
28	Validation of brain-derived signals in near-infrared spectroscopy through multivoxel analysis of concurrent functional magnetic resonance imaging. <i>Human Brain Mapping</i> , 2017, 38, 5274-5291.	3.6	38
29	Transcranial Magnetic Stimulation Modulates Resting EEG Functional Connectivity Between the Left Dorsolateral Prefrontal Cortex and Limbic Regions in Medicated Patients With Treatment-Resistant Depression. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2017, 29, 155-159.	1.8	38
30	Empirical evidence for discrete neurocognitive subgroups in patients with non-psychotic major depressive disorder: clinical implications. <i>Psychological Medicine</i> , 2018, 48, 2717-2729.	4.5	36
31	Measurement and Treatment Research to Improve Cognition in Schizophrenia Consortium Battery: Validation of the Japanese version. <i>Psychiatry and Clinical Neurosciences</i> , 2013, 67, 182-188.	1.8	34
32	New instrument for measuring multiple domains of social cognition: Construct validity of the Social Cognition Screening Questionnaire (Japanese version). <i>Psychiatry and Clinical Neurosciences</i> , 2014, 68, 701-711.	1.8	34
33	Increased cerebrospinal fluid complement C5 levels in major depressive disorder and schizophrenia. <i>Biochemical and Biophysical Research Communications</i> , 2018, 497, 683-688.	2.1	34
34	The Prevalence of Probable Delayed Sleep Phase Syndrome in Students from Junior High School to University in Tottori, Japan. <i>Tohoku Journal of Experimental Medicine</i> , 2008, 216, 95-98.	1.2	32
35	Resilience and depression/anxiety symptoms in multiple sclerosis and neuromyelitis optica spectrum disorder. <i>Multiple Sclerosis and Related Disorders</i> , 2018, 25, 309-315.	2.0	32
36	Serotonin and dopamine receptors in motivational and cognitive disturbances of schizophrenia. <i>Frontiers in Neuroscience</i> , 2014, 8, 395.	2.8	31

#	ARTICLE	IF	CITATIONS
37	Early Interleukin 4-Dependent Response Can Induce Airway Hyperreactivity before Development of Airway Inflammation in a Mouse Model of Asthma. <i>Laboratory Investigation</i> , 2001, 81, 1385-1396.	3.7	30
38	Cognitive insight and functional outcome in schizophrenia; a multi-center collaborative study with the specific level of functioning scale-Japanese version. <i>Schizophrenia Research: Cognition</i> , 2016, 6, 9-14.	1.3	30
39	Evaluation of the Efficacy, Safety, and Tolerability of BI 409306, a Novel Phosphodiesterase 9 Inhibitor, in Cognitive Impairment in Schizophrenia: A Randomized, Double-Blind, Placebo-Controlled, Phase II Trial. <i>Schizophrenia Bulletin</i> , 2019, 45, 350-359.	4.3	28
40	A topographical study of ERP correlates of semantic and syntactic violations in the Japanese language using the multichannel EEG system. <i>Psychophysiology</i> , 2001, 38, 304-315.	2.4	27
41	Association between cognitive insight and prefrontal function during a cognitive task in schizophrenia: A multichannel near-infrared spectroscopy study. <i>Schizophrenia Research</i> , 2013, 150, 81-87.	2.0	27
42	A pilot study on the effects of cognitive remediation on hemodynamic responses in the prefrontal cortices of patients with schizophrenia: A multi-channel near-infrared spectroscopy study. <i>Schizophrenia Research</i> , 2014, 153, 87-95.	2.0	27
43	Relationship between hypothalamic-pituitary-adrenal axis dysregulation and insulin resistance in elderly patients with depression. <i>Psychiatry Research</i> , 2015, 226, 494-498.	3.3	27
44	Event-related potentials and thought disorder in schizophrenia. <i>Schizophrenia Research</i> , 2000, 42, 187-191.	2.0	26
45	Effects of Risperidone on Event-related Potentials in Schizophrenic Patients. <i>Pharmacopsychiatry</i> , 2001, 34, 73-79.	3.3	26
46	Antigen-sensitized CD4+CD62Llow memory/effector T helper 2 cells can induce airway hyperresponsiveness in an antigen free setting. <i>Respiratory Research</i> , 2005, 6, 46.	3.6	26
47	Psychological factors and survival after bone marrow transplantation in patients with leukemia. <i>Psychiatry and Clinical Neurosciences</i> , 2003, 57, 91-96.	1.8	25
48	Individual and additive effects of neuromodulators on the slow components of afterhyperpolarization currents in layer V pyramidal cells of the rat medial prefrontal cortex. <i>Brain Research</i> , 2008, 1229, 47-60.	2.2	25
49	Longitudinal neuroendocrine changes assessed by dexamethasone/CRH and growth hormone releasing hormone tests in psychotic depression. <i>Psychoneuroendocrinology</i> , 2008, 33, 152-161.	2.7	25
50	Plasma vanillylmandelic acid level as an index of psychological stress response in normal subjects. <i>Psychiatry Research</i> , 1996, 63, 7-16.	3.3	24
51	Event-related potential correlates of functional hearing loss: Reduced P3 amplitude with preserved N1 and N2 components in a unilateral case. <i>Psychiatry and Clinical Neurosciences</i> , 1996, 50, 85-88.	1.8	24
52	Effects of corollary discharge on event-related potentials during selective attention task in healthy men and women. <i>Neuroscience Research</i> , 2004, 48, 59-64.	1.9	24
53	Left frontotemporal hyperperfusion in a patient with post-stroke mania. <i>Psychiatry Research - Neuroimaging</i> , 2005, 139, 263-267.	1.8	24
54	What influences social skills in patients with schizophrenia? Preliminary study using the role play test, WAIS-R and event-related potential. <i>Schizophrenia Research</i> , 1996, 22, 143-150.	2.0	23

#	ARTICLE	IF	CITATIONS
55	Overnight Effects of Triazolam on Cognitive Function: An Event-Related Potentials Study. <i>Neuropsychobiology</i> , 1998, 38, 232-240.	1.9	23
56	Comparison of the effects of zolpidem and zopiclone on nocturnal sleep and sleep latency in the morning. <i>Life Sciences</i> , 2000, 67, 81-90.	4.3	22
57	Comparison of the effects of zolpidem and triazolam on nocturnal sleep and sleep latency in the morning: A cross-over study in healthy young volunteers. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2000, 24, 897-910.	4.8	20
58	IL-5-Induced Hypereosinophilia Suppresses the Antigen-Induced Immune Response via a TGF- β -Dependent Mechanism. <i>Journal of Immunology</i> , 2007, 179, 284-294.	0.8	20
59	Social cognition and prefrontal hemodynamic responses during a working memory task in schizophrenia. <i>Scientific Reports</i> , 2016, 6, 22500.	3.3	19
60	Effects of cognitive remediation on cognitive and social functions in individuals with schizophrenia. <i>Neuropsychological Rehabilitation</i> , 2019, 29, 1475-1487.	1.6	19
61	Behavioral and P3 amplitude enhancement in schizophrenia following feedback training. <i>Schizophrenia Research</i> , 1997, 25, 231-242.	2.0	18
62	The association between cognitive deficits and prefrontal hemodynamic responses during performance of working memory task in patients with schizophrenia. <i>Schizophrenia Research</i> , 2016, 172, 114-122.	2.0	18
63	How do early stages of information processing influence social skills in patients with schizophrenia? <i>Schizophrenia Research</i> , 1999, 35, 255-262.	2.0	17
64	Early components of event-related potentials related to semantic and syntactic processes in the Japanese language. <i>Brain Topography</i> , 2002, 14, 169-177.	1.8	16
65	Association between subjective well-being and prefrontal function during a cognitive task in schizophrenia: A multi-channel near-infrared spectroscopy study. <i>Schizophrenia Research</i> , 2013, 149, 180-185.	2.0	16
66	Impaired prefrontal activity to regulate the intrinsic motivation-action link in schizophrenia. <i>NeuroImage: Clinical</i> , 2017, 16, 32-42.	2.7	16
67	The effects of benzodiazepines on event-related potential indices of automatic and controlled processing in schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2002, 26, 651-661.	4.8	15
68	The pilot study of a Neuropsychological Educational Approach to Cognitive Remediation for patients with schizophrenia in Japan. <i>Psychiatry Research</i> , 2012, 195, 107-110.	3.3	15
69	Working memory and prefrontal/temporal hemodynamic responses during post-task period in patients with schizophrenia: A multi-channel near-infrared spectroscopy study. <i>Journal of Psychiatric Research</i> , 2017, 95, 288-298.	3.1	15
70	Discrete effect of each mild behavioural impairment category on dementia conversion or cognitive decline in patients with mild cognitive impairment. <i>Psychogeriatrics</i> , 2019, 19, 591-600.	1.2	15
71	Psychophysiological correlates of social skills deficits in persons with schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2000, 100, 155-167.	1.8	14
72	Psychophysiological index during auditory selective attention correlates with visual continuous performance test sensitivity in normal adults. <i>International Journal of Psychophysiology</i> , 2002, 45, 211-225.	1.0	14

#	ARTICLE	IF	CITATIONS
73	Relationship between prefrontal function during a cognitive task and social functioning in male Japanese workers: A multi-channel near-infrared spectroscopy study. <i>Psychiatry Research - Neuroimaging</i> , 2013, 214, 73-79.	1.8	14
74	Association between social functioning and prefrontal hemodynamic responses in elderly adults. <i>Behavioural Brain Research</i> , 2014, 272, 32-39.	2.2	14
75	Safety and Feasibility of Transcranial Direct Current Stimulation for Cognitive Rehabilitation in Patients With Mild or Major Neurocognitive Disorders: A Randomized Sham-Controlled Pilot Study. <i>Frontiers in Human Neuroscience</i> , 2019, 13, 273.	2.0	14
76	Facial expression perception correlates with verbal working memory function in schizophrenia. <i>Psychiatry and Clinical Neurosciences</i> , 2015, 69, 773-781.	1.8	13
77	A randomized, double-blinded, placebo-controlled study to evaluate the efficacy and safety of venlafaxine extended release and a long-term extension study for patients with major depressive disorder in Japan. <i>International Clinical Psychopharmacology</i> , 2016, 31, 8-19.	1.7	13
78	P300 amplitude over temporal regions in schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2002, 252, 1-7.	3.2	12
79	A Comparative Study of the Efficacy and Safety Profiles Between Fluvoxamine and Nortriptyline in Japanese Patients with Major Depression. <i>Pharmacopsychiatry</i> , 2005, 38, 30-35.	3.3	12
80	Discriminant analysis of functional optical topography for schizophrenia diagnosis. <i>Journal of Biomedical Optics</i> , 2013, 19, 011006.	2.6	12
81	Verbal Memory Impairment in Patients with Subsyndromal Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2017, 8, 168.	2.6	12
82	The Feasibility and Efficacy of Social Cognition and Interaction Training for Outpatients With Schizophrenia in Japan: A Multicenter Randomized Clinical Trial. <i>Frontiers in Psychiatry</i> , 2019, 10, 589.	2.6	12
83	Electrophysiological evidence for sequential activation of multiple brain regions during the auditory selective attention process in humans. <i>NeuroReport</i> , 1999, 10, 3837-3842.	1.2	11
84	Clinical impact of ¹¹ C-Pittsburgh compound-B positron emission tomography carried out in addition to magnetic resonance imaging and single-photon emission computed tomography on the diagnosis of Alzheimer's disease in patients with dementia and mild cognitive impairment. <i>Psychiatry and Clinical Neurosciences</i> , 2015, 69, 741-751.	1.8	11
85	Prefrontal activation predicts social functioning improvement after initial treatment in late-onset depression. <i>Journal of Psychiatric Research</i> , 2015, 62, 62-70.	3.1	11
86	Distributions of the Nd and P300 in a normal sample. <i>International Journal of Psychophysiology</i> , 1992, 13, 233-239.	1.0	10
87	Impaired suppression of processing in schizophrenic patients suggested by ERPs obtained in a selective attention task. <i>Schizophrenia Research</i> , 2001, 49, 213-221.	2.0	10
88	Comparison of hangover effects among triazolam, flunitrazepam and quazepam in healthy subjects: A preliminary report. <i>Psychiatry and Clinical Neurosciences</i> , 2003, 57, 303-309.	1.8	10
89	Association between Fish Consumption and Prefrontal Function during a Cognitive Task in Male Japanese Workers: A Multi-Channel Near-Infrared Spectroscopy Study. <i>PLoS ONE</i> , 2015, 10, e0123972.	2.5	10
90	Platelet-derived growth factor BB: A potential diagnostic blood biomarker for differentiating bipolar disorder from major depressive disorder. <i>Journal of Psychiatric Research</i> , 2021, 134, 48-56.	3.1	10

#	ARTICLE	IF	CITATIONS
91	Brain electric activity for active inhibition of auditory irrelevant information. <i>Neuroscience Letters</i> , 2005, 374, 11-16.	2.1	9
92	Auditory P300 latency prolongation with age in schizophrenia: Gender and subcomponent effects. <i>Schizophrenia Research</i> , 2006, 88, 217-221.	2.0	9
93	Does daily Naikan therapy maintain the efficacy of intensive Naikan therapy against depression?. <i>Psychiatry and Clinical Neurosciences</i> , 2010, 64, 44-51.	1.8	9
94	Milnacipran influences the indexes of ^{123}I -metaiodobenzylguanidine scintigraphy in elderly depressed patients. <i>Psychiatry and Clinical Neurosciences</i> , 2014, 68, 169-175.	1.8	9
95	Perillyl alcohol suppresses antigen-induced immune responses in the lung. <i>Biochemical and Biophysical Research Communications</i> , 2014, 443, 266-271.	2.1	9
96	Neurocognitive features in male patients with schizophrenia exhibiting serious violence: a case control study. <i>Annals of General Psychiatry</i> , 2015, 14, 46.	2.7	9
97	Association of fronto-temporal function with cognitive ability in schizophrenia. <i>Scientific Reports</i> , 2017, 7, 42858.	3.3	9
98	Relationships of DEX/CRH and GHRH test results to the outcome of depression – Preliminary results suggest the GHRH test may predict relapse after discharge. <i>Journal of Psychiatric Research</i> , 2008, 42, 356-364.	3.1	8
99	THE TAKEDA THREE COLORS COMBINATION TEST: AN EASY AND QUICK SCREENING FOR ALZHEIMER'S DISEASE. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 1199-1200.	2.6	8
100	Self-reported social functioning and prefrontal hemodynamic responses during a cognitive task in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2015, 234, 121-129.	1.8	8
101	Comparison of prefrontal hemodynamic responses and cognitive deficits between adult patients with autism spectrum disorder and schizophrenia. <i>Schizophrenia Research</i> , 2019, 206, 420-427.	2.0	8
102	Effects of zolpidem and zopiclone on cognitive and attentional function in young healthy volunteers: An event-related potential study. <i>Psychiatry and Clinical Neurosciences</i> , 2000, 54, 37-40.	1.8	7
103	Social cognition and metacognition contribute to accuracy for self-evaluation of real-world functioning in patients with schizophrenia. <i>Schizophrenia Research</i> , 2018, 202, 426-428.	2.0	7
104	Thought Disorder and Executive Dysfunction in Patients with Schizophrenia. <i>International Journal of Neuroscience</i> , 2009, 119, 105-123.	1.6	6
105	Valproic acid improves the tolerance for the stress in learned helplessness rats. <i>Neuroscience Research</i> , 2012, 72, 355-363.	1.9	6
106	Depressive state due to isolated adrenocorticotrophic hormone deficiency underlies school refusal. <i>Psychiatry and Clinical Neurosciences</i> , 2012, 66, 243-244.	1.8	6
107	Associations between depressive symptoms and fronto-temporal activities during a verbal fluency task in patients with schizophrenia. <i>Scientific Reports</i> , 2016, 6, 30685.	3.3	6
108	Cognitive impairment in psychiatric disorders. <i>Psychiatry and Clinical Neurosciences</i> , 2017, 71, 293-293.	1.8	6

#	ARTICLE	IF	CITATIONS
109	Neural Correlates for Intrinsic Motivational Deficits of Schizophrenia; Implications for Therapeutics of Cognitive Impairment. <i>Frontiers in Psychiatry</i> , 2018, 9, 178.	2.6	6
110	Verbal and procedural memory in schizophrenia with milder symptoms: implications for psychosocial intervention. <i>Schizophrenia Research</i> , 2002, 53, 263-265.	2.0	5
111	Validation of the MUSIC Model of Motivation Inventory for use with cognitive training for schizophrenia spectrum disorders: A multinational study. <i>Schizophrenia Research</i> , 2019, 206, 142-148.	2.0	5
112	Serum levels of glial cell line-derived neurotrophic factor as a biomarker for mood disorders and lithium response. <i>Psychiatry Research</i> , 2021, 301, 113967.	3.3	5
113	Electrophysiological indices associated with social functioning outcome in schizophrenia: a 5-year follow-up study. <i>Neuroscience Research</i> , 2005, 51, 215-218.	1.9	4
114	Association between prefrontal hemodynamic responses during a cognitive task and subjective quality of life in schizophrenia. <i>Schizophrenia Research</i> , 2014, 152, 319-321.	2.0	4
115	Verbal memory impairments in bipolar disorder: Effect of type of word learning tasks. <i>Psychiatry and Clinical Neurosciences</i> , 2017, 71, 570-571.	1.8	4
116	Right Frontotemporal Cortex Mediates the Relationship between Cognitive Insight and Subjective Quality of Life in Patients with Schizophrenia. <i>Frontiers in Psychiatry</i> , 2018, 9, 16.	2.6	4
117	Time estimation in a case of Tourette's syndrome: Effect of antipsychotic medications. <i>Neuropsychopharmacology Reports</i> , 2020, 40, 198-200.	2.3	4
118	Pisa syndrome associated with mirtazapine: a case report. <i>BMC Pharmacology & Toxicology</i> , 2018, 19, 82.	2.4	4
119	Discontinuation and remission rates and social functioning in patients with schizophrenia receiving second-generation antipsychotics: 52-week evaluation of JUMPs, a randomized, open-label study. <i>Psychiatry and Clinical Neurosciences</i> , 2022, 76, 22-31.	1.8	4
120	Decreased plasma cortisol level during alprazolam treatment of panic disorder: A case report. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1998, 22, 909-915.	4.8	3
121	Neuropsychiatry and the auditory selective attention process. <i>Current Opinion in Psychiatry</i> , 2001, 14, 219-225.	6.3	3
122	Comparison between mismatch negativity amplitude and magnetic mismatch field strength in normal adults. <i>Biological Psychology</i> , 2006, 71, 54-62.	2.2	3
123	Reliability and validity of the California Verbal Learning Test – Japanese version. <i>Psychiatry and Clinical Neurosciences</i> , 2017, 71, 417-418.	1.8	3
124	A 6-Month Follow-up Case Study of Low-Frequency Right Prefrontal Repetitive Transcranial Magnetic Stimulation in Treatment-Resistant Bipolar Depression. <i>Journal of ECT</i> , 2017, 33, e43-e44.	0.6	3
125	Acceptability of escitalopram versus duloxetine in outpatients with depression who did not respond to initial second-generation antidepressants: Study protocol for a randomized, parallel-group, non-inferiority trial. <i>Neuropsychopharmacology Reports</i> , 2019, 39, 262-272.	2.3	3
126	Exaggerated responsivity of brain dopaminergic system activity in schizophrenia: a preliminary finding of increased variance of plasma homovanillic acid level in a chronic patient. <i>Schizophrenia Research</i> , 1996, 20, 241-244.	2.0	2

#	ARTICLE	IF	CITATIONS
127	Effectiveness of the Takeda Three Colors Combination Test as a screening test for dementia. <i>Psychogeriatrics</i> , 2009, 9, 4-10.	1.2	2
128	Fish consumption is positively associated with social functioning: A cross-sectional study in male Japanese workers. <i>Psychiatry Research</i> , 2012, 200, 1038-1040.	3.3	2
129	Effects of multisession transcranial direct current stimulation as an augmentation to cognitive tasks in patients with neurocognitive disorders in Japan: a study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e037654.	1.9	2
130	Electroconvulsive Therapy on Treatment-resistant Mania in Bipolar Disorder with No Concurrent Antipsychotics: A Case Report. <i>Clinical Psychopharmacology and Neuroscience</i> , 2022, 20, 190-193.	2.0	2
131	Psychological Intervention Can Partly Alter P300 Amplitude Abnormalities in Schizophrenics. <i>Psychiatry and Clinical Neurosciences</i> , 1989, 43, 633-638.	1.8	1
132	Shortening of N1 and P3 Latencies in Event-Related Potentials Observed Coincidentally with Clinical Improvement during Nootropic Medication in a Demented Patient: Specific Effect of Nicergoline. <i>Psychiatry and Clinical Neurosciences</i> , 1992, 46, 919-925.	1.8	1
133	Japan useful medication program for schizophrenia (JUMPs)-long-term study on discontinuation rate, resolution and remission, and improvement in social functioning rate associated with atypical antipsychotic medications in patients with schizophrenia. <i>BMC Psychiatry</i> , 2013, 13, 243.	2.6	1
134	Acceptability of escitalopram versus duloxetine in outpatients with depression who did not respond to initial second-generation antidepressants: A randomized, parallel-group, non-inferiority trial. <i>Journal of Affective Disorders</i> , 2021, 282, 1011-1020.	4.1	1
135	Effects of Sodium Valproate on Short-Term Memory Functioning in Epileptic Patients. <i>Psychiatry and Clinical Neurosciences</i> , 1987, 41, 489-490.	1.8	0
136	P2004: COGNITIVE REHABILITATION WITH TRANSCRANIAL DIRECT CURRENT STIMULATION: EFFECT ON COGNITION IN MAJOR OR MINOR NEUROCOGNITIVE DISORDERS – A RANDOMISED CONTROLLED PRELIMINARY STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P666.	0.8	0
137	Effects of sodium valproate and phenytoin on cognitive functioning in normal volunteers using event related potentials.. <i>Journal of the Japan Epilepsy Society</i> , 1991, 9, 33-40.	0.2	0