

Lique M Coolen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8579305/lique-m-coolen-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

125
papers

7,383
citations

44
h-index

84
g-index

129
ext. papers

8,104
ext. citations

4.4
avg, IF

5.98
L-index

#	Paper	IF	Citations
125	In vivo imaging of the GnRH pulse generator reveals a temporal order of neuronal activation and synchronization during each pulse.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022 , 119,	11.5	5
124	Highlights of neuroanatomical discoveries of the mammalian gonadotropin-releasing hormone system.. <i>Journal of Neuroendocrinology</i> , 2022 , e13115	3.8	0
123	Spinal Cord Injury Causes Reduction of and e mRNA Expression in the Spinal Ejaculation Generator of Male Rats. <i>Frontiers in Neurology</i> , 2021 , 12, 670536	4.1	2
122	Prenatal Androgen Exposure Alters KNDy Neurons and Their Afferent Network in a Model of Polycystic Ovarian Syndrome. <i>Endocrinology</i> , 2021 , 162,	4.8	11
121	Unraveling the Neural Mechanisms Underlying the GnRH Pulse Generator: An Update 2021 , 123-148		
120	Enhancement of Drug Seeking Following Drug Taking in a Sexual Context Requires Anterior Cingulate Cortex Activity in Male Rats. <i>Frontiers in Behavioral Neuroscience</i> , 2020 , 14, 87	3.5	0
119	Evidence that Nitric Oxide Is Critical for LH Surge Generation in Female Sheep. <i>Endocrinology</i> , 2020 , 161,	4.8	6
118	Recognizing Team Science Contributions in Academic Hiring, Promotion, and Tenure. <i>Journal of Neuroscience</i> , 2020 , 40, 6662-6663	6.6	5
117	Chronic Spinal Cord Injury Reduces Gastrin-Releasing Peptide in the Spinal Ejaculation Generator in Male Rats. <i>Journal of Neurotrauma</i> , 2019 , 36, 3378-3393	5.4	5
116	Kisspeptin/Neurokinin B/Dynorphin (KNDy) cells as integrators of diverse internal and external cues: evidence from viral-based monosynaptic tract-tracing in mice. <i>Scientific Reports</i> , 2019 , 9, 14768	4.9	27
115	Prenatal Testosterone Exposure Alters GABAergic Synaptic Inputs to GnRH and KNDy Neurons in a Sheep Model of Polycystic Ovarian Syndrome. <i>Endocrinology</i> , 2019 , 160, 2529-2542	4.8	20
114	SAT-421 Cell-Specific Ablation of GnRH Neurons Using Kisspeptin-Saporin in the Preoptic Area of Sheep, but Not Mice. <i>Journal of the Endocrine Society</i> , 2019 , 3,	0.4	78
113	SAT-426 Rabies-Mediated Monosynaptic Tract-Tracing of Sexually Dimorphic Estrogen-Sensitive Afferents to KNDy Neurons in the Mouse. <i>Journal of the Endocrine Society</i> , 2019 , 3,	0.4	78
112	Sex Comparison of Drug-seeking Behavior after Limited-Access Methamphetamine-taking in a Socio-sexual Context in Rats. <i>FASEB Journal</i> , 2019 , 33, 805.8	0.9	
111	Localization of the CYP4A Enzymes that Produce 20-HETE and the 20-HETE Receptor in the Brain. <i>FASEB Journal</i> , 2019 , 33, 500.12	0.9	
110	Evidence That the LH Surge in Ewes Involves Both Neurokinin B-Dependent and -Independent Actions of Kisspeptin. <i>Endocrinology</i> , 2019 , 160, 2990-3000	4.8	3
109	Does the KNDy Model for the Control of Gonadotropin-Releasing Hormone Pulses Apply to Monkeys and Humans?. <i>Seminars in Reproductive Medicine</i> , 2019 , 37, 71-83	1.4	13

108	Drug-taking in a socio-sexual context enhances vulnerability for addiction in male rats. <i>Neuropsychopharmacology</i> , 2019 , 44, 503-513	8.7	6
107	The 3 World Conference on Kisspeptin, "Kisspeptin 2017: Brain and Beyond": Unresolved questions, challenges and future directions for the field. <i>Journal of Neuroendocrinology</i> , 2018 , 30, e12600	3.8	8
106	The Roles of Neurokinins and Endogenous Opioid Peptides in Control of Pulsatile LH Secretion. <i>Vitamins and Hormones</i> , 2018 , 107, 89-135	2.5	5
105	Three-dimensional imaging of KNDy neurons in the mammalian brain using optical tissue clearing and multiple-label immunocytochemistry. <i>Scientific Reports</i> , 2018 , 8, 2242	4.9	13
104	KNDy Hypothesis for Generation of GnRH Pulses: Evidence from Sheep and Goats 2018 , 289-324		11
103	Compulsive Sexual Behavior in Humans and Preclinical Models. <i>Current Sexual Health Reports</i> , 2018 , 10, 124-131	1.2	3
102	Evidence That Dynorphin Acts Upon KNDy and GnRH Neurons During GnRH Pulse Termination in the Ewe. <i>Endocrinology</i> , 2018 , 159, 3187-3199	4.8	27
101	KNDy Cells Revisited. <i>Endocrinology</i> , 2018 , 159, 3219-3234	4.8	93
100	Regulation of GnRH pulsatility in ewes. <i>Reproduction</i> , 2018 , 156, R83-R99	3.8	31
99	Effects of Sexual Experience on Psychostimulant- and Opiate-Induced Behavior and Neural Plasticity in the Mesocorticolimbic Pathway. <i>International Review of Neurobiology</i> , 2018 , 140, 249-270	4.4	6
98	Maladaptive Sexual Behavior Following Concurrent Methamphetamine and Sexual Experience in Male Rats is Associated with Altered Neural Activity in Frontal Cortex. <i>Neuropsychopharmacology</i> , 2017 , 42, 2011-2020	8.7	6
97	Effects of Season and Estradiol on KNDy Neuron Peptides, Colocalization With D2 Dopamine Receptors, and Dopaminergic Inputs in the Ewe. <i>Endocrinology</i> , 2017 , 158, 831-841	4.8	23
96	Activation of galanin and cholecystokinin receptors in the lumbosacral spinal cord is required for ejaculation in male rats. <i>European Journal of Neuroscience</i> , 2017 , 45, 846-858	3.5	10
95	Influences of social reward experience on behavioral responses to drugs of abuse: Review of shared and divergent neural plasticity mechanisms for sexual reward and drugs of abuse. <i>Neuroscience and Biobehavioral Reviews</i> , 2017 , 83, 356-372	9	15
94	Nucleus accumbens NMDA receptor activation regulates amphetamine cross-sensitization and deltaFosB expression following sexual experience in male rats. <i>Neuropharmacology</i> , 2016 , 101, 154-64	5.5	12
93	Prenatal testosterone exposure decreases colocalization of insulin receptors in kisspeptin/neurokinin B/dynorphin and agouti-related peptide neurons of the adult ewe. <i>European Journal of Neuroscience</i> , 2016 , 44, 2557-2568	3.5	15
92	Ventral Tegmental Area Dopamine Cell Activation during Male Rat Sexual Behavior Regulates Neuroplasticity and d-Amphetamine Cross-Sensitization following Sex Abstinence. <i>Journal of Neuroscience</i> , 2016 , 36, 9949-61	6.6	19
91	Chronic Contusion Spinal Cord Injury Impairs Ejaculatory Reflexes in Male Rats: Partial Recovery by Systemic Infusions of Dopamine D3 Receptor Agonist 7OHDPAT. <i>Journal of Neurotrauma</i> , 2016 , 33, 943-54	5.4	13

90	mGluR5 activation in the nucleus accumbens is not essential for sexual behavior or cross-sensitization of amphetamine responses by sexual experience. <i>Neuropharmacology</i> , 2016 , 107, 122-130	5.5	7
89	EOpioid Receptor Is Colocalized in GnRH and KNDy Cells in the Female Ovine and Rat Brain. <i>Endocrinology</i> , 2016 , 157, 2367-79	4.8	56
88	Do Substance P and Neurokinin A Play Important Roles in the Control of LH Secretion in Ewes?. <i>Endocrinology</i> , 2016 , 157, 4829-4841	4.8	17
87	Diurnal and circadian regulation of reward-related neurophysiology and behavior. <i>Physiology and Behavior</i> , 2015 , 143, 58-69	3.5	37
86	Prenatal Testosterone Treatment Leads to Changes in the Morphology of KNDy Neurons, Their Inputs, and Projections to GnRH Cells in Female Sheep. <i>Endocrinology</i> , 2015 , 156, 3277-91	4.8	41
85	Prenatal testosterone excess decreases neurokinin 3 receptor immunoreactivity within the arcuate nucleus KNDy cell population. <i>Journal of Neuroendocrinology</i> , 2015 , 27, 100-10	3.8	21
84	Evidence for Changes in Numbers of Synaptic Inputs onto KNDy and GnRH Neurons during the Preovulatory LH Surge in the Ewe. <i>Journal of Neuroendocrinology</i> , 2015 , 27, 624-35	3.8	48
83	Sex differences and effects of prenatal exposure to excess testosterone on ventral tegmental area dopamine neurons in adult sheep. <i>European Journal of Neuroscience</i> , 2015 , 41, 1157-66	3.5	15
82	Activation of mu or delta opioid receptors in the lumbosacral spinal cord is essential for ejaculatory reflexes in male rats. <i>PLoS ONE</i> , 2015 , 10, e0121130	3.7	15
81	Endogenous opioid-induced neuroplasticity of dopaminergic neurons in the ventral tegmental area influences natural and opiate reward. <i>Journal of Neuroscience</i> , 2014 , 34, 8825-36	6.6	36
80	A role for neurokinin B in pulsatile GnRH secretion in the ewe. <i>Neuroendocrinology</i> , 2014 , 99, 18-32	5.6	59
79	Unraveling the Mechanism of Action of the GnRH Pulse Generator: A Possible Role for Kisspeptin/Neurokinin B/Dynorphin (KNDy) Neurons 2014 , 133-152		4
78	Kisspeptin, neurokinin B, and dynorphin act in the arcuate nucleus to control activity of the GnRH pulse generator in ewes. <i>Endocrinology</i> , 2013 , 154, 4259-69	4.8	145
77	Evidence that orphanin FQ mediates progesterone negative feedback in the ewe. <i>Endocrinology</i> , 2013 , 154, 4249-58	4.8	11
76	Opiate exposure and withdrawal induces a molecular memory switch in the basolateral amygdala between ERK1/2 and CaMKII-dependent signaling substrates. <i>Journal of Neuroscience</i> , 2013 , 33, 14693-704	6.6	28
75	Natural and drug rewards act on common neural plasticity mechanisms with FosB as a key mediator. <i>Journal of Neuroscience</i> , 2013 , 33, 3434-42	6.6	88
74	Diurnal rhythms in neural activation in the mesolimbic reward system: critical role of the medial prefrontal cortex. <i>European Journal of Neuroscience</i> , 2013 , 38, 2319-27	3.5	35
73	Early versus late-phase consolidation of opiate reward memories requires distinct molecular and temporal mechanisms in the amygdala-prefrontal cortical pathway. <i>PLoS ONE</i> , 2013 , 8, e63612	3.7	20

72	NMDA and PACAP receptor signaling interact to mediate retinal-induced scn cellular rhythmicity in the absence of light. <i>PLoS ONE</i> , 2013 , 8, e76365	3.7	14
71	The transcription factor Runx2 is under circadian control in the suprachiasmatic nucleus and functions in the control of rhythmic behavior. <i>PLoS ONE</i> , 2013 , 8, e54317	3.7	25
70	A pivotal role of lumbar spinothalamic cells in the regulation of ejaculation via intraspinal connections. <i>Journal of Sexual Medicine</i> , 2012 , 9, 2256-65	1.1	39
69	Activation of gastrin-releasing peptide receptors in the lumbosacral spinal cord is required for ejaculation in male rats. <i>Journal of Sexual Medicine</i> , 2012 , 9, 1303-18	1.1	25
68	Evidence that dopamine acts via kisspeptin to hold GnRH pulse frequency in check in anestrus ewes. <i>Endocrinology</i> , 2012 , 153, 5918-27	4.8	54
67	Orexin and natural reward: feeding, maternal, and male sexual behavior. <i>Progress in Brain Research</i> , 2012 , 198, 65-77	2.9	12
66	KNDy (kisspeptin/neurokinin B/dynorphin) neurons are activated during both pulsatile and surge secretion of LH in the ewe. <i>Endocrinology</i> , 2012 , 153, 5406-14	4.8	98
65	Natural reward experience alters AMPA and NMDA receptor distribution and function in the nucleus accumbens. <i>PLoS ONE</i> , 2012 , 7, e34700	3.7	41
64	Lesions of orexin neurons block conditioned place preference for sexual behavior in male rats. <i>Hormones and Behavior</i> , 2011 , 59, 1-8	3.7	39
63	Prenatal programming by testosterone of hypothalamic metabolic control neurones in the ewe. <i>Journal of Neuroendocrinology</i> , 2011 , 23, 401-11	3.8	34
62	Activation of NMDA receptors in lumbar spinothalamic cells is required for ejaculation. <i>Journal of Sexual Medicine</i> , 2011 , 8, 1015-26	1.1	23
61	Molecular mapping of the neural pathways linking leptin to the neuroendocrine reproductive axis. <i>Endocrinology</i> , 2011 , 152, 2302-10	4.8	135
60	Concurrent exposure to methamphetamine and sexual behavior enhances subsequent drug reward and causes compulsive sexual behavior in male rats. <i>Journal of Neuroscience</i> , 2011 , 31, 16473-82	6.6	24
59	BosB in the nucleus accumbens is critical for reinforcing effects of sexual reward. <i>Genes, Brain and Behavior</i> , 2010 , 9, 831-40	3.6	68
58	Neurokinin 3 receptor immunoreactivity in the septal region, preoptic area and hypothalamus of the female sheep: colocalisation in neurokinin B cells of the arcuate nucleus but not in gonadotrophin-releasing hormone neurones. <i>Journal of Neuroendocrinology</i> , 2010 , 22, 1-12	3.8	132
57	Neural systems mediating seasonal breeding in the ewe. <i>Journal of Neuroendocrinology</i> , 2010 , 22, 674-81	3.8	45
56	Neuronal plasticity and seasonal reproduction in sheep. <i>European Journal of Neuroscience</i> , 2010 , 32, 2153-64	3.6	28
55	The kisspeptin/neurokinin B/dynorphin (KNDy) cell population of the arcuate nucleus: sex differences and effects of prenatal testosterone in sheep. <i>Endocrinology</i> , 2010 , 151, 301-11	4.8	211

54	Neuroplasticity in the mesolimbic system induced by natural reward and subsequent reward abstinence. <i>Biological Psychiatry</i> , 2010 , 67, 872-9	7.9	84
53	Lesions of the medial prefrontal cortex cause maladaptive sexual behavior in male rats. <i>Biological Psychiatry</i> , 2010 , 67, 1199-204	7.9	37
52	Methamphetamine acts on subpopulations of neurons regulating sexual behavior in male rats. <i>Neuroscience</i> , 2010 , 166, 771-84	3.9	35
51	Mixing pleasures: review of the effects of drugs on sex behavior in humans and animal models. <i>Hormones and Behavior</i> , 2010 , 58, 149-62	3.7	88
50	Orexin mediates initiation of sexual behavior in sexually naive male rats, but is not critical for sexual performance. <i>Hormones and Behavior</i> , 2010 , 58, 397-404	3.7	26
49	Minireview: kisspeptin/neurokinin B/dynorphin (KNDy) cells of the arcuate nucleus: a central node in the control of gonadotropin-releasing hormone secretion. <i>Endocrinology</i> , 2010 , 151, 3479-89	4.8	552
48	Effects of methamphetamine on sexual performance and compulsive sex behavior in male rats. <i>Psychopharmacology</i> , 2010 , 212, 93-104	4.7	23
47	Anatomy of the kisspeptin neural network in mammals. <i>Brain Research</i> , 2010 , 1364, 90-102	3.7	116
46	Activation of MAP kinase in lumbar spinothalamic cells is required for ejaculation. <i>Journal of Sexual Medicine</i> , 2010 , 7, 2445-57	1.1	18
45	Diurnal variations in natural and drug reward, mesolimbic tyrosine hydroxylase, and clock gene expression in the male rat. <i>Journal of Biological Rhythms</i> , 2009 , 24, 465-76	3.2	84
44	Estradiol negative feedback regulation by glutamatergic afferents to A15 dopaminergic neurons: variation with season. <i>Endocrinology</i> , 2009 , 150, 4663-71	4.8	14
43	Dynorphin immunoreactive fibers contact GnRH neurons in the human hypothalamus. <i>Reproductive Sciences</i> , 2009 , 16, 781-7	3	20
42	Role of SIP30 in the development and maintenance of peripheral nerve injury-induced neuropathic pain. <i>Pain</i> , 2009 , 146, 130-40	8	18
41	Neural regulation of ejaculation. <i>Journal of Sexual Medicine</i> , 2009 , 6 Suppl 3, 229-33	1.1	14
40	Bidirectional interactions between the circadian and reward systems: is restricted food access a unique zeitgeber?. <i>European Journal of Neuroscience</i> , 2009 , 30, 1739-48	3.5	57
39	Sexual reward in male rats: effects of sexual experience on conditioned place preferences associated with ejaculation and intromissions. <i>Hormones and Behavior</i> , 2009 , 55, 93-7	3.7	98
38	Variation in kisspeptin and RFamide-related peptide (RFRP) expression and terminal connections to gonadotropin-releasing hormone neurons in the brain: a novel medium for seasonal breeding in the sheep. <i>Endocrinology</i> , 2008 , 149, 5770-82	4.8	298
37	Evidence that gamma-aminobutyric acid is part of the neural circuit mediating estradiol negative feedback in anestrus ewes. <i>Endocrinology</i> , 2008 , 149, 2762-72	4.8	12

36	Kisspeptin neurons in the arcuate nucleus of the ewe express both dynorphin A and neurokinin B. <i>Endocrinology</i> , 2007 , 148, 5752-60	4.8	503
35	Effects of acute and chronic apomorphine on sex behavior and copulation-induced neural activation in the male rat. <i>European Journal of Pharmacology</i> , 2007 , 576, 61-76	5.3	16
34	Orphanin FQ: evidence for a role in the control of the reproductive neuroendocrine system. <i>Endocrinology</i> , 2007 , 148, 4993-5001	4.8	28
33	Treatment with a serotonin-depleting regimen of MDMA prevents conditioned place preference to sex in male rats. <i>Behavioral Neuroscience</i> , 2007 , 121, 586-93	2.1	12
32	Activation of POMC neurons during general arousal but not sexual behavior in male rats. <i>Behavioral Neuroscience</i> , 2007 , 121, 1012-22	2.1	6
31	Mating activates NMDA receptors in the medial preoptic area of male rats. <i>Behavioral Neuroscience</i> , 2007 , 121, 1023-31	2.1	34
30	Neurons containing tuberoinfundibular peptide of 39 residues are activated following male sexual behavior. <i>Neuropeptides</i> , 2006 , 40, 403-8	3.3	12
29	Morphological plasticity in the neural circuitry responsible for seasonal breeding in the ewe. <i>Endocrinology</i> , 2006 , 147, 4843-51	4.8	51
28	Risperidone pretreatment prevents elevated locomotor activity following neonatal hippocampal lesions. <i>Neuropsychopharmacology</i> , 2006 , 31, 77-89	8.7	41
27	Do similar neural systems subserve aggressive and sexual behaviour in male rats? Insights from c-Fos and pharmacological studies. <i>European Journal of Pharmacology</i> , 2005 , 526, 226-39	5.3	120
26	Neural control of ejaculation. <i>Journal of Comparative Neurology</i> , 2005 , 493, 39-45	3.4	56
25	Spinal cord control of ejaculation. <i>World Journal of Urology</i> , 2005 , 23, 119-26	4	78
24	Dopamine Receptor Alternative Splicing 2005 , 45-61		2
23	Neural system-enriched gene expression: relationship to biological pathways and neurological diseases. <i>Physiological Genomics</i> , 2004 , 18, 167-83	3.6	14
22	Evidence that dynorphin plays a major role in mediating progesterone negative feedback on gonadotropin-releasing hormone neurons in sheep. <i>Endocrinology</i> , 2004 , 145, 2959-67	4.8	180
21	Sexual behavior and sex-associated environmental cues activate the mesolimbic system in male rats. <i>Neuropsychopharmacology</i> , 2004 , 29, 718-30	8.7	157
20	Differential effects of adrenalectomy on melanin-concentrating hormone and orexin A. <i>Endocrinology</i> , 2004 , 145, 3404-12	4.8	16
19	The premammillary hypothalamic area of the ewe: anatomical characterization of a melatonin target area mediating seasonal reproduction. <i>Biology of Reproduction</i> , 2004 , 70, 1768-75	3.9	35

18	Central regulation of ejaculation. <i>Physiology and Behavior</i> , 2004 , 83, 203-15	3.5	205
17	Activation of mu opioid receptors in the medial preoptic area following copulation in male rats. <i>Neuroscience</i> , 2004 , 124, 11-21	3.9	53
16	Involvement of nitric oxide in sexual learning via action in the medial preoptic area: theoretical comment on Lagoda et al. (2004). <i>Behavioral Neuroscience</i> , 2004 , 118, 1473-5	2.1	
15	Altered behavioral response to dopamine D3 receptor agonists 7-OH-DPAT and PD 128907 following repetitive amphetamine administration. <i>Neuropsychopharmacology</i> , 2003 , 28, 1422-32	8.7	26
14	Activation of a subset of lumbar spinothalamic neurons after copulatory behavior in male but not female rats. <i>Journal of Neuroscience</i> , 2003 , 23, 325-31	6.6	110
13	Afferent connections of the parvocellular subparafascicular thalamic nucleus in the rat: evidence for functional subdivisions. <i>Journal of Comparative Neurology</i> , 2003 , 463, 132-56	3.4	74
12	Parvocellular subparafascicular thalamic nucleus in the rat: anatomical and functional compartmentalization. <i>Journal of Comparative Neurology</i> , 2003 , 463, 117-31	3.4	56
11	The catabolic action of insulin in the brain is mediated by melanocortins. <i>Journal of Neuroscience</i> , 2002 , 22, 9048-52	6.6	331
10	The selective serotonin re-uptake inhibitors fluvoxamine and paroxetine differ in sexual inhibitory effects after chronic treatment. <i>Psychopharmacology</i> , 2002 , 160, 283-9	4.7	68
9	Identification of a potential ejaculation generator in the spinal cord. <i>Science</i> , 2002 , 297, 1566-9	33.3	277
8	Colocalization of progesterone receptors in parvicellular dynorphin neurons of the ovine preoptic area and hypothalamus. <i>Endocrinology</i> , 2002 , 143, 4366-74	4.8	109
7	A new method for simultaneous demonstration of anterograde and retrograde connections in the brain: co-injections of biotinylated dextran amine and the beta subunit of cholera toxin. <i>Journal of Neuroscience Methods</i> , 1999 , 91, 1-8	3	30
6	Anatomical interrelationships of the medial preoptic area and other brain regions activated following male sexual behavior: a combined fos and tract-tracing study. <i>Journal of Comparative Neurology</i> , 1998 , 397, 421-35	3.4	117
5	Bidirectional connections of the medial amygdaloid nucleus in the Syrian hamster brain: simultaneous anterograde and retrograde tract tracing. <i>Journal of Comparative Neurology</i> , 1998 , 399, 189-209	3.4	180
4	Neural activation following sexual behavior in the male and female rat brain. <i>Behavioural Brain Research</i> , 1998 , 92, 181-93	3.4	174
3	Demonstration of ejaculation-induced neural activity in the male rat brain using 5-HT1A agonist 8-OH-DPAT. <i>Physiology and Behavior</i> , 1997 , 62, 881-91	3.5	88
2	Fos immunoreactivity in the rat brain following consummatory elements of sexual behavior: a sex comparison. <i>Brain Research</i> , 1996 , 738, 67-82	3.7	224
1	In vivo imaging of the GnRH pulse generator reveals a temporal order of neuronal activation and synchronization during each pulse		2

