

# Bartolomeo Della Ventura

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8579559/bartolomeo-della-ventura-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

55  
papers

1,020  
citations

21  
h-index

30  
g-index

61  
ext. papers

1,307  
ext. citations

5.3  
avg, IF

4.37  
L-index

#	Paper	IF	Citations
55	Double-Resonant Nanostructured Gold Surface for Multiplexed Detection.. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2022</b> ,	9.5	2
54	Nanostructured Surfaces as Plasmonic Biosensors: A Review (Adv. Mater. Interfaces 2/2022). <i>Advanced Materials Interfaces</i> , <b>2022</b> , 9, 2270009	4.6	0
53	Solid-state optical properties of self-assembling amyloid-like peptides with different charged states at the terminal ends.. <i>Scientific Reports</i> , <b>2022</b> , 12, 759	4.9	1
52	Loading of Polydimethylsiloxane with a Human ApoB-Derived Antimicrobial Peptide to Prevent Bacterial Infections.. <i>International Journal of Molecular Sciences</i> , <b>2022</b> , 23,	6.3	2
51	Analysis of the optical response of a SARS-CoV-2-directed colorimetric immunosensor. <i>AIP Advances</i> , <b>2021</b> , 11, 065319	1.5	4
50	Use of some cost-effective technologies for a routine clinical pathology laboratory. <i>Lab on A Chip</i> , <b>2021</b> , 21, 4330-4351	7.2	3
49	Optimized Identification of High-Grade Prostate Cancer by Combining Different PSA Molecular Forms and PSA Density in a Deep Learning Model. <i>Diagnostics</i> , <b>2021</b> , 11,	3.8	4
48	Randomly positioned gold nanoparticles as fluorescence enhancers in apta-immunosensor for malaria test. <i>Mikrochimica Acta</i> , <b>2021</b> , 188, 88	5.8	10
47	Fluorescence Emission of Self-assembling Amyloid-like Peptides: Solution versus Solid State. <i>ChemPhysChem</i> , <b>2021</b> , 22, 2215-2221	3.2	3
46	Screen Printed Based Impedimetric Immunosensor for Rapid Detection of in Drinking Water. <i>Sensors</i> , <b>2020</b> , 20,	3.8	28
45	The Union Is Strength: The Synergic Action of Long Fatty Acids and a Bacteriophage against Biofilm. <i>Microorganisms</i> , <b>2020</b> , 9,	4.9	6
44	Colorimetric Test for Fast Detection of SARS-CoV-2 in Nasal and Throat Swabs. <i>ACS Sensors</i> , <b>2020</b> , 5, 3043-3048	9.2	76
43	LSPR-based colorimetric immunosensor for rapid and sensitive 17Estradiol detection in tap water. <i>Sensors and Actuators B: Chemical</i> , <b>2020</b> , 308, 127699	8.5	28
42	Ultrasensitive antibody-aptamer plasmonic biosensor for malaria biomarker detection in whole blood. <i>Nature Communications</i> , <b>2020</b> , 11, 6134	17.4	29
41	Time-gated luminescence imaging of positively charged poly-l-lysine-coated highly microporous silicon nanoparticles in living Hydra polyp. <i>Journal of Biophotonics</i> , <b>2020</b> , 13, e202000272	3.1	6
40	Core-Shell Magnetic Nanoparticles for Highly Sensitive Magnetoelastic Immunosensor. <i>Nanomaterials</i> , <b>2020</b> , 10,	5.4	4
39	Self-Formed, Conducting LaAlO <sub>3</sub> /SrTiO <sub>3</sub> Micro-Membranes. <i>Advanced Functional Materials</i> , <b>2020</b> , 30, 1909964	15.6	4

38	Effects of human antimicrobial cryptides identified in apolipoprotein B depend on specific features of bacterial strains. <i>Scientific Reports</i> , <b>2019</b> , 9, 6728	4.9	21
37	Biomimetic hydroxyapatite nanocrystals are an active carrier for bacteriophages. <i>International Journal of Nanomedicine</i> , <b>2019</b> , 14, 2219-2232	7.3	18
36	Photoemissive properties and stability of undecylenic acid-modified porous silicon nanoparticles in physiological medium. <i>Applied Physics Letters</i> , <b>2019</b> , 114, 113701	3.4	3
35	Green synthesis of conductive polyaniline by laccase using a DNA template. <i>Engineering in Life Sciences</i> , <b>2019</b> , 19, 631-642	3.4	7
34	Quartz Crystal Microbalance Sensors: New Tools for the Assessment of Organic Threats to the Quality of Water. <i>Handbook of Environmental Chemistry</i> , <b>2019</b> , 315-342	0.8	1
33	A multi-scale time-resolved study of photoactivated dynamics in 5-benzyl uracil, a model for DNA/protein interactions. <i>Physical Chemistry Chemical Physics</i> , <b>2019</b> , 21, 26301-26310	3.6	4
32	Biosensor surface functionalization by a simple photochemical immobilization of antibodies: experimental characterization by mass spectrometry and surface enhanced Raman spectroscopy. <i>Analyst, The</i> , <b>2019</b> , 144, 6871-6880	5	22
31	Biosensor for Point-of-Care Analysis of Immunoglobulins in Urine by Metal Enhanced Fluorescence from Gold Nanoparticles. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 3753-3762	9.5	32
30	Colorimetric Immunosensor by Aggregation of Photochemically Functionalized Gold Nanoparticles. <i>ACS Omega</i> , <b>2018</b> , 3, 3805-3812	3.9	48
29	Self-Assembling of Fmoc-GC Peptide Nucleic Acid Dimers into Highly Fluorescent Aggregates. <i>Chemistry - A European Journal</i> , <b>2018</b> , 24, 4729-4735	4.8	16
28	QCM-based immunosensor for rapid detection of Salmonella Typhimurium in food. <i>Scientific Reports</i> , <b>2018</b> , 8, 16137	4.9	47
27	Label-Free Detection of Gliadin in Food by Quartz Crystal Microbalance-Based Immunosensor. <i>Journal of Agricultural and Food Chemistry</i> , <b>2017</b> , 65, 1281-1289	5.7	17
26	Flexible immunosensor for the detection of salivary $\alpha$ -amylase in body fluids. <i>Talanta</i> , <b>2017</b> , 174, 52-58	6.2	29
25	Effective antibodies immobilization and functionalized nanoparticles in a quartz-crystal microbalance-based immunosensor for the detection of parathion. <i>PLoS ONE</i> , <b>2017</b> , 12, e0171754	3.7	36
24	Time-resolved analysis of DNA-protein interactions in living cells by UV laser pulses. <i>Scientific Reports</i> , <b>2017</b> , 7, 11725	4.9	9
23	The tumor necrosis factor g1022G>A polymorphism is associated with resistance to tuberculosis in water buffalo ( <i>Bubalus bubalis</i> ). <i>Animal Genetics</i> , <b>2017</b> , 48, 250-251	2.5	2
22	Femtosecond UV-laser pulses to unveil protein-protein interactions in living cells. <i>Cellular and Molecular Life Sciences</i> , <b>2016</b> , 73, 637-48	10.3	25
21	Simple and Flexible Model for Laser-Driven Antibody-Gold Surface Interactions: Functionalization and Sensing. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2016</b> , 8, 21762-9	9.5	4

20	Vmh2 hydrophobin layer entraps glucose: A quantitative characterization by label-free optical and gravimetric methods. <i>Applied Surface Science</i> , <b>2016</b> , 364, 201-207	6.7	9
19	Single Molecule Characterization of UV-Activated Antibodies on Gold by Atomic Force Microscopy. <i>Langmuir</i> , <b>2016</b> , 32, 8084-91	4	24
18	A simple MALDI plate functionalization by Vmh2 hydrophobin for serial multi-enzymatic protein digestions. <i>Analytical and Bioanalytical Chemistry</i> , <b>2015</b> , 407, 487-96	4.4	28
17	Detection of parathion and patulin by quartz-crystal microbalance functionalized by the photonics immobilization technique. <i>Biosensors and Bioelectronics</i> , <b>2015</b> , 67, 224-9	11.8	70
16	Nano-machining of biosensor electrodes through gold nanoparticles deposition produced by femtosecond laser ablation. <i>Applied Physics B: Lasers and Optics</i> , <b>2015</b> , 119, 497-501	1.9	6
15	Photophysics and photochemistry of a DNA-protein cross-linking model: a synergistic approach combining experiments and theory. <i>Journal of Physical Chemistry B</i> , <b>2014</b> , 118, 4983-92	3.4	12
14	Nano- and femtosecond UV laser pulses to immobilize biomolecules onto surfaces with preferential orientation. <i>Applied Physics A: Materials Science and Processing</i> , <b>2014</b> , 117, 185-190	2.6	3
13	Analysis of chromatin-nuclear receptor interactions by laser-chromatin immunoprecipitation. <i>Methods in Molecular Biology</i> , <b>2014</b> , 1204, 25-34	1.4	2
12	Low-lying excited-states of 5-benzyluracil. <i>Physical Chemistry Chemical Physics</i> , <b>2013</b> , 15, 7161-73	3.6	11
11	Detection of parathion pesticide by quartz crystal microbalance functionalized with UV-activated antibodies. <i>Analytical Chemistry</i> , <b>2013</b> , 85, 6392-7	7.8	55
10	Enzyme distribution and secondary structure of sol-gel immobilized glucose oxidase by micro-attenuated total reflection FT-IR spectroscopy. <i>Materials Science and Engineering C</i> , <b>2013</b> , 33, 304-10	8.2	47
9	<i>Clostridium difficile</i> antibodies: a patent evaluation (WO2013028810). <i>Expert Opinion on Therapeutic Patents</i> , <b>2013</b> , 23, 1635-40	6.8	2
8	Optical properties of sol-gel immobilized Laccase: a first step for its use in optical biosensing <b>2012</b> ,		1
7	Light assisted antibody immobilization for bio-sensing. <i>Biomedical Optics Express</i> , <b>2011</b> , 2, 3223-31	3.5	48
6	FT-IR microscopy characterization of sol-gel layers prior and after glucose oxidase immobilization for biosensing applications. <i>Journal of Sol-Gel Science and Technology</i> , <b>2011</b> , 57, 204-211	2.3	35
5	Visible micro-Raman spectroscopy for determining glucose content in beverage industry. <i>Food Chemistry</i> , <b>2011</b> , 127, 735-42	8.5	40
4	Glucose sensing by time-resolved fluorescence of sol-gel immobilized glucose oxidase. <i>Sensors</i> , <b>2011</b> , 11, 3483-97	3.8	25
3	Fiber-optic glucose biosensor based on glucose oxidase immobilised in a silica gel matrix. <i>Journal of Sol-Gel Science and Technology</i> , <b>2009</b> , 50, 437-448	2.3	41

2	Nanostructured Surfaces as Plasmonic Biosensors: A Review. <i>Advanced Materials Interfaces</i> ,2101133	4.6	6
1	Colorimetric Test for Fast Detection of SARS-CoV-2 in Nasal and Throat Swabs		o