

Jeremy S Whelan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/858096/publications.pdf>

Version: 2024-02-01

119
papers

7,929
citations

101384

36
h-index

51492

86
g-index

123
all docs

123
docs citations

123
times ranked

8419
citing authors

#	ARTICLE	IF	CITATIONS
1	Current approaches to management of bone sarcoma in adolescent and young adult patients. <i>Pediatric Blood and Cancer</i> , 2022, 69, e29442.	0.8	9
2	Associations between diagnostic time intervals and health-related quality of life, clinical anxiety and depression in adolescents and young adults with cancer: cross-sectional analysis of the BRIGHTLIGHT cohort. <i>British Journal of Cancer</i> , 2022, 126, 1725-1734.	2.9	10
3	Disease progression in osteosarcoma: a multistate model for the EURAMOS-1 (European and American) Tj ETQq1 1.0.784314 rgBT /O	0.8	1
4	Survival after high-dose chemotherapy for refractory and recurrent Ewing sarcoma. <i>European Journal of Cancer</i> , 2022, 170, 131-139.	1.3	4
5	Phase III assessment of topotecan and cyclophosphamide and high-dose ifosfamide in rEECur: An international randomized controlled trial of chemotherapy for the treatment of recurrent and primary refractory Ewing sarcoma (RR-ES).. <i>Journal of Clinical Oncology</i> , 2022, 40, LBA2-LBA2.	0.8	11
6	Linking EORTC QLQ-C-30 and PedsQL/PEDQOL physical functioning scores in patients with osteosarcoma. <i>European Journal of Cancer</i> , 2022, 170, 209-235.	1.3	2
7	SARC025 arms 1 and 2: A phase 1 study of the poly(ADP-ribose) polymerase inhibitor niraparib with temozolomide or irinotecan in patients with advanced Ewing sarcoma. <i>Cancer</i> , 2021, 127, 1301-1310.	2.0	20
8	The BRIGHTLIGHT National Survey of the Impact of Specialist Teenage and Young Adult Cancer Care on Caregiversâ€™ Information and Support Needs. <i>Cancer Nursing</i> , 2021, 44, 235-243.	0.7	9
9	Processes of care and survival associated with treatment in specialist teenage and young adult cancer centres: results from the BRIGHTLIGHT cohort study. <i>BMJ Open</i> , 2021, 11, e044854.	0.8	5
10	Multimodal analysis of cell-free DNA whole-genome sequencing for pediatric cancers with low mutational burden. <i>Nature Communications</i> , 2021, 12, 3230.	5.8	95
11	Reporting the whole story: Analysis of the â€œoutâ€ofâ€scopeâ€™ questions from the James Lind Alliance Teenage and Young Adult Cancer Priority Setting Partnership Survey. <i>Health Expectations</i> , 2021, 24, 1593-1606.	1.1	8
12	Osteosarcoma-Approach to Therapy. <i>Pediatric Oncology</i> , 2021, , 91-109.	0.5	10
13	Specialist cancer services for teenagers and young adults in England: BRIGHTLIGHT research programme. <i>Programme Grants for Applied Research</i> , 2021, 9, 1-82.	0.4	3
14	Continuous 14 Day Infusional Ifosfamide for Management of Soft-Tissue and Bone Sarcoma: A Single Centre Retrospective Cohort Analysis. <i>Cancers</i> , 2020, 12, 3408.	1.7	2
15	Seeking international consensus on approaches to primary tumour treatment in Ewing sarcoma. <i>Clinical Sarcoma Research</i> , 2020, 10, 21.	2.3	14
16	BRIGHTLIGHT researchers as â€˜dramaturgsâ€™: creating There is a Light from complex research data. <i>Research Involvement and Engagement</i> , 2020, 6, 48.	1.1	3
17	Association of Self-reported Presenting Symptoms With Timeliness of Help-Seeking Among Adolescents and Young Adults With Cancer in the BRIGHTLIGHT Study. <i>JAMA Network Open</i> , 2020, 3, e2015437.	2.8	10
18	Untellable tales and uncertain futures: the unfolding narratives of young adults with cancer. <i>International Journal of Social Research Methodology: Theory and Practice</i> , 2020, 23, 377-390.	2.3	6

#	ARTICLE	IF	CITATIONS
19	Development of a patient-reported experience questionnaire for patients with sarcoma: the Sarcoma Assessment Measure (SAM). <i>Quality of Life Research</i> , 2020, 29, 2287-2297.	1.5	19
20	Longitudinal cohort study of the impact of specialist cancer services for teenagers and young adults on quality of life: outcomes from the BRIGHTLIGHT study. <i>BMJ Open</i> , 2020, 10, e038471.	0.8	17
21	Comparison of two chemotherapy regimens in Ewing sarcoma (ES): Overall and subgroup results of the Euro Ewing 2012 randomized trial (EE2012).. <i>Journal of Clinical Oncology</i> , 2020, 38, 11500-11500.	0.8	36
22	Results of the second interim assessment of rEECur, an international randomized controlled trial of chemotherapy for the treatment of recurrent and primary refractory Ewing sarcoma (RR-ES).. <i>Journal of Clinical Oncology</i> , 2020, 38, 11502-11502.	0.8	34
23	Correlation of response with progression-free (PFS) and overall (OS) survival in relapsed/refractory Ewing sarcoma (RR-ES): Results from the rEECur trial.. <i>Journal of Clinical Oncology</i> , 2020, 38, 11524-11524.	0.8	1
24	Health professional perceptions of communicating with adolescents and young adults about bone cancer clinical trial participation. <i>Supportive Care in Cancer</i> , 2019, 27, 467-475.	1.0	13
25	Understanding care when cure is not likely for young adults who face cancer: a realist analysis of data from patients, families and healthcare professionals. <i>BMJ Open</i> , 2019, 9, e024397.	0.8	10
26	Qualitative study exploring patients experiences of being diagnosed and living with primary bone cancer in the UK. <i>BMJ Open</i> , 2019, 9, e028693.	0.8	17
27	Survival and prognosis with osteosarcoma: outcomes in more than 2000 patients in the EURAMOS-1 (European and American Osteosarcoma Study) cohort. <i>European Journal of Cancer</i> , 2019, 109, 36-50.	1.3	354
28	Description of the BRIGHTLIGHT cohort: the evaluation of teenage and young adult cancer services in England. <i>BMJ Open</i> , 2019, 9, e027797.	0.8	17
29	A Critical Review of the Impact of Sarcoma on Psychosocial Wellbeing. <i>Sarcoma</i> , 2019, 2019, 1-18.	0.7	34
30	A novel method to address the association between received dose intensity and survival outcome: benefits of approaching treatment intensification at a more individualised level in a trial of the European Osteosarcoma Intergroup. <i>Cancer Chemotherapy and Pharmacology</i> , 2019, 83, 951-962.	1.1	20
31	Research priorities for young people with cancer: a UK priority setting partnership with the James Lind Alliance. <i>BMJ Open</i> , 2019, 9, e028119.	0.8	42
32	Method to measure the mismatch between target and achieved received dose intensity of chemotherapy in cancer trials: a retrospective analysis of the MRC BO06 trial in osteosarcoma. <i>BMJ Open</i> , 2019, 9, e022980.	0.8	5
33	Marginal structural models with dose-delay joint-exposure for assessing variations to chemotherapy intensity. <i>Statistical Methods in Medical Research</i> , 2019, 28, 2787-2801.	0.7	2
34	Patient perspectives on a national multidisciplinary team meeting for a rare cancer. <i>European Journal of Cancer Care</i> , 2019, 28, e12971.	0.7	13
35	The current status of MRI in the pre-operative assessment of intramedullary conventional appendicular osteosarcoma. <i>Skeletal Radiology</i> , 2019, 48, 503-516.	1.2	28
36	Results of the first interim assessment of rEECur, an international randomized controlled trial of chemotherapy for the treatment of recurrent and primary refractory Ewing sarcoma.. <i>Journal of Clinical Oncology</i> , 2019, 37, 11007-11007.	0.8	20

#	ARTICLE	IF	CITATIONS
37	Quality of Life of Patients With Osteosarcoma in the European American Osteosarcoma Study-1 (EURAMOS-1): Development and Implementation of a Questionnaire Substudy. <i>JMIR Research Protocols</i> , 2019, 8, e14406.	0.5	4
38	Diagnostic timeliness in adolescents and young adults with cancer: a cross-sectional analysis of the BRIGHTLIGHT cohort. <i>The Lancet Child and Adolescent Health</i> , 2018, 2, 180-190.	2.7	42
39	Survival is influenced by approaches to local treatment of Ewing sarcoma within an international randomised controlled trial: analysis of EICESS-92. <i>Clinical Sarcoma Research</i> , 2018, 8, 6.	2.3	19
40	Osteosarcoma, Chondrosarcoma, and Chordoma. <i>Journal of Clinical Oncology</i> , 2018, 36, 188-193.	0.8	288
41	High-Dose Chemotherapy and Blood Autologous Stem-Cell Rescue Compared With Standard Chemotherapy in Localized High-Risk Ewing Sarcoma: Results of Euro-E.W.I.N.C.99 and Ewing-2008. <i>Journal of Clinical Oncology</i> , 2018, 36, 3110-3119.	0.8	107
42	Involving young people in BRIGHTLIGHT from study inception to secondary data analysis: insights from 10 years of user involvement. <i>Research Involvement and Engagement</i> , 2018, 4, 50.	1.1	17
43	Age-related sarcoma patient experience: results from a national survey in England. <i>BMC Cancer</i> , 2018, 18, 991.	1.1	28
44	Conceptualizing age-appropriate care for teenagers and young adults with cancer: a qualitative mixed-methods study. <i>Adolescent Health, Medicine and Therapeutics</i> , 2018, Volume 9, 149-166.	0.7	25
45	Survival of adults with cancers of bone or soft tissue in Europe—Report from the EUROCARE-5 study. <i>Cancer Epidemiology</i> , 2018, 56, 146-153.	0.8	30
46	Current questions in bone sarcomas. <i>Current Opinion in Oncology</i> , 2018, 30, 252-259.	1.1	31
47	Sex, Body Image, and Relationships: A BRIGHTLIGHT Workshop on Information and Support Needs of Adolescents and Young Adults. <i>Journal of Adolescent and Young Adult Oncology</i> , 2018, 7, 572-578.	0.7	16
48	Respiratory mortality of childhood, adolescent and young adult cancer survivors. <i>Thorax</i> , 2018, 73, 959-968.	2.7	27
49	Crystal growth, a research-driven laboratory course. <i>Journal of Applied Crystallography</i> , 2018, 51, 1474-1480.	1.9	3
50	Cancer Research and AYA. , 2018, , 19-35.		1
51	Experiences and Preferences for End-of-Life Care for Young Adults with Cancer and Their Informal Carers: A Narrative Synthesis. <i>Journal of Adolescent and Young Adult Oncology</i> , 2017, 6, 200-212.	0.7	28
52	Global assessment of cancer incidence and survival in adolescents and young adults. <i>Pediatric Blood and Cancer</i> , 2017, 64, e26497.	0.8	84
53	Adolescent and Young Adult Oncology: Historical and Global Perspectives. <i>Pediatric Oncology</i> , 2017, , 1-6.	0.5	3
54	Head and neck sarcomas: A single institute series. <i>Oral Oncology</i> , 2017, 65, 16-22.	0.8	23

#	ARTICLE	IF	CITATIONS
55	Gemcitabine and docetaxel versus doxorubicin as first-line treatment in previously untreated advanced unresectable or metastatic soft-tissue sarcomas (GeDDiS): a randomised controlled phase 3 trial. <i>Lancet Oncology</i> , The, 2017, 18, 1397-1410.	5.1	352
56	Optimizing a Retention Strategy with Young People for BRIGHTLIGHT, a Longitudinal Cohort Study Examining the Value of Specialist Cancer Care for Young People. <i>Journal of Adolescent and Young Adult Oncology</i> , 2017, 6, 459-469.	0.7	15
57	Qualitative study to understand the barriers to recruiting young people with cancer to BRIGHTLIGHT: a national cohort study in England. <i>BMJ Open</i> , 2017, 7, e018291.	0.8	13
58	Access and Models of Care. <i>Pediatric Oncology</i> , 2017, , 509-547.	0.5	6
59	Bone Sarcomas in the Adolescent and Young Adult Population. <i>Pediatric Oncology</i> , 2017, , 417-427.	0.5	1
60	Conclusions, Perspectives, and Future Considerations. <i>Pediatric Oncology</i> , 2017, , 819-825.	0.5	0
61	Mapping Adolescent Cancer Services. <i>Cancer Nursing</i> , 2016, 39, 358-366.	0.7	23
62	UK guidelines for the management of soft tissue sarcomas. <i>Clinical Sarcoma Research</i> , 2016, 6, 20.	2.3	311
63	Can postoperative radiotherapy be omitted in localised standard-risk Ewing sarcoma? An observational study of the Euro-E.W.I.N.G group. <i>European Journal of Cancer</i> , 2016, 61, 128-136.	1.3	69
64	Comparison of MAPIE versus MAP in patients with a poor response to preoperative chemotherapy for newly diagnosed high-grade osteosarcoma (EURAMOS-1): an open-label, international, randomised controlled trial. <i>Lancet Oncology</i> , The, 2016, 17, 1396-1408.	5.1	356
65	Modified international e-Delphi survey to define healthcare professional competencies for working with teenagers and young adults with cancer. <i>BMJ Open</i> , 2016, 6, e011361.	0.8	57
66	Direct access to potential research participants for a cohort study using a confidentiality waiver included in UK National Health Service legal statutes. <i>BMJ Open</i> , 2016, 6, e011847.	0.8	6
67	UK guidelines for the management of bone sarcomas. <i>Clinical Sarcoma Research</i> , 2016, 6, 7.	2.3	163
68	Cancer in Adolescents and Young Adults. <i>JAMA Pediatrics</i> , 2016, 170, 495.	3.3	329
69	A participatory study of teenagers and young adults views on access and participation in cancer research. <i>European Journal of Oncology Nursing</i> , 2016, 20, 156-164.	0.9	31
70	Aspergillosis complicating a microwave ablation cavity. <i>BMJ Case Reports</i> , 2016, 2016, bcr2016216438.	0.2	2
71	Efficacy of busulfan-melphalan high dose chemotherapy consolidation (BuMel) in localized high-risk Ewing sarcoma (ES): Results of EURO-EWING 99-R2 randomized trial (EE99R2Loc).. <i>Journal of Clinical Oncology</i> , 2016, 34, 11000-11000.	0.8	10
72	Efficacy of busulfan-melphalan high dose chemotherapy consolidation (BuMel) compared to conventional chemotherapy combined with lung irradiation in ewing sarcoma (ES) with primary lung metastases: Results of EURO-EWING 99-R2pulm randomized trial (EE99R2pul).. <i>Journal of Clinical Oncology</i> , 2016, 34, 11001-11001.	0.8	17

#	ARTICLE	IF	CITATIONS
73	Impact of gender on efficacy and acute toxicity of alkylating agent -based chemotherapy in Ewing sarcoma: Secondary analysis of the Euro-Ewing99-R1 trial. <i>European Journal of Cancer</i> , 2015, 51, 2453-2464.	1.3	21
74	Primary cutaneous and subcutaneous Ewing sarcoma. <i>Pediatric Blood and Cancer</i> , 2015, 62, 1555-1561.	0.8	25
75	Extraskeletal Ewing's Sarcoma Arising from the Sciatic Nerve: A Diagnostic Challenge. <i>Case Reports in Surgery</i> , 2015, 2015, 1-3.	0.2	3
76	Methotrexate, Doxorubicin, and Cisplatin (MAP) Plus Maintenance Pegylated Interferon Alfa-2b Versus MAP Alone in Patients With Resectable High-Grade Osteosarcoma and Good Histologic Response to Preoperative MAP: First Results of the EURAMOS-1 Good Response Randomized Controlled Trial. <i>Journal of Clinical Oncology</i> , 2015, 33, 2279-2287.	0.8	329
77	Mesenchymal chondrosarcoma: Prognostic factors and outcome in 113 patients. A European Musculoskeletal Oncology Society study. <i>European Journal of Cancer</i> , 2015, 51, 374-381.	1.3	133
78	Novel participatory methods of involving patients in research: naming and branding a longitudinal cohort study, BRIGHTLIGHT. <i>BMC Medical Research Methodology</i> , 2015, 15, 20.	1.4	32
79	A phase II trial to assess the activity of gemcitabine and docetaxel as first line chemotherapy treatment in patients with unresectable leiomyosarcoma. <i>Clinical Sarcoma Research</i> , 2015, 5, 13.	2.3	44
80	Development and validation of the BRIGHTLIGHT Survey, a patient-reported experience measure for young people with cancer. <i>Health and Quality of Life Outcomes</i> , 2015, 13, 107.	1.0	50
81	The expanding role of primary care in cancer control. <i>Lancet Oncology</i> , The, 2015, 16, 1231-1272.	5.1	399
82	GeDDiS: A prospective randomised controlled phase III trial of gemcitabine and docetaxel compared with doxorubicin as first-line treatment in previously untreated advanced unresectable or metastatic soft tissue sarcomas (EudraCT 2009-014907-29).. <i>Journal of Clinical Oncology</i> , 2015, 33, 10500-10500.	0.8	38
83	Event-free survival and overall survival in 2,253 patients with osteosarcoma registered to EURAMOS-1.. <i>Journal of Clinical Oncology</i> , 2015, 33, 10512-10512.	0.8	4
84	Investigating the heterogeneity of alkylating agents' efficacy between genders: A meta-analysis of randomized trials comparing cyclophosphamide and ifosfamide (MAIAGE study).. <i>Journal of Clinical Oncology</i> , 2015, 33, e21500-e21500.	0.8	0
85	Available, accessible, aware, appropriate, and acceptable: a strategy to improve participation of teenagers and young adults in cancer trials. <i>Lancet Oncology</i> , The, 2014, 15, e341-e350.	5.1	105
86	Trabectedin for desmoplastic small round cell tumours: a possible treatment option?. <i>Clinical Sarcoma Research</i> , 2014, 4, 3.	2.3	23
87	Doxorubicin alone versus intensified doxorubicin plus ifosfamide for first-line treatment of advanced or metastatic soft-tissue sarcoma: a randomised controlled phase 3 trial. <i>Lancet Oncology</i> , The, 2014, 15, 415-423.	5.1	864
88	Developing a conceptual model of teenage and young adult experiences of cancer through meta-synthesis. <i>International Journal of Nursing Studies</i> , 2013, 50, 832-846.	2.5	65
89	Why can't we improve the timeliness of cancer diagnosis in children, teenagers, and young adults?. <i>BMJ</i> , The, 2013, 347, f6493-f6493.	3.0	24
90	The Art of Age-Appropriate Care. <i>Cancer Nursing</i> , 2013, 36, E27-E38.	0.7	88

#	ARTICLE	IF	CITATIONS
91	Young people describe their prediagnosis cancer experience. <i>Psycho-Oncology</i> , 2013, 22, 2585-2592.	1.0	31
92	National Cancer Research Institute Teenage and Young Adult Clinical Studies Group: The United Kingdom Approach to Research. International Perspectives on AYAO, Part 4. <i>Journal of Adolescent and Young Adult Oncology</i> , 2013, 2, 161-166.	0.7	18
93	Benefits and Adverse Events in Younger Versus Older Patients Receiving Neoadjuvant Chemotherapy for Osteosarcoma: Findings From a Meta-Analysis. <i>Journal of Clinical Oncology</i> , 2013, 31, 2303-2312.	0.8	161
94	Presence of chemotherapy-induced toxicity predicts improved survival in patients with localised extremity osteosarcoma treated with doxorubicin and cisplatin: A report from the European Osteosarcoma Intergroup. <i>European Journal of Cancer</i> , 2012, 48, 703-712.	1.3	42
95	Interval compressed vincristine, doxorubicin, cyclophosphamide alternating with ifosfamide, etoposide in patients with advanced Ewing's sarcomas and other Small Round Cell Sarcomas. <i>Clinical Sarcoma Research</i> , 2012, 2, 12.	2.3	18
96	Incidence and survival of malignant bone sarcomas in England 1979-2007. <i>International Journal of Cancer</i> , 2012, 131, E508-17.	2.3	196
97	Germline genetic polymorphisms may influence chemotherapy response and disease outcome in osteosarcoma. <i>Cancer</i> , 2012, 118, 1856-1867.	2.0	126
98	EURAMOS-1 study: Recruitment, characteristics, and initial treatment of more than 2,000 patients (pts) with high-grade osteosarcoma. <i>Journal of Clinical Oncology</i> , 2012, 30, 10081-10081.	0.8	3
99	Bone metastases in soft tissue sarcoma patients: A survey of natural, prognostic value, and treatment. <i>Journal of Clinical Oncology</i> , 2012, 30, 10063-10063.	0.8	0
100	Participation of teenagers and young adults (TYA) in cancer clinical trials (CCT): What can we learn from six years of accrual data in England?. <i>Journal of Clinical Oncology</i> , 2012, 30, 6115-6115.	0.8	0
101	Workshop Report on the European Bone Sarcoma Networking Meeting: Integration of Clinical Trials with Tumor Biology. <i>Journal of Adolescent and Young Adult Oncology</i> , 2011, 1, 118-123.	0.7	2
102	"Your Place or Mine?" Priorities for a Specialist Teenage and Young Adult (TYA) Cancer Unit: Disparity Between TYA and Professional Perceptions. <i>Journal of Adolescent and Young Adult Oncology</i> , 2011, 1, 145-151.	0.7	33
103	Primary Disseminated Multifocal Ewing Sarcoma: Results of the Euro-EWING 99 Trial. <i>Journal of Clinical Oncology</i> , 2010, 28, 3284-3291.	0.8	429
104	Recruitment of Adolescents and Young Adults to Cancer Clinical Trials: International Comparisons, Barriers, and Implications. <i>Seminars in Oncology</i> , 2010, 37, e1-e8.	0.8	80
105	The role of interferons in the treatment of osteosarcoma. <i>Pediatric Blood and Cancer</i> , 2010, 54, 350-354.	0.8	57
106	Emerging Chemotherapeutic Strategies and the Role of Treatment Stratification in Ewing Sarcoma. <i>Paediatric Drugs</i> , 2008, 10, 93-105.	1.3	21
107	Poor accrual of teenagers and young adults into clinical trials in the UK. <i>Lancet Oncology</i> , The, 2008, 9, 306-307.	5.1	21
108	Results of the EICESS-92 Study: Two Randomized Trials of Ewing's Sarcoma Treatment: Cyclophosphamide Compared With Ifosfamide in Standard-Risk Patients and Assessment of Benefit of Etoposide Added to Standard Treatment in High-Risk Patients. <i>Journal of Clinical Oncology</i> , 2008, 26, 4385-4393.	0.8	236

#	ARTICLE	IF	CITATIONS
109	Improvement in Histologic Response But Not Survival in Osteosarcoma Patients Treated With Intensified Chemotherapy: A Randomized Phase III Trial of the European Osteosarcoma Intergroup. <i>Journal of the National Cancer Institute</i> , 2007, 99, 112-128.	3.0	314
110	Where do teenagers and young adults receive treatment for cancer?. <i>Journal of Public Health</i> , 2007, 29, 178-182.	1.0	18
111	Safety assessment of intensive induction with vincristine, ifosfamide, doxorubicin, and etoposide (VIDE) in the treatment of Ewing tumors in the EURO-E.W.I.N.G. 99 clinical trial. <i>Pediatric Blood and Cancer</i> , 2006, 47, 22-29.	0.8	238
112	Management of osteosarcoma. <i>Current Treatment Options in Oncology</i> , 2006, 7, 444-455.	1.3	69
113	A Phase II Study of Docetaxel for the Treatment of Recurrent Osteosarcoma. <i>Sarcoma</i> , 2004, 8, 71-76.	0.7	14
114	Carboplatin-based chemotherapy for refractory and recurrent Ewing's tumours. <i>Pediatric Blood and Cancer</i> , 2004, 43, 237-242.	0.8	20
115	Late relapse of osteosarcoma: Implications for follow-up and screening. <i>Pediatric Blood and Cancer</i> , 2004, 43, 692-697.	0.8	45
116	A Phase II Study of Docetaxel for the Treatment of Recurrent Osteosarcoma. <i>Sarcoma</i> , 2004, 8, 71-6.	0.7	5
117	Malignant round cell tumours of bone: atypical clinical and imaging features. <i>Skeletal Radiology</i> , 2000, 29, 646-651.	1.2	17
118	Omeprazole does not alter plasma methotrexate clearance. <i>Cancer Chemotherapy and Pharmacology</i> , 1999, 44, 88-89.	1.1	15
119	Multi-Focal, Multi-Centric Angiosarcoma of Bone. <i>Sarcoma</i> , 1997, 1, 183-187.	0.7	5