

Maria R Finckh

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8581839/maria-r-finckh-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84
papers

1,956
citations

21
h-index

42
g-index

101
ext. papers

2,483
ext. citations

3.4
avg, IF

5.12
L-index

#	Paper	IF	Citations
84	Genome-wide association study reveals white lupin candidate gene involved in anthracnose resistance.. <i>Theoretical and Applied Genetics</i> , 2022 , 1	6	0
83	Supply Chain Perspectives on Breeding for Legume-Cereal Intercrops.. <i>Frontiers in Plant Science</i> , 2022 , 13, 844635	6.2	2
82	Harnessing the Potential of Wheat-Pea Species Mixtures: Evaluation of Multifunctional Performance and Wheat Diversity.. <i>Frontiers in Plant Science</i> , 2022 , 13, 846237	6.2	2
81	Mixture CGenotype Effects in Cereal/Legume Intercropping.. <i>Frontiers in Plant Science</i> , 2022 , 13, 846720	6.2	1
80	The potential of alternative seed treatments to control anthracnose disease in white lupin. <i>Crop Protection</i> , 2022 , 158, 106009	2.7	0
79	Adoption of Food Species Mixtures from FarmersPerspectives in Germany: Managing Complexity and Harnessing Advantages. <i>Agriculture (Switzerland)</i> , 2022 , 12, 697	3	0
78	Combining Genetic Gain and Diversity in Plant Breeding: Heritability of Root Selection in Wheat Populations. <i>Sustainability</i> , 2021 , 13, 12778	3.6	2
77	A High-Throughput Phenotyping Tool to Identify Field-Relevant Anthracnose Resistance in White Lupin. <i>Plant Disease</i> , 2021 , 105, 1719-1727	1.5	6
76	Continuous variation and specific interactions in the Pyrenophora teres f. teresBarley pathosystem in Uruguay. <i>Journal of Plant Diseases and Protection</i> , 2021 , 128, 421-429	1.5	0
75	Appropriate sampling methods and statistics can tell apart fraud from pesticide drift in organic farming. <i>Scientific Reports</i> , 2021 , 11, 14776	4.9	0
74	Biology, pathotype, and virulence of populations from Kenya. <i>Journal of Nematology</i> , 2021 , 53,	1.1	1
73	Developing Organic Minimum Tillage Farming Systems for Central and Northern European Conditions 2020 , 173-192		1
72	Potential use of fresh mulch to curb potato late blight epidemics in Brazil. <i>Summa Phytopathologica</i> , 2020 , 46, 191-197	0.4	1
71	Effect of 26-years of soil tillage systems and winter cover crops on C and N stocks in a Southern Brazilian Oxisol. <i>Revista Brasileira De Ciencia Do Solo</i> , 2020 , 44,	1.5	2
70	Root Pathogens Occurring on Pea (<i>Pisum sativum</i>) and Faba Bean (<i>Vicia faba</i>) in Germany. <i>IFMBE Proceedings</i> , 2020 , 69-75	0.2	0
69	Population dynamics and host range of <i>Paratylenchusbukowinensis</i> . <i>Nematology</i> , 2020 , 22, 257-267	0.9	1
68	Population dynamics of <i>Hemicycliophora conida</i> as affected by different temperatures and absence of hosts. <i>Nematology</i> , 2020 , 22, 975-983	0.9	

67	Bacterivorous Nematodes Correlate with Soil Fertility and Improved Crop Production in an Organic Minimum Tillage System. <i>Sustainability</i> , 2020 , 12, 6730	3.6	5
66	Pathogenic variability of a Uruguayan population of <i>Bipolaris sorokiniana</i> in barley suggests a mix of quantitative and qualitative interactions. <i>Journal of Plant Diseases and Protection</i> , 2020 , 127, 25-33	1.5	1
65	First Report of <i>Fusarium flocciferum</i> Causing Root Rot of Pea (<i>Pisum sativum</i>) and Faba Bean (<i>Vicia faba</i>) in Germany. <i>Plant Disease</i> , 2020 , 104, 283-283	1.5	0
64	Effects of ten years organic and conventional farming on early seedling traits of evolving winter wheat composite cross populations. <i>Scientific Reports</i> , 2019 , 9, 9053	4.9	7
63	Effective population size (N) of organically and conventionally grown composite cross winter wheat populations depending on generation. <i>European Journal of Agronomy</i> , 2019 , 109, 125922	5	5
62	Interactive Effects of Subsidiary Crops and Weed Pressure in the Transition Period to Non-Inversion Tillage, A Case Study of Six Sites Across Northern and Central Europe. <i>Agronomy</i> , 2019 , 9, 495	3.6	8
61	Exploring the differences between organic and conventional breeding in early vigour traits of winter wheat. <i>European Journal of Agronomy</i> , 2019 , 105, 86-95	5	6
60	Cover crops and compost prevent weed seed bank buildup in herbicide-free wheat-potato rotations under conservation tillage. <i>Ecology and Evolution</i> , 2019 , 9, 2715-2724	2.8	6
59	One Health - Cycling of diverse microbial communities as a connecting force for soil, plant, animal, human and ecosystem health. <i>Science of the Total Environment</i> , 2019 , 664, 927-937	10.2	73
58	Reproduction of <i>Globodera pallida</i> on tissue culture-derived potato plants and their potential use in resistance screening process. <i>Nematology</i> , 2019 , 21, 613-623	0.9	3
57	Heterogeneous Winter Wheat Populations Differ in Yield Stability Depending on their Genetic Background and Management System. <i>Sustainability</i> , 2019 , 11, 6172	3.6	4
56	Wheat performance with subclover living mulch in different agro-environmental conditions depends on crop management. <i>European Journal of Agronomy</i> , 2018 , 94, 36-45	5	8
55	The 'forma specialis' issue in <i>Fusarium</i> : A case study in <i>Fusarium solani</i> f. sp. <i>pisi</i> . <i>Scientific Reports</i> , 2018 , 8, 1252	4.9	32
54	Identification and characterization of pathogens associated with root rot of winter peas grown under organic management in Germany. <i>European Journal of Plant Pathology</i> , 2018 , 151, 745-755	2.1	7
53	Short-term changes in soil biochemical properties as affected by subsidiary crop cultivation in four European pedo-climatic zones. <i>Soil and Tillage Research</i> , 2018 , 180, 126-136	6.5	11
52	Two new species of the <i>Fusarium solani</i> species complex isolated from compost and hibiscus (<i>Hibiscus</i> sp.). <i>Antonie Van Leeuwenhoek</i> , 2018 , 111, 1785-1805	2.1	12
51	Roots of symptom-free leguminous cover crop and living mulch species harbor diverse <i>Fusarium</i> communities that show highly variable aggressiveness on pea (<i>Pisum sativum</i>). <i>PLoS ONE</i> , 2018 , 13, e0191969	3.7	16
50	First Report of <i>Didymella lethalis</i> Associated with Roots of Pea, Subterranean Clover, and Winter Vetch in Germany, Switzerland, and Italy. <i>Plant Disease</i> , 2018 , 102, 2642	1.5	1

49	Environmental and health effects of the herbicide glyphosate. <i>Science of the Total Environment</i> , 2018 , 616-617, 255-268	10.2	352
48	Effects of powder and aqueous extracts of <i>Euphorbia hirta</i> on <i>Phelipanche ramosa</i> germination and haustorium initiation. <i>Archives of Phytopathology and Plant Protection</i> , 2018 , 51, 979-992	1	
47	Advocating a need for suitable breeding approaches to boost integrated pest management: a European perspective. <i>Pest Management Science</i> , 2018 , 74, 1219-1227	4.6	15
46	Seed health of organic peas and faba beans and its effects on the health of the harvested grains. <i>Journal of Plant Diseases and Protection</i> , 2017 , 124, 331-337	1.5	4
45	Effect of tillage, subsidiary crops and fertilisation on plant-parasitic nematodes in a range of agro-environmental conditions within Europe. <i>Annals of Applied Biology</i> , 2017 , 171, 477-489	2.6	8
44	Endophytic <i>Fusarium equiseti</i> stimulates plant growth and reduces root rot disease of pea (<i>Pisum sativum</i> L.) caused by <i>Fusarium avenaceum</i> and <i>Peyronellaea pinodella</i> . <i>European Journal of Plant Pathology</i> , 2017 , 148, 271-282	2.1	20
43	Oilseed radish/black oat subsidiary crops can help regulate plant-parasitic nematodes under non-inversion tillage in an organic wheat-potato rotation. <i>Nematology</i> , 2017 , 19, 1135-1146	0.9	5
42	Evolutionary Effects on Morphology and Agronomic Performance of Three Winter Wheat Composite Cross Populations Maintained for Six Years under Organic and Conventional Conditions. <i>Organic Farming</i> , 2017 , 3,	1.5	8
41	Efficacy of copper alternatives applied as stop-sprays against <i>Plasmopara viticola</i> in grapevine. <i>Journal of Plant Diseases and Protection</i> , 2016 , 123, 171-176	1.5	6
40	Evolutionary changes of weed competitive traits in winter wheat composite cross populations in organic and conventional farming systems. <i>European Journal of Agronomy</i> , 2016 , 79, 23-30	5	12
39	Plant Diseases and Management Approaches in Organic Farming Systems. <i>Annual Review of Phytopathology</i> , 2016 , 54, 25-54	10.8	75
38	Plant disease management in organic farming systems. <i>Pest Management Science</i> , 2016 , 72, 30-44	4.6	78
37	Resilience as a universal criterion of health. <i>Journal of the Science of Food and Agriculture</i> , 2015 , 95, 455-459	4.5	48
36	Mating disruption of pea moth (<i>Cydia nigricana</i>) in organic peas (<i>Pisum sativum</i>). <i>Entomologia Experimentalis Et Applicata</i> , 2014 , 150, 199-207	2.1	6
35	Species composition and diversity of arbuscular mycorrhizal fungi in White Nile state, Central Sudan. <i>Archives of Agronomy and Soil Science</i> , 2014 , 60, 377-391	2	13
34	Evaluation of the causes of legume yield depression syndrome using an improved diagnostic tool. <i>Applied Soil Ecology</i> , 2014 , 79, 26-36	5	10
33	What is the SMARTest way to breed plants and increase agrobiodiversity?. <i>Euphytica</i> , 2013 , 194, 53-66	2.1	21
32	Effects of fertilizers and plant strengtheners on the susceptibility of tomatoes to single and mixed isolates of <i>Phytophthora infestans</i> . <i>European Journal of Plant Pathology</i> , 2012 , 133, 739-751	2.1	20

31	Concepts of plant health – reviewing and challenging the foundations of plant protection. <i>Plant Pathology</i> , 2012 , 61, 1-15	2.8	40
30	Pest and Disease Management in Organic Farming: Implications and Inspirations for Plant Breeding 2011 , 39-59		11
29	Effects of host and pathogen genotypes on inducibility of resistance in tomato (<i>Solanum lycopersicum</i>) to <i>Phytophthora infestans</i> . <i>Plant Pathology</i> , 2010 , 59, 1062-1071	2.8	31
28	Time for a shift in crop production: embracing complexity through diversity at all levels. <i>Journal of the Science of Food and Agriculture</i> , 2009 , 89, 1439-1445	4.3	57
27	Effects of strip intercropping of potatoes with non-hosts on late blight severity and tuber yield in organic production. <i>Plant Pathology</i> , 2008 , 57, 916-927	2.8	43
26	Integration of breeding and technology into diversification strategies for disease control in modern agriculture. <i>European Journal of Plant Pathology</i> , 2008 , 121, 399-409	2.1	51
25	Susceptibility of wild carrot (<i>Daucus carota</i> ssp. <i>carota</i>) to <i>Sclerotinia sclerotiorum</i> . <i>European Journal of Plant Pathology</i> , 2008 , 122, 359-367	2.1	6
24	Diversität, Pflanzenernährung und Prognose: Ein integriertes Konzept zum Management der Kraut- und Knollenfäule in der ökologischen Landwirtschaft. <i>Gesunde Pflanzen</i> , 2008 , 60, 159-170	1.9	3
23	Integration of breeding and technology into diversification strategies for disease control in modern agriculture 2008 , 399-409		8
22	Effects of cropping history and origin of seed potatoes on population structure of <i>Phytophthora infestans</i> . <i>European Journal of Plant Pathology</i> , 2007 , 117, 313-327	2.1	12
21	The Canon of Potato Science: 32. Variety Mixtures and Diversification Strategies. <i>Potato Research</i> , 2007 , 50, 335-339	3.2	8
20	Challenges to Organic Potato Farming: Disease and Nutrient Management. <i>Potato Research</i> , 2006 , 49, 27-42	3.2	63
19	Diversification strategies 2006 , 269-307		31
18	Effects of straw mulch on soil nitrate dynamics, weeds, yield and soil erosion in organically grown potatoes. <i>Field Crops Research</i> , 2005 , 94, 238-249	5.5	128
17	Plant productivity in cassava-based mixed cropping systems in Colombian hillside farms. <i>Agriculture, Ecosystems and Environment</i> , 2005 , 105, 595-614	5.7	17
16	Pathogenic Variability of <i>Pyricularia grisea</i> from the High- and Mid-Elevation Zones of Bhutan. <i>Phytopathology</i> , 2000 , 90, 621-8	3.8	21
15	Effects and possible causes of an unprecedented rice blast epidemic on the traditional farming system of Bhutan. <i>Agriculture, Ecosystems and Environment</i> , 2000 , 78, 237-248	5.7	18
14	Cereal variety and species mixtures in practice, with emphasis on disease resistance. <i>Agronomy for Sustainable Development</i> , 2000 , 20, 813-837		202

13	Host frequency and density effects on powdery mildew and yield in mixtures of barley cultivars. <i>Plant Pathology</i> , 1999 , 48, 807-816	2.8	35
12	Phylogenetic and Pathotypic Analysis of Rice Bacterial Blight Race 3. <i>European Journal of Plant Pathology</i> , 1999 , 105, 743-751	2.1	5
11	Primary disease gradients of bacterial blight of rice. <i>Phytopathology</i> , 1999 , 89, 64-7	3.8	15
10	Epidemiological effect of gene deployment strategies on bacterial blight of rice. <i>Phytopathology</i> , 1997 , 87, 66-70	3.8	24
9	The Use of Biodiversity to Restrict Plant Diseases and Some Consequences for Farmers and Society 1997 , 203-237		19
8	Temporal Dynamics of Plant Competition in Genetically Diverse Wheat Populations in the Presence and Absence of Stripe Rust. <i>Journal of Applied Ecology</i> , 1996 , 33, 1041	5.8	15
7	Effects of enhanced UV-B radiation on the growth of rice and its susceptibility to rice blast under glasshouse conditions. <i>Agriculture, Ecosystems and Environment</i> , 1995 , 52, 223-233	5.7	17
6	Effects of stripe rust on the evolution of genetically diverse wheat populations. <i>Theoretical and Applied Genetics</i> , 1993 , 85, 809-21	6	8
5	Plant competition and disease in genetically diverse wheat populations. <i>Oecologia</i> , 1992 , 91, 82-92	2.9	58
4	Stripe Rust, Yield, and Plant Competition in Wheat Cultivar Mixtures. <i>Phytopathology</i> , 1992 , 82, 905	3.8	67
3	Reproduction and life history traits of a resistance breaking <i>Globodera pallida</i> population. <i>Journal of Nematology</i> , 51, 1-13	1.1	5
2	<i>Monocillium gamsii</i> sp. nov. and <i>Monocillium bulbillosum</i> : two nematode-associated fungi parasitising the eggs of <i>Heterodera filipjevi</i> . <i>MycKeys</i> , 27, 21-38	2.4	7
1	CHAPTER 4.4: Biodiversity Enhancement 153-174		3