

List of Publications by Year in
Descending Order

Source: <https://exaly.com/author-pdf/8581956/yu-luo-publications-by-year.pdf>
Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

121 papers	3,714 citations	33 h-index	56 g-index
144 ext. papers	4,523 ext. citations	7.5 avg, IF	5.61 L-index

#	Paper	IF	Citations
121	Surface Dyakonov-Cherenkov radiation. <i>ELight</i> , 2022 , 2,		3
120	Ultracompact Effective Localized Surface Plasmonic Bandpass Filter for 5G Applications. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2021 , 69, 2220-2228	4.1	2
119	Polarization-robust mid-infrared carpet cloak with minimized lateral shift. <i>Photonics Research</i> , 2021 , 9, 944	6	0
118	Reconfigurable Parametric Amplifications of Spoof Surface Plasmons. <i>Advanced Science</i> , 2021 , 8, e21007956	19.56	5
117	A Brewster route to Cherenkov detectors. <i>Nature Communications</i> , 2021 , 12, 5554	17.4	7
116	FREE-ELECTRON RADIATION ENGINEERING VIA STRUCTURED ENVIRONMENTS. <i>Progress in Electromagnetics Research</i> , 2021 , 171, 75-88	3.8	8
115	An optically driven digital metasurface for programming electromagnetic functions. <i>Nature Electronics</i> , 2020 , 3, 165-171	28.4	108
114	Polarization-Controlled Plasmonic Structured Illumination. <i>Nano Letters</i> , 2020 , 20, 2602-2608	11.5	17
113	Designing Spatial Kramers-Kronig Media Using Transformation Optics. <i>IEEE Transactions on Antennas and Propagation</i> , 2020 , 68, 2945-2949	4.9	4
112	Strain sensitivity enhancement based on periodic deformation in hollow core fiber. <i>Optics Letters</i> , 2020 , 45, 3997-4000	3	6
111	A conformal transformation approach to wide-angle illusion device and absorber. <i>Nanophotonics</i> , 2020 , 9, 3243-3249	6.3	2
110	Directing Cherenkov photons with spatial nonlocality. <i>Nanophotonics</i> , 2020 , 9, 3435-3442	6.3	6
109	Strong Plasmon-Exciton Interactions on Nanoantenna Array/Monolayer WS ₂ Hybrid System. <i>Advanced Optical Materials</i> , 2020 , 8, 1901002	8.1	11
108	GeSn/GaAs Hetero-Structure by Magnetron Sputtering. <i>IEEE Journal of Quantum Electronics</i> , 2020 , 56, 1-5	2	1
107	Designer patterned functional fibers via direct imprinting in thermal drawing. <i>Nature Communications</i> , 2020 , 11, 3842	17.4	19
106	Nonlocality Induced Cherenkov Threshold. <i>Laser and Photonics Reviews</i> , 2020 , 14, 2000149	8.3	11
105	Active digital spoof plasmonics. <i>National Science Review</i> , 2020 , 7, 261-269	10.8	32

104	. <i>IEEE Transactions on Antennas and Propagation</i> , 2019 , 67, 7425-7432	4.9	14
103	Phase-matching and Peak Nonlinearity Enhanced Third-Harmonic Generation in Graphene Plasmonic Coupler. <i>Physical Review Applied</i> , 2019 , 11,	4.3	11
102	Probing the in-Plane Near-Field Enhancement Limit in a Plasmonic Particle-on-Film Nanocavity with Surface-Enhanced Raman Spectroscopy of Graphene. <i>ACS Nano</i> , 2019 , 13, 7644-7654	16.7	30
101	Ultrathin Dual-Band Metasurface Polarization Converter. <i>IEEE Transactions on Antennas and Propagation</i> , 2019 , 67, 4636-4641	4.9	56
100	Loss Analysis of Plasmonic Metasurfaces Using Field-Network-Joint Method. <i>IEEE Transactions on Antennas and Propagation</i> , 2019 , 67, 3521-3526	4.9	8
99	Mimicking Localized Surface Plasmons with Structural Dispersion. <i>Advanced Optical Materials</i> , 2019 , 7, 1900118	8.1	15
98	Direct current remote cloak for arbitrary objects. <i>Light: Science and Applications</i> , 2019 , 8, 30	16.7	11
97	Transformation-Invariant Metamaterials. <i>Physical Review Letters</i> , 2019 , 123, 067701	7.4	20
96	Ultrawideband Surface Enhanced Raman Scattering in Hybrid Graphene Fragmented-Gold Substrates via Cold-Etching. <i>Advanced Optical Materials</i> , 2019 , 7, 1900905	8.1	6
95	. <i>IEEE Microwave Magazine</i> , 2019 , 20, 73-91	1.2	21
94	Transformation optics from macroscopic to nanoscale regimes: a review. <i>Advanced Photonics</i> , 2019 , 1, 1	8.1	18
93	Surface-Wave Pulse Routing around Sharp Right Angles. <i>Physical Review Applied</i> , 2018 , 9,	4.3	7
92	Single Plasmonic Structure Enhanced Dual-band Room Temperature Infrared Photodetection. <i>Scientific Reports</i> , 2018 , 8, 1548	4.9	7
91	Tuning the dispersion of effective surface plasmon polaritons with multilayer systems. <i>Optics Express</i> , 2018 , 26, 4686-4697	3.3	15
90	Enhancing Third-Harmonic Generation with Spatial Nonlocality. <i>ACS Photonics</i> , 2018 , 5, 592-598	6.3	8
89	Broadband Electromagnetic Waves Harvesting Based on Effective Surface Plasmon Polaritons 2018 ,		1
88	Backward Phase Matching for Second Harmonic Generation in Negative-Index Conformal Surface Plasmonic Metamaterials. <i>Advanced Science</i> , 2018 , 5, 1800661	13.6	27
87	Spoof Plasmonics: From Metamaterial Concept to Topological Description. <i>Advanced Materials</i> , 2018 , 30, e1706683	24	70

86	Flexible Photonic Topological Insulator. <i>Advanced Optical Materials</i> , 2018 , 6, 1800532	8.1	8
85	Ultra-Low-Loss High-Contrast Gratings Based Spoof Surface Plasmonic Waveguide. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2017 , 65, 2008-2018	4.1	32
84	Forward/Backward Switching of Plasmonic Wave Propagation Using Sign-Reversal Coupling. <i>Advanced Materials</i> , 2017 , 29, 1700018	24	24
83	Metal-Substrate-Mediated Plasmon Hybridization in a Nanoparticle Dimer for Photoluminescence Line-Width Shrinking and Intensity Enhancement. <i>ACS Nano</i> , 2017 , 11, 3067-3080	16.7	81
82	Spoof plasmon hybridization. <i>Laser and Photonics Reviews</i> , 2017 , 11, 1600191	8.3	37
81	Polarization invariant plasmonic nanostructures for sensing applications. <i>Scientific Reports</i> , 2017 , 7, 7539	4.9	18
80	Mid-infrared sensing of molecular vibrational modes with tunable graphene plasmons. <i>Optics Letters</i> , 2017 , 42, 2066-2069	3	13
79	Aluminum Nanotripods for Light-Matter Coupling Robust to Nanoemitter Orientation. <i>Laser and Photonics Reviews</i> , 2017 , 11, 1700051	8.3	6
78	Spatiotemporal Dynamics and Control of Strong Coupling in Plasmonic Nanocavities. <i>ACS Photonics</i> , 2017 , 4, 2410-2418	6.3	23
77	Compacted dimensions and singular plasmonic surfaces. <i>Science</i> , 2017 , 358, 915-917	33.3	40
76	Nonlinear Metasurface for Simultaneous Control of Spin and Orbital Angular Momentum in Second Harmonic Generation. <i>Nano Letters</i> , 2017 , 17, 7974-7979	11.5	82
75	The Carpet Cloak. <i>World Scientific Series in Nanoscience and Nanotechnology</i> , 2017 , 461-480	0.1	1
74	Plasmonics and Transformation Optics. <i>World Scientific Series in Nanoscience and Nanotechnology</i> , 2017 , 147-196	0.1	
73	Effective Surface Plasmon Polaritons Induced by Modal Dispersion in a Waveguide. <i>Physical Review Applied</i> , 2017 , 7,	4.3	37
72	Vertical growth of plasmonic nanostructures via electrodeposition on a conductive oxide. <i>Procedia Engineering</i> , 2017 , 215, 60-65		
71	Interaction between graphene-coated nanowires revisited with transformation optics. <i>Optics Letters</i> , 2017 , 42, 2890-2893	3	5
70	On-chip sub-terahertz surface plasmon polariton transmission lines with mode converter in CMOS. <i>Scientific Reports</i> , 2016 , 6, 30063	4.9	22
69	Description of Bow-Tie Nanoantennas Excited by Localized Emitters Using Conformal Transformation. <i>ACS Photonics</i> , 2016 , 3, 1223-1232	6.3	21

68	Transformation optics applied to van der Waals interactions. <i>Science Bulletin</i> , 2016 , 61, 59-67	10.6	14
67	Transformation Optics: A Time- and Frequency-Domain Analysis of Electron-Energy Loss Spectroscopy. <i>Nano Letters</i> , 2016 , 16, 5156-62	11.5	10
66	Observation of the Kinetic Inductance Limitation for the Fundamental Magnetic Resonance in Ultrasmall Gold v-Shape Split Ring Resonators. <i>Advanced Optical Materials</i> , 2016 , 4, 1047-1052	8.1	16
65	Reverse surface-polariton cherenkov radiation. <i>Scientific Reports</i> , 2016 , 6, 30704	4.9	18
64	An ultrahigh-accuracy Miniature Dew Point Sensor based on an Integrated Photonics Platform. <i>Scientific Reports</i> , 2016 , 6, 29672	4.9	15
63	Experimental demonstration of broadband reflectionless diffraction-free electromagnetic wave routing. <i>Physical Review B</i> , 2016 , 94,	3.3	2
62	Towards a practical compact magnifying superlens: simple simplicial design. <i>Journal of Optics (United Kingdom)</i> , 2016 , 18, 044011	1.7	1
61	Bianisotropy and Magnetism in Plasmonic Gratings. <i>ACS Photonics</i> , 2016 , 3, 764-769	6.3	10
60	Invisibility Dips of Near-Field Energy Transport in a Spoof Plasmonic Metadimer. <i>Advanced Functional Materials</i> , 2016 , 26, 8307-8312	15.6	31
59	Homogenous Metamaterial Description of Localized Spoof Plasmons in Spiral Geometries. <i>ACS Photonics</i> , 2016 , 3, 1768-1775	6.3	36
58	Transforming the optical landscape. <i>Science</i> , 2015 , 348, 521-4	33.3	86
57	Luo et al. Reply. <i>Physical Review Letters</i> , 2015 , 115, 239402	7.4	3
56	Combined System for Efficient Excitation and Capture of LSP Resonances and Flexible Control of SPP Transmissions. <i>ACS Photonics</i> , 2015 , 2, 738-743	6.3	57
55	High-order localized spoof surface plasmon resonances and experimental verifications. <i>Scientific Reports</i> , 2015 , 5, 9590	4.9	85
54	Designing Plasmonic Gratings with Transformation Optics. <i>Physical Review X</i> , 2015 , 5,	9.1	21
53	Planar bifunctional Luneburg-fisheye lens made of an anisotropic metasurface. <i>Laser and Photonics Reviews</i> , 2014 , 8, 757-765	8.3	90
52	Transformation optics and hidden symmetries. <i>Physical Review B</i> , 2014 , 89,	3.3	23
51	van der Waals interactions at the nanoscale: the effects of nonlocality. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 18422-7	11.5	76

50	Manipulating DC currents with bilayer bulk natural materials. <i>Advanced Materials</i> , 2014 , 26, 3478-83	24	53
49	Description of van der Waals interactions using transformation optics. <i>Physical Review Letters</i> , 2013 , 111, 033602	7.4	20
48	Capturing photons with transformation optics. <i>Nature Physics</i> , 2013 , 9, 518-522	16.2	77
47	Surface plasmons and nonlocality: a simple model. <i>Physical Review Letters</i> , 2013 , 111, 093901	7.4	180
46	Harvesting light with transformation optics. <i>Science China Information Sciences</i> , 2013 , 56, 1-13	3.4	15
45	Transformation-optics description of plasmonic nanostructures containing blunt edges/corners: from symmetric to asymmetric edge rounding. <i>ACS Nano</i> , 2012 , 6, 6492-506	16.7	30
44	Transformation-optics insight into nonlocal effects in separated nanowires. <i>Physical Review B</i> , 2012 , 86,	3.3	42
43	Theory of three-dimensional nanocrescent light harvesters. <i>Nano Letters</i> , 2012 , 12, 5946-53	11.5	36
42	Broadband light harvesting nanostructures robust to edge bluntness. <i>Physical Review Letters</i> , 2012 , 108, 023901	7.4	68
41	Macroscopic invisibility cloaking of visible light. <i>Nature Communications</i> , 2011 , 2, 176	17.4	331
40	Plasmonic interaction between overlapping nanowires. <i>ACS Nano</i> , 2011 , 5, 597-607	16.7	47
39	Homogeneous optical cloak constructed with uniform layered structures. <i>Optics Express</i> , 2011 , 19, 8625-33	3.3	88
38	Harmonic image reconstruction assisted by a nonlinear metamaterial surface. <i>Physical Review Letters</i> , 2011 , 106, 047402	7.4	14
37	Electromagnetic contribution to surface-enhanced Raman scattering from rough metal surfaces: A transformation optics approach. <i>Physical Review B</i> , 2011 , 83,	3.3	38
36	Minimizing the scattering of a nonmagnetic cloak. <i>Applied Physics Letters</i> , 2010 , 96, 113511	3.4	23
35	Hiding levitating objects above a ground plane. <i>Applied Physics Letters</i> , 2010 , 97, 133501	3.4	7
34	Transmission of electromagnetic waves through sub-wavelength channels. <i>Optics Express</i> , 2010 , 18, 3864-70	3.3	16
33	Surface plasmons and singularities. <i>Nano Letters</i> , 2010 , 10, 4186-91	11.5	78

32	Gain-assisted metamaterial embedded with gain elements. <i>Microwave and Optical Technology Letters</i> , 2010 , 52, 92-95	1.2	1
31	WAVE AND RAY ANALYSIS OF A TYPE OF CLOAK EXHIBITING MAGNIFIED AND SHIFTED SCATTERING EFFECT. <i>Progress in Electromagnetics Research</i> , 2009 , 95, 167-178	3.8	33
30	Lorentz force and radiation pressure on a spherical cloak. <i>Physical Review A</i> , 2009 , 80,	2.6	12
29	Controlling the field distribution in waveguides with transformation optics. <i>Applied Physics Letters</i> , 2009 , 94, 234101	3.4	7
28	Second-harmonic generation and spectrum modulation by an active nonlinear metamaterial. <i>Applied Physics Letters</i> , 2009 , 94, 134102	3.4	28
27	Guiding waves through an invisible tunnel. <i>Optics Express</i> , 2009 , 17, 6203-8	3.3	29
26	Rainbow-like radiation from an omni-directional source placed in a uniaxial metamaterial slab. <i>Optics Express</i> , 2009 , 17, 7068-73	3.3	7
25	. <i>IEEE Transactions on Antennas and Propagation</i> , 2009 , 57, 3926-3933	4.9	71
24	High-directivity antenna with small antenna aperture. <i>Applied Physics Letters</i> , 2009 , 95, 193506	3.4	59
23	Cloak for multilayered and gradually changing media. <i>Physical Review B</i> , 2008 , 77,	3.3	35
22	Full-wave analysis of prolate spheroidal and hyperboloidal cloaks. <i>Journal Physics D: Applied Physics</i> , 2008 , 41, 235101	3	16
21	Cylindrical cloak with axial permittivity/permeability spatially invariant. <i>Applied Physics Letters</i> , 2008 , 93, 033504	3.4	40
20	Cloak of arbitrary shape. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2008 , 25, 1776	1.7	31
19	Manipulating the directivity of antennas with metamaterial. <i>Optics Express</i> , 2008 , 16, 10962-7	3.3	33
18	New Concept Conformal Antennas Utilizing Metamaterial and Transformation Optics. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2008 , 7, 509-512	3.8	30
17	Design and analytical full-wave validation of the invisibility cloaks, concentrators, and field rotators created with a general class of transformations. <i>Physical Review B</i> , 2008 , 77,	3.3	108
16	Experimental characterization and cell interactions of a two-dimensional isotropic left-handed metamaterial. <i>Applied Physics Letters</i> , 2008 , 92, 084108	3.4	11
15	Interaction of an electromagnetic wave with a cone-shaped invisibility cloak and polarization rotator. <i>Physical Review B</i> , 2008 , 78,	3.3	27

14	DIRECTIVE EMISSION OBTAINED BY COORDINATE TRANSFORMATION. <i>Progress in Electromagnetics Research</i> , 2008 , 81, 437-446	3.8	54
13	DESIGN AND APPLICATION OF A BEAM SHIFTER BY TRANSFORMATION MEDIA. <i>Progress in Electromagnetics Research</i> , 2008 , 83, 147-155	3.8	14
12	SENSITIVITY OF TRANSFORMATION CLOAK IN ENGINEERING. <i>Progress in Electromagnetics Research</i> , 2008 , 84, 93-104	3.8	16
11	Cloak Changing with Background. <i>Progress in Electromagnetics Research Symposium: [proceedings] Progress in Electromagnetics Research Symposium</i> , 2008 , 4, 596-600		2
10	Controlling the Emission of Electromagnetic Source. <i>Progress in Electromagnetics Research Symposium: [proceedings] Progress in Electromagnetics Research Symposium</i> , 2008 , 4, 795-800		23
9	Wideband backward coupling based on anisotropic left-handed metamaterial. <i>Applied Physics Letters</i> , 2007 , 90, 043506	3.4	10
8	Left-handed material based on ferroelectric medium. <i>Optics Express</i> , 2007 , 15, 8284-9	3.3	9
7	Response of a cylindrical invisibility cloak to electromagnetic waves. <i>Physical Review B</i> , 2007 , 76,	3.3	90
6	Two-dimensional Cross Embedded Metamaterials. <i>Progress in Electromagnetics Research Symposium: [proceedings] Progress in Electromagnetics Research Symposium</i> , 2007 , 3, 241-245		3
5	Experimental retrieval of the effective parameters of metamaterials based on a waveguide method. <i>Optics Express</i> , 2006 , 14, 12944-9	3.3	110
4	Nonmagnetic Spoof Plasmonic Isolator Based on Parametric Amplification. <i>Laser and Photonics Reviews</i> , 2005 , 2100578	8.3	3
3	Plasmon-induced thermal tuning of strong plasmon-exciton coupling in monolayer tungsten disulphide excited by few excitons. <i>Optica</i> ,	8.6	3
2	Recent Progress and Future Opportunities for Hot Carrier Photodetectors: From Ultraviolet to Infrared Bands. <i>Laser and Photonics Reviews</i> , 2007 , 2100714	8.3	0
1	A Miniaturized Anechoic Chamber: Omnidirectional Impedance Matching Based on Truncated Spatial Kramers-Kronig Medium. <i>Advanced Optical Materials</i> , 2008 , 2200381	8.1	1