

Xj Zhang Or Zhang Xj

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8582045/xj-zhang-or-zhang-xj-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

139
papers

6,905
citations

45
h-index

79
g-index

140
ext. papers

7,438
ext. citations

5.6
avg. IF

5.9
L-index

#	Paper	IF	Citations
139	Iron Doped in the Subsurface of CuS Nanosheets by Interionic Redox: Highly Efficient Electrocatalysts toward the Oxygen Evolution Reaction. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 16210-16217	9.5	12
138	Ultrathin NiCo Bimetallic Molybdate Nanosheets Coated CuOx Nanotubes: Heterostructure and Bimetallic Synergistic Optimization of the Active Site for Highly Efficient Overall Water Splitting. <i>Advanced Energy Materials</i> , 2021 , 11, 2102361	21.8	10
137	Target triggered ultrasensitive electrochemical polychlorinated biphenyl aptasensor based on DNA microcapsules and nonlinear hybridization chain reaction. <i>Analyst, The</i> , 2020 , 145, 3598-3604	5	5
136	Ultrathin trimetallic metal-organic framework nanosheets for highly efficient oxygen evolution reaction. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 14163-14168	13	54
135	Carbon fiber/Ni-Co layered double hydroxide@NiMoO ₄ /graphene oxide sandwich structure flexible electrode materials: Facile synthesis and high supercapacitor performance. <i>Journal of Alloys and Compounds</i> , 2019 , 794, 13-20	5.7	17
134	Co-doped SnS ₂ nanosheet array for efficient oxygen evolution reaction electrocatalyst. <i>Journal of Materials Science</i> , 2019 , 54, 13715-13723	4.3	21
133	Gold nanoparticle aggregation: Colorimetric detection of the interactions between avidin and biotin. <i>Talanta</i> , 2018 , 185, 106-112	6.2	14
132	ZnO@TiO ₂ nanocomposite: a direct electrode for nonenzymatic biosensors. <i>Journal of Materials Science</i> , 2018 , 53, 7138-7149	4.3	2
131	Target regulated photo induced electron transfer of DNA-Cu nanoparticles and their application for the detection of the hepatitis B gene. <i>Analytical Methods</i> , 2018 , 10, 2614-2622	3.2	4
130	Portable Aptasensor of Aflatoxin B1 in Bread Based on a Personal Glucose Meter and DNA Walking Machine. <i>ACS Sensors</i> , 2018 , 3, 1368-1375	9.2	48
129	General ion-exchanged method synthesized 3D heterostructured MCo ₂ O ₄ /Co ₃ O ₄ nanocomposites (M= Mn, Fe, Ni, Cu and Zn). <i>Journal of Alloys and Compounds</i> , 2018 , 766, 796-803	5.7	5
128	Portable aptamer biosensor of platelet-derived growth factor-BB using a personal glucose meter with triply amplified. <i>Biosensors and Bioelectronics</i> , 2017 , 95, 152-159	11.8	44
127	TTE DNA-Cu NPs: enhanced fluorescence and application in a target DNA triggered dual-cycle amplification biosensor. <i>Chemical Communications</i> , 2017 , 53, 5629-5632	5.8	15
126	Deposition of fan-shaped ZnMoO ₄ on ZnCo ₂ O ₄ nanowire arrays for high electrochemical performance. <i>Applied Physics A: Materials Science and Processing</i> , 2017 , 123, 1	2.6	6
125	Three-Dimensional Co ₃ O ₄ @NiCo ₂ S ₄ Core/Shell Nanoflower Array with Enhanced Electrochemical Performance. <i>ChemistrySelect</i> , 2017 , 2, 9537-9545	1.8	6
124	Novel ultrasensitive homogeneous electrochemical aptasensor based on dsDNA-templated copper nanoparticles for the detection of ractopamine. <i>Journal of Materials Chemistry B</i> , 2017 , 5, 53-61	7.3	17
123	Three-dimensional Co ₃ O ₄ @NiO hierarchical nanowire arrays for solid-state symmetric supercapacitor with enhanced electrochemical performances. <i>Chemical Engineering Journal</i> , 2016 , 304, 223-231	14.7	119

122	Naked-eye sensitive detection of alkaline phosphatase (ALP) and pyrophosphate (PPI) based on a horseradish peroxidase catalytic colorimetric system with Cu(ii). <i>Analyst, The</i> , 2016 , 141, 5549-54	5	54
121	DNA-gold nanoparticles network based electrochemical biosensors for DNA MTase activity. <i>Talanta</i> , 2016 , 152, 228-35	6.2	15
120	Hierarchical structures composed of MnCo ₂ O ₄ @MnO ₂ core-shell nanowire arrays with enhanced supercapacitor properties. <i>Dalton Transactions</i> , 2016 , 45, 572-8	4.3	75
119	A label-free and enzyme-free ultra-sensitive transcription factors biosensor using DNA-templated copper nanoparticles as fluorescent indicator and hairpin DNA cascade reaction as signal amplifier. <i>Biosensors and Bioelectronics</i> , 2016 , 82, 85-92	11.8	32
118	Ultrafine nickel/copper carbonate hydroxide hierarchical nanowire networks for high-performance supercapacitor electrodes. <i>Chemical Engineering Journal</i> , 2016 , 290, 353-360	14.7	56
117	Label-free electrochemiluminescent detection of transcription factors with hybridization chain reaction amplification. <i>RSC Advances</i> , 2016 , 6, 37681-37688	3.7	12
116	NiCo ₂ O ₄ @MnMoO ₄ core-shell flowers for high performance supercapacitors. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 8249-8254	13	83
115	Detection of T4 polynucleotide kinase based on a MnO ₂ nanosheet-3,3',5,5'-tetramethylbenzidine (TMB) colorimetric system. <i>Analytical Methods</i> , 2016 , 8, 4119-4126	3.2	20
114	Synthesis and sensing integration: A novel enzymatic reaction modulated Nanoclusters Beacon (NCB) "illumination" strategy for label-free biosensing and logic gate operation. <i>Biosensors and Bioelectronics</i> , 2016 , 86, 588-594	11.8	3
113	Hierarchical NiMn ₂ O ₄ @CNT nanocomposites for high-performance asymmetric supercapacitors. <i>RSC Advances</i> , 2015 , 5, 24607-24614	3.7	60
112	Detection of heparin based on the conformational switch of DNA. <i>Analytical Methods</i> , 2015 , 7, 7852-7857	3.2	7
111	[G3T]5/Tb(3+) based DNA biosensor with target DNA-triggered autocatalytic multi-cycle-amplification and magnetic nanoparticles assisted-background-lowered. <i>Biosensors and Bioelectronics</i> , 2015 , 74, 931-8	11.8	7
110	One-strand oligonucleotide probe for fluorescent label-free "turn-on" detection of T4 polynucleotide kinase activity and its inhibition. <i>Analyst, The</i> , 2015 , 140, 5650-5	5	15
109	Hierarchical ZnO@MnO ₂ @PPy ternary core-shell nanorod arrays: an efficient integration of active materials for energy storage. <i>RSC Advances</i> , 2015 , 5, 39864-39869	3.7	12
108	Copper oxide nanofilm on 3D copper foam as a novel electrode material for supercapacitors. <i>Applied Physics A: Materials Science and Processing</i> , 2015 , 119, 1451-1457	2.6	4
107	Effective Hydrazine Electrochemical Sensors Based on Porous CuO Nanobelts Supported on Cu Substrate. <i>Chemistry Letters</i> , 2015 , 44, 642-644	1.7	3
106	Construction of unique Co ₃ O ₄ @CoMoO ₄ core/shell nanowire arrays on Ni foam by the action exchange method for high-performance supercapacitors. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 14578-14584	13	71
105	Three-dimensional NiCo ₂ O ₄ @NiMoO ₄ core/shell nanowires for electrochemical energy storage. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 12069-12075	13	39

104	Flexible superior electrode architectures based on three-dimensional porous spinous Fe_2O_3 with a high performance as a supercapacitor. <i>Dalton Transactions</i> , 2015 , 44, 9581-7	4.3	28
103	A simple label-free electrochemical method for the detection of polynucleotide kinase activity by a peroxidase mimic: TiO_2 nanotube array. <i>Analytical Methods</i> , 2015 , 7, 10345-10349	3.2	6
102	Anion-exchange reaction synthesized CoNi_2S_4 nanowires for superior electrochemical performances. <i>RSC Advances</i> , 2015 , 5, 84974-84979	3.7	23
101	Morphology-controllable synthesis of 3D firecracker-like ZnO nanoarchitectures for high catalytic performance. <i>CrystEngComm</i> , 2015 , 17, 1121-1128	3.3	11
100	One-step ultrasonic synthesis of graphene quantum dots with high quantum yield and their application in sensing alkaline phosphatase. <i>Chemical Communications</i> , 2015 , 51, 948-51	5.8	102
99	Photoinduced electron transfer (PET) based label-free aptasensor for platelet-derived growth factor-BB and its logic gate application. <i>Biosensors and Bioelectronics</i> , 2015 , 63, 552-557	11.8	37
98	A "turn-on" silver nanocluster based fluorescent sensor for folate receptor detection and cancer cell imaging under visual analysis. <i>Chemical Communications</i> , 2015 , 51, 11810-3	5.8	42
97	An amplified electrochemical aptasensor based on hybridization chain reactions and catalysis of silver nanoclusters. <i>Nanoscale</i> , 2015 , 7, 3300-8	7.7	67
96	A ratiometric colorimetric detection of the folate receptor based on terminal protection of small-molecule-linked DNA. <i>Analyst, The</i> , 2015 , 140, 1260-4	5	15
95	Superior performance asymmetric supercapacitors based on $\text{ZnCo}_2\text{O}_4@ \text{MnO}_2$ core-shell electrode. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 5442-5448	13	137
94	Ultrathin porous nickel-cobalt hydroxide nanosheets for high-performance supercapacitor electrodes. <i>RSC Advances</i> , 2015 , 5, 17007-17013	3.7	54
93	A "turn-on" carbon nanotube-Ag nanoclusters fluorescent sensor for sensitive and selective detection of Hg^{2+} with cyclic amplification of exonuclease III activity. <i>Chemical Communications</i> , 2014 , 50, 747-50	5.8	86
92	Target-induced quenching for highly sensitive detection of nucleic acids based on label-free luminescent sandwich DNA/silver nanoclusters. <i>Analyst, The</i> , 2014 , 139, 165-9	5	16
91	Detection of polynucleotide kinase activity by using a gold electrode modified with magnetic microspheres coated with titanium dioxide nanoparticles and a DNA dendrimer. <i>Analyst, The</i> , 2014 , 139, 3895-900	5	22
90	Dual hairpin-like molecular beacon based on coralyne-adenosine interaction for sensing melamine in dairy products. <i>Talanta</i> , 2014 , 129, 398-403	6.2	5
89	Ultrathin Zinc Oxide Nanofilm on Zinc Substrate for High Performance Electrochemical Sensors. <i>Electrochimica Acta</i> , 2014 , 144, 186-193	6.7	13
88	Prussian blue-Au nanocomposites actuated hemin/G-quadruplexes catalysis for amplified detection of DNA, Hg^{2+} and adenosine triphosphate. <i>Analyst, The</i> , 2014 , 139, 5297-303	5	15
87	Amplified and selective detection of Ag^+ ions based on electrically contacted enzymes on duplex-like DNA scaffolds. <i>Biosensors and Bioelectronics</i> , 2014 , 59, 269-75	11.8	22

86	Synthesize Thickness Copper (I) Sulfide nanoplates on Copper Rod and Its Application as Nonenzymatic Cholesterol Sensor. <i>Electrochimica Acta</i> , 2014 , 130, 239-244	6.7	16
85	Development of an electrochemical sensor based on the catalysis of ferrocene actuated hemin/G-quadruplex enzyme for the detection of potassium ions. <i>Biosensors and Bioelectronics</i> , 2014 , 61, 410-6	11.8	19
84	Adenosine Triphosphate Sensing by Electrocatalysis with DNAzyme. <i>Electroanalysis</i> , 2014 , 26, 312-318	3	5
83	Ultrasensitive IL-6 electrochemical immunosensor based on Au nanoparticles-graphene-silica biointerface. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014 , 116, 714-9	6	41
82	Colorimetric and visual determination of melamine by exploiting the conformational change of hemin G-quadruplex-DNAzyme. <i>Mikrochimica Acta</i> , 2014 , 181, 411-418	5.8	15
81	3D porous gear-like copper oxide and their high electrochemical performance as supercapacitors. <i>CrystEngComm</i> , 2013 , 15, 7657	3.3	57
80	Controllable synthesis of silver nanodendrites on copper rod and its application to hydrogen peroxide and glucose detection. <i>CrystEngComm</i> , 2013 , 15, 1173-1178	3.3	32
79	Effective electrocatalysis based on Ag ₂ O nanowire arrays supported on a copper substrate. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 10465-72	9.5	12
78	High electrochemical performance based on ultrathin porous CuO nanobelts grown on Cu substrate as integrated electrode. <i>Physical Chemistry Chemical Physics</i> , 2013 , 15, 521-5	3.6	49
77	An ultrasensitive electrochemical method for detection of Ag(+) based on cyclic amplification of exonuclease III activity on cytosine-Ag(+)-cytosine. <i>Analyst</i> , 2013 , 138, 6900-6	5	35
76	A simple, fast, and sensitive assay for the detection of DNA, thrombin, and adenosine triphosphate based on Dual-Hairpin DNA structure. <i>Langmuir</i> , 2013 , 29, 14328-34	4	22
75	Study on the electrochemical oxidation of glucose on different Cu ₂ S integrated electrodes. <i>Analytical Methods</i> , 2013 , 5, 4476	3.2	2
74	Detection of T4 polynucleotide kinase activity with immobilization of TiO ₂ nanotubes and amplification of Au nanoparticles. <i>Biosensors and Bioelectronics</i> , 2013 , 43, 125-30	11.8	47
73	Conformational switch for cisplatin with hemin/G-quadruplex DNAzyme supersandwich structure. <i>Biosensors and Bioelectronics</i> , 2013 , 50, 210-6	11.8	17
72	A folate receptor electrochemical sensor based on terminal protection and supersandwich DNAzyme amplification. <i>Biosensors and Bioelectronics</i> , 2013 , 42, 337-41	11.8	36
71	Uniform hierarchical SnS microspheres: Solvothermal synthesis and lithium ion storage performance. <i>Materials Research Bulletin</i> , 2013 , 48, 4935-4941	5.1	15
70	Microwave-polyol controlled synthesis and magnetic properties of monodisperse CoxNi _{1-x} Fe ₂ O ₄ /MWCNT nanocomposites. <i>Materials Research Bulletin</i> , 2013 , 48, 4785-4790	5.1	5
69	Synthesis of Ni(OH) ₂ nanoplates on Cu rod and its applications for electrochemical sensors. <i>Materials Research Bulletin</i> , 2013 , 48, 3729-3734	5.1	4

68	Non-enzymatic electrochemical sensing of glucose. <i>Mikrochimica Acta</i> , 2013 , 180, 161-186	5.8	352
67	Electrochemical immunosensor with graphene/gold nanoparticles platform and ferrocene derivatives label. <i>Talanta</i> , 2013 , 103, 75-80	6.2	40
66	G-Quadruplex-Linked Supersandwich DNA Structure for Electrochemical Amplified Detection of Thrombin. <i>Electroanalysis</i> , 2013 , 25, 1960-1966	3	2
65	Study on porous Cu-based enzyme-free glucose electrochemical sensor with different entrapping agents. <i>Micro and Nano Letters</i> , 2013 , 8, 395-399	0.9	3
64	Electrically contacted enzyme based on dual hairpin DNA structure and its application for amplified detection of Hg ²⁺ . <i>Biosensors and Bioelectronics</i> , 2012 , 35, 108-114	11.8	30
63	Electrodeposition method synthesise gold nanoparticles/Prussian blue/graphene nanocomposite and its application in electrochemical sensor for H ₂ O ₂ . <i>Micro and Nano Letters</i> , 2012 , 7, 60	0.9	17
62	Au NPs/Ni(OH) ₂ /Cu nanocomposites enhanced electrochemical properties for detection of H ₂ O ₂ . <i>Analytical Methods</i> , 2012 , 4, 496	3.2	5
61	A supersandwich multienzyme-DNA label based electrochemical immunosensor. <i>Chemical Communications</i> , 2012 , 48, 720-2	5.8	38
60	Application of gold nanoparticles/TiO ₂ modified electrode for the electrooxidative determination of catechol in tea samples. <i>Food Chemistry</i> , 2012 , 135, 446-51	8.5	28
59	Nonenzymatic glucose sensor based on Cu ₂ S nanocomposite electrode. <i>Electrochemistry Communications</i> , 2012 , 24, 53-56	5.1	27
58	Electrochemical amplified detection of Hg ²⁺ based on the supersandwich DNA structure. <i>Analyst, The</i> , 2012 , 137, 2036-8	5	19
57	Non-enzymatic glucose detection using Ni/multi-walled carbon nanotubes composite. <i>Micro and Nano Letters</i> , 2012 , 7, 168	0.9	12
56	Hydrogen Peroxide Sensor Based on Carbon Nanotubes/Ni(OH) ₂ Nanocomposites. <i>Chinese Journal of Chemistry</i> , 2012 , 30, 501-506	4.9	5
55	Achieving high specific charge capacitances in Fe ₃ O ₄ /reduced graphene oxide nanocomposites. <i>Journal of Materials Chemistry</i> , 2011 , 21, 3422		378
54	Cobalt Oxide Nanowall Arrays on Reduced Graphene Oxide Sheets with Controlled Phase, Grain Size, and Porosity for Li-Ion Battery Electrodes. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 8400-8406	3.8	181
53	Dual amplification strategy for the fabrication of highly sensitive interleukin-6 amperometric immunosensor based on poly-dopamine. <i>Langmuir</i> , 2011 , 27, 1224-31	4	107
52	Porous Cu-NiO modified glass carbon electrode enhanced nonenzymatic glucose electrochemical sensors. <i>Analyst, The</i> , 2011 , 136, 5175-80	5	70
51	Copper(II) doped nanoporous TiO ₂ composite based glucose biosensor. <i>Analytical Methods</i> , 2011 , 3, 2613.2	1.2	4

50	Microwave-assisted synthesis and magnetic properties of size-controlled CoNi/MWCNT nanocomposites. <i>Journal of Alloys and Compounds</i> , 2011 , 509, 1261-1265	5.7	27
49	High-power and high-energy-density flexible pseudocapacitor electrodes made from porous CuO nanobelts and single-walled carbon nanotubes. <i>ACS Nano</i> , 2011 , 5, 2013-9	16.7	304
48	Microwave-assisted synthesis of Zn x Cd1-x S/MWCNT heterostructures and their photocatalytic properties. <i>Journal of Nanoparticle Research</i> , 2011 , 13, 2225-2234	2.3	19
47	Electrocatalytic oxidation of hydrazine at a glassy carbon electrode modified with nickel ferrite and multi-walled carbon nanotubes. <i>Mikrochimica Acta</i> , 2011 , 175, 145-150	5.8	24
46	Controlled synthesis of Ag/Ag/C hybrid nanostructures and their surface-enhanced Raman scattering properties. <i>Chemistry - A European Journal</i> , 2011 , 17, 13386-90	4.8	8
45	Enhanced electrochemical catalytic activity of new nickel hydroxide nanostructures with (100) facet. <i>CrystEngComm</i> , 2011 , 13, 188-192	3.3	25
44	Dual functional electrochemical sensor based on Au/polydopamine/Fe3O4 nanocomposites. <i>Analytical Methods</i> , 2011 , 3, 2475	3.2	7
43	Fabrication of CuO nanowalls on Cu substrate for a high performance enzyme-free glucose sensor. <i>CrystEngComm</i> , 2010 , 12, 1120-1126	3.3	81
42	Gold nanoparticles/L-cysteine/graphene composite based immobilization strategy for an electrochemical immunosensor. <i>Analytical Methods</i> , 2010 , 2, 1692	3.2	30
41	Controlled Synthesis of Sb Nanostructures and Their Conversion to CoSb3 Nanoparticle Chains for Li-Ion Battery Electrodes. <i>Chemistry of Materials</i> , 2010 , 22, 5333-5339	9.6	57
40	Detection of hydrazine based on Nano-Au deposited on Porous-TiO2 film. <i>Electrochimica Acta</i> , 2010 , 55, 7204-7210	6.7	102
39	Synthesis and magnetic properties of size-controlled FeNi alloy nanoparticles attached on multiwalled carbon nanotubes. <i>Journal of Physics and Chemistry of Solids</i> , 2010 , 71, 290-295	3.9	22
38	Enzyme-free amperometric sensing of glucose using Cu-CuO nanowire composites. <i>Mikrochimica Acta</i> , 2010 , 168, 87-92	5.8	122
37	Synthesis of porous NiO nanocrystals with controllable surface area and their application as supercapacitor electrodes. <i>Nano Research</i> , 2010 , 3, 643-652	10	472
36	Synthesis of CuO nanoflower and its application as a H2O2 sensor. <i>Bulletin of Materials Science</i> , 2010 , 33, 17-20	1.7	52
35	An unusual H2O2 electrochemical sensor based on Ni(OH)2 nanoplates grown on Cu substrate. <i>Electrochimica Acta</i> , 2010 , 55, 7182-7187	6.7	45
34	Amperometric Detection of Hydrogen Peroxide Using Glassy Carbon Electrodes Modified with Chromium Hexacyanoferrate/Single-Walled Carbon Nanotube Nanocomposites. <i>Electroanalysis</i> , 2009 , 21, 179-183	3	8
33	Synthesis hexagonal Ni(OH)2 nanosheets for use in electrochemistry sensors. <i>Mikrochimica Acta</i> , 2009 , 167, 47-52	5.8	14

32	Cupreous oxide nanobelts as detector for determination of l-Tyrosine. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2009 , 156, 6-9	3.1	20
31	Luminescent CuS nanotubes as silver ion probes. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2009 , 72, 1071-5	4.4	3
30	Copper oxide nanoarray based on the substrate of Cu applied for the chemical sensor of hydrazine detection. <i>Electrochemistry Communications</i> , 2009 , 11, 631-634	5.1	80
29	Fixure-reduce method for the synthesis of Cu ₂ O/MWCNTs nanocomposites and its application as enzyme-free glucose sensor. <i>Biosensors and Bioelectronics</i> , 2009 , 24, 3395-8	11.8	127
28	Magnetic chitosan nanocomposites: a useful recyclable tool for heavy metal ion removal. <i>Langmuir</i> , 2009 , 25, 3-8	4	43 ¹
27	Silver oxide nanowalls grown on Cu substrate as an enzymeless glucose sensor. <i>ACS Applied Materials & Interfaces</i> , 2009 , 1, 2829-34	9.5	98
26	Preparation and Characterization of Fe ₃ O ₄ /CdS Nanocomposites and Their Use as Recyclable Photocatalysts. <i>Crystal Growth and Design</i> , 2009 , 9, 197-202	3.5	73
25	Preparation of CuO-Nanoparticle-Modified Electrode and Its Application in the Determination of Rutin. <i>Analytical Letters</i> , 2009 , 42, 1084-1093	2.2	8
24	Seed-mediated Preparation of CuO Nanoflowers and their Application as Hydrazine Sensor. <i>Chemistry Letters</i> , 2009 , 38, 466-467	1.7	9
23	Synthesis and electrochemical properties of CuO nanobelts. <i>Materials Chemistry and Physics</i> , 2008 , 112, 726-729	4.4	29
22	Synthesis of Cu/SiO ₂ composite films via gamma-irradiation route and their optical absorption properties. <i>Materials Research Bulletin</i> , 2008 , 43, 2421-2426	5.1	5
21	Synthesis and photocatalytic characterization of porous cuprous oxide octahedra. <i>Materials Letters</i> , 2008 , 62, 4363-4365	3.3	22
20	Different CuO Nanostructures: Synthesis, Characterization, and Applications for Glucose Sensors. <i>Journal of Physical Chemistry C</i> , 2008 , 112, 16845-16849	3.8	185
19	Copper Dendrites: Synthesis, Mechanism Discussion, and Application in Determination of l-Tyrosine. <i>Crystal Growth and Design</i> , 2008 , 8, 1430-1434	3.5	60
18	Generalized and Facile Synthesis of Fe ₃ O ₄ /MS (M = Zn, Cd, Hg, Pb, Co, and Ni) Nanocomposites. <i>Journal of Physical Chemistry C</i> , 2008 , 112, 12728-12735	3.8	34
17	Microwave-Assisted Synthesis and Photocatalytic Properties of Carbon Nanotube/Zinc Sulfide Heterostructures. <i>Journal of Physical Chemistry C</i> , 2008 , 112, 16779-16783	3.8	63
16	CuS nanotubes for ultrasensitive nonenzymatic glucose sensors. <i>Chemical Communications</i> , 2008 , 5945-75.8		129
15	Synthesis and electrochemical properties of different sizes of the CuO particles. <i>Journal of Nanoparticle Research</i> , 2008 , 10, 839-844	2.3	53

14	Synthesis of TiO ₂ -doped SiO ₂ composite films and its applications. <i>Bulletin of Materials Science</i> , 2008 , 31, 787-790	1.7	18
13	Preparation of porous Cu ₂ O octahedron and its application as L-Tyrosine sensors. <i>Solid State Communications</i> , 2008 , 148, 525-528	1.6	22
12	Optical and electrochemical properties of nanosized CuO via thermal decomposition of copper oxalate. <i>Solid-State Electronics</i> , 2008 , 52, 245-248	1.7	80
11	Seed-Mediated Growth Method for Epitaxial Array of CuO Nanowires on Surface of Cu Nanostructures and Its Application as a Glucose Sensor. <i>Journal of Physical Chemistry C</i> , 2008 , 112, 8856-8862	3.8	86
10	Fabrication and Characterization of Fe ₃ O ₄ Octahedrons via an EDTA-Assisted Route. <i>Crystal Growth and Design</i> , 2007 , 7, 2117-2119	3.5	105
9	Synthesis and optical properties of Cu ₂ O/SiO ₂ composite films via gamma-irradiation route. <i>Materials Letters</i> , 2007 , 61, 248-250	3.3	5
8	Novel Hierarchical Nanostructures of Nickel: Self-Assembly of Hexagonal Nanoplatelets. <i>Journal of Physical Chemistry C</i> , 2007 , 111, 601-605	3.8	79
7	Preparation of Fe (core)/SiO ₂ (shell) composite particles with improved oxidation-resistance. <i>Materials Research Bulletin</i> , 2006 , 41, 1424-1429	5.1	39
6	Fabrication and Characterization of Porous Copper Nanorods with Rectangular Cross Sections. <i>Chemistry Letters</i> , 2006 , 35, 1142-1143	1.7	8
5	Low-temperature fabrication of MnFe ₂ O ₄ octahedrons: Magnetic and electrochemical properties. <i>Chemical Physics Letters</i> , 2006 , 426, 120-123	2.5	56
4	Synthesis and characterization of CoFe ₂ O ₄ octahedrons via an EDTA-assisted route. <i>Journal of Magnetism and Magnetic Materials</i> , 2006 , 305, 68-70	2.8	27
3	One-step preparation of copper nanorods with rectangular cross sections. <i>Solid State Communications</i> , 2006 , 139, 412-414	1.6	33
2	Synthesis and Characterization of Hexagonal-like Fe ₃ O ₄ via Glycothermal Route. <i>Chemistry Letters</i> , 2005 , 34, 240-241	1.7	4
1	A Novel Chemical Reduction Route towards the Synthesis of Crystalline Nickel Nanoflowers from a Mixed Source. <i>European Journal of Inorganic Chemistry</i> , 2005 , 2005, 4788-4793	2.3	71