

Robim M Rodrigues

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8582959/publications.pdf>

Version: 2024-02-01

52
papers

1,208
citations

331259

21
h-index

414034

32
g-index

54
all docs

54
docs citations

54
times ranked

1772
citing authors

#	ARTICLE	IF	CITATIONS
1	COVID-19 and drug-induced liver injury: a problem of plenty or a petty point?. Archives of Toxicology, 2020, 94, 1367-1369.	1.9	103
2	Anti-NASH Drug Development Hitches a Lift on PPAR Agonism. Cells, 2020, 9, 37.	1.8	85
3	In vitro assessment of hepatotoxicity by metabolomics: a review. Archives of Toxicology, 2018, 92, 3007-3029.	1.9	55
4	Toxicogenomics-based prediction of acetaminophen-induced liver injury using human hepatic cell systems. Toxicology Letters, 2016, 240, 50-59.	0.4	49
5	Human Skin-Derived Stem Cells as a Novel Cell Source for In Vitro Hepatotoxicity Screening of Pharmaceuticals. Stem Cells and Development, 2014, 23, 44-55.	1.1	48
6	Mesoderm-Derived Stem Cells: The Link Between the Transcriptome and Their Differentiation Potential. Stem Cells and Development, 2012, 21, 3309-3323.	1.1	47
7	Interplay of Liver-Heart Inflammatory Axis and Cannabinoid 2 Receptor Signaling in an Experimental Model of Hepatic Cardiomyopathy. Hepatology, 2020, 71, 1391-1407.	3.6	46
8	Assaying Cellular Viability Using the Neutral Red Uptake Assay. Methods in Molecular Biology, 2017, 1601, 19-26.	0.4	45
9	Protective and Detrimental Roles of p38 β Mitogen-Activated Protein Kinase in Different Stages of Nonalcoholic Fatty Liver Disease. Hepatology, 2020, 72, 873-891.	3.6	42
10	Human-based systems: Mechanistic NASH modelling just around the corner?. Pharmacological Research, 2018, 134, 257-267.	3.1	38
11	Assessment of an automated in vitro basal cytotoxicity test system based on metabolically-competent cells. Toxicology in Vitro, 2013, 27, 760-767.	1.1	34
12	Omics-based responses induced by bosentan in human hepatoma HepaRG cell cultures. Archives of Toxicology, 2018, 92, 1939-1952.	1.9	34
13	Chronic-plus-binge alcohol intake induces production of proinflammatory mtDNA-enriched extracellular vesicles and steatohepatitis via ASK1/p38MAPK β -dependent mechanisms. JCI Insight, 2020, 5, .	2.3	34
14	Inhibition of connexin hemichannels alleviates non-alcoholic steatohepatitis in mice. Scientific Reports, 2017, 7, 8268.	1.6	33
15	Metabolomics profiling of steatosis progression in HepaRG $\hat{\text{A}}^{\circ}$ cells using sodium valproate. Toxicology Letters, 2018, 286, 22-30.	0.4	33
16	Autofluorescence microscopy: A non-destructive tool to monitor mitochondrial toxicity. Toxicology Letters, 2011, 206, 281-288.	0.4	31
17	Automation of an in vitro cytotoxicity assay used to estimate starting doses in acute oral systemic toxicity tests. Food and Chemical Toxicology, 2012, 50, 2084-2096.	1.8	31
18	Metabolomics analysis of the toxicity pathways of triphenyl phosphate in HepaRG cells and comparison to oxidative stress mechanisms caused by acetaminophen. Toxicology in Vitro, 2015, 29, 2045-2054.	1.1	31

#	ARTICLE	IF	CITATIONS
19	E-Selectin-Dependent Inflammation and Lipolysis in Adipose Tissue Exacerbate Steatosis-to-NASH Progression via S100A8/9. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2022, 13, 151-171.	2.3	26
20	Human hepatic in vitro models reveal distinct anti-NASH potencies of PPAR agonists. <i>Cell Biology and Toxicology</i> , 2021, 37, 293-311.	2.4	25
21	In vitro assessment of drug-induced liver steatosis based on human dermal stem cell-derived hepatic cells. <i>Archives of Toxicology</i> , 2016, 90, 677-689.	1.9	24
22	Elafibranor restricts lipogenic and inflammatory responses in a human skin stem cell-derived model of NASH. <i>Pharmacological Research</i> , 2019, 144, 377-389.	3.1	24
23	Proliferative and phenotypical characteristics of human adipose tissue-derived stem cells: comparison of Ficoll gradient centrifugation and red blood cell lysis buffer treatment purification methods. <i>Cytotherapy</i> , 2014, 16, 1220-1228.	0.3	22
24	Kupffer cell restoration after partial hepatectomy is mainly driven by local cell proliferation in IL-6-dependent autocrine and paracrine manners. <i>Cellular and Molecular Immunology</i> , 2021, 18, 2165-2176.	4.8	22
25	MicroRNA-223 restricts liver fibrosis by inhibiting the TAZ-IHH-GLI2 and PDGF signaling pathways via the crosstalk of multiple liver cell types. <i>International Journal of Biological Sciences</i> , 2021, 17, 1153-1167.	2.6	17
26	Human Skin-Derived Precursor Cells Are Poorly Immunogenic and Modulate the Allogeneic Immune Response. <i>Stem Cells</i> , 2014, 32, 2215-2228.	1.4	16
27	MicroRNAs as key regulators of xenobiotic biotransformation and drug response. <i>Archives of Toxicology</i> , 2015, 89, 1523-1541.	1.9	16
28	Technological advancements for the development of stem cell-based models for hepatotoxicity testing. <i>Archives of Toxicology</i> , 2019, 93, 1789-1805.	1.9	15
29	Direct reprogramming of somatic cells into induced hepatocytes: Cracking the Enigma code. <i>Journal of Hepatology</i> , 2021, 75, 690-705.	1.8	15
30	Infections at the nexus of metabolic-associated fatty liver disease. <i>Archives of Toxicology</i> , 2021, 95, 2235-2253.	1.9	14
31	The Impact of Cell-Expansion and Inflammation on The Immune-Biology of Human Adipose Tissue-Derived Mesenchymal Stromal Cells. <i>Journal of Clinical Medicine</i> , 2020, 9, 696.	1.0	13
32	Therapeutic potential of traditional Chinese medicine for the treatment of NAFLD: A promising drug <i>Potentilla discolor</i> Bunge. <i>Acta Pharmaceutica Sinica B</i> , 2022, 12, 3529-3547.	5.7	13
33	Inter- and intra-laboratory study to determine the reproducibility of toxicogenomics datasets. <i>Toxicology</i> , 2011, 290, 50-58.	2.0	12
34	Interleukin-20 exacerbates acute hepatitis and bacterial infection by downregulating $\text{IL}20\text{R}1$ target genes in hepatocytes. <i>Journal of Hepatology</i> , 2021, 75, 163-176.	1.8	12
35	Optimisation of in vitro sample preparation for LC-MS metabolomics applications on HepaRG cell cultures. <i>Analytical Methods</i> , 2017, 9, 3704-3712.	1.3	11
36	Inflammation Alters the Secretome and Immunomodulatory Properties of Human Skin-Derived Precursor Cells. <i>Cells</i> , 2020, 9, 914.	1.8	10

#	ARTICLE	IF	CITATIONS
37	Hepatic cells derived from human skin progenitors show a typical phospholipidotic response upon exposure to amiodarone. <i>Toxicology Letters</i> , 2018, 284, 184-194.	0.4	9
38	Untargeted liquid chromatography-mass spectrometry metabolomics to assess drug-induced cholestatic features in HepaRG [®] cells. <i>Toxicology and Applied Pharmacology</i> , 2019, 379, 114666.	1.3	9
39	Transcriptional Profile of Cytokines, Regulatory Mediators and TLR in Mesenchymal Stromal Cells after Inflammatory Signaling and Cell-Passaging. <i>International Journal of Molecular Sciences</i> , 2021, 22, 7309.	1.8	9
40	Gene expression data from acetaminophen-induced toxicity in human hepatic in vitro systems and clinical liver samples. <i>Data in Brief</i> , 2016, 7, 1052-1057.	0.5	8
41	Non-invasive monitoring of cytotoxicity based on kinetic changes of cellular autofluorescence. <i>Toxicology in Vitro</i> , 2011, 25, 2088-2094.	1.1	7
42	Transcriptomics Reveals Discordant Lipid Metabolism Effects between In Vitro Models Exposed to Elafibranor and Liver Samples of NAFLD Patients after Bariatric Surgery. <i>Cells</i> , 2022, 11, 893.	1.8	7
43	Human Skin-Derived Precursor Cells: Isolation, Expansion, and Hepatic Differentiation. <i>Methods in Molecular Biology</i> , 2015, 1250, 113-122.	0.4	5
44	Human stem cell-derived hepatocytes: breakthrough of an expedient tool for preclinical assessment of drug-induced liver injury?. <i>Archives of Toxicology</i> , 2014, 88, 183-184.	1.9	4
45	Identification of potential biomarkers of hepatitis B-induced acute liver failure using hepatic cells derived from human skin precursors. <i>Toxicology in Vitro</i> , 2015, 29, 1231-1239.	1.1	4
46	Measurement of Cytochrome P450 Enzyme Induction and Inhibition in Human Hepatoma Cells. <i>Methods in Molecular Biology</i> , 2015, 1250, 279-285.	0.4	4
47	From NAFLD to MAFLD: Aligning Translational In Vitro Research to Clinical Insights. <i>Biomedicines</i> , 2022, 10, 161.	1.4	4
48	Transcriptomics data of a human in vitro model of non-alcoholic steatohepatitis exposed to elafibranor. <i>Data in Brief</i> , 2019, 25, 104093.	0.5	3
49	Flow cytometric quantification of neutral lipids in a human skin stem cell-derived model of NASH. <i>MethodsX</i> , 2020, 7, 101068.	0.7	3
50	Comment to "Letter to the editor: Human-based systems: Mechanistic NASH modelling just around the corner". <i>Pharmacological Research</i> , 2018, 137, 282-283.	3.1	2
51	Enrichment of hepatocytes in a HepaRG culture using spatially selective photodynamic treatment. <i>Journal of Biomedical Optics</i> , 2010, 15, 028002.	1.4	1
52	Exposure of HepaRG Cells to Sodium Saccharin Underpins the Importance of Including Non-Hepatotoxic Compounds When Investigating Toxicological Modes of Action Using Metabolomics. <i>Metabolites</i> , 2019, 9, 265.	1.3	1