

Antonio Rodriguez-Sinovas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8584512/publications.pdf>

Version: 2024-02-01

84
papers

3,422
citations

126858

33
h-index

143943

57
g-index

87
all docs

87
docs citations

87
times ranked

3849
citing authors

#	ARTICLE	IF	CITATIONS
1	Defective dimerization of FoF1 ATP synthase secondary to glycation favors mitochondrial energy deficiency in cardiomyocytes during aging. <i>Aging Cell</i> , 2022, 21, e13564.	3.0	8
2	Human Lysyl Oxidase Over-Expression Enhances Baseline Cardiac Oxidative Stress but Does Not Aggravate ROS Generation or Infarct Size Following Myocardial Ischemia-Reperfusion. <i>Antioxidants</i> , 2022, 11, 75.	2.2	3
3	Aging Impairs Reverse Remodeling and Recovery of Ventricular Function after Isoproterenol-Induced Cardiomyopathy. <i>International Journal of Molecular Sciences</i> , 2022, 23, 174.	1.8	5
4	Effect of COMBination therapy with remote ischemic conditioning and exenatide on the Myocardial Infarct size: a two-by-two factorial randomized trial (COMBAT-MI). <i>Basic Research in Cardiology</i> , 2021, 116, 4.	2.5	25
5	Angiotensin II-induced cardiomyocyte hypertrophy: A complex response dependent on intertwined pathways. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2021, 40, 201-203.	0.2	0
6	Angiotensin II-induced cardiomyocyte hypertrophy: A complex response dependent on intertwined pathways. <i>Revista Portuguesa De Cardiologia</i> , 2021, 40, 201-203.	0.2	0
7	Connexins in the Heart: Regulation, Function and Involvement in Cardiac Disease. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4413.	1.8	48
8	Citric Acid Cycle Metabolites Predict Infarct Size in Pigs Submitted to Transient Coronary Artery Occlusion and Treated with Succinate Dehydrogenase Inhibitors or Remote Ischemic Preconditioning. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4151.	1.8	10
9	Cellular crosstalk in cardioprotection: Where and when do reactive oxygen species play a role?. <i>Free Radical Biology and Medicine</i> , 2021, 169, 397-409.	1.3	16
10	Implications of Iron Deficiency in STEMI Patients and in a Murine Model of Myocardial Infarction. <i>JACC Basic To Translational Science</i> , 2021, 6, 567-580.	1.9	14
11	NR4A3: A Key Nuclear Receptor in Vascular Biology, Cardiovascular Remodeling, and Beyond. <i>International Journal of Molecular Sciences</i> , 2021, 22, 11371.	1.8	15
12	¹ H NMR serum metabolomic profiling of patients at risk of cardiovascular diseases performing stress test. <i>Scientific Reports</i> , 2020, 10, 17838.	1.6	9
13	Connexin 43 Deficiency Is Associated with Reduced Myocardial Scar Size and Attenuated TGF β 21 Signaling after Transient Coronary Occlusion in Conditional Knock-Out Mice. <i>Biomolecules</i> , 2020, 10, 651.	1.8	8
14	Degradation of GRK2 and AKT is an early and detrimental event in myocardial ischemia/reperfusion. <i>EBioMedicine</i> , 2019, 48, 605-618.	2.7	20
15	Opposite Effects of Moderate and Extreme Cx43 Deficiency in Conditional Cx43-Deficient Mice on Angiotensin II-Induced Cardiac Fibrosis. <i>Cells</i> , 2019, 8, 1299.	1.8	12
16	CIBER-CLAP (CIBERCV Cardioprotection Large Animal Platform): A multicenter preclinical network for testing reproducibility in cardiovascular interventions. <i>Scientific Reports</i> , 2019, 9, 20290.	1.6	15
17	Ischemic Postconditioning Reduces Reperfusion Arrhythmias by Adenosine Receptors and Protein Kinase C Activation but Is Independent of KATP Channels or Connexin 43. <i>International Journal of Molecular Sciences</i> , 2019, 20, 5927.	1.8	8
18	Selective Inhibition of Succinate Dehydrogenase in Reperfused Myocardium with Intracoronary Malonate Reduces Infarct Size. <i>Scientific Reports</i> , 2018, 8, 2442.	1.6	62

#	ARTICLE	IF	CITATIONS
19	Mitochondrial Cx43, an important component of cardiac preconditioning. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2018, 1860, 174-181.	1.4	37
20	Remote ischemic conditioning provides humoural cross-species cardioprotection through glycine receptor activation. <i>Cardiovascular Research</i> , 2017, 113, 52-60.	1.8	18
21	Lysyl oxidase overexpression accelerates cardiac remodeling and aggravates angiotensin II-induced hypertrophy. <i>FASEB Journal</i> , 2017, 31, 3787-3799.	0.2	41
22	Early regional wall distension is strongly associated with vulnerability to ventricular fibrillation but not arrhythmia triggers following coronary occlusion in vivo. <i>Progress in Biophysics and Molecular Biology</i> , 2017, 130, 387-393.	1.4	8
23	Reply: Glycine as a key element of remote ischaemic conditioning cardioprotective signalling. <i>Cardiovascular Research</i> , 2017, 113, 562-563.	1.8	1
24	Lysyl oxidase over-expression aggravates angiotensin II-induced hypertrophy. <i>Atherosclerosis</i> , 2017, 263, e69.	0.4	0
25	Letter in response to "the role of succinate and ROS in reperfusion injury" A critical appraisal by Andrienko et al.. <i>Journal of Molecular and Cellular Cardiology</i> , 2017, 112, 131.	0.9	0
26	Cardiotoxic Effects of Short-Term Doxorubicin Administration: Involvement of Connexin 43 in Calcium Impairment. <i>International Journal of Molecular Sciences</i> , 2017, 18, 2121.	1.8	32
27	Efectos aditivos de la exenatida, la glucosa-insulina-potasio y el condicionamiento isquémico a distancia frente a las arritmias ventriculares de la reperfusión en cerdos. <i>Revista Espanola De Cardiologia</i> , 2016, 69, 620-622.	0.6	4
28	Additive Effects of Exenatide, Glucose-insulin-potassium, and Remote Ischemic Conditioning Against Reperfusion Ventricular Arrhythmias in Pigs. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2016, 69, 620-622.	0.4	4
29	Succinate dehydrogenase inhibition with malonate during reperfusion reduces infarct size by preventing mitochondrial permeability transition. <i>Cardiovascular Research</i> , 2016, 109, 374-384.	1.8	114
30	NOR-1 modulates the inflammatory response of vascular smooth muscle cells by preventing NF- κ B activation. <i>Journal of Molecular and Cellular Cardiology</i> , 2015, 80, 34-44.	0.9	39
31	Obesity induced by high fat diet attenuates postinfarct myocardial remodeling and dysfunction in adult B6D2F1 mice. <i>Journal of Molecular and Cellular Cardiology</i> , 2015, 84, 154-161.	0.9	25
32	Combination therapy with remote ischaemic conditioning and insulin or exenatide enhances infarct size limitation in pigs. <i>Cardiovascular Research</i> , 2015, 107, 246-254.	1.8	49
33	Microtubule stabilization with paclitaxel does not protect against infarction in isolated rat hearts. <i>Experimental Physiology</i> , 2015, 100, 23-34.	0.9	7
34	Effects of the Selective Stretch-Activated Channel Blocker GsMtx4 on Stretch-Induced Changes in Refractoriness in Isolated Rat Hearts and on Ventricular Premature Beats and Arrhythmias after Coronary Occlusion in Swine. <i>PLoS ONE</i> , 2015, 10, e0125753.	1.1	12
35	Connexin 43 phosphorylation in subsarcolemmal mitochondria: a general cardioprotective signal targeted by fibroblast growth factor-2?. <i>Cardiovascular Research</i> , 2014, 103, 1-2.	1.8	6
36	Defective sarcoplasmic reticulum-mitochondria calcium exchange in aged mouse myocardium. <i>Cell Death and Disease</i> , 2014, 5, e1573-e1573.	2.7	85

#	ARTICLE	IF	CITATIONS
37	Single Intracoronary Injection of Encapsulated Antagomirâ€92a Promotes Angiogenesis and Prevents Adverse Infarct Remodeling. <i>Journal of the American Heart Association</i> , 2014, 3, e000946.	1.6	76
38	Ischemic preconditioning protects cardiomyocyte mitochondria through mechanisms independent of cytosol. <i>Journal of Molecular and Cellular Cardiology</i> , 2014, 68, 79-88.	0.9	58
39	Protection Against Myocardial Ischemia-reperfusion Injury in Clinical Practice. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2014, 67, 394-404.	0.4	34
40	Activation of RISK and SAFE pathways is not involved in the effects of Cx43 deficiency on tolerance to ischemiaâ€reperfusion injury and preconditioning protection. <i>Basic Research in Cardiology</i> , 2013, 108, 351.	2.5	37
41	Calcium-mediated cell death during myocardial reperfusion. <i>Cardiovascular Research</i> , 2012, 94, 168-180.	1.8	243
42	Connexin and pannexin as modulators of myocardial injury. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2012, 1818, 1962-1970.	1.4	20
43	Contribution of Delayed Intracellular pH Recovery to Ischemic Postconditioning Protection. <i>Antioxidants and Redox Signaling</i> , 2011, 14, 923-939.	2.5	58
44	Effects of a reduction in the number of gap junction channels or in their conductance on ischemia-reperfusion arrhythmias in isolated mouse hearts. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2011, 301, H2442-H2453.	1.5	25
45	Effects of substitution of Cx43 by Cx32 on myocardial energy metabolism, tolerance to ischaemia and preconditioning protection. <i>Journal of Physiology</i> , 2010, 588, 1139-1151.	1.3	47
46	Connexin43 in cardiomyocyte mitochondria contributes to mitochondrial potassium uptake. <i>Cardiovascular Research</i> , 2009, 83, 747-756.	1.8	124
47	Cx43 phosphorylation and cardioprotection. <i>Cardiovascular Research</i> , 2009, 83, 613-614.	1.8	7
48	Intracoronary acid infusion as an alternative to ischemic postconditioning in pigs. <i>Basic Research in Cardiology</i> , 2009, 104, 761-771.	2.5	43
49	Replacement of connexin 43 by connexin 32 in a knockâ€in mice model attenuates aortic endotheliumâ€derived hyperpolarizing factorâ€mediated relaxation. <i>Experimental Physiology</i> , 2009, 94, 1088-1097.	0.9	11
50	Acidic reoxygenation protects against endothelial dysfunction in rat aortic rings submitted to simulated ischemia. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008, 295, H2409-H2416.	1.5	14
51	Lysyl Oxidase as a Potential Therapeutic Target. <i>Drug News and Perspectives</i> , 2008, 21, 218.	1.9	82
52	Mitochondrial connexin43 as a new player in the pathophysiology of myocardial ischaemia-reperfusion injury. <i>Cardiovascular Research</i> , 2007, 77, 325-333.	1.8	112
53	Effect of acidic reperfusion on prolongation of intracellular acidosis and myocardial salvage. <i>Cardiovascular Research</i> , 2007, 77, 782-790.	1.8	87
54	Identification of CX43 in mitochondrial membranes by mass spectrometry. <i>Journal of Molecular and Cellular Cardiology</i> , 2007, 42, S120.	0.9	0

#	ARTICLE	IF	CITATIONS
55	Mitochondrial connexin 43 hemichannels. <i>Journal of Molecular and Cellular Cardiology</i> , 2007, 42, S120.	0.9	1
56	The modulatory effects of connexin 43 on cell death/survival beyond cell coupling. <i>Progress in Biophysics and Molecular Biology</i> , 2007, 94, 219-232.	1.4	123
57	Reperfusion injury as a therapeutic challenge in patients with acute myocardial infarction. <i>Heart Failure Reviews</i> , 2007, 12, 207-216.	1.7	75
58	¹ H NMR-based metabolomic identification of at-risk areas after myocardial infarction in swine. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2007, 20, 265-271.	1.1	31
59	Intracoronary infusion of Gd ³⁺ into ischemic region does not suppress phase Ib ventricular arrhythmias after coronary occlusion in swine. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006, 290, H2344-H2350.	1.5	13
60	Protective effect of gap junction uncouplers given during hypoxia against reoxygenation injury in isolated rat hearts. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006, 290, H648-H656.	1.5	32
61	The end-effectors of preconditioning protection against myocardial cell death secondary to ischemia-reperfusion. <i>Cardiovascular Research</i> , 2006, 70, 274-285.	1.8	54
62	Translocation of Connexin 43 to the Inner Mitochondrial Membrane of Cardiomyocytes Through the Heat Shock Protein 90-Dependent TOM Pathway and Its Importance for Cardioprotection. <i>Circulation Research</i> , 2006, 99, 93-101.	2.0	221
63	Effect of sarcolemmal rupture on myocardial electrical impedance during oxygen deprivation. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005, 288, H1396-H1403.	1.5	15
64	Connexin 43 in cardiomyocyte mitochondria and its increase by ischemic preconditioning. <i>Cardiovascular Research</i> , 2005, 67, 234-244.	1.8	270
65	Myocardial connexin 43: gap junction-dependent and gap junction-independent effects on ischemia/reperfusion injury. , 2005, , 31-32.		1
66	Gap junction-mediated spread of cell injury and death during myocardial ischemia-reperfusion. <i>Cardiovascular Research</i> , 2004, 61, 386-401.	1.8	157
67	Enhanced effect of gap junction uncouplers on macroscopic electrical properties of reperfused myocardium. <i>Journal of Physiology</i> , 2004, 559, 245-257.	1.3	45
68	Glycine protects cardiomyocytes against lethal reoxygenation injury by inhibiting mitochondrial permeability transition. <i>Journal of Physiology</i> , 2004, 558, 873-882.	1.3	66
69	Pre-treatment with the Na/H exchange inhibitor cariporide delays cell-to-cell electrical uncoupling during myocardial ischemia. <i>Cardiovascular Research</i> , 2003, 58, 109-117.	1.8	24
70	Coronary smooth muscle reactivity to muscarinic stimulation after ischemia-reperfusion in porcine myocardial infarction. <i>Journal of Applied Physiology</i> , 2003, 95, 81-88.	1.2	7
71	Protection afforded by ischemic preconditioning is not mediated by effects on cell-to-cell electrical coupling during myocardial ischemia-reperfusion. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2003, 285, H1909-H1916.	1.5	53
72	Gap junction-mediated intercellular communication in ischemic preconditioning. <i>Cardiovascular Research</i> , 2002, 55, 456-465.	1.8	61

#	ARTICLE	IF	CITATIONS
73	Percutaneous Electrocatheter Technique for On-Line Detection of Healed Transmural Myocardial Infarction. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2000, 23, 1283-1287.	0.5	28
74	Neurally mediated depressor hemodynamic response induced by intracoronary catheter balloon inflation in pigs. <i>Cardiovascular Research</i> , 2000, 46, 198-206.	1.8	7
75	Cardiovascular reflex responses induced by epicardial chemoreceptor stimulation. <i>Cardiovascular Research</i> , 2000, 45, 163-171.	1.8	9
76	In Vivo and In Situ Ischemic Tissue Characterization Using Electrical Impedance Spectroscopy. <i>Annals of the New York Academy of Sciences</i> , 1999, 873, 51-58.	1.8	86
77	Passive transmission of ischemic ST segment changes in low electrical resistance myocardial infarct scar in the pig. <i>Cardiovascular Research</i> , 1998, 40, 103-112.	1.8	42
78	Lack of evidence of M-cells in porcine left ventricular myocardium. <i>Cardiovascular Research</i> , 1997, 33, 307-313.	1.8	77
79	Central and no-mediated mechanisms are involved in the inhibitory effects of CCK on the chicken cecorectal area. <i>Life Sciences</i> , 1996, 58, 1869-1882.	2.0	2
80	L-364,718 AND L-365,260, two CCK antagonists, have no affinity for central benzodiazepine binding sites in chickens. <i>Life Sciences</i> , 1996, 59, 1211-1216.	2.0	0
81	Central and peripheral cholecystokinin receptors in chickens differ from those in mammals. <i>Regulatory Peptides</i> , 1995, 60, 47-54.	1.9	10
82	Effects of cholecystokinin on chicken cecal motility: Mechanisms involved. <i>Life Sciences</i> , 1995, 56, 601-610.	2.0	6
83	Effect of cholecystokinin receptor antagonists on voluntary food intake in chickens. <i>Applied Animal Behaviour Science</i> , 1994, 40, 319-323.	0.8	9
84	Cecocolonic motility in the chicken. Effects of cholecystokinin. <i>Life Sciences</i> , 1994, 55, 1743-1755.	2.0	7