Jörg Kessler

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8584704/publications.pdf

Version: 2024-02-01

		686830	642321
37	576	13	23
papers	citations	h-index	g-index
39	39	39	498
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Longitudinal reference ranges for ductus venosus flow velocities and waveform indices. Ultrasound in Obstetrics and Gynecology, 2006, 28, 890-898.	0.9	88
2	Longitudinal Study of Umbilical and Portal Venous Blood flow to the Fetal Liver: Low Pregnancy Weight Gain is Associated With Preferential Supply to the Fetal Left Liver Lobe. Pediatric Research, 2008, 63, 315-320.	1.1	57
3	The fetal portal vein: normal blood flow development during the second half of human pregnancy. Ultrasound in Obstetrics and Gynecology, 2007, 30, 52-60.	0.9	44
4	Extreme umbilical cord lengths, cord knot and entanglement: Risk factors and risk of adverse outcomes, a population-based study. PLoS ONE, 2018, 13, e0194814.	1.1	43
5	A critical appraisal of the evidence for using cardiotocography plus <scp>ECG ST</scp> interval analysis for fetal surveillance in labor. Part <scp>II</scp> : the metaâ€analyses. Acta Obstetricia Et Gynecologica Scandinavica, 2014, 93, 571-586.	1.3	41
6	Fetal Growth Restriction Is Associated With Prioritization of Umbilical Blood Flow to the Left Hepatic Lobe at the Expense of the Right Lobe. Pediatric Research, 2009, 66, 113-117.	1.1	40
7	The left portal vein as an indicator of watershed in the fetal circulation: development during the second half of pregnancy and a suggested method of evaluation. Ultrasound in Obstetrics and Gynecology, 2007, 30, 757-764.	0.9	34
8	Venous liver blood flow and regulation of human fetal growth: evidence from macrosomic fetuses. American Journal of Obstetrics and Gynecology, 2011, 204, 429.e1-429.e7.	0.7	33
9	Intrapartum monitoring of highâ€risk deliveries with ST analysis of the fetal electrocardiogram: an observational study of 6010 deliveries. Acta Obstetricia Et Gynecologica Scandinavica, 2013, 92, 75-84.	1.3	27
10	A critical appraisal of the evidence for using cardiotocography plus <scp>ECG ST</scp> interval analysis for fetal surveillance in labor. Part I: the randomized controlled trials. Acta Obstetricia Et Gynecologica Scandinavica, 2014, 93, 556-568.	1.3	22
11	Effect of uterine contractions on fetal heart rate in pregnancy: a prospective observational study. Acta Obstetricia Et Gynecologica Scandinavica, 2016, 95, 1129-1135.	1.3	22
12	Maternal diabetes alters the development of ductus venosus shunting in the fetus. Acta Obstetricia Et Gynecologica Scandinavica, 2018, 97, 1032-1040.	1.3	16
13	Delay in intervention increases neonatal morbidity in births monitored with cardiotocography and STâ€waveform analysis. Acta Obstetricia Et Gynecologica Scandinavica, 2014, 93, 175-181.	1.3	14
14	Sleep and physical activity from before conception to the end of pregnancy in healthy women: a longitudinal actigraphy study. Sleep Medicine, 2021, 83, 89-98.	0.8	14
15	Isolated single umbilical artery and the risk of adverse perinatal outcome and third stage of labor complications: A populationâ€based study. Acta Obstetricia Et Gynecologica Scandinavica, 2020, 99, 374-380.	1.3	13
16	Intrapartum monitoring with cardiotocography and <scp>ST</scp> â€waveform analysis in breech presentation: an observational study. BJOG: an International Journal of Obstetrics and Gynaecology, 2015, 122, 528-535.	1.1	12
17	Altered development of fetal liver perfusion in pregnancies with pregestational diabetes. PLoS ONE, 2019, 14, e0211788.	1.1	10
18	Placental histology predicted adverse outcomes in extremely premature neonates in Norway—populationâ€based study. Acta Paediatrica, International Journal of Paediatrics, 2022, 111, 546-553.	0.7	8

#	Article	IF	CITATIONS
19	Put your weight behind it—Effect of body mass index on the active second stage of labour: A retrospective cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2022, 129, 2166-2174.	1.1	7
20	WHO's Robson platform for data-sharing on caesarean section rates. Bulletin of the World Health Organization, 2022, 100, 352-354.	1.5	5
21	What is the gold standard for intrapartum fetal monitoring?. Acta Obstetricia Et Gynecologica Scandinavica, 2012, 91, 1011-1014.	1.3	4
22	Recurrence of postpartum hemorrhage in relatives: A populationâ€based cohort study. Acta Obstetricia Et Gynecologica Scandinavica, 2021, 100, 2278-2284.	1.3	4
23	QRS abnormalities of the fetal electrocardiogram, and their implications for ST-interval analysis during labor. Acta Obstetricia Et Gynecologica Scandinavica, 2015, 94, 1128-1135.	1.3	3
24	It is time to introduce <scp>ST</scp> analysis for fetal monitoring in the labor ward?. Acta Obstetricia Et Gynecologica Scandinavica, 2014, 93, 539-543.	1.3	2
25	Why did the authors perform a metaâ€analysis of studies with primary endpoints they consider clinically unimportant?. Acta Obstetricia Et Gynecologica Scandinavica, 2016, 95, 606-607.	1.3	2
26	The fetal circadian rhythm in pregnancies complicated by pregestational diabetes is altered by maternal glycemic control and the morning cortisol concentration. Chronobiology International, 2019, 36, 481-492.	0.9	2
27	Estimated date of delivery based on second trimester fetal head circumference: A populationâ€based validation of 21Â451 deliveries. Acta Obstetricia Et Gynecologica Scandinavica, 2019, 98, 101-105.	1.3	2
28	The influence of region of interest width in fetal 2D-speckle tracking echocardiography late in pregnancy. International Journal of Cardiovascular Imaging, 2022, 38, 719-725.	0.7	2
29	Admission <scp>CTG</scp> , is there any evidence from which to draw conclusions?. Acta Obstetricia Et Gynecologica Scandinavica, 2013, 92, 870-870.	1.3	1
30	On the evidence for intrapartum fetal monitoring with <scp>ECG</scp> â€ <scp>ST</scp> analysis. Acta Obstetricia Et Gynecologica Scandinavica, 2015, 94, 117-118.	1.3	1
31	True Cord Knot Means True Fetal Risk – Comment on the Title Image of Ultraschall in Med 2018; 39(02):127–128. Ultraschall in Der Medizin, 2020, 41, 80-81.	0.8	1
32	Pre-gestational diabetes: Maternal body mass index and gestational weight gain are associated with augmented umbilical venous flow, fetal liver perfusion, and thus birthweight. PLoS ONE, 2021, 16, e0256171.	1.1	1
33	Metformin exposure, maternal PCOS status and fetal venous liver circulation: A randomized, placebo-controlled study. PLoS ONE, 2022, 17, e0262987.	1.1	1
34	Letter to the Editor. Acta Obstetricia Et Gynecologica Scandinavica, 2007, 86, 638-638.	1.3	0
35	Biphasic ST should not be omitted from STAN clinical guidelines. Acta Obstetricia Et Gynecologica Scandinavica, 2016, 95, 116-116.	1.3	0
36	Fetal monitoring in term breech labor – A review. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2019, 239, 45-51.	0.5	0

ARTICLE IF CITATIONS

37 Intrapartum Fetal Monitoring., 2021,, 389-397. 0