

Jörg Kessler

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8584704/publications.pdf>

Version: 2024-02-01

37
papers

576
citations

686830

13
h-index

642321

23
g-index

39
all docs

39
docs citations

39
times ranked

498
citing authors

#	ARTICLE	IF	CITATIONS
1	The influence of region of interest width in fetal 2D-speckle tracking echocardiography late in pregnancy. <i>International Journal of Cardiovascular Imaging</i> , 2022, 38, 719-725.	0.7	2
2	Placental histology predicted adverse outcomes in extremely premature neonates in Norwayâ€™s population-based study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2022, 111, 546-553.	0.7	8
3	Metformin exposure, maternal PCOS status and fetal venous liver circulation: A randomized, placebo-controlled study. <i>PLoS ONE</i> , 2022, 17, e0262987.	1.1	1
4	Put your weight behind itâ€™ Effect of body mass index on the active second stage of labour: A retrospective cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2022, 129, 2166-2174.	1.1	7
5	WHOâ€™s Robson platform for data-sharing on caesarean section rates. <i>Bulletin of the World Health Organization</i> , 2022, 100, 352-354.	1.5	5
6	Sleep and physical activity from before conception to the end of pregnancy in healthy women: a longitudinal actigraphy study. <i>Sleep Medicine</i> , 2021, 83, 89-98.	0.8	14
7	Pre-gestational diabetes: Maternal body mass index and gestational weight gain are associated with augmented umbilical venous flow, fetal liver perfusion, and thus birthweight. <i>PLoS ONE</i> , 2021, 16, e0256171.	1.1	1
8	Recurrence of postpartum hemorrhage in relatives: A population-based cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 2278-2284.	1.3	4
9	Intrapartum Fetal Monitoring. , 2021, , 389-397.		0
10	Isolated single umbilical artery and the risk of adverse perinatal outcome and third stage of labor complications: A population-based study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020, 99, 374-380.	1.3	13
11	True Cord Knot Means True Fetal Risk â€™ Comment on the Title Image of <i>Ultraschall in Med</i> 2018; 39(02):127â€™128. <i>Ultraschall in Der Medizin</i> , 2020, 41, 80-81.	0.8	1
12	Fetal monitoring in term breech labor â€™ A review. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019, 239, 45-51.	0.5	0
13	Altered development of fetal liver perfusion in pregnancies with pregestational diabetes. <i>PLoS ONE</i> , 2019, 14, e0211788.	1.1	10
14	The fetal circadian rhythm in pregnancies complicated by pregestational diabetes is altered by maternal glycemic control and the morning cortisol concentration. <i>Chronobiology International</i> , 2019, 36, 481-492.	0.9	2
15	Estimated date of delivery based on second trimester fetal head circumference: A population-based validation of 21Â451 deliveries. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 101-105.	1.3	2
16	Maternal diabetes alters the development of ductus venosus shunting in the fetus. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 1032-1040.	1.3	16
17	Extreme umbilical cord lengths, cord knot and entanglement: Risk factors and risk of adverse outcomes, a population-based study. <i>PLoS ONE</i> , 2018, 13, e0194814.	1.1	43
18	Biphasic ST should not be omitted from STAN clinical guidelines. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 116-116.	1.3	0

#	ARTICLE	IF	CITATIONS
19	Effect of uterine contractions on fetal heart rate in pregnancy: a prospective observational study. Acta Obstetrica Et Gynecologica Scandinavica, 2016, 95, 1129-1135.	1.3	22
20	Why did the authors perform a meta-analysis of studies with primary endpoints they consider clinically unimportant?. Acta Obstetrica Et Gynecologica Scandinavica, 2016, 95, 606-607.	1.3	2
21	QRS abnormalities of the fetal electrocardiogram, and their implications for ST-interval analysis during labor. Acta Obstetrica Et Gynecologica Scandinavica, 2015, 94, 1128-1135.	1.3	3
22	On the evidence for intrapartum fetal monitoring with <scp>ECG</scp>â€<scp>ST</scp> analysis. Acta Obstetrica Et Gynecologica Scandinavica, 2015, 94, 117-118.	1.3	1
23	Intrapartum monitoring with cardiotocography and <scp>ST</scp>â€ waveform analysis in breech presentation: an observational study. BJOG: an International Journal of Obstetrics and Gynaecology, 2015, 122, 528-535.	1.1	12
24	A critical appraisal of the evidence for using cardiotocography plus <scp>ECG ST</scp> interval analysis for fetal surveillance in labor. Part I: the randomized controlled trials. Acta Obstetrica Et Gynecologica Scandinavica, 2014, 93, 556-568.	1.3	22
25	A critical appraisal of the evidence for using cardiotocography plus <scp>ECG ST</scp> interval analysis for fetal surveillance in labor. Part <scp>II</scp>: the meta-analysis. Acta Obstetrica Et Gynecologica Scandinavica, 2014, 93, 571-586.	1.3	41
26	Delay in intervention increases neonatal morbidity in births monitored with cardiotocography and STâ€ waveform analysis. Acta Obstetrica Et Gynecologica Scandinavica, 2014, 93, 175-181.	1.3	14
27	It is time to introduce <scp>ST</scp> analysis for fetal monitoring in the labor ward?. Acta Obstetrica Et Gynecologica Scandinavica, 2014, 93, 539-543.	1.3	2
28	Intrapartum monitoring of high-risk deliveries with ST analysis of the fetal electrocardiogram: an observational study of 6010 deliveries. Acta Obstetrica Et Gynecologica Scandinavica, 2013, 92, 75-84.	1.3	27
29	Admission <scp>CTG</scp>, is there any evidence from which to draw conclusions?. Acta Obstetrica Et Gynecologica Scandinavica, 2013, 92, 870-870.	1.3	1
30	What is the gold standard for intrapartum fetal monitoring?. Acta Obstetrica Et Gynecologica Scandinavica, 2012, 91, 1011-1014.	1.3	4
31	Venous liver blood flow and regulation of human fetal growth: evidence from macrosomic fetuses. American Journal of Obstetrics and Gynecology, 2011, 204, 429.e1-429.e7.	0.7	33
32	Fetal Growth Restriction Is Associated With Prioritization of Umbilical Blood Flow to the Left Hepatic Lobe at the Expense of the Right Lobe. Pediatric Research, 2009, 66, 113-117.	1.1	40
33	Longitudinal Study of Umbilical and Portal Venous Blood flow to the Fetal Liver: Low Pregnancy Weight Gain is Associated With Preferential Supply to the Fetal Left Liver Lobe. Pediatric Research, 2008, 63, 315-320.	1.1	57
34	The fetal portal vein: normal blood flow development during the second half of human pregnancy. Ultrasound in Obstetrics and Gynecology, 2007, 30, 52-60.	0.9	44
35	The left portal vein as an indicator of watershed in the fetal circulation: development during the second half of pregnancy and a suggested method of evaluation. Ultrasound in Obstetrics and Gynecology, 2007, 30, 757-764.	0.9	34
36	Letter to the Editor. Acta Obstetrica Et Gynecologica Scandinavica, 2007, 86, 638-638.	1.3	0

#	ARTICLE	IF	CITATIONS
37	Longitudinal reference ranges for ductus venosus flow velocities and waveform indices. Ultrasound in Obstetrics and Gynecology, 2006, 28, 890-898.	0.9	88