

# William S Stone

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8585410/william-s-stone-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

111  
papers

4,699  
citations

38  
h-index

67  
g-index

116  
ext. papers

5,496  
ext. citations

4.8  
avg, IF

4.96  
L-index

#	Paper	IF	Citations
111	Neurodegenerative model of schizophrenia: Growing evidence to support a revisit.. <i>Schizophrenia Research</i> , <b>2022</b> , 243, 154-162	3.6	3
110	Examining the variability of neurocognitive functioning in individuals at clinical high risk for psychosis: a meta-analysis.. <i>Translational Psychiatry</i> , <b>2022</b> , 12, 198	8.6	0
109	Association between residential instability at individual and area levels and future psychosis in adolescents at clinical high risk from the North American Prodrome Longitudinal Study (NAPLS) consortium. <i>Schizophrenia Research</i> , <b>2021</b> , 238, 137-144	3.6	1
108	Enhancing attention and memory of individuals at clinical high risk for psychosis with mHealth technology. <i>Asian Journal of Psychiatry</i> , <b>2021</b> , 58, 102587	6.7	2
107	White matter changes in psychosis risk relate to development and are not impacted by the transition to psychosis. <i>Molecular Psychiatry</i> , <b>2021</b> ,	15.1	6
106	Abnormal Function in Dentate Nuclei Precedes the Onset of Psychosis: A Resting-State fMRI Study in High-Risk Individuals. <i>Schizophrenia Bulletin</i> , <b>2021</b> , 47, 1421-1430	1.3	1
105	Counterpoint. Early intervention for psychosis risk syndromes: Minimizing risk and maximizing benefit. <i>Schizophrenia Research</i> , <b>2021</b> , 227, 10-17	3.6	17
104	Social decline in the psychosis prodrome: Predictor potential and heterogeneity of outcome. <i>Schizophrenia Research</i> , <b>2021</b> , 227, 44-51	3.6	6
103	Baseline Cortical Thickness Reductions in Clinical High Risk for Psychosis: Brain Regions Associated with Conversion to Psychosis Versus Non-Conversion as Assessed at One-Year Follow-Up in the Shanghai-At-Risk-for-Psychosis (SHARP) Study. <i>Schizophrenia Bulletin</i> , <b>2021</b> , 47, 562-574	1.3	4
102	Calculating individualized risk components using a mobile app-based risk calculator for clinical high risk of psychosis: findings from ShangHai At Risk for Psychosis (SHARP) program. <i>Psychological Medicine</i> , <b>2021</b> , 51, 653-660	6.9	15
101	Individualized risk components guiding antipsychotic delivery in patients with a clinical high risk of psychosis: application of a risk calculator. <i>Psychological Medicine</i> , <b>2021</b> , 1-10	6.9	0
100	MK-Curve improves sensitivity to identify white matter alterations in clinical high risk for psychosis. <i>NeuroImage</i> , <b>2021</b> , 226, 117564	7.9	1
99	Neurocognitive Functioning in Individuals at Clinical High Risk for Psychosis: A Systematic Review and Meta-analysis. <i>JAMA Psychiatry</i> , <b>2021</b> ,	14.5	25
98	Sleep Disturbance in Individuals at Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , <b>2021</b> ,	1.3	3
97	Individualized Prediction of Prodromal Symptom Remission for Youth at Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , <b>2021</b> ,	1.3	1
96	Validation of Rapid Interactive Screening Test for Autism in Toddlers Using Autism Diagnostic Observation Schedule-Second Edition in Children at High-Risk for Autism Spectrum Disorder. <i>Frontiers in Psychiatry</i> , <b>2021</b> , 12, 737890	5	1
95	The effects of age and sex on cognitive impairment in schizophrenia: Findings from the Consortium on the Genetics of Schizophrenia (COGS) study. <i>PLoS ONE</i> , <b>2020</b> , 15, e0232855	3.7	6

94	Stressor-Cortisol Concordance Among Individuals at Clinical High-Risk for Psychosis: Novel Findings from the NAPLS Cohort. <i>Psychoneuroendocrinology</i> , <b>2020</b> , 115, 104649	5	11
93	Association Between the Duration of Untreated Psychosis and Selective Cognitive Performance in Community-Dwelling Individuals With Chronic Untreated Schizophrenia in Rural China. <i>JAMA Psychiatry</i> , <b>2020</b> , 77, 1116-1126	14.5	12
92	O5.6. ADVANCED DIFFUSION IMAGING IN PSYCHOSIS RISK: A CROSS-SECTIONAL AND LONGITUDINAL STUDY OF WHITE MATTER DEVELOPMENT. <i>Schizophrenia Bulletin</i> , <b>2020</b> , 46, S13-S13	1.3	78
91	Clinical subtypes that predict conversion to psychosis: A canonical correlation analysis study from the ShangHai At Risk for Psychosis program. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2020</b> , 54, 482-495	2.6	7
90	Brain functional connectivity data enhance prediction of clinical outcome in youth at risk for psychosis. <i>NeuroImage: Clinical</i> , <b>2020</b> , 26, 102108	5.3	9
89	Heritability of acoustic startle magnitude and latency from the consortium on the genetics of schizophrenia. <i>Schizophrenia Research</i> , <b>2020</b> , 224, 33-39	3.6	0
88	Cognitive dysfunction in a psychotropic medication-naïve, clinical high-risk sample from the ShangHai-At-Risk-for-Psychosis (SHARP) study: Associations with clinical outcomes. <i>Schizophrenia Research</i> , <b>2020</b> , 226, 138-146	3.6	6
87	Functional connectome organization predicts conversion to psychosis in clinical high-risk youth from the SHARP program. <i>Molecular Psychiatry</i> , <b>2020</b> , 25, 2431-2440	15.1	27
86	P300 as an index of transition to psychosis and of remission: Data from a clinical high risk for psychosis study and review of literature. <i>Schizophrenia Research</i> , <b>2020</b> , 226, 74-83	3.6	17
85	North American Prodrome Longitudinal Study (NAPLS 3): Methods and baseline description. <i>Schizophrenia Research</i> , <b>2020</b> ,	3.6	14
84	The effects of age and sex on cognitive impairment in schizophrenia: Findings from the Consortium on the Genetics of Schizophrenia (COGS) study <b>2020</b> , 15, e0232855		
83	The effects of age and sex on cognitive impairment in schizophrenia: Findings from the Consortium on the Genetics of Schizophrenia (COGS) study <b>2020</b> , 15, e0232855		
82	The effects of age and sex on cognitive impairment in schizophrenia: Findings from the Consortium on the Genetics of Schizophrenia (COGS) study <b>2020</b> , 15, e0232855		
81	The effects of age and sex on cognitive impairment in schizophrenia: Findings from the Consortium on the Genetics of Schizophrenia (COGS) study <b>2020</b> , 15, e0232855		
80	S61. CLINICAL SUBTYPES THAT PREDICT CONVERSION TO PSYCHOSIS: A CANONICAL CORRELATION ANALYSIS STUDY FROM THE SHANGHAI AT RISK FOR PSYCHOSIS (SHARP) PROGRAM. <i>Schizophrenia Bulletin</i> , <b>2019</b> , 45, S329-S330	1.3	78
79	Altered Cellular White Matter But Not Extracellular Free Water on Diffusion MRI in Individuals at Clinical High Risk for Psychosis. <i>American Journal of Psychiatry</i> , <b>2019</b> , 176, 820-828	11.9	14
78	Clinical Profiles and Conversion Rates Among Young Individuals With Autism Spectrum Disorder Who Present to Clinical High Risk for Psychosis Services. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , <b>2019</b> , 58, 582-588	7.2	19
77	Genome-wide Association of Endophenotypes for Schizophrenia From the Consortium on the Genetics of Schizophrenia (COGS) Study. <i>JAMA Psychiatry</i> , <b>2019</b> , 76, 1274-1284	14.5	32

76	Neural correlates of cognitive deficits across developmental phases of schizophrenia. <i>Neurobiology of Disease</i> , <b>2019</b> , 131, 104353	7.5	21
75	F14. REDUCED DURATION MISMATCH NEGATIVITY ASSOCIATED WITH DECREASED GLUTAMATE+GLUTAMINE LEVEL IN SUBJECTS AT CLINICAL HIGH-RISK FOR PSYCHOSIS. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S223-S224	1.3	78
74	Deficient prepulse inhibition in schizophrenia in a multi-site cohort: Internal replication and extension. <i>Schizophrenia Research</i> , <b>2018</b> , 198, 6-15	3.6	32
73	O9.8. STRESS AND COGNITIVE FUNCTION AMONG INDIVIDUALS AT CLINICAL HIGH-RISK FOR PSYCHOSIS: FINDINGS FROM THE NAPLS COHORT. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S102-S102	1.3	78
72	O2.8. TRAJECTORIES OF NEUROCOGNITIVE FUNCTIONING OVER TIME IN YOUTH AT CLINICAL HIGH RISK WHO DO AND DO NOT TRANSITION TO PSYCHOSIS. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S78-S78 <sup>1.3</sup>	1.3	78
71	O6.4. AUDITORY AND LANGUAGE AREAS DISTINGUISH CONVERTERS FROM NONCONVERTERS AT BASELINE IN SHARP CLINICAL HIGH-RISK SUBJECTS FOR PSYCHOSIS STUDY. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S90-S91	1.3	78
70	O10.5. ABNORMAL MODULAR ORGANIZATION OF THE FUNCTIONAL CONNECTOME PREDICTS CONVERSION TO PSYCHOSIS IN CLINICAL HIGH-RISK YOUTH. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S104-S104 <sup>1.3</sup>	1.3	1
69	Validating the Predictive Accuracy of the NAPLS-2 Psychosis Risk Calculator in a Clinical High-Risk Sample From the SHARP (Shanghai At Risk for Psychosis) Program. <i>American Journal of Psychiatry</i> , <b>2018</b> , 175, 906-908	11.9	37
68	S105. VALIDATING THE PREDICTIVE ACCURACY OF THE NAPLS-2 PSYCHOSIS RISK CALCULATOR IN A CLINICAL HIGH-RISK SAMPLE FROM THE SHARP (SHANGHAI AT RISK FOR PSYCHOSIS) PROGRAM. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S366-S366	1.3	78
67	Randomized Controlled Trial of a Computerized Interactive Media-Based Problem Solving Treatment for Depression. <i>Behavior Therapy</i> , <b>2017</b> , 48, 413-425	4.8	13
66	Modeling Deficits From Early Auditory Information Processing to Psychosocial Functioning in Schizophrenia. <i>JAMA Psychiatry</i> , <b>2017</b> , 74, 37-46	14.5	127
65	Gating Deficit Heritability and Correlation With Increased Clinical Severity in Schizophrenia Patients With Positive Family History. <i>American Journal of Psychiatry</i> , <b>2016</b> , 173, 385-91	11.9	31
64	Association of Neurocognition With Transition to Psychosis: Baseline Functioning in the Second Phase of the North American Prodrome Longitudinal Study. <i>JAMA Psychiatry</i> , <b>2016</b> , 73, 1239-1248	14.5	158
63	Neuropsychological and Structural Neuroimaging Endophenotypes in Schizophrenia <b>2016</b> , 1-35		1
62	Genetic assessment of additional endophenotypes from the Consortium on the Genetics of Schizophrenia Family Study. <i>Schizophrenia Research</i> , <b>2016</b> , 170, 30-40	3.6	46
61	Healthy adolescent performance on the MATRICS Consensus Cognitive Battery (MCCB): Developmental data from two samples of volunteers. <i>Schizophrenia Research</i> , <b>2016</b> , 172, 106-13	3.6	18
60	Auditory Vigilance and Working Memory in Youth at Familial Risk for Schizophrenia or Affective Psychosis in the Harvard Adolescent Family High Risk Study. <i>Journal of the International Neuropsychological Society</i> , <b>2016</b> , 22, 1026-1037	3.1	8
59	Prioritizing schizophrenia endophenotypes for future genetic studies: An example using data from the COGS-1 family study. <i>Schizophrenia Research</i> , <b>2016</b> , 174, 1-9	3.6	12

58	California Verbal Learning Test-II performance in schizophrenia as a function of ascertainment strategy: comparing the first and second phases of the Consortium on the Genetics of Schizophrenia (COGS). <i>Schizophrenia Research</i> , <b>2015</b> , 163, 32-7	3.6	11
57	Verbal working memory in schizophrenia from the Consortium on the Genetics of Schizophrenia (COGS) study: the moderating role of smoking status and antipsychotic medications. <i>Schizophrenia Research</i> , <b>2015</b> , 163, 24-31	3.6	22
56	The utility of P300 as a schizophrenia endophenotype and predictive biomarker: clinical and socio-demographic modulators in COGS-2. <i>Schizophrenia Research</i> , <b>2015</b> , 163, 53-62	3.6	63
55	Robust differences in antisaccade performance exist between COGS schizophrenia cases and controls regardless of recruitment strategies. <i>Schizophrenia Research</i> , <b>2015</b> , 163, 47-52	3.6	13
54	Schizoaffective Disorder <b>2015</b> , 1-4		
53	Neuropsychological Impairment in Prodromal, First-Episode, and Chronic Psychosis: Assessing RBANS Performance. <i>PLoS ONE</i> , <b>2015</b> , 10, e0125784	3.7	22
52	Attention/vigilance in schizophrenia: performance results from a large multi-site study of the Consortium on the Genetics of Schizophrenia (COGS). <i>Schizophrenia Research</i> , <b>2015</b> , 163, 38-46	3.6	48
51	Neurocognitive performance in family-based and case-control studies of schizophrenia. <i>Schizophrenia Research</i> , <b>2015</b> , 163, 17-23	3.6	22
50	Validation of mismatch negativity and P3a for use in multi-site studies of schizophrenia: characterization of demographic, clinical, cognitive, and functional correlates in COGS-2. <i>Schizophrenia Research</i> , <b>2015</b> , 163, 63-72	3.6	116
49	Factor structure and heritability of endophenotypes in schizophrenia: findings from the Consortium on the Genetics of Schizophrenia (COGS-1). <i>Schizophrenia Research</i> , <b>2015</b> , 163, 73-9	3.6	45
48	Impaired facilitation of self-control cognition by glucose in patients with schizophrenia: a randomized controlled study. <i>Schizophrenia Research</i> , <b>2014</b> , 156, 38-45	3.6	9
47	Paternal age of schizophrenia probands and endophenotypic differences from unaffected siblings. <i>Psychiatry Research</i> , <b>2014</b> , 219, 67-71	9.9	2
46	Comparison of the heritability of schizophrenia and endophenotypes in the COGS-1 family study. <i>Schizophrenia Bulletin</i> , <b>2014</b> , 40, 1404-11	1.3	26
45	Deficient prepulse inhibition in schizophrenia detected by the multi-site COGS. <i>Schizophrenia Research</i> , <b>2014</b> , 152, 503-12	3.6	74
44	Is there an association between advanced paternal age and endophenotype deficit levels in schizophrenia?. <i>PLoS ONE</i> , <b>2014</b> , 9, e88379	3.7	10
43	Sex differences in familiarity effects on neurocognitive performance in schizophrenia. <i>Biological Psychiatry</i> , <b>2013</b> , 73, 976-84	7.9	16
42	Genome-wide linkage analyses of 12 endophenotypes for schizophrenia from the Consortium on the Genetics of Schizophrenia. <i>American Journal of Psychiatry</i> , <b>2013</b> , 170, 521-32	11.9	105
41	Development of liability syndromes for schizophrenia: where did they come from and where are they going?. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2013</b> , 162B, 687-97	3.5	3

40	Auditory working memory impairments in individuals at familial high risk for schizophrenia. <i>Neuropsychology</i> , <b>2012</b> , 26, 288-303	3.8	28
39	Neurocognitive and clinical dysfunction in adult Chinese, nonpsychotic relatives of patients with schizophrenia: Findings from the Changsha study and evidence for schizotaxia. <i>Asian Journal of Psychiatry</i> , <b>2012</b> , 5, 83-92	6.7	5
38	Are neurocognitive, clinical and social dysfunctions in schizotaxia reversible pharmacologically?: Results from the Changsha study. <i>Asian Journal of Psychiatry</i> , <b>2012</b> , 5, 73-82	6.7	6
37	Group and site differences on the California Verbal Learning Test in persons with schizophrenia and their first-degree relatives: findings from the Consortium on the Genetics of Schizophrenia (COGS). <i>Schizophrenia Research</i> , <b>2011</b> , 128, 102-10	3.6	32
36	Declarative memory deficits and schizophrenia: problems and prospects. <i>Neurobiology of Learning and Memory</i> , <b>2011</b> , 96, 544-52	3.1	38
35	Recent developments in neuropsychological endophenotypes for schizophrenia: Development of the MATRICS battery, liability syndromes and the near future. <i>Science Bulletin</i> , <b>2011</b> , 56, 3385-3393		0
34	Evaluation of functionally meaningful measures for clinical trials of cognition enhancement in schizophrenia. <i>American Journal of Psychiatry</i> , <b>2011</b> , 168, 400-7	11.9	132
33	Analysis of 94 candidate genes and 12 endophenotypes for schizophrenia from the Consortium on the Genetics of Schizophrenia. <i>American Journal of Psychiatry</i> , <b>2011</b> , 168, 930-46	11.9	201
32	Do Apparent Overlaps between Schizophrenia and Autistic Spectrum Disorders Reflect Superficial Similarities or Etiological Commonalities?. <i>North American Journal of Medicine &amp; Science</i> , <b>2011</b> , 4, 124-133		28
31	Neurological and Neuropsychological Endophenotypes in Schizophrenia Spectrum Disorders <b>2011</b> , 325-349		1
30	Inhibition of the P50 cerebral evoked response to repeated auditory stimuli: results from the Consortium on Genetics of Schizophrenia. <i>Schizophrenia Research</i> , <b>2010</b> , 119, 175-82	3.6	79
29	Prevention of schizophrenia. <i>Expert Review of Neurotherapeutics</i> , <b>2010</b> , 10, 1165-74	4.3	7
28	Antisaccade performance in schizophrenia patients, their first-degree biological relatives, and community comparison subjects: data from the COGS study. <i>Psychophysiology</i> , <b>2010</b> , 47, 846-56	4.1	26
27	Verbal working memory impairments in individuals with schizophrenia and their first-degree relatives: findings from the Consortium on the Genetics of Schizophrenia. <i>Schizophrenia Research</i> , <b>2008</b> , 103, 218-28	3.6	89
26	Abnormal auditory N100 amplitude: a heritable endophenotype in first-degree relatives of schizophrenia probands. <i>Biological Psychiatry</i> , <b>2008</b> , 64, 1051-9	7.9	101
25	Effects of sleep restriction periods on serum cortisol levels in healthy men. <i>Brain Research Bulletin</i> , <b>2008</b> , 77, 241-5	3.9	38
24	Toward a model of memory enhancement in schizophrenia: glucose administration and hippocampal function. <i>Schizophrenia Bulletin</i> , <b>2008</b> , 34, 93-108	1.3	22
23	Successful multi-site measurement of antisaccade performance deficits in schizophrenia. <i>Schizophrenia Research</i> , <b>2007</b> , 89, 320-9	3.6	65

22	Multi-site studies of acoustic startle and prepulse inhibition in humans: initial experience and methodological considerations based on studies by the Consortium on the Genetics of Schizophrenia. <i>Schizophrenia Research</i> , <b>2007</b> , 92, 237-51	3.6	55
21	The Consortium on the Genetics of Schizophrenia: neurocognitive endophenotypes. <i>Schizophrenia Bulletin</i> , <b>2007</b> , 33, 49-68	1.3	286
20	The Consortium on the Genetics of Endophenotypes in Schizophrenia: model recruitment, assessment, and endophenotyping methods for a multisite collaboration. <i>Schizophrenia Bulletin</i> , <b>2007</b> , 33, 33-48	1.3	123
19	Initial heritability analyses of endophenotypic measures for schizophrenia: the consortium on the genetics of schizophrenia. <i>Archives of General Psychiatry</i> , <b>2007</b> , 64, 1242-50		326
18	Psychopathology, personality traits and social development of young first-degree relatives of patients with schizophrenia. <i>British Journal of Psychiatry</i> , <b>2006</b> , 189, 337-45	5.4	65
17	Neuropsychological functioning in adolescents and young adults at genetic risk for schizophrenia and affective psychoses: results from the Harvard and Hillside Adolescent High Risk Studies. <i>Schizophrenia Bulletin</i> , <b>2006</b> , 32, 507-24	1.3	107
16	Medial temporal and prefrontal lobe activation during verbal encoding following glucose ingestion in schizophrenia: A pilot fMRI study. <i>Neurobiology of Learning and Memory</i> , <b>2005</b> , 83, 54-64	3.1	34
15	Searching for the liability to schizophrenia: concepts and methods underlying genetic high-risk studies of adolescents. <i>Journal of Child and Adolescent Psychopharmacology</i> , <b>2005</b> , 15, 403-17	2.9	33
14	Evidence for linkage between regulatory enzymes in glycolysis and schizophrenia in a multiplex sample. <i>American Journal of Medical Genetics Part A</i> , <b>2004</b> , 127B, 5-10		46
13	Methylomics in psychiatry: Modulation of gene-environment interactions may be through DNA methylation. <i>American Journal of Medical Genetics Part A</i> , <b>2004</b> , 127B, 51-9		160
12	Glucose effects on cognition in schizophrenia. <i>Schizophrenia Research</i> , <b>2003</b> , 62, 93-103	3.6	40
11	Treatment of nonpsychotic relatives of patients with schizophrenia: six case studies. <i>American Journal of Medical Genetics Part A</i> , <b>2002</b> , 114, 943-8		13
10	An integration of schizophrenia with schizotypy: identification of schizotaxia and implications for research on treatment and prevention. <i>Schizophrenia Research</i> , <b>2002</b> , 54, 169-75	3.6	81
9	Concurrent validation of schizotaxia: a pilot study. <i>Biological Psychiatry</i> , <b>2001</b> , 50, 434-40	7.9	31
8	Toward reformulating the diagnosis of schizophrenia. <i>American Journal of Psychiatry</i> , <b>2000</b> , 157, 1041-50	1.9	152
7	Schizophrenia: A Review of Genetic Studies. <i>Harvard Review of Psychiatry</i> , <b>1999</b> , 7, 185-207	4.1	40
6	Treatment of nonpsychotic relatives of patients with schizophrenia: four case studies. <i>Biological Psychiatry</i> , <b>1999</b> , 45, 1412-8	7.9	85
5	Comparative effects of schizophrenia and temporal lobe epilepsy on memory. <i>Journal of the International Neuropsychological Society</i> , <b>1998</b> , 4, 342-352	3.1	35

4	Prenatal exposure to alcohol in adult rats: relationships between sleep and memory deficits, and effects of glucose administration on memory. <i>Brain Research</i> , <b>1996</b> , 742, 98-106	3-7	31
3	Scopolamine- and morphine-induced impairments of spontaneous alternation performance in mice: Reversal with glucose and with cholinergic and adrenergic agonists.. <i>Behavioral Neuroscience</i> , <b>1991</b> , 105, 264-271	2-1	115
2	Glucose and physostigmine effects on morphine- and amphetamine-induced increases in locomotor activity in mice. <i>Behavioral and Neural Biology</i> , <b>1990</b> , 54, 146-55		23
1	Early Detection and Intervention as Approaches for Preventing Schizophrenia617-631		1