## Charles H V Hoyle

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8586468/charles-h-v-hoyle-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86 3,474 34 57 h-index g-index citations papers 86 3,583 4.83 5.7 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
86	Effects of aging on cholinergic neuromuscular transmission in isolated small intestine of ad libitum fed and calorically-restricted rats. <i>Neurogastroenterology and Motility</i> , <b>2012</b> , 24, 586-92	4	11
85	Evolution of neuronal signalling: transmitters and receptors. <i>Autonomic Neuroscience: Basic and Clinical</i> , <b>2011</b> , 165, 28-53	2.4	24
84	Effects of diadenosine tetraphosphate on FGF9-induced chloride flux changes in achondroplastic chondrocytes. <i>Purinergic Signalling</i> , <b>2011</b> , 7, 243-9	3.8	8
83	Diadenosine tetraphosphate protects sympathetic terminals from 6-hydroxydopamine-induced degeneration in the eye. <i>Acta Physiologica</i> , <b>2010</b> , 199, 205-10	5.6	5
82	Identification of genes for the ghrelin and motilin receptors and a novel related gene in fish, and stimulation of intestinal motility in zebrafish (Danio rerio) by ghrelin and motilin. <i>General and Comparative Endocrinology</i> , <b>2008</b> , 155, 217-26	3	74
81	Dinucleoside polyphosphates in the eye: from physiology to therapeutics. <i>Progress in Retinal and Eye Research</i> , <b>2007</b> , 26, 674-87	20.5	36
80	Melatonin potentiates tear secretion induced by diadenosine tetraphosphate in the rabbit. <i>European Journal of Pharmacology</i> , <b>2006</b> , 552, 159-61	5-3	14
79	Potentiation of uterine effects of prostaglandin F2{alpha} by adenosine 5\hstyle{\mathbb{W}}\text{riphosphate. Obstetrics and Gynecology, 2005, 105, 1429-36}	4.9	9
78	Potentiation of sympathetic neuromuscular transmission mediated by muscarinic receptors in guinea pig isolated vas deferens. <i>Naunyn-Schmiedeberg Archives of Pharmacology</i> , <b>2005</b> , 371, 212-20	3.4	9
77	Nucleotides and dinucleotides in ocular physiology: New possibilities of nucleotides as therapeutic agents in the eye. <i>Drug Development Research</i> , <b>2003</b> , 59, 136-145	5.1	15
76	Ocular hypotensive effects of melatonin receptor agonists in the rabbit: further evidence for an MT3 receptor. <i>British Journal of Pharmacology</i> , <b>2003</b> , 138, 831-6	8.6	83
75	Analysis of pancreatic polypeptide cDNA from the house musk shrew, Suncus murinus, suggests a phylogenetically closer relationship with humans than for other small laboratory animal species. <i>Regulatory Peptides</i> , <b>2003</b> , 114, 137-44		13
74	Presence of diadenosine polyphosphates in the aqueous humor: their effect on intraocular pressure. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2003</b> , 304, 342-8	4.7	58
73	Effects of testosterone on neuromuscular transmission in rat isolated urinary bladder. <i>European Journal of Pharmacology</i> , <b>2002</b> , 449, 301-9	5.3	35
72	Effects of diadenosine polyphosphates on tear secretion in New Zealand white rabbits. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2002</b> , 300, 291-7	4.7	64
71	Diadenosine polyphosphates as extracellular signal molecules. <i>Drug Development Research</i> , <b>2001</b> , 52, 260-273	5.1	57
70	Involvement of melatonin MT(3) receptors in the regulation of intraocular pressure in rabbits. <i>European Journal of Pharmacology</i> , <b>2001</b> , 416, 251-4	5.3	96

## (1996-2000)

69	Brain Research, <b>2000</b> , 121, 29-34		15	
68	Neuromyogenic properties of the internal anal sphincter: therapeutic rationale for anal fissures. <i>Gut</i> , <b>2000</b> , 46, 861-8	19.2	45	
67	The effects of cyclophosphamide on neurotransmission in the urinary bladder of Suncus murinus, the house musk shrew. <i>Journal of the Autonomic Nervous System</i> , <b>2000</b> , 80, 130-6		22	
66	Neuropeptide families and their receptors: evolutionary perspectives. <i>Brain Research</i> , <b>1999</b> , 848, 1-25	3.7	187	
65	Sodium nitroprusside enhances contractions of the guinea-pig isolated vas deferens. <i>Journal of Pharmacy and Pharmacology</i> , <b>1998</b> , 50, 205-9	4.8	5	
64	Neuromuscular transmission and innervation in the urinary bladder of the insectivore Suncus murinus. <i>Journal of the Autonomic Nervous System</i> , <b>1998</b> , 69, 31-8		14	
63	Neuropeptide families: evolutionary perspectives. <i>Regulatory Peptides</i> , <b>1998</b> , 73, 1-33		137	
62	Heme oxygenase-2 and nitric oxide synthase in guinea-pig intracardiac neurones. <i>NeuroReport</i> , <b>1997</b> , 8, 1043-6	1.7	14	
61	Antagonism of P2X receptors in guinea-pig vas deferens by diinosine pentaphosphate. <i>European Journal of Pharmacology</i> , <b>1997</b> , 333, R1-2	5.3	21	
60	Immunohistochemical localisation of neuropeptides and nitric oxide synthase in sural nerves from Egyptian mummies. <i>Journal of the Autonomic Nervous System</i> , <b>1997</b> , 67, 105-8		4	
59	Diadenosine polyphosphates evoke Ca2+ transients in guinea-pig brain via receptors distinct from those for ATP. <i>Journal of Physiology</i> , <b>1997</b> , 504 ( Pt 2), 327-35	3.9	23	
58	Diadenosine polyphosphates in the central nervous system. <i>Neuroscience Research Communications</i> , <b>1997</b> , 20, 69-78		17	
57	The activation of P1- and P2-purinoceptors in the guinea-pig left atrium by diadenosine polyphosphates. <i>British Journal of Pharmacology</i> , <b>1996</b> , 118, 1294-300	8.6	43	
56	Developmental changes in sympathetic contraction of the circular muscle layer in the guinea-pig vas deferens. <i>European Journal of Pharmacology</i> , <b>1996</b> , 318, 411-7	5.3	12	
55	Enteric innervation in idiopathic megarectum and megacolon. <i>International Journal of Colorectal Disease</i> , <b>1996</b> , 11, 264-71	3	21	
54	Effect of chronic vitamin E deficiency on sympathetic and sensorimotor function in rat mesenteric arteries. <i>Journal of Physiology</i> , <b>1996</b> , 490 ( Pt 1), 181-9	3.9	4	
53	Purinergic cotransmission: parasympathetic and enteric nerves. Seminars in Neuroscience, <b>1996</b> , 8, 207-2	215	27	
52	Acute paw oedema formation induced by ATP: re-evaluation of the mechanisms involved.  Inflammation Research, <b>1996</b> , 45, 96-102	7.2	17	

51	Pre- and postjunctional effects of diadenosine polyphosphates in the guinea-pig vas deferens. <i>Journal of Pharmacy and Pharmacology</i> , <b>1995</b> , 47, 926-31	4.8	15
50	Abnormal internal anal sphincter fibrosis and elasticity in fecal incontinence. <i>Diseases of the Colon and Rectum</i> , <b>1995</b> , 38, 407-10	3.1	34
49	Effects of alpha, beta-unsaturated sulphones and phosphonium salts on ecto-ATPase activity and contractile responses mediated via P2 chi-purinoceptors. <i>General Pharmacology</i> , <b>1995</b> , 26, 527-32		3
48	Inhibitory action of PPADS on relaxant responses to adenine nucleotides or electrical field stimulation in guinea-pig taenia coli and rat duodenum. <i>British Journal of Pharmacology</i> , <b>1995</b> , 115, 1509	9 <sup>8</sup> 1 <sup>6</sup>	70
47	Effects of divalent cations and La3+ on contractility and ecto-ATPase activity in the guinea-pig urinary bladder. <i>British Journal of Pharmacology</i> , <b>1995</b> , 114, 632-9	8.6	16
46	Pivotal role of phosphate chain length in vasoconstrictor versus vasodilator actions of adenine dinucleotides in rat mesenteric arteries. <i>Journal of Physiology</i> , <b>1995</b> , 483 ( Pt 3), 703-13	3.9	80
45	Effects of vitamin E deficiency on autonomic neuroeffector mechanisms in the rat caecum, vas deferens and urinary bladder. <i>Journal of Physiology</i> , <b>1995</b> , 487 ( Pt 3), 773-86	3.9	5
44	Novel ATP Agonists Reveal Receptor Heterogeneity Within P2X and P2Y Subtypes <b>1995</b> , 149-156		4
43	Structure Activity Relationships for Derivatives of Adenosine-5WTriphosphate as Agonists at P(2) Purinoceptors: Heterogeneity Within P(2X) and P(2Y) Subtypes. <i>Drug Development Research</i> , <b>1994</b> , 31, 206-219	5.1	94
42	Ecto-enzymes and metabolism of extracellular ATP. <i>Drug Development Research</i> , <b>1994</b> , 32, 134-146	5.1	92
41	Selective antagonism by PPADS at P2X-purinoceptors in rabbit isolated blood vessels. <i>British Journal of Pharmacology</i> , <b>1994</b> , 111, 923-9	8.6	97
40	Effects of cyclopiazonic acid on contractility and ecto-ATPase activity in guinea-pig urinary bladder and vas deferens. <i>British Journal of Pharmacology</i> , <b>1994</b> , 113, 669-74	8.6	31
39	PPADS selectively antagonizes P2X-purinoceptor-mediated responses in the rabbit urinary bladder. <i>British Journal of Pharmacology</i> , <b>1993</b> , 110, 1491-5	8.6	118
38	Identification of potent, selective P2Y-purinoceptor agonists: structure-activity relationships for 2-thioether derivatives of adenosine 5\mathbb{W}triphosphate. <i>Journal of Medicinal Chemistry</i> , <b>1993</b> , 36, 3937-46	8.3	107
37	Neuropeptides in the internal anal sphincter in neurogenic faecal incontinence. <i>International Journal of Colorectal Disease</i> , <b>1993</b> , 8, 201-5	3	3
36	An electrophysiological study of developmental changes in the innervation of the guinea-pig taenia coli. <i>Pflugers Archiv European Journal of Physiology</i> , <b>1993</b> , 423, 427-33	4.6	17
35	Abnormalities of innervation of internal anal sphincter in fecal incontinence. <i>Digestive Diseases and Sciences</i> , <b>1993</b> , 38, 1961-9	4	9
34	Effects of long-term laxative treatment on neuropeptides in rat mesenteric vessels and caecum. Journal of Pharmacy and Pharmacology, <b>1992</b> , 44, 777-9	4.8	6

33	Decreased sensitivity of muscarinic but not 5-hydroxytryptamine receptors of the internal anal sphincter in neurogenic faecal incontinence. <i>British Journal of Surgery</i> , <b>1992</b> , 79, 829-32	5.3	8
32	Colocalization of nitric oxide synthase and NADPH-diaphorase in cultured myenteric neurones. <i>NeuroReport</i> , <b>1992</b> , 3, 333-6	1.7	92
31	Activation of P1- and P2Y-purinoceptors by ADP-ribose in the guinea-pig taenia coli, but not of P2X-purinoceptors in the vas deferens. <i>British Journal of Pharmacology</i> , <b>1992</b> , 107, 367-74	8.6	15
30	Colocalization of nitric oxide synthase and NADPH-diaphorase in the myenteric plexus of the rat gut. <i>Neuroscience Letters</i> , <b>1992</b> , 143, 60-4	3.3	186
29	Nitric oxide synthase immunoreactivity and NADPH-diaphorase activity in a subpopulation of intrinsic neurones of the guinea-pig heart. <i>Neuroscience Letters</i> , <b>1992</b> , 143, 65-8	3.3	108
28	An in vitro electrophysiological study of the colon from patients with idiopathic chronic constipation. <i>Clinical Autonomic Research</i> , <b>1992</b> , 2, 327-33	4.3	15
27	Quinacrine-staining of neurones, and activity of purine nucleosides and nucleotides in marine and terrestrial invertebrates from several phyla. <i>Comparative Biochemistry and Physiology Part C:</i> Comparative Pharmacology, 1992, 102, 305-14		4
26	Responses of the rectum and oesophagus of the snail Helix aspersa to purine nucleotides and nucleosides. <i>Comparative Biochemistry and Physiology Part C: Comparative Pharmacology</i> , <b>1992</b> , 103, 53	5-40	1
25	Effects of adenine nucleosides and nucleotides on the isolated heart of the snail Helix aspersa and the slug Arion ater. <i>Comparative Biochemistry and Physiology Part C: Comparative Pharmacology</i> , <b>1992</b> , 101, 175-81		2
24	Hereditary internal anal sphincter myopathy causing proctalgia fugax and constipation. A newly identified condition. <i>Gastroenterology</i> , <b>1991</b> , 100, 805-10	13.3	112
23	Adrenergic control of the internal anal sphincter is abnormal in patients with idiopathic faecal incontinence. <i>British Journal of Surgery</i> , <b>1990</b> , 77, 1342-4	5.3	38
22	Enkephalins modulate inhibitory neuromuscular transmission in circular muscle of human colon via delta-opioid receptors. <i>Journal of Physiology</i> , <b>1990</b> , 431, 465-78	3.9	34
21	Effects of long-term laxative treatment on rat mesenteric resistance vessel responses in vitro. <i>Gastroenterology</i> , <b>1990</b> , 99, 1352-7	13.3	7
20	Glibenclamide antagonises the responses to ATP, but not adenosine or adrenaline, in the gastric ligament of the starfish asterias rubens. <i>Comparative Biochemistry and Physiology Part C:</i> Comparative Pharmacology, 1990, 97, 363-367		3
19	Pharmacological activity of adenine dinucleotides in the periphery: possible receptor classes and transmitter function. <i>General Pharmacology</i> , <b>1990</b> , 21, 827-31		73
18	Suramin antagonizes responses to P2-purinoceptor agonists and purinergic nerve stimulation in the guinea-pig urinary bladder and taenia coli. <i>British Journal of Pharmacology</i> , <b>1990</b> , 99, 617-21	8.6	288
17	Actions of adenylyl compounds in the pedal disc of the cnidarian Actinia equina. <i>Comparative Biochemistry and Physiology Part C: Comparative Pharmacology</i> , <b>1989</b> , 94, 111-114		1
16	Isolated human bladder: evidence for an adenine dinucleotide acting on P2X-purinoceptors and for purinergic transmission. <i>European Journal of Pharmacology</i> , <b>1989</b> , 174, 115-8	5.3	87

15	Neuromuscular transmission in the gastrointestinal tract 1989, 435-464		8
14	Actions of adenylyl compounds in invertebrates from several phyla: Evidence for internal purinoceptors. <i>Comparative Biochemistry and Physiology Part C: Comparative Pharmacology</i> , <b>1988</b> , 90, 113-122		7
13	Pre- and postjunctional actions of purine and xanthine compounds in the guinea-pig caecum circular muscle. <i>British Journal of Pharmacology</i> , <b>1988</b> , 95, 653-63	8.6	9
12	Degradation of adenosine by extracellular adenosine deaminase in the rat duodenum. <i>General Pharmacology</i> , <b>1988</b> , 19, 679-81		13
11	Adrenergic, but not cholinergic or purinergic, responses are potentiated in the cecum of diabetic rats. <i>Gastroenterology</i> , <b>1988</b> , 94, 1357-67	13.3	17
10	A modified single sucrose gap. Junction potentials and electrotonic potentials in gastrointestinal smooth muscles. <i>Journal of Pharmacological Methods</i> , <b>1987</b> , 18, 219-26		37
9	Autoradiographic localization of delta-opioid binding sites in human sigmoid colon. <i>European Journal of Pharmacology</i> , <b>1987</b> , 142, 185-6	5.3	7
8	Evidence that ATP is a neurotransmitter in the frog heart. <i>European Journal of Pharmacology</i> , <b>1986</b> , 124, 285-9	5.3	36
7	An electrophysiological analysis of the effect of reactive blue 2, a putative P2-purinoceptor antagonist, on inhibitory junction potentials of rat caecum. <i>European Journal of Pharmacology</i> , <b>1986</b> , 127, 197-204	5.3	51
6	Enkephalins inhibit non-adrenergic, non-cholinergic neuromuscular transmission in the human colon. <i>European Journal of Pharmacology</i> , <b>1986</b> , 131, 159-60	5.3	23
5	Ethylcholine mustard aziridinium ion (AF64A) impairs cholinergic neuromuscular transmission in the guinea-pig ileum and urinary bladder, and cholinergic neuromodulation in the enteric nervous system of the guinea-pig distal colon. <i>General Pharmacology</i> , <b>1986</b> , 17, 543-8		7
4	PACPXa substituted xanthineantagonizes both the A1 and A2 subclasses of the P1-purinoceptor: antagonism of the A2 subclass is competitive but antagonism of the A1 subclass is not. <i>British Journal of Pharmacology</i> , <b>1985</b> , 85, 291-6	8.6	18
3	Actions of adenine dinucleotides in the guinea-pig taenia coli: NAD acts indirectly on P1-purinoceptors; NADP acts like a P2-purinoceptor agonist. <i>British Journal of Pharmacology</i> , <b>1985</b> , 84, 825-31	8.6	28
2	Atropine-resistant excitatory junction potentials in rabbit bladder are blocked by alpha, beta-methylene ATP. <i>European Journal of Pharmacology</i> , <b>1985</b> , 114, 239-40	5.3	63
1	Evidence that the P1-purinoceptor in the guinea-pig taenia coli is an A2-subtype. <i>British Journal of Pharmacology</i> , <b>1984</b> , 81, 533-41	8.6	36