

# Joanir Eler

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8588643/publications.pdf>

Version: 2024-02-01

141  
papers

2,638  
citations

186209

28  
h-index

254106

43  
g-index

142  
all docs

142  
docs citations

142  
times ranked

1829  
citing authors

#	ARTICLE	IF	CITATIONS
1	Searching for causal relationships among latent variables concerning performance, carcass, and meat quality traits in broilers. <i>Journal of Animal Breeding and Genetics</i> , 2022, 139, 181-192.	0.8	2
2	Founder analysis and family identification in the current Campolina horse population. <i>Livestock Science</i> , 2022, 255, 104796.	0.6	1
3	Confirmatory factor analysis and structural equation models to dissect the relationship between gait and morphology in Campolina horses. <i>Livestock Science</i> , 2022, 255, 104779.	0.6	2
4	Effect of Different Selection Criteria on Performance, Carcass and Meat Quality of Nellore Young Bulls. <i>Agriculture (Switzerland)</i> , 2021, 11, 294.	1.4	3
5	Random-effect meta-analysis of genetic parameter estimates for carcass and meat quality traits in beef cattle. <i>Tropical Animal Health and Production</i> , 2021, 53, 420.	0.5	2
6	Metafounders May Reduce Bias in Composite Cattle Genomic Predictions. <i>Frontiers in Genetics</i> , 2021, 12, 678587.	1.1	7
7	Reduced rank analysis of morphometric and functional traits in Campolina horses. <i>Journal of Animal Breeding and Genetics</i> , 2021, , .	0.8	2
8	Genetic evaluation for latent variables derived from factor analysis in broilers. <i>British Poultry Science</i> , 2020, 61, 3-9.	0.8	7
9	Genome-wide scan for runs of homozygosity in the composite Montana Tropical <sup>®</sup> beef cattle. <i>Journal of Animal Breeding and Genetics</i> , 2020, 137, 155-165.	0.8	21
10	Genome-wide association study and predictive ability for growth traits in Nellore cattle. <i>Livestock Science</i> , 2020, 231, 103861.	0.6	5
11	Genome-wide association study: Understanding the genetic basis of the gait type in Brazilian Mangalarga Marchador horses, a preliminary study. <i>Livestock Science</i> , 2020, 231, 103867.	0.6	4
12	Model comparisons for genetic evaluation of gait type in Mangalarga Marchador horses. <i>Livestock Science</i> , 2020, 239, 104168.	0.6	3
13	Genetic Parameters and Genome-Wide Association Studies for Anti-M $\mu$ llerian Hormone Levels and Antral Follicle Populations Measured After Estrus Synchronization in Nellore Cattle. <i>Animals</i> , 2020, 10, 1185.	1.0	15
14	Genetic Architecture of Carcass and Meat Quality Traits in Montana Tropical <sup>®</sup> Composite Beef Cattle. <i>Frontiers in Genetics</i> , 2020, 11, 123.	1.1	42
15	A comprehensive comparison of high-density SNP panels and an alternative ultra-high-density panel for genomic analyses in Nellore cattle. <i>Animal Production Science</i> , 2020, 60, 333.	0.6	4
16	Proteome alterations associated with the oleic acid and cis-9, trans-11 conjugated linoleic acid content in bovine skeletal muscle. <i>Journal of Proteomics</i> , 2020, 222, 103792.	1.2	2
17	Genetic parameter and genetic trend estimates for reproductive traits in Wistar rats. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2020, 72, 1479-1486.	0.1	0
18	Genetic parameter estimates for gastrointestinal nematode parasite resistance and maternal efficiency indicator traits in Santa In $\tilde{a}$ s breed. <i>Journal of Animal Breeding and Genetics</i> , 2019, 136, 495-504.	0.8	8

#	ARTICLE	IF	CITATIONS
19	Genome-wide associations and detection of candidate genes for direct and maternal genetic effects influencing growth traits in the Montana Tropical <sup>®</sup> Composite population. <i>Livestock Science</i> , 2019, 229, 64-76.	0.6	11
20	Research Article Genomic regions and genes associated with carcass quality in Nelore cattle. <i>Genetics and Molecular Research</i> , 2019, 18, .	0.3	15
21	Liver proteomics unravel the metabolic pathways related to Feed Efficiency in beef cattle. <i>Scientific Reports</i> , 2019, 9, 5364.	1.6	43
22	Research Article Allelic and genotypic frequencies of the <i>DMRT3</i> gene in the Brazilian horse breed Mangalarga Marchador and their association with types of gait. <i>Genetics and Molecular Research</i> , 2019, 18, .	0.3	5
23	Accounting for population structure in selective cow genotyping strategies. <i>Journal of Animal Breeding and Genetics</i> , 2019, 136, 23-39.	0.8	5
24	Genomic regions and enrichment analyses associated with carcass composition indicator traits in Nelore cattle. <i>Journal of Animal Breeding and Genetics</i> , 2019, 136, 118-133.	0.8	10
25	Research Article Estimation of variance components for carcass and production traits in Guzerat cattle. <i>Genetics and Molecular Research</i> , 2019, 18, .	0.3	3
26	Proteome changes of beef in Nelore cattle with different genotypes for tenderness. <i>Meat Science</i> , 2018, 138, 1-9.	2.7	44
27	Genetic association between mature weight and early growth and heifer pregnancy traits in Nelore cattle. <i>Livestock Science</i> , 2018, 211, 61-65.	0.6	15
28	Genetic correlation between growth and reproductive performance of beef females depends on environment. <i>Animal Production Science</i> , 2018, 58, 1201.	0.6	3
29	Inferences on the effects of selection for feed conversion over meat quality traits in broiler. <i>Scientia Agricola</i> , 2018, 75, 129-135.	0.6	4
30	Genomic study for maternal related traits in Santa In <sup>â</sup> s sheep breed. <i>Livestock Science</i> , 2018, 217, 76-84.	0.6	7
31	Genetic variation in Nelore heifer pregnancy due to heat stress during the breeding season. <i>Livestock Science</i> , 2018, 218, 101-107.	0.6	4
32	Label-free quantitative proteomic analysis reveals muscle contraction and metabolism proteins linked to ultimate pH in bovine skeletal muscle. <i>Meat Science</i> , 2018, 145, 209-219.	2.7	38
33	Heat shock proteins on beef quality. <i>Pesquisa Agropecuaria Brasileira</i> , 2018, 53, 90-96.	0.9	1
34	Genetic analysis of morphological and functional traits in Campolina horses using Bayesian multi-trait model. <i>Livestock Science</i> , 2018, 216, 119-129.	0.6	17
35	Genotype by environment interaction for yearling weight in Nelore cattle applying reaction norms models. <i>Animal Production Science</i> , 2018, 58, 1996.	0.6	2
36	Genomic regions and pathways associated with gastrointestinal parasites resistance in Santa In <sup>â</sup> s breed adapted to tropical climate. <i>Journal of Animal Science and Biotechnology</i> , 2017, 8, 73.	2.1	35

#	ARTICLE	IF	CITATIONS
37	Identification of genomic regions related to tenderness in Nelore beef cattle. <i>Advances in Animal Biosciences</i> , 2017, 8, s42-s44.	1.0	5
38	216 Genomic regions and pathways associated with resistance to gastrointestinal parasites in tropical sheep breed. <i>Journal of Animal Science</i> , 2017, 95, 107-107.	0.2	0
39	Viabilidade do uso de características econômicas para um peso específico em programas de melhoramento genético de bovinos da raça Nelore. <i>Revista Brasileira De Saude E Producao Animal</i> , 2017, 18, 260-268.	0.3	3
40	Genotypic and allelic frequencies of gene polymorphisms associated with meat tenderness in Nelore beef cattle. <i>Genetics and Molecular Research</i> , 2017, 16, .	0.3	5
41	Multibreed genetic evaluation in bovines using simulated data employing a composite population. <i>Genetics and Molecular Research</i> , 2016, 15, .	0.3	0
42	Estimation of genetic parameters and genetic changes for growth characteristics of Santa Ines sheep. <i>Genetics and Molecular Research</i> , 2016, 15, .	0.3	18
43	Genetic variation of the weaning weight of beef cattle as a function of accumulated heat stress. <i>Journal of Animal Breeding and Genetics</i> , 2016, 133, 92-104.	0.8	16
44	Inclusion of cytoplasmic lineage effect and direct-maternal genetic covariance for genetic evaluation of growth traits in Nelore cattle. <i>Genetics and Molecular Research</i> , 2016, 15, .	0.3	1
45	Liver transcriptomic networks reveal main biological processes associated with feed efficiency in beef cattle. <i>BMC Genomics</i> , 2015, 16, 1073.	1.2	161
46	Genetic grouping strategies in selection efficiency of composite beef cattle (Bos taurus × Bos indicus). <i>Journal of Animal Breeding and Genetics</i> , 2015, 132, 107-113.	0.2	3
47	Genetic variants in glucocorticoid and mineralocorticoid receptors are associated with concentrations of plasma cortisol, muscle glycogen content, and meat quality traits in male Nelore cattle. <i>Domestic Animal Endocrinology</i> , 2015, 51, 105-113.	0.8	9
48	Two-trait random regression model to estimate the genetic association of scrotal circumference with female reproductive performance in Nelore cattle. <i>Theriogenology</i> , 2015, 83, 1534-1540.	0.9	22
49	Genotype × environment interaction for weaning weight in Nelore cattle using reaction norm analysis. <i>Livestock Science</i> , 2015, 176, 40-46.	0.6	9
50	Multi-trait linear reaction norm model to describe the pattern of phenotypic expression of some economic traits in beef cattle across a range of environments. <i>Journal of Applied Genetics</i> , 2015, 56, 219-229.	1.0	22
51	Quantitative genetic study of age at subsequent rebreeding in Nelore cattle by using survival analysis. <i>Genetics and Molecular Research</i> , 2014, 13, 4071-4082.	0.3	1
52	Características de carcaça e qualidade de carne em linhagens da raça Nelore. <i>Ciencia Rural</i> , 2014, 44, 1860-1866.	0.3	7
53	Genome-wide association study for feedlot average daily gain in Nelore cattle ( <i>Bos indicus</i> ). <i>Journal of Animal Breeding and Genetics</i> , 2014, 131, 210-216.	0.8	24
54	Models for genetic evaluation of growth of Brazilian Bonsmara cattle. <i>Livestock Science</i> , 2014, 162, 50-58.	0.6	9

#	ARTICLE	IF	CITATIONS
55	Genome-wide association analysis of feed intake and residual feed intake in Nelore cattle. <i>BMC Genetics</i> , 2014, 15, 21.	2.7	78
56	Genetic parameter estimates for feed efficiency and dry matter intake and their association with growth and carcass traits in Nelore cattle. <i>Livestock Science</i> , 2014, 167, 80-85.	0.6	33
57	Inclusion of weaning management group as a random effect in the genetic evaluation of postweaning traits in Nelore cattle. <i>Tropical Animal Health and Production</i> , 2014, 46, 1031-1036.	0.5	4
58	Genetic relationships among traits related to reproduction and growth of Nelore females. <i>Theriogenology</i> , 2014, 82, 708-714.	0.9	43
59	Genotype by production environment interaction for birth and weaning weights in a population of composite beef cattle. <i>Animal</i> , 2014, 8, 379-387.	1.3	1
60	Utiliza��o de modelos unicaracter�stica e multicaracter�stica na estima��o de par�metros gen�ticos na ra�a Nelore. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2014, 66, 1802-1812.	0.1	9
61	Sire effects on carcass and meat quality traits of young Nelore bulls. <i>Genetics and Molecular Research</i> , 2014, 13, 3250-3264.	0.3	12
62	Use of weaning management group as a random effect for a more robust estimation of genetic parameters for post-weaning traits in Nelore cattle. <i>Genetics and Molecular Research</i> , 2014, 13, 7013-7021.	0.3	6
63	Comparison of bivariate and multivariate joint analyses on the selection loss of beef cattle. <i>Genetics and Molecular Research</i> , 2014, 13, 4036-4045.	0.3	4
64	Genotype by environment interaction for post-weaning weight gain, scrotal circumference, and muscling score of composite beef cattle in different regions of Brazil. <i>Genetics and Molecular Research</i> , 2014, 13, 3048-3059.	0.3	2
65	Heritability and genetic correlation estimates for performance, meat quality and quantitative skeletal muscle fiber traits in broiler. <i>Livestock Science</i> , 2013, 157, 81-87.	0.6	18
66	Genetic associations between hip height, body conformation scores, and pregnancy probability at 14 months in Nelore cattle. <i>Livestock Science</i> , 2013, 154, 13-18.	0.6	15
67	Alternative contemporary group structure to maximize the use of field records: Application to growth traits of composite beef cattle. <i>Livestock Science</i> , 2013, 157, 20-27.	0.6	7
68	Genetic associations among average annual productivity, growth traits, and stayability: A parallel between Nelore and composite beef cattle1. <i>Journal of Animal Science</i> , 2013, 91, 2566-2574.	0.2	20
69	Genotype by environment interaction and model comparison for growth traits of Santa Ines sheep. <i>Journal of Animal Breeding and Genetics</i> , 2013, 130, 394-403.	0.8	10
70	Phenotypic plasticity of composite beef cattle performance using reaction norms model with unknown covariate. <i>Animal</i> , 2013, 7, 202-210.	1.3	41
71	Genetic parameters for scrotal circumference, breeding soundness examination and sperm defects in young Nelore bulls. <i>Journal of Animal Science</i> , 2013, 91, 4611-4616.	0.2	14
72	Defini��o de grupos gen�ticos aditivos visando melhor predi��o de valores gen�ticos em bovinos de corte. <i>Revista Brasileira De Saude E Producao Animal</i> , 2013, 14, 277-286.	0.3	1

#	ARTICLE	IF	CITATIONS
73	Pedigree analysis and inbreeding depression on growth traits in Brazilian Marchigiana and Bonsmara breeds. <i>Journal of Animal Science</i> , 2012, 90, 99-108.	0.2	37
74	Genetic relationship between growth and reproductive traits in Nelore cattle. <i>Animal</i> , 2012, 6, 565-570.	1.3	43
75	Genotype by environment interaction for birth and weaning weights of composite beef cattle in different regions of Brazil. <i>Livestock Science</i> , 2012, 149, 242-249.	0.6	16
76	Estimativas de herdabilidades e correlações genéticas entre características reprodutivas em touros da raça Nelore. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2012, 64, 1427-1435.	0.1	10
77	Degree of multicollinearity and variables involved in linear dependence in additive-dominant models. <i>Pesquisa Agropecuaria Brasileira</i> , 2012, 47, 1743-1750.	0.9	12
78	Association of single nucleotide polymorphisms in the bovine leptin and leptin receptor genes with growth and ultrasound carcass traits in Nelore cattle. <i>Genetics and Molecular Research</i> , 2012, 11, 3721-3728.	0.3	16
79	Parâmetros genéticos de las características andrológicas en la especie bovina. <i>Archivos De Medicina Veterinaria</i> , 2012, 44, 1-11.	0.2	4
80	Study of using marker assisted selection on a beef cattle breeding program by model comparison. <i>Livestock Science</i> , 2012, 147, 40-48.	0.6	5
81	Heritability Estimate and Genetic Correlations of Reproductive Features in Nelore Bulls, Offspring of Super Precocious, Precocious and Normal Cows Under Extensive Farming Conditions. <i>Reproduction in Domestic Animals</i> , 2012, 47, 313-318.	0.6	12
82	Métodos de estimação de efeitos genéticos não-aditivos para características de peso e perímetro escrotal em bovinos de corte mestiços. <i>Revista Brasileira De Zootecnia</i> , 2012, 41, 1140-1145.	0.3	6
83	Desenvolvimento de Índice de seleção em gado corte sob o enfoque de um modelo bioeconômico. <i>Archivos De Zootecnia</i> , 2011, 60, 205-213.	0.2	48
84	Estrutura populacional de rebanho fechado da raça Nelore da linhagem Lemgruber. <i>Pesquisa Agropecuaria Brasileira</i> , 2011, 46, 639-647.	0.9	5
85	Inclusão da epistasia em modelo de avaliação genética de bovinos de corte compostos. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2011, 63, 948-953.	0.1	4
86	Estimates of heritability and genetic correlations for meat quality traits in broilers. <i>Scientia Agricola</i> , 2011, 68, 620-625.	0.6	24
87	Multicollinearity in genetic effects for weaning weight in a beef cattle composite population. <i>Livestock Science</i> , 2011, 142, 188-194.	0.6	17
88	Testicular traits as selection criteria for young Nelore bulls. <i>Journal of Animal Science</i> , 2011, 89, 2061-2067.	0.2	31
89	Single nucleotide polymorphisms in CAPN and leptin genes associated with meat color and tenderness in Nelore cattle. <i>Genetics and Molecular Research</i> , 2011, 10, 2057-2064.	0.3	26
90	Desenvolvimento de Índice de seleção em gado corte sob o enfoque de um modelo bioeconômico.. <i>Archivos De Zootecnia</i> , 2011, 60, 205-213.	0.2	2

#	ARTICLE	IF	CITATIONS
91	Population structure and inbreeding effects on growth traits of Santa Inês sheep in Brazil. <i>Small Ruminant Research</i> , 2010, 93, 135-139.	0.6	68
92	Parceria público x privada no desenvolvimento de pesquisa em melhoramento genético animal. <i>Revista Brasileira De Zootecnia</i> , 2010, 39, 216-222.	0.3	9
93	Comparison of different models to estimate genetic parameters for carcass traits in a commercial broiler line. <i>Genetics and Molecular Research</i> , 2010, 9, 908-918.	0.3	23
94	Effect of inbreeding on growth and reproductive traits of Nelore cattle in Brazil. <i>Livestock Science</i> , 2010, 131, 212-217.	0.6	19
95	Additive genetic relationships between scrotal circumference, heifer pregnancy, and stayability in Nelore cattle. <i>Journal of Animal Science</i> , 2010, 88, 3809-3813.	0.2	55
96	Additive genetic relationship of longevity with fertility and production traits in Nelore cattle based on bivariate models. <i>Genetics and Molecular Research</i> , 2010, 9, 176-187.	0.3	30
97	Genetic parameters for postweaning traits in Braunvieh cattle. <i>Genetics and Molecular Research</i> , 2010, 9, 545-553.	0.3	6
98	Association of SNPs on CAPN1 and CAST genes with tenderness in Nelore cattle. <i>Genetics and Molecular Research</i> , 2010, 9, 1431-1442.	0.3	47
99	Genetic parameters for pre-weaning traits in Braunvieh cattle. <i>Genetics and Molecular Research</i> , 2009, 8, 291-298.	0.3	7
100	Influência da interação genótipo x ambiente sobre o peso à desmama em bovinos da raça Nelore. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2009, 61, 668-675.	0.1	4
101	Estimates of genetic trend for carcass traits in a commercial broiler line. <i>Genetics and Molecular Research</i> , 2009, 8, 97-104.	0.3	5
102	Association of single nucleotide polymorphisms with carcass traits in Nelore cattle. <i>Genetics and Molecular Research</i> , 2009, 8, 1360-1366.	0.3	22
103	New molecular variants of hypothalamus-pituitary-gonad axis genes and their association with early puberty phenotype in <i>Bos taurus indicus</i> (Nelore). <i>Livestock Science</i> , 2008, 114, 274-279.	0.6	30
104	Avaliação genética multirracial para ganho de peso pré-desmama em bovinos de uma população composta. <i>Revista Brasileira De Zootecnia</i> , 2008, 37, 1207-1215.	0.3	5
105	Effects of polymorphisms of LHR and FSHR genes on sexual precocity in a <i>Bos taurus</i> x <i>Bos indicus</i> beef composite population. <i>Genetics and Molecular Research</i> , 2008, 7, 243-251.	0.3	25
106	Genetic analysis of average annual productivity of Nelore breeding cows (COWPROD). <i>Genetics and Molecular Research</i> , 2008, 7, 234-242.	0.3	8
107	Genetic trend estimates of meat quality traits in a male broiler line. <i>Genetics and Molecular Research</i> , 2008, 7, 749-761.	0.3	4
108	Non-additive genetic effects on weights and performance of a Brazilian <i>Bos taurus</i> x <i>Bos indicus</i> beef composite. <i>Genetics and Molecular Research</i> , 2008, 7, 1156-1163.	0.3	6

#	ARTICLE	IF	CITATIONS
109	Genetic parameters for productive life traits and reproductive efficiency traits at 6 years in Nelore cattle. <i>Genetics and Molecular Research</i> , 2008, 7, 1312-1318.	0.3	6
110	Comparison among three approaches for evaluation of sexual precocity in Nelore cattle. <i>Animal</i> , 2007, 1, 411-418.	1.3	8
111	Study of stayability in Nelore cows using a threshold model1. <i>Journal of Animal Science</i> , 2007, 85, 1780-1786.	0.2	46
112	Phenotypic and genetic correlations for body structure scores (frame) with productive traits and index for CEIP classification in Nelore beef cattle. <i>Genetics and Molecular Research</i> , 2007, 6, 188-96.	0.3	10
113	Genetic trends of absolute and relative heart weight in a male broiler line. <i>Genetics and Molecular Research</i> , 2007, 6, 1091-6.	0.3	3
114	Genetic parameters for growth traits of a Brazilian Bos taurus x Bos indicus beef composite. <i>Genetics and Molecular Research</i> , 2007, 6, 1190-200.	0.3	14
115	Heritability and Genetic Correlation Estimates for Performance and Carcass and Body Composition Traits in a Male Broiler Line. <i>Poultry Science</i> , 2006, 85, 837-843.	1.5	91
116	Genetic relationship among stayability, scrotal circumference and post-weaning weight in Nelore cattle. <i>Livestock Science</i> , 2006, 99, 51-59.	0.6	24
117	Estimativas de adaptabilidade e estabilidade fenotípicas em características produtivas em bovinos de corte mestiços criados em diferentes ambientes. <i>Arquivo Brasileiro De Medicina Veterinária E Zootecnia</i> , 2006, 58, 590-598.	0.1	3
118	Use of survival analysis as a tool for the genetic improvement of age at first conception in Nelore cattle. <i>Journal of Animal Breeding and Genetics</i> , 2006, 123, 64-71.	0.8	11
119	Suckling behaviour of Nelore, Gir and Caracu calves and their crosses. <i>Applied Animal Behaviour Science</i> , 2006, 101, 276-287.	0.8	24
120	Estimativas de herdabilidade para os escores visuais do coração e do fígado em linhagem macho de frangos. <i>Brazilian Journal of Veterinary Research and Animal Science</i> , 2006, 43, 734.	0.2	1
121	Genetic correlation between heifer pregnancy and scrotal circumference measured at 15 and 18 months of age in Nelore cattle. <i>Genetics and Molecular Research</i> , 2006, 5, 569-80.	0.3	23
122	Valores econômicos para habilidade de permanência e probabilidade de prenhez aos 14 meses em bovinos de corte. <i>Arquivo Brasileiro De Medicina Veterinária E Zootecnia</i> , 2005, 57, 220-226.	0.1	22
123	Genetic characterization of European-Zebu composite bovine using RFLP markers. <i>Genetics and Molecular Research</i> , 2005, 4, 496-505.	0.3	7
124	Parâmetros genéticos de longevidade e produtividade de fêmeas da raça Nelore. <i>Revista Brasileira De Zootecnia</i> , 2004, 33, 1118-1127.	0.3	37
125	Additive genetic relationships between heifer pregnancy and scrotal circumference in Nelore cattle1. <i>Journal of Animal Science</i> , 2004, 82, 2519-2527.	0.2	86
126	Heritability estimate for stayability in nelore cows. <i>Livestock Science</i> , 2003, 79, 97-101.	1.2	31



#	ARTICLE	IF	CITATIONS
127	Análise genética da habilidade de permanência em fêmeas da raça Nelore. Revista Brasileira De Zootecnia, 2003, 32, 598-604.	0.3	18
128	Parâmetros genéticos para escore de umbigo e características de produção em bovinos da raça Nelore. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2003, 55, 594-598.	0.1	9
129	Estimação de parâmetros genéticos para probabilidade de prenhez aos 14 meses e altura na garupa em bovinos da raça Nelore. Revista Brasileira De Zootecnia, 2003, 32, 1141-1146.	0.3	25
130	Estimação de parâmetros genéticos em bovinos de corte utilizando os métodos de máxima verossimilhança restrita e $\lambda$ . Revista Brasileira De Zootecnia, 2003, 32, 1624-1632.	0.3	19
131	Genetic evaluation of the probability of pregnancy at 14 months for Nelore heifers1. Journal of Animal Science, 2002, 80, 951-954.	0.2	72
132	Análise genética de características reprodutivas na raça Nelore. Pesquisa Agropecuaria Brasileira, 2002, 37, 703-708.	0.9	50
133	Análise genética da idade ao primeiro parto e do perímetro escrotal em bovinos da raça Nelore. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2001, 53, 116-121.	0.1	18
134	Análise genética de algumas características reprodutivas e suas relações com o desempenho ponderal na raça Nelore. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2001, 53, 720-727.	0.1	36
135	Correlação genética entre perímetro escrotal e algumas características reprodutivas na raça Nelore. Revista Brasileira De Zootecnia, 2000, 29, 1676-1683.	0.3	51
136	Influência da interação touro x rebanho na estimação da correlação entre efeitos genéticos direto e materno em bovinos da raça Nelore. Revista Brasileira De Zootecnia, 2000, 29, 1642-1648.	0.3	29
137	Polymorphisms in the bovine follicle-stimulating hormone receptor gene. Animal Genetics, 2000, 31, 280-281.	0.6	6
138	Análise de alguns critérios de seleção para características de crescimento na raça Nelore. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2000, 52, 83-89.	0.1	31
139	Parâmetros genéticos e nível de endogamia em bovinos da raça Santa Gertrudis no Brasil. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2000, 52, 641-646.	0.1	4
140	Parâmetros genéticos para coelhos da raça Califórnia criados no Brasil. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2000, 52, 544-548.	0.1	0
141	Estimation of variances due to direct and maternal effects for growth traits of Nelore cattle2. Journal of Animal Science, 1995, 73, 3253-3258.	0.2	104