Susan E Yount

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8588994/publications.pdf

Version: 2024-02-01

279701 206029 6,294 51 23 h-index citations papers

g-index 52 52 52 8580 docs citations times ranked citing authors all docs

48

#	Article	IF	CITATIONS
1	The Patient-Reported Outcomes Measurement Information System (PROMIS) developed and tested its first wave of adult self-reported health outcome item banks: 2005–2008. Journal of Clinical Epidemiology, 2010, 63, 1179-1194.	2.4	3,521
2	Evaluation of Item Candidates. Medical Care, 2007, 45, S12-S21.	1.1	632
3	PROMIS® Adult Health Profiles: Efficient Short-Form Measures of Seven Health Domains. Value in Health, 2019, 22, 537-544.	0.1	335
4	Clinical validity of PROMIS Depression, Anxiety, and Anger across diverse clinical samples. Journal of Clinical Epidemiology, 2016, 73, 119-127.	2.4	323
5	Relative to the general US population, chronic diseases are associated with poorer health-related quality of life as measured by the Patient-Reported Outcomes Measurement Information System (PROMIS). Journal of Clinical Epidemiology, 2010, 63, 1195-1204.	2.4	299
6	What Are the Most Important Symptom Targets When Treating Advanced Cancer? A Survey of Providers in the National Comprehensive Cancer Network (NCCN). Cancer Investigation, 2003, 21, 526-535.	0.6	94
7	Health-Related Quality of Life in Patients with Idiopathic Pulmonary Fibrosis. Lung, 2016, 194, 227-234.	1.4	82
8	Assessment of Patient-Reported Clinical Outcome in Pancreatic and Other Hepatobiliary Cancers. Journal of Pain and Symptom Management, 2002, 24, 32-44.	0.6	80
9	Development and validation of the Functional Assessment of Cancer Therapy-Kidney Symptom Index (FKSI). The Journal of Supportive Oncology, 2006, 4, 191-9.	2.3	65
10	A Randomized Trial of Weekly Symptom Telemonitoring in Advanced Lung Cancer. Journal of Pain and Symptom Management, 2014, 47, 973-989.	0.6	64
11	Clinical factors associated with worse quality-of-life scores in UnitedÂStates thyroid cancer survivors. Surgery, 2019, 166, 69-74.	1.0	60
12	Financial burden and quality of life among thyroid cancer survivors. Surgery, 2020, 167, 631-637.	1.0	50
13	Patient-Reported Outcomes in Systemic Lupus Erythematosus. Rheumatic Disease Clinics of North America, 2016, 42, 253-263.	0.8	49
14	Benchmarking health-related quality of life in thyroid cancer versus other cancers and United States normative data. Surgery, 2018, 164, 986-992.	1.0	47
15	Development and Validation of 11 Symptom Indexes to Evaluate Response to Chemotherapy for Advanced Cancer. Journal of the National Comprehensive Cancer Network: JNCCN, 2011, 9, 268-278.	2.3	40
16	Establishing clinically-relevant terms and severity thresholds for Patient-Reported Outcomes Measurement Information System® (PROMISî) measures of physical function, cognitive function, and sleep disturbance in people with cancer using standard setting. Quality of Life Research, 2019, 28, 3355-3362.	1.5	40
17	Post-thyroidectomy neck appearance and impact on quality of life in thyroid cancer survivors. Surgery, 2019, 165, 1217-1221.	1.0	38
18	A Conceptual Model of the Experience of Dyspnea and Functional Limitations in Chronic Obstructive Pulmonary Disease. Value in Health, 2009, 12, 1018-1025.	0.1	37

#	Article	IF	CITATIONS
19	Development of a Conceptual Framework and Calibrated Item Banks to Measure Patient-Reported Dyspnea Severity and Related Functional Limitations. Value in Health, 2011, 14, 291-306.	0.1	33
20	Brief, Valid Measures of Dyspnea and Related Functional Limitations in Chronic Obstructive Pulmonary Disease (COPD). Value in Health, 2011, 14, 307-315.	0.1	29
21	Brief assessment of priority symptoms in hormone refractory prostate cancer: the FACT Advanced Prostate Symptom Index (FAPSI). Health and Quality of Life Outcomes, 2003, 1, 69.	1.0	26
22	A randomized validation study comparing embedded versus extracted FACT Head and Neck Symptom Index scores. Quality of Life Research, 2007, 16, 1615-1626.	1.5	24
23	Health-related quality of life in MEN1 patients compared with other chronic conditions and the United States general population. Surgery, 2018, 163, 205-211.	1.0	23
24	A Brief Symptom Index for Advanced Lung Cancer. Clinical Lung Cancer, 2012, 13, 14-23.	1.1	22
25	A patient-centered symptom monitoring and reporting system for children and young adults with cancer (SyMon-SAYS). Pediatric Blood and Cancer, 2015, 62, 1813-1818.	0.8	22
26	An innovative symptom monitoring tool for people with advanced lung cancer: a pilot demonstration. The Journal of Supportive Oncology, 2007, 5, 381-7.	2.3	22
27	Disease and treatment factors associated with lower quality of life scores in adults with multiple endocrine neoplasia type I. Surgery, 2017, 162, 1270-1277.	1.0	21
28	Patient preferences and quality of life implications of ravulizumab (every 8 weeks) and eculizumab (every 2 weeks) for the treatment of paroxysmal nocturnal hemoglobinuria. PLoS ONE, 2020, 15, e0237497.	1.1	21
29	Correlation of PROMIS scales and clinical measures among chronic obstructive pulmonary disease patients with and without exacerbations. Quality of Life Research, 2015, 24, 999-1009.	1.5	20
30	A method to create a standardized generic and condition-specific patient-reported outcome measure for patient care and healthcare improvement. Quality of Life Research, 2018, 27, 367-378.	1.5	19
31	PROMIS®: Standardizing the patient voice in health psychology research and practice Health Psychology, 2019, 38, 343-346.	1.3	19
32	Validation of the Functional Assessment of Cancer Therapyâ€"Lung Symptom Index-12 (FLSI-12). Lung Cancer, 2007, 57, 339-347.	0.9	17
33	Financial burden is associated with worse health-related quality of life in adults with multiple endocrine neoplasia type 1. Surgery, 2017, 162, 1278-1285.	1.0	17
34	Development and Initial Validation of the PROMIS®-Plus-HF Profile Measure. Circulation: Heart Failure, 2019, 12, e005751.	1.6	17
35	Development and validation of the functional assessment of cancer therapy–antiangiogenesis subscale. Cancer Medicine, 2015, 4, 690-698.	1.3	11
36	Quality of life in multiple endocrine neoplasia type 2A compared with normative and disease populations. Surgery, 2018, 164, 546-552.	1.0	11

3

#	Article	IF	Citations
37	Psychological Functioning in Patients With Chronic Obstructive Pulmonary Disease: A Preliminary Study of Relations With Smoking Status and Disease Impact. Nicotine and Tobacco Research, 2019, 21, 686-690.	1.4	11
38	Responsiveness of PROMIS® to change in chronic obstructive pulmonary disease. Journal of Patient-Reported Outcomes, 2019, 3, 65.	0.9	11
39	Serum adipokine levels and associations with patient-reported fatigue in systemic lupus erythematosus. Rheumatology International, 2018, 38, 1053-1061.	1.5	9
40	Methods and progress in assessing the quality of life effects of supportive care with erythropoietin therapy. Current Opinion in Hematology, 2002, 9, 234-240.	1.2	6
41	Validation of the Functional Assessment of Cancer Therapy–Leukemia instrument in patients with acute myeloid leukemia who are not candidates for intensive therapy. Cancer, 2020, 126, 3542-3551.	2.0	6
42	Assessment of Self-Management Treatment Needs Among COPD Helpline Callers. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2019, 16, 82-88.	0.7	5
43	<p>Assessing Preferences for Rare Disease Treatment: Qualitative Development of the Paroxysmal Nocturnal Hemoglobinuria Patient Preference Questionnaire (PNH-PPQ©)</p> . Patient Preference and Adherence, 2020, Volume 14, 705-715.	0.8	5
44	Development of the Functional Assessment of Cancer Therapy-Carcinoid Syndrome Symptom Index. Neuroendocrinology, 2021, 111, 850-862.	1,2	4
45	Optimizing brief, focused assessment of priority symptoms and concerns in recurrent and/or metastatic squamous cell carcinoma of the head and neck: Content validation of the Functional Assessment of Cancer Therapy/National Comprehensive Cancer Network Head and Neck Symptom Indexâ€10 (FHNSlâ€10). Health Science Reports. 2021. 4. e401.	0.6	2
46	Effects of patient-reported outcome assessment order. Clinical Trials, 2022, 19, 307-315.	0.7	2
47	The PROMISⓇ-Plus-Osteoarthritis of the Knee (OAK) profile measure integrates generic and condition-specific content to enhance relevance and efficiency. Journal of Clinical Epidemiology, 2021, 135, 158-169.	2.4	1
48	Optimizing brief, focused symptom assessment in recurrent or metastatic squamous cell carcinoma of the head and neck (SCCHN): The FHNSI-10 Journal of Clinical Oncology, 2018, 36, e18743-e18743.	0.8	1
49	Development and validation of the functional assessment of cancer therapy: Antiangiogenesis (FACT-AntiA) Journal of Clinical Oncology, 2013, 31, e20527-e20527.	0.8	0
50	MON-558 Radioiodine Is Not Associated with Quality of Life Outcomes in Early Stage Thyroid Cancer Survivors, a Matched-Pair Analysis Journal of the Endocrine Society, 2019, 3, .	0.1	0
51	FACT physical wellbeing to independently predict overall survival in patients with acute myeloid leukemia Journal of Clinical Oncology, 2020, 38, 7532-7532.	0.8	O