

# Chaofeng Liu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8589913/publications.pdf>

Version: 2024-02-01

62  
papers

6,265  
citations

87843

38  
h-index

149623

56  
g-index

62  
all docs

62  
docs citations

62  
times ranked

6347  
citing authors

#	ARTICLE	IF	CITATIONS
1	Oxygen-deficient TiO <sub>2</sub> Yolk-shell Spheres for Enhanced Lithium Storage Properties. Energy and Environmental Materials, 2022, 5, 238-244.	7.3	15
2	Potassium Ammonium Vanadate with Rich Oxygen Vacancies for Fast and Highly Stable Zn-Ion Storage. ACS Nano, 2022, 16, 4588-4598.	7.3	118
3	Stability and kinetics enhancement of hydrated vanadium oxide via sodium-ion pre-intercalation. Materials Today Energy, 2022, 28, 101063.	2.5	7
4	Interphases, Interfaces, and Surfaces of Active Materials in Rechargeable Batteries and Perovskite Solar Cells. Advanced Materials, 2021, 33, e1905245.	11.1	30
5	Enhanced Reversible Zinc Ion Intercalation in Deficient Ammonium Vanadate for High-Performance Aqueous Zinc-Ion Battery. Nano-Micro Letters, 2021, 13, 116.	14.4	111
6	Tailoring nanostructured transition metal phosphides for high-performance hybrid supercapacitors. Nano Today, 2021, 38, 101201.	6.2	86
7	Point defects-induced adsorption and diffusion of lithium on monolayer titanium disulfide: A first-principles study. Applied Surface Science, 2021, 553, 149448.	3.1	11
8	Oxygen Vacancies Enhance Lithium-Ion Storage Properties of TiO <sub>2</sub> Hierarchical Spheres. Batteries and Supercaps, 2021, 4, 1874-1880.	2.4	9
9	Dual-ion batteries: The emerging alternative rechargeable batteries. Energy Storage Materials, 2020, 25, 1-32.	9.5	160
10	Active Materials for Aqueous Zinc Ion Batteries: Synthesis, Crystal Structure, Morphology, and Electrochemistry. Chemical Reviews, 2020, 120, 7795-7866.	23.0	950
11	Impacts of Oxygen Vacancies on Zinc Ion Intercalation in VO <sub>2</sub> . ACS Nano, 2020, 14, 5581-5589.	7.3	267
12	Polypyrrole coated $\gamma$ -MnO <sub>2</sub> nanosheet arrays as a highly stable lithium-ion-storage anode. Dalton Transactions, 2020, 49, 7903-7913.	1.6	19
13	Tunable Layered (Na,Mn)V <sub>8</sub> O <sub>20</sub> ·nH <sub>2</sub> O Cathode Material for High-Performance Aqueous Zinc Ion Batteries. Advanced Science, 2020, 7, 2000083.	5.6	113
14	Catalyzing zinc-ion intercalation in hydrated vanadates for aqueous zinc-ion batteries. Journal of Materials Chemistry A, 2020, 8, 7713-7723.	5.2	84
15	Effect of synthesis pH and EDTA on iron hexacyanoferrate for sodium-ion batteries. Sustainable Energy and Fuels, 2020, 4, 2884-2891.	2.5	11
16	Artificial interface stabilized LiNi <sub>0.80</sub> Co <sub>0.15</sub> Al <sub>0.05</sub> O <sub>2</sub> @Polysiloxane cathode for stable cycling lithium-ion batteries. Journal of Power Sources, 2020, 471, 228480.	4.0	26
17	Tailoring SPEEK/SPVdF-co-HFP/La <sub>2</sub> Zr <sub>2</sub> O <sub>7</sub> Ternary Composite Membrane for Cation Exchange Membrane Fuel Cells. Industrial & Engineering Chemistry Research, 2020, 59, 4881-4894.	1.8	21
18	Nanosulfonated silica incorporated SPEEK/SPVdF-HFP polymer blend membrane for PEM fuel cell application. Ionics, 2020, 26, 3447-3458.	1.2	38

#	ARTICLE	IF	CITATIONS
19	Fast and reversible zinc ion intercalation in Al-ion modified hydrated vanadate. Nano Energy, 2020, 70, 104519.	8.2	188
20	Structural engineering of hydrated vanadium oxide cathode by K <sup>+</sup> incorporation for high-capacity and long-cycling aqueous zinc ion batteries. Energy Storage Materials, 2020, 29, 9-16.	9.5	139
21	Impacts of Interfaces, Interphases, and Defects in Battery Electrodes. , 2020, , .		0
22	Aqueous Multivalent Ion Batteries Built on Hydrated Vanadates. ECS Meeting Abstracts, 2020, MA2020-01, 226-226.	0.0	0
23	Kinetic surface control for improved magnesium-electrolyte interfaces for magnesium ion batteries. Energy Storage Materials, 2019, 22, 96-104.	9.5	95
24	Chemically Bonding NiFe-LDH Nanosheets on rGO for Superior Lithium-Ion Capacitors. ACS Applied Materials & Interfaces, 2019, 11, 35977-35986.	4.0	88
25	Expanded hydrated vanadate for high-performance aqueous zinc-ion batteries. Energy and Environmental Science, 2019, 12, 2273-2285.	15.6	512
26	V <sub>2</sub> O <sub>3</sub> /C nanocomposites with interface defects for enhanced intercalation pseudocapacitance. Electrochimica Acta, 2019, 318, 635-643.	2.6	51
27	Revealing the impacts of metastable structure on the electrochemical properties: The case of MnS. Journal of Power Sources, 2019, 431, 75-83.	4.0	27
28	Understanding the electrochemical potential and diffusivity of MnO/C nanocomposites at various charge/discharge states. Journal of Materials Chemistry A, 2019, 7, 7831-7842.	5.2	34
29	Aqueous Al-Ion Supercapacitor with V <sub>2</sub> O <sub>5</sub> Mesoporous Carbon Electrodes. ACS Applied Materials & Interfaces, 2019, 11, 15573-15580.	4.0	64
30	Gradient Oxygen Vacancies in V <sub>2</sub> O <sub>5</sub> /PEDOT Nanocables for High-Performance Supercapacitors. ACS Applied Energy Materials, 2019, 2, 668-677.	2.5	58
31	Transition Metal Cations Stabilized Layered Vanadate Cathodes for Zinc-Ion Batteries. ECS Meeting Abstracts, 2019, , .	0.0	0
32	Transparent and Flexible Self-Charging Power Film and Its Application in a Sliding Unlock System in Touchpad Technology. ECS Meeting Abstracts, 2019, , .	0.0	0
33	FUNDAMENTALS OF RECHARGEABLE BATTERIES AND ELECTROCHEMICAL POTENTIALS OF ELECTRODE MATERIALS. , 2018, , 397-451.		3
34	Cryptomelane-type MnO <sub>2</sub> /carbon nanotube hybrids as bifunctional electrode material for high capacity potassium-ion full batteries. Nano Energy, 2018, 54, 106-115.	8.2	98
35	Deciphering the Voltage Increase Code in V <sub>2</sub> O <sub>5</sub> Cathode for Li-Ion Battery. ECS Meeting Abstracts, 2018, , .	0.0	0
36	Enhanced Electrochemical Properties of Li <sub>3</sub> VO <sub>4</sub> with Controlled Oxygen Vacancies as Li-Ion Battery Anode. Chemistry - A European Journal, 2017, 23, 5368-5374.	1.7	44

#	ARTICLE	IF	CITATIONS
37	Enhanced storage of sodium ions in Prussian blue cathode material through nickel doping. <i>Journal of Materials Chemistry A</i> , 2017, 5, 9604-9610.	5.2	95
38	Energy storage through intercalation reactions: electrodes for rechargeable batteries. <i>National Science Review</i> , 2017, 4, 26-53.	4.6	122
39	rGO/SnS <sub>2</sub> /TiO <sub>2</sub> heterostructured composite with dual-confinement for enhanced lithium-ion storage. <i>Journal of Materials Chemistry A</i> , 2017, 5, 25056-25063.	5.2	136
40	Exploiting High-Performance Anode through Tuning the Character of Chemical Bonds for Li-ion Batteries and Capacitors. <i>Advanced Energy Materials</i> , 2017, 7, 1601127.	10.2	149
41	Enhanced Electrochemical Properties of Sn-doped V <sub>2</sub> O <sub>5</sub> as a Cathode Material for Lithium Ion Batteries. <i>Electrochimica Acta</i> , 2016, 222, 1831-1838.	2.6	51
42	A new anode material for high performance lithium-ion batteries: V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> /C. <i>Journal of Materials Chemistry A</i> , 2016, 4, 9789-9796.	5.2	18
43	Impacts of Surface Energy on Lithium Ion Intercalation Properties of V <sub>2</sub> O <sub>5</sub> . <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 19542-19549.	4.0	42
44	Transparent and Flexible Self-Charging Power Film and Its Application in a Sliding Unlock System in Touchpad Technology. <i>ACS Nano</i> , 2016, 10, 8078-8086.	7.3	93
45	Effects of Preinserted Na Ions on Li-Ion Electrochemical Intercalation Properties of V <sub>2</sub> O <sub>5</sub> . <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 24629-24637.	4.0	41
46	High power high safety battery with electrospun Li <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> cathode and Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> anode with 95% energy efficiency. <i>Energy Storage Materials</i> , 2016, 5, 93-102.	9.5	46
47	Effects of high surface energy on lithium-ion intercalation properties of Ni-doped Li <sub>3</sub> VO <sub>4</sub> . <i>NPG Asia Materials</i> , 2016, 8, e287-e287.	3.8	39
48	Amorphous VPO <sub>4</sub> /C with the enhanced performances as an anode for lithium ion batteries. <i>Journal of Materiomics</i> , 2016, 2, 350-357.	2.8	16
49	The effect of nitrogen annealing on lithium ion intercalation in nickel-doped lithium trivanadate. <i>Science Bulletin</i> , 2016, 61, 587-593.	4.3	10
50	MnO nanoparticles with cationic vacancies and discrepant crystallinity dispersed into porous carbon for Li-ion capacitors. <i>Journal of Materials Chemistry A</i> , 2016, 4, 3362-3370.	5.2	85
51	Understanding electrochemical potentials of cathode materials in rechargeable batteries. <i>Materials Today</i> , 2016, 19, 109-123.	8.3	811
52	Hollow "Cuboid Li <sub>3</sub> VO <sub>4</sub> /C as High-Performance Anodes for Lithium-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 680-688.	4.0	82
53	A promising cathode for Li-ion batteries: Li <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> . <i>Energy Storage Materials</i> , 2016, 4, 15-58.	9.5	129
54	Self-doped V <sup>4+</sup> V <sub>2</sub> O <sub>5</sub> nanoflake for 2 Li-ion intercalation with enhanced rate and cycling performance. <i>Nano Energy</i> , 2016, 22, 1-10.	8.2	143

#	ARTICLE	IF	CITATIONS
55	Mesocrystal MnO cubes as anode for Li-ion capacitors. Nano Energy, 2016, 22, 290-300.	8.2	189
56	Highly Efficient Storage of Pulse Energy Produced by Triboelectric Nanogenerator in $\text{Li}_3\text{V}_2(\text{PO}_4)_3/\text{C}$ Cathode Li-Ion Batteries. ACS Applied Materials & Interfaces, 2016, 8, 862-870.	4.0	40
57	Nickel-Doped Lithium Trivanadate Nanosheets Synthesized by Hydrothermal Synthesis as High Performance Cathode Materials for Lithium Ion Batteries. Science of Advanced Materials, 2016, 8, 703-711.	0.1	5
58	Mo-doped $\text{LiV}_3\text{O}_8$ nanorod-assembled nanosheets as a high performance cathode material for lithium ion batteries. Journal of Materials Chemistry A, 2015, 3, 3547-3558.	5.2	102
59	Facile synthesis of mesoporous $\text{V}_2\text{O}_5$ nanosheets with superior rate capability and excellent cycling stability for lithium ion batteries. Journal of Power Sources, 2015, 294, 1-7.	4.0	91
60	Interface Reduction Synthesis of $\text{H}_2\text{V}_3\text{O}_8$ Nanobeltsâ€“Graphene for High-Rate Li-Ion Batteries. Journal of Physical Chemistry C, 2015, 119, 11391-11399.	1.5	31
61	Fast and Reversible Li Ion Insertion in Carbonâ€“Encapsulated $\text{Li}_3\text{VO}_4$ as Anode for Lithiumâ€“Ion Battery. Advanced Functional Materials, 2015, 25, 3497-3504.	7.8	173
62	Coherent $\text{Mn}_3\text{O}_4$ -carbon nanocomposites with enhanced energy-storage capacitance. Nano Research, 2015, 8, 3372-3383.	5.8	49