List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/858993/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Dualâ€Energy Xâ€Ray Performs as Well as Clinical Computed Tomography for the Measurement of Visceral Fat. Obesity, 2012, 20, 1109-1114.	1.5	279
2	Prediction of energy expenditure from heart rate monitoring during submaximal exercise. Journal of Sports Sciences, 2005, 23, 289-297.	1.0	239
3	BMI, fat and muscle differences in urban women of five ethnicities from two countries. International Journal of Obesity, 2007, 31, 1232-1239.	1.6	150
4	The Human Visceral Fat Depot Has a Unique Inflammatory Profile. Obesity, 2010, 18, 879-883.	1.5	141
5	Fat adaptation followed by carbohydrate loading compromises high-intensity sprint performance. Journal of Applied Physiology, 2006, 100, 194-202.	1.2	136
6	Weight changes, medical complications, and performance during an Ironman triathlon. British Journal of Sports Medicine, 2004, 38, 718-724.	3.1	134
7	Weight Changes, Sodium Levels, and Performance in the South African Ironman Triathlon. Clinical Journal of Sport Medicine, 2002, 12, 391-399.	0.9	130
8	Metabolic adaptations to a high-fat diet in endurance cyclists. Metabolism: Clinical and Experimental, 1999, 48, 1509-1517.	1.5	129
9	Determinants of the variability in respiratory exchange ratio at rest and during exercise in trained athletes. American Journal of Physiology - Endocrinology and Metabolism, 2000, 279, E1325-E1334.	1.8	128
10	Socio-cultural, environmental and behavioural determinants of obesity in black South African women : review articles. Cardiovascular Journal of Africa, 2013, 24, 369-375.	0.2	106
11	Differential Effects of Abdominal Adipose Tissue Distribution on Insulin Sensitivity in Black and White South African Women. Obesity, 2009, 17, 1506-1512.	1.5	100
12	Development and validation of instruments measuring body image and body weight dissatisfaction in South African mothers and their daughters. Public Health Nutrition, 2005, 8, 509-519.	1.1	99
13	Insulin Response in Relation to Insulin Sensitivity. Diabetes Care, 2009, 32, 860-865.	4.3	92
14	Conjugated linoleic acid versus high-oleic acid sunflower oil: effects on energy metabolism, glucose tolerance, blood lipids, appetite and body composition in regularly exercising individuals. British Journal of Nutrition, 2007, 97, 1001-1011.	1.2	82
15	Determinants of Insulinâ€resistant Phenotypes in Normalâ€weight and Obese Black African Women. Obesity, 2008, 16, 1602-1609.	1.5	78
16	Ethnic differences in serum lipoproteins and their determinants in South African women. Metabolism: Clinical and Experimental, 2010, 59, 1341-1350.	1.5	69
17	Glucocorticoid metabolism within superficial subcutaneous rather than visceral adipose tissue is associated with features of the metabolic syndrome in South African women. Clinical Endocrinology, 2006, 65, 81-87.	1.2	65
18	Estimating the burden of disease attributable to excess body weight in South Africa in 2000. South African Medical Journal, 2007, 97, 683-90.	0.2	65

#	Article	IF	CITATIONS
19	High-Fat Diet versus Habitual Diet Prior to Carbohydrate Loading: Effects on Exercise Metabolism and Cycling Performance. International Journal of Sport Nutrition and Exercise Metabolism, 2001, 11, 209-225.	1.0	61
20	The Relationship between Dietary Fatty Acids and Inflammatory Genes on the Obese Phenotype and Serum Lipids. Nutrients, 2013, 5, 1672-1705.	1.7	58
21	Depot―and ethnicâ€specific differences in the relationship between adipose tissue inflammation and insulin sensitivity. Clinical Endocrinology, 2011, 74, 51-59.	1.2	57
22	Waist Circumference, BMI, and Visceral Adipose Tissue in White Women and Women of African Descent. Obesity, 2011, 19, 671-674.	1.5	53
23	The Effect of Exercise on Obesity, Body Fat Distribution and Risk for Type 2 Diabetes. Medicine and Sport Science, 2014, 60, 82-93.	1.4	53
24	Cell death–inducing DFF45-like effector C is reduced by caloric restriction and regulates adipocyte lipid metabolism. Metabolism: Clinical and Experimental, 2008, 57, 1307-1313.	1.5	49
25	The association of interleukin-18 genotype and serum levels with metabolic risk factors for cardiovascular disease. European Journal of Endocrinology, 2007, 157, 633-640.	1.9	47
26	Association between ethnicity and obesity with high-density lipoprotein (HDL) function and subclass distribution. Lipids in Health and Disease, 2016, 15, 92.	1.2	47
27	Intra-familial and ethnic effects on attitudinal and perceptual body image: a cohort of South African mother-daughter dyads. BMC Public Health, 2011, 11, 433.	1.2	45
28	Perceptions relating to body size, weight loss and weight-loss interventions in black South African women: a qualitative study. Public Health Nutrition, 2016, 19, 548-556.	1.1	43
29	Nutritional strategies for promoting fat utilization and delaying the onset of fatigue during prolonged exercise. Journal of Sports Sciences, 1997, 15, 315-324.	1.0	41
30	Type 2 diabetes mellitus in African women. Diabetes Research and Clinical Practice, 2017, 123, 87-96.	1.1	41
31	Ethnic differences in hepatic and systemic insulin sensitivity and their associated determinants in obese black and white South African women. Diabetologia, 2015, 58, 2647-2652.	2.9	39
32	Effects of Medium-Chain Triacylglycerol Ingested With Carbohydrate on Metabolism and Exercise Performance. International Journal of Sport Nutrition, 1999, 9, 35-47.	1.6	38
33	Ethnic differences in the association between lipid metabolism genes and lipid levels in black and white South African women. Atherosclerosis, 2015, 240, 311-317.	0.4	38
34	Insulin Resistance is the Best Predictor of the Metabolic Syndrome in Subjects With a Firstâ€Degree Relative With Type 2 Diabetes. Obesity, 2010, 18, 1781-1787.	1.5	37
35	Reduced Gluteal Expression of Adipogenic and Lipogenic Genes in Black South African Women Is Associated with Obesity-Related Insulin Resistance. Journal of Clinical Endocrinology and Metabolism, 2011, 96, E2029-E2033.	1.8	36
36	Adiposity Mediates the Association between the Dietary Inflammatory Index and Markers of Type 2 Diabetes Risk in Middle-Aged Black South African Women. Nutrients, 2019, 11, 1246.	1.7	34

#	Article	IF	CITATIONS
37	Tumor Necrosis Factor-α Gene -308 G/A Polymorphism Modulates the Relationship between Dietary Fat Intake, Serum Lipids, and Obesity Risk in Black South African Women. Journal of Nutrition, 2010, 140, 901-907.	1.3	33
38	The atypical presentation of the metabolic syndrome components in black African women: the relationship with insulin resistance and the influence of regional adipose tissue distribution. Metabolism: Clinical and Experimental, 2009, 58, 149-157.	1.5	32
39	The Effects of Medium-Chain Triacylglycerol and Carbohydrate Ingestion on Ultra-Endurance Exercise Performance. International Journal of Sport Nutrition and Exercise Metabolism, 2005, 15, 15-27.	1.0	31
40	Associations between body fat distribution, insulin resistance and dyslipidaemia in black and white South African women. Cardiovascular Journal of Africa, 2016, 27, 177-183.	0.2	31
41	Metabolic setpoint control mechanisms in different physiological systems at rest and during exercise. Journal of Theoretical Biology, 2005, 236, 60-72.	0.8	30
42	Nutritional Practices of Male Cyclists before and during an Ultraendurance Event. International Journal of Sport Nutrition and Exercise Metabolism, 2008, 18, 551-566.	1.0	30
43	Site-specific differences in bone mineral density in black and white premenopausal South African women. Osteoporosis International, 2012, 23, 533-542.	1.3	30
44	The Role of Adipose Tissue in Insulin Resistance in Women of African Ancestry. Journal of Obesity, 2013, 2013, 1-9.	1.1	30
45	Exercise training improves mitochondrial respiration and is associated with an altered intramuscular phospholipid signature in women with obesity. Diabetologia, 2021, 64, 1642-1659.	2.9	30
46	Exercise intervention alters HDL subclass distribution and function in obese women. Lipids in Health and Disease, 2018, 17, 232.	1.2	29
47	Exercise training results in depot-specific adaptations to adipose tissue mitochondrial function. Scientific Reports, 2020, 10, 3785.	1.6	29
48	Effect of Different Antiretroviral Drug Regimens on Body Fat Distribution of HIV-Infected South African Women. AIDS Research and Human Retroviruses, 2013, 29, 557-563.	0.5	28
49	Effects of a lipase inhibitor (Orlistat) on cholecystokinin and appetite in response to a high-fat meal. International Journal of Obesity, 2003, 27, 1479-1485.	1.6	26
50	Meeting physical activity guidelines is associated with reduced risk for cardiovascular disease in black South African women; a 5.5-year follow-up study. BMC Public Health, 2014, 14, 498.	1.2	26
51	Dualâ€energy Xâ€ray Absorptiometry and Anthropometric Estimates of Visceral Fat in Black and White South African Women. Obesity, 2010, 18, 619-624.	1.5	25
52	Pathogenesis of type 2 diabetes risk in black Africans: a South African perspective. Journal of Internal Medicine, 2020, 288, 284-294.	2.7	25
53	Alterations in the metabolism of phospholipids, bile acids and branched-chain amino acids predicts development of type 2 diabetes in black South African women: a prospective cohort study. Metabolism: Clinical and Experimental, 2019, 95, 57-64.	1.5	22
54	Fasting substrate oxidation in relation to habitual dietary fat intake and insulin resistance in non-diabetic women: a case for metabolic flexibility?. Nutrition and Metabolism, 2013, 10, 8.	1.3	21

#	Article	IF	CITATIONS
55	Sex differences in insulin sensitivity and insulin response with increasing age in black South African men and women. Diabetes Research and Clinical Practice, 2016, 122, 207-214.	1.1	21
56	Changes in systemic and subcutaneous adipose tissue inflammation and oxidative stress in response to exercise training in obese black African women. Journal of Physiology, 2020, 598, 503-515.	1.3	21
57	DHEA supplementation in ovariectomized rats reduces impaired glucoseâ€stimulated insulin secretion induced by a highâ€fat diet. FEBS Open Bio, 2014, 4, 141-146.	1.0	20
58	Fat redistribution and accumulation of visceral adipose tissue predicts type 2 diabetes risk in middle-aged black South African women: a 13-year longitudinal study. Nutrition and Diabetes, 2019, 9, 12.	1.5	20
59	Contribution of Adipose Tissue Oxidative Stress to Obesity-Associated Diabetes Risk and Ethnic Differences: Focus on Women of African Ancestry. Antioxidants, 2021, 10, 622.	2.2	19
60	An Exercise Intervention to Unravel the Mechanisms Underlying Insulin Resistance in a Cohort of Black South African Women: Protocol for a Randomized Controlled Trial and Baseline Characteristics of Participants. JMIR Research Protocols, 2018, 7, e75.	0.5	19
61	Cardiorespiratory Fitness and Light-Intensity Physical Activity Are Independently Associated with Reduced Cardiovascular Disease Risk in Urban Black South African Women: A Cross-Sectional Study. Metabolic Syndrome and Related Disorders, 2016, 14, 23-32.	0.5	18
62	HDL Subclass Distribution Shifts with Increasing Central Adiposity. Journal of Obesity, 2019, 2019, 1-6.	1.1	18
63	Ethnic-specific cut-points for sarcopenia: evidence from black South African women. European Journal of Clinical Nutrition, 2015, 69, 843-849.	1.3	17
64	Associations between long self-reported sleep, obesity and insulin resistance in a cohort of premenopausal Black and White South African women. Sleep Health, 2018, 4, 558-564.	1.3	17
65	The TG/HDL-C ratio does not predict insulin resistance in overweight women of African descent: a study of South African, African American and West African women. Ethnicity and Disease, 2011, 21, 490-4.	1.0	17
66	The Role of Dietary Macronutrients in Optimizing Endurance Performance. Current Sports Medicine Reports, 2003, 2, 194-201.	0.5	16
67	The -308 G/A polymorphism of the tumour necrosis factor-α gene modifies the association between saturated fat intake and serum total cholesterol levels in white South African women. Genes and Nutrition, 2011, 6, 353-359.	1.2	16
68	Impact of differences in glucose tolerance on the prevalence of a negative insulinogenic index. Journal of Diabetes and Its Complications, 2013, 27, 158-161.	1.2	16
69	The Effect of Carbohydrate Ingestion on Performance during a Simulated Soccer Match. Nutrients, 2013, 5, 5193-5204.	1.7	16
70	Longitudinal Changes in Body Fat and Its Distribution in Relation to Cardiometabolic Risk in Black South African Women. Metabolic Syndrome and Related Disorders, 2015, 13, 381-388.	0.5	16
71	The Role of Body Fat and Fat Distribution in Hypertension Risk in Urban Black South African Women. PLoS ONE, 2016, 11, e0154894.	1.1	16
72	Conjugated Linoleic Acid Isomers, <i>t</i> 10 <i>c</i> 12 and <i>c</i> 9 <i>t</i> 11, are Differentially Incorporated into Adipose Tissue and Skeletal Muscle in Humans. Lipids, 2009, 44, 983-8.	0.7	15

#	Article	IF	CITATIONS
73	Diagnostic Ability of Obesity Measures to Identify Metabolic Risk Factors in South African Women. Metabolic Syndrome and Related Disorders, 2011, 9, 353-360.	0.5	15
74	Interleukin-6 Gene Polymorphisms, Dietary Fat Intake, Obesity and Serum Lipid Concentrations in Black and White South African Women. Nutrients, 2014, 6, 2436-2465.	1.7	15
75	Distinct abdominal and gluteal adipose tissue transcriptome signatures are altered by exercise training in African women with obesity. Scientific Reports, 2020, 10, 10240.	1.6	15
76	The tumor necrosis factor-α gene -238 G>A polymorphism, dietary fat intake, obesity risk and serum lipid concentrations in black and white South African women. European Journal of Clinical Nutrition, 2012, 66, 1295-1302.	1.3	14
77	Hypoxia and extra-cellular matrix gene expression in adipose tissue associates with reduced insulin sensitivity in black South African women. Endocrine, 2017, 55, 144-152.	1.1	14
78	Effect of exercise training on insulin sensitivity, hyperinsulinemia and ectopic fat in black South African women: a randomized controlled trial. European Journal of Endocrinology, 2020, 183, 51-61.	1.9	14
79	Total daily energy expenditure in black and white, lean and obese South African women. European Journal of Clinical Nutrition, 2009, 63, 667-673.	1.3	13
80	Higher baseline fat oxidation promotes gynoid fat mobilization in response to a 12-week exercise intervention in sedentary, obese black South African women. Applied Physiology, Nutrition and Metabolism, 2020, 45, 327-335.	0.9	13
81	Protection from Cardiovascular Disease Due to Increased High-Density Lipoprotein Cholesterol in African Black Populations: Myth or Reality?. Ethnicity and Disease, 2016, 26, 553.	1.0	12
82	Waist circumference thresholds predicting incident dysglycaemia and type 2 diabetes in Black African men and women. Diabetes, Obesity and Metabolism, 2022, 24, 918-927.	2.2	12
83	Lean and obese dietary phenotypes: differences in energy and substrate metabolism and appetite. British Journal of Nutrition, 2015, 114, 1724-1733.	1.2	11
84	Obesity-related metabolite profiles of black women spanning the epidemiologic transition. Metabolomics, 2016, 12, 1.	1.4	11
85	Physiological and subjective measures of workload when shovelling with a conventional and two-handled (†levered') shovel. Ergonomics, 1997, 40, 1212-1219.	1.1	10
86	DNA methylation of FKBP5 in South African women: associations with obesity and insulin resistance. Clinical Epigenetics, 2020, 12, 141.	1.8	10
87	Understanding factors associated with sarcopenic obesity in older African women from a low-income setting: a cross-sectional analysis. BMC Geriatrics, 2021, 21, 247.	1.1	10
88	Determinants of change in body weight and body fat distribution over 5.5 years in a sample of free-living black South African women. Cardiovascular Journal of Africa, 2016, 27, 367-374.	0.2	10
89	Insulin Resistance Is Associated with Lower Acetylcholine-Induced Microvascular Reactivity in Nondiabetic Women. Metabolic Syndrome and Related Disorders, 2014, 12, 178-184.	0.5	9
90	Increased risk for type 2 diabetes in relation to adiposity in middle-aged Black South African men compared to women. European Journal of Endocrinology, 2022, 186, 523-533.	1.9	9

#	Article	IF	CITATIONS
91	Insulin sensitivity measured by the minimal model: No associations with fasting respiratory exchange ratio in trained athletes. Metabolism: Clinical and Experimental, 2001, 50, 1286-1293.	1.5	8
92	Glucocorticoid receptor gene expression in adipose tissue and associated metabolic risk in black and white South African women. International Journal of Obesity, 2015, 39, 303-311.	1.6	8
93	Exercise Training Alters Red Blood Cell Fatty Acid Desaturase Indices and Adipose Tissue Fatty Acid Profile in African Women with Obesity. Obesity, 2020, 28, 1456-1466.	1.5	8
94	Effects of elevated plasma adrenaline levels on substrate metabolism, effort perception and muscle activation during low-to-moderate intensity exercise. Pflugers Archiv European Journal of Physiology, 2006, 451, 727-737.	1.3	7
95	Ethnic and Adipose Depot Specific Associations Between DNA Methylation and Metabolic Risk. Frontiers in Genetics, 2020, 11, 967.	1.1	7
96	Interleukin-18 levels are associated with low-density lipoproteins size. European Journal of Clinical Investigation, 2010, 40, 54-55.	1.7	6
97	C679X loss-of-function PCSK9 variant is associated with lower fasting glucose in black South African adolescents: Birth to Twenty Plus Cohort. Journal of Clinical and Translational Endocrinology, 2019, 16, 100186.	1.0	6
98	Comparison of body fatness measurements by near-infrared reactance and dual-energy X-ray absorptiometry in normal-weight and obese black and white women. British Journal of Nutrition, 2010, 103, 1065-1069.	1.2	5
99	Food Security, Dietary Intake, and Foodways of Urban Low-Income Older South African Women: An Exploratory Study. International Journal of Environmental Research and Public Health, 2021, 18, 3973.	1.2	5
100	Improved Sleep Quality and Depressive Symptoms With Exercise Training in Obese Women From a Low Socioeconomic Community: A Randomized Controlled Trial. Journal of Physical Activity and Health, 2021, 18, 440-449.	1.0	5
101	Ethnic differences in regional adipose tissue oestrogen receptor gene expression. Endocrine Connections, 2019, 8, 32-38.	0.8	5
102	Associations between body fat distribution and cardiometabolic risk factors in mixed-ancestry South African women and men. Cardiovascular Journal of Africa, 2019, 30, 321-330.	0.2	5
103	Sex Differences in the Associations of Nutrient Patterns with Total and Regional Adiposity: A Study of Middle-Aged Black South African Men and Women. Nutrients, 2021, 13, 4558.	1.7	5
104	Sarcopenic Obesity in Africa: A Call for Diagnostic Methods and Appropriate Interventions. Frontiers in Nutrition, 2021, 8, 661170.	1.6	4
105	Fatty Acid Metabolism and Associations with Insulin Sensitivity Differs Between Black and White South African Women. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e140-e151.	1.8	4
106	Association Between the 4 bp Proinsulin Gene Insertion Polymorphism (IVSâ€69) and Body Composition in Black South African Women. Obesity, 2009, 17, 1298-1300.	1.5	3
107	Inflammation in Relation to Cardiovascular Disease Risk: Comparison of Black and White Women in the United States, United Kingdom, and South Africa. Current Cardiovascular Risk Reports, 2011, 5, 223-229.	0.8	3
108	Near Infrared Reactance for the Estimation of Body Fatness in Regularly Exercising Individuals. International Journal of Sports Medicine, 2013, 34, 612-615.	0.8	3

#	Article	IF	CITATIONS
109	Differences in the association between childhood trauma and BMI in black and white South African women. African Journal of Psychiatry, 2013, 16, 201-5.	0.1	3
110	Addressing the problem of obesity and associated cardiometabolic risk in black South African women $\hat{a} \in $ time for action!. Global Health Action, 2017, 10, 1366165.	0.7	3
111	The discriminatory power of visceral adipose tissue area vs anthropometric measures as a diagnostic marker for metabolic syndrome in South African women. Diabetology and Metabolic Syndrome, 2019, 11, 93.	1.2	3
112	Protocol for systematic review and meta-analysis of sex hormones and diabetes risk in ageing men and women of African ancestry. BMJ Open, 2019, 9, e024446.	0.8	3
113	Circulating and Adipose Tissue Fatty Acid Composition in Black South African Women with Obesity: A Cross-Sectional Study. Nutrients, 2020, 12, 1619.	1.7	3
114	<p>Chronic Kidney Disease Modifies The Relationship Between Body Fat Distribution and Blood Pressure: A Cross-Sectional Analysis</p> . International Journal of Nephrology and Renovascular Disease, 2020, Volume 13, 107-118.	0.8	3
115	Comparison of single-slice CT and DXA-derived measures of central adiposity in South African women. European Journal of Clinical Nutrition, 2020, 74, 1282-1289.	1.3	3
116	β-cell function in black South African women: exploratory associations with insulin clearance, visceral and ectopic fat. Endocrine Connections, 2021, 10, 550-560.	0.8	3
117	Energy balance and energy expenditure in obesity - is obesity a disease of inactivity?. SA Sports Medicine, 2003, 15, 21.	0.1	3
118	Physical behaviors and their association with type 2 diabetes mellitus risk markers in urban South African middle-aged adults: an isotemporal substitutionapproach. BMJ Open Diabetes Research and Care, 2022, 10, e002815.	1.2	3
119	A pilot investigation of genetic and epigenetic variation of FKBP5 and response to exercise intervention in African women with obesity. Scientific Reports, 2022, 12, .	1.6	3
120	Expanding Our Understanding of the Triglyceride Paradox in Populations of African Ancestry. Circulation Research, 2020, 126, 109-111.	2.0	2
121	Intensity Matters for Musculoskeletal Health: A Cross-Sectional Study on Movement Behaviors of Older Adults from High-Income Scottish and Low-Income South African Communities. International Journal of Environmental Research and Public Health, 2021, 18, 4310.	1.2	2
122	Associations Between CYP17A1 and SERPINA6/A1 Polymorphisms, and Cardiometabolic Risk Factors in Black South Africans. Frontiers in Genetics, 2021, 12, 687335.	1.1	2
123	Glucocorticoids associate with cardiometabolic risk factors in black South Africans. Endocrine Connections, 2021, 10, 873-884.	0.8	2
124	Accuracy of reporting food energy intake: influence of ethnicity and body weight status in South African Journal of Clinical Nutrition, 2010, 23, 84-89.	0.3	2
125	Targeted proteomics of appendicular skeletal muscle mass and handgrip strength in black South Africans: a cross-sectional study. Scientific Reports, 2022, 12, .	1.6	2
126	Insulin Response in Relation to Insulin Sensitivity: An Appropriate Â-Cell Response in Black South African Women: Response to Joffe and Distiller. Diabetes Care, 2009, 32, e124-e124.	4.3	1

#	Article	IF	CITATIONS
127	The Effect Of Fat-adaptation Followed By Carbohydrate-loading On Ultra-endurance Cycling Performance. Medicine and Science in Sports and Exercise, 2007, 39, S66.	0.2	1
128	Ethnic-Specific Associations between Abdominal and Gluteal Fat Distribution and the Metabolic Complications of Obesity: Implications for the Use of Liposuction. Plastic Surgery an International Journal, 2013, , 1-14.	0.1	1
129	INGESTION OF MEDIUM-CHAIN TRIGLYCERIDES (MCT) WITH CARBOHYDRATE DURING STEADY-STATE EXERCISE: EFFECTS ON EXERCISE METABOLISM AND GASTRIC SYMPTOMS. Medicine and Science in Sports and Exercise, 1998, 30, 3.	0.2	1
130	1. Body composition measures as predictors of hypertension in urban black South African woman. Journal of Endocrinology Metabolism and Diabetes of South Africa, 2015, 20, 24-36.	0.4	0
131	[PP.03.08] THE ROLE OF BODY FAT AND FAT DISTRIBUTION IN HYPERTENSION RISK IN URBAN BLACK SOUTH AFRICAN WOMEN. Journal of Hypertension, 2016, 34, e128.	0.3	0
132	The association between high-sensitivity C-reactive protein and metabolic risk factors in black and white South African women: a cross-sectional study. BMC Obesity, 2018, 5, 14.	3.1	0
133	Osteoporosis in older black South African women and relationships with body composition, dietary intake and physical activity. Proceedings of the Nutrition Society, 2020, 79, .	0.4	0
134	Obesity and type 2 diabetes: understanding the role of ethnicity. Journal of Internal Medicine, 2020, 288, 269-270.	2.7	0
135	Alpine Skiing with Children after Heart Surgery. Medicine and Science in Sports and Exercise, 2006, 38, S99-S100.	0.2	0
136	Utility of silhouette showcards to assess adiposity in three countries across the epidemiological transition. PLOS Global Public Health, 2022, 2, e0000127.	0.5	0