

Bin Liang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8590068/bin-liang-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

154
papers

3,069
citations

30
h-index

47
g-index

161
ext. papers

3,798
ext. citations

5.2
avg, IF

5.63
L-index

#	Paper	IF	Citations
154	Kinetic Study on High-Temperature HS Removal over Mn-Based Regenerable Sorbent Using Deactivation Model.. <i>ACS Omega</i> , 2022 , 7, 2718-2724	3.9	
153	CO2 mineralization of carbide slag for the production of light calcium carbonates. <i>Chinese Journal of Chemical Engineering</i> , 2022 , 43, 86-98	3.2	0
152	The quasi-activity coefficients of non-electrolytes in aqueous solution with organic ions and its application on the phase splitting behaviors prediction for CO2 absorption. <i>Chinese Journal of Chemical Engineering</i> , 2022 , 43, 316-323	3.2	0
151	Tuning the mesopore size of lignin-based porous carbon via salt templating for kraft lignin decomposition. <i>Industrial Crops and Products</i> , 2022 , 181, 114865	5.9	
150	Nonaqueous MEA/PEG200 Absorbent with High Efficiency and Low Energy Consumption for CO2 Capture. <i>Industrial & Engineering Chemistry Research</i> , 2021 , 60, 3871-3880	3.9	2
149	Research on integrated CO2 absorption-mineralization and regeneration of absorbent process. <i>Energy</i> , 2021 , 222, 120010	7.9	3
148	Insights into the relationships between physicochemical properties, solvent performance, and applications of deep eutectic solvents. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 35537-35563	5.1	13
147	Cu(II)-Assisted CO2 Absorption and Desorption Performances of the MMEA/H2O System. <i>Energy & Fuels</i> , 2021 , 35, 9509-9520	4.1	
146	Photocatalytic Production of Methyl Formate by Methanol Self-Coupling: From Oxidative Dehydrogenation to Direct Dehydrogenation. <i>Industrial & Engineering Chemistry Research</i> , 2021 , 60, 9684-9695	3.9	0
145	Integrated Process of Monoethanolamine-Based CO2 Absorption and CO2 Mineralization with SFGD Slag: Process Simulation and Life-Cycle Assessment of CO2 Emission. <i>ACS Sustainable Chemistry and Engineering</i> , 2021 , 9, 8238-8248	8.3	3
144	Fabricating Dual-Activity Seed Crystals via Continuous Rapid Thermal Nucleation in a Coil Reactor for Low-Temperature Rutile TiO2 Production. <i>ACS Sustainable Chemistry and Engineering</i> , 2021 , 9, 9106-9113	8.3	3
143	CO2 mineral carbonation using industrial solid wastes: A review of recent developments. <i>Chemical Engineering Journal</i> , 2021 , 416, 129093	14.7	55
142	Cu active sites confined in MgAl layered double hydroxide for hydrogenation of dimethyl oxalate to ethanol. <i>Catalysis Today</i> , 2021 , 365, 318-326	5.3	6
141	Hierarchical meso- and macroporous carbon from lignin for kraft lignin decomposition to aromatic monomers. <i>Catalysis Today</i> , 2021 , 365, 214-222	5.3	3
140	CO2 mineral sequestration by using blast furnace slag: From batch to continuous experiments. <i>Energy</i> , 2021 , 214, 118975	7.9	36
139	Open center tidal turbine: How a new mooring system concept affects the performances. <i>International Journal of Energy Research</i> , 2021 , 45, 6727-6744	4.5	
138	Highly selective hydrogenation of diesters to ethylene glycol and ethanol on aluminum-promoted CuAl/SiO2 catalysts. <i>Catalysis Today</i> , 2021 , 368, 173-180	5.3	4

137	Regeneration of Na ₂ Q in an Electrochemical CO ₂ Capture System. <i>Energy & Fuels</i> , 2021 , 35, 12260-12269	12.269	2
136	Predicting phase-splitting behaviors of an amine-organic solvent-water system for CO ₂ absorption: A new model developed by density functional theory and statistical and experimental methods. <i>Chemical Engineering Journal</i> , 2021 , 422, 130389	14.7	3
135	FeSTi Superacid Catalyst for NH ₃ -SCR with Superior Resistance to Metal Poisons in Flue Gas. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 16878-16888	8.3	4
134	Phase-Change CO ₂ Absorption Using Novel 3-Dimethylaminopropylamine with Primary and Tertiary Amino Groups. <i>Industrial & Engineering Chemistry Research</i> , 2020 , 59, 8902-8910	3.9	7
133	The role of adsorbed oleylamine on gold catalysts during synthesis for highly selective electrocatalytic reduction of CO to CO. <i>Chemical Communications</i> , 2020 , 56, 7021-7024	5.8	13
132	A photocatalytic transformation realized by Pd/TiO ₂ particle size modulation: from oxidative dehydrogenation of ethane to direct dehydrogenation of ethane. <i>Chemical Engineering Journal</i> , 2020 , 395, 125120	14.7	7
131	DBU-Glycerol Solution: A CO Absorbent with High Desorption Ratio and Low Regeneration Energy. <i>Environmental Science & Technology</i> , 2020 , 54, 7570-7578	10.3	3
130	A horizontal axis rotating disc contactor combining narrow mixing space and oil-wet slits. <i>Chemical Engineering and Processing: Process Intensification</i> , 2020 , 150, 107903	3.7	1
129	Biomimetic Mineralization to Fabricate Superhydrophilic and Underwater Superoleophobic Filter Mesh for Oil-Water Separations. <i>Industrial & Engineering Chemistry Research</i> , 2020 , 59, 6226-6235	3.9	8
128	Evolution of CdTe Magic-Size Clusters with Single Absorption Doublet Assisted by Adding Small Molecules during Prenucleation. <i>Journal of Physical Chemistry Letters</i> , 2020 , 11, 2230-2240	6.4	15
127	The fouling properties of SiO ₂ -CaO-P ₂ O ₅ system in high-temperature rotary kiln phosphoric acid process. <i>Chinese Journal of Chemical Engineering</i> , 2020 , 28, 1824-1831	3.2	4
126	Simultaneous preparation of TiO ₂ and ammonium alum, and microporous SiO ₂ during the mineral carbonation of titanium-bearing blast furnace slag. <i>Chinese Journal of Chemical Engineering</i> , 2020 , 28, 2256-2266	3.2	5
125	Mechanistic Aspects of Highly Efficient FeaSbTiO _x Catalysts for the NH ₃ -SCR Reaction: Insight into the Synergistic Effect of Fe and S Species. <i>Industrial & Engineering Chemistry Research</i> , 2020 , 59, 8164-8173	3.9	5
124	Ball milling promoted direct liquefaction of lignocellulosic biomass in supercritical ethanol. <i>Frontiers of Chemical Science and Engineering</i> , 2020 , 14, 605-613	4.5	3
123	Low-energy-consumption electrochemical CO ₂ capture driven by biomimetic phenazine derivatives redox medium. <i>Applied Energy</i> , 2020 , 259, 114119	10.7	16
122	Transformation of ZnS Precursor Compounds to Magic-Size Clusters Exhibiting Optical Absorption Peaking at 269 nm. <i>Journal of Physical Chemistry Letters</i> , 2020 , 11, 75-82	6.4	20
121	DBU-based CO ₂ absorption-mineralization system: Reaction process, feasibility and process intensification. <i>Chinese Journal of Chemical Engineering</i> , 2020 , 28, 1145-1155	3.2	5
120	Tuning the photocatalytic activity of TiO ₂ nanoparticles by ultrathin SiO ₂ films grown by low-temperature atmospheric pressure atomic layer deposition. <i>Applied Surface Science</i> , 2020 , 530, 147244	6.7	14

119	Solvent-free synthesis of hydroxycancrinite zeolite microspheres during the carbonation process of blast furnace slag. <i>Journal of Alloys and Compounds</i> , 2020 , 847, 156456	5.7	10
118	Nano molybdenum carbides supported on porous zeolites for Kraft lignin decomposition to aromatic monomers in ethanol. <i>Bioresource Technology Reports</i> , 2020 , 11, 100484	4.1	3
117	Absorption of SO ₂ with recyclable melamine slurry. <i>Separation and Purification Technology</i> , 2020 , 251, 117285	8.3	6
116	Hydrothermally Modified Graphite Felt as an Efficient Cathode for Salty Organic Wastewater Treatment. <i>Environmental Engineering Science</i> , 2020 , 37, 790-802	2	2
115	Carbon dioxide mineralization for the disposition of blast-furnace slag: reaction intensification using NaCl solutions 2020 , 10, 436-448		2
114	Catalytic solvent regeneration of a CO ₂ -loaded MEA solution using an acidic catalyst from industrial rough metatitanic acid 2020 , 10, 449-460		4
113	Soda Ash Production with Low Energy Consumption Using Proton Cycled Membrane Electrolysis. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 3450-3458	3.9	12
112	An environmentally friendly FeTiSO _x catalyst with a broad operation-temperature window for the NH ₃ -SCR of NO _x . <i>AIChE Journal</i> , 2019 , 65, e16684	3.6	7
111	Size-dependent superwettability adjustment strategy for preparing superhydrophilic and superhydrophobic solid particles. <i>Applied Surface Science</i> , 2019 , 487, 304-314	6.7	2
110	Aqueous carbonation of MgSO ₄ with (NH ₄) ₂ CO ₃ for CO ₂ sequestration 2019 , 9, 209-225		3
109	On the role of solid particles in CO ₂ bubble nucleation for solvent regeneration of MEA-based CO ₂ capture technology 2019 , 9, 553-566		0
108	Studies on viscosity and conductivity of 1,8-diazabicyclo[5.4.0]undec-7-ene (DBU)-glycerol and CO ₂ -DBU-glycerol solutions at temperatures from 288.1 K to 328.1 K. <i>Journal of Chemical Thermodynamics</i> , 2019 , 136, 16-27	2.9	10
107	Engineering an ultrathin amorphous TiO ₂ layer for boosting the weatherability of TiO ₂ pigment with high lightening power. <i>Chinese Journal of Chemical Engineering</i> , 2019 , 27, 2825-2834	3.2	3
106	Combined synthesis of Li ₄ SiO ₄ sorbent with high CO ₂ uptake in the indirect carbonation of blast furnace slag process. <i>Chemical Engineering Journal</i> , 2019 , 370, 71-80	14.7	20
105	CO ₂ Capture from Flue Gas Using an Electrochemically Reversible Hydroquinone/Quinone Solution. <i>Energy & Fuels</i> , 2019 , 33, 3380-3389	4.1	15
104	Investigation on the Phase-Change Absorbent System MEA + Solvent A (SA) + H ₂ O Used for the CO ₂ Capture from Flue Gas. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 3811-3821	3.9	17
103	Effects of mechanical activation on the digestion of ilmenite in dilute H ₂ SO ₄ . <i>Chinese Journal of Chemical Engineering</i> , 2019 , 27, 575-586	3.2	11
102	Graphene intercalated Ni-SiO ₂ /GO-Ni-foam catalyst with enhanced reactivity and heat-transfer for CO ₂ methanation. <i>Chemical Engineering Science</i> , 2019 , 194, 10-21	4.4	33

101	Quantitative Relationship between CO ₂ Absorption Capacity and Amine Water System: DFT, Statistical, and Experimental Study. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 13848-13857	3.9	4
100	Insights into the Roasting Kinetics and Mechanism of Blast Furnace Slag with Ammonium Sulfate for CO ₂ Mineralization. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 14026-14036	3.9	9
99	Hydroxyl-Mediated Formation of Highly Dispersed SnO ₂ /TiO ₂ Heterojunction via Pulsed Chemical Vapor Deposition To Enhance Photocatalytic Activity. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 14655-14663	3.9	16
98	Supported μ Mo ₂ C on Carbon Materials for Kraft Lignin Decomposition into Aromatic Monomers in Ethanol. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 12602-12610	3.9	10
97	Synthesis-Controlled μ and μ Molybdenum Carbide for Base-Promoted Transfer Hydrogenation of Lignin to Aromatic Monomers in Ethanol. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 20270-20281	3.9	18
96	Preparation of edible superhydrophobic Fe foil with excellent stability and durability and its applications in food containers with little residue. <i>New Journal of Chemistry</i> , 2019 , 43, 2908-2919	3.6	12
95	Phase Diagrams of (NH ₄) ₂ SO ₄ -Al ₂ (SO ₄) ₃ -H ₂ O Ternary System: Effect of Sulfuric Acid and Its Application in Recovery of Aluminum from Coal Fly Ash. <i>Journal of Chemical & Engineering Data</i> , 2019 , 64, 557-566	2.8	13
94	A stable eco-friendly superhydrophobic/superoleophilic copper mesh fabricated by one-step immersion for efficient oil/water separation. <i>Surface and Coatings Technology</i> , 2019 , 359, 108-116	4.4	15
93	Indirect mineral carbonation of chlorinated tailing derived from Ti-bearing blast-furnace slag coupled with simultaneous dechlorination and recovery of multiple value-added products 2019 , 9, 52-66		9
92	Selective oxidation of cyclopentene with H ₂ O ₂ by using H ₃ PW ₁₂ O ₄₀ and TBAB as a phase transfer catalyst. <i>Chinese Journal of Chemical Engineering</i> , 2019 , 27, 1851-1856	3.2	1
91	Energy-efficient mineral carbonation of CaSO ₄ derived from wollastonite via a roasting-leaching route. <i>Hydrometallurgy</i> , 2019 , 184, 151-161	4	15
90	Facile and cost-efficient indirect carbonation of blast furnace slag with multiple high value-added products through a completely wet process. <i>Energy</i> , 2019 , 166, 1314-1322	7.9	14
89	Energy and Economic Analysis for Post-combustion CO ₂ Capture using Amine-Functionalized Adsorbents in a Temperature Vacuum Swing Process. <i>Energy & Fuels</i> , 2019 , 33, 1774-1784	4.1	9
88	Optimising the recovery of high-value-added ammonium alum during mineral carbonation of blast furnace slag. <i>Journal of Alloys and Compounds</i> , 2019 , 774, 1151-1159	5.7	23
87	An Environment-Friendly Strategy for One-Step Turning Cr(VI) Contaminant into a Cr-Loaded Catalyst for CO ₂ Utilization. <i>Advanced Sustainable Systems</i> , 2018 , 2, 1700165	5.9	10
86	Phase Equilibrium of the MgSO ₄ -(NH ₄) ₂ SO ₄ -H ₂ O Ternary System: Effects of Sulfuric Acid and Iron Sulfate and Its Application in Mineral Carbonation of Serpentine. <i>Journal of Chemical & Engineering Data</i> , 2018 , 63, 1603-1612	2.8	12
85	Enhanced hydrolysis of mechanically pretreated cellulose in water/CO system. <i>Bioresource Technology</i> , 2018 , 261, 28-35	11	13
84	Nanoarray Cu/SiO ₂ Catalysts Embedded in Monolithic Channels for the Stable and Efficient Hydrogenation of CO ₂ -Derived Ethylene Carbonate. <i>Industrial & Engineering Chemistry Research</i> , 2018 , 57, 1924-1934	3.9	14

83	KBiO ₃ as an Effective Visible-Light-Driven Photocatalyst: Degradation Mechanism for Different Organic Pollutants. <i>ChemPhotoChem</i> , 2018 , 2, 442-449	3.3	14
82	Study on reactions of gaseous P ₂ O ₅ with Ca ₃ (PO ₄) ₂ and SiO ₂ during a rotary kiln process for phosphoric acid production. <i>Chinese Journal of Chemical Engineering</i> , 2018 , 26, 795-805	3.2	10
81	Successive grafting of poly(hydroxyethyl methacrylate) brushes and melamine onto chitosan microspheres for effective Cu(II) uptake. <i>International Journal of Biological Macromolecules</i> , 2018 , 109, 287-302	7.9	19
80	Insight into the synergism between MnO and acid sites over Mn-SiO@TiO nano-cups for low-temperature selective catalytic reduction of NO with NH ₃ . <i>RSC Advances</i> , 2018 , 8, 1979-1986	3.7	12
79	CO ₂ mineralization of natural wollastonite into porous silica and CaCO ₃ powders promoted via membrane electrolysis. <i>Environmental Earth Sciences</i> , 2018 , 77, 1	2.9	6
78	Density studies of 1,8-diazabicyclo[5.4.0]undec-7-ene (DBU)-glycerol and CO ₂ -DBU-glycerol solutions at temperatures between 288.15 K and 328.15 K. <i>Journal of Chemical Thermodynamics</i> , 2018 , 123, 8-16	2.9	12
77	Facile Two-Step Strategy for the Construction of a Mechanically Stable Three-Dimensional Superhydrophobic Structure for Continuous Oil-Water Separation. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 24149-24156	9.5	38
76	Suppressing the Photocatalytic Activity of TiO ₂ Nanoparticles by Extremely Thin Al ₂ O ₃ Films Grown by Gas-Phase Deposition at Ambient Conditions. <i>Nanomaterials</i> , 2018 , 8,	5.4	23
75	Evolution of active sites and catalytic consequences of mesoporous MCM-41 supported copper catalysts for the hydrogenation of ethylene carbonate. <i>Chemical Engineering Journal</i> , 2018 , 334, 1943-1953	14.7	31
74	Indirect mineral carbonation of titanium-bearing blast furnace slag coupled with recovery of TiO ₂ and Al ₂ O ₃ . <i>Chinese Journal of Chemical Engineering</i> , 2018 , 26, 583-592	3.2	30
73	Photocatalytic Oxidative Dehydrogenation of Ethane Using CO ₂ as a Soft Oxidant over Pd/TiO ₂ Catalysts to C ₂ H ₄ and Syngas. <i>ACS Catalysis</i> , 2018 , 8, 9280-9286	13.1	77
72	Studies on surface tension of 1,8-diazabicyclo [5.4.0] undec-7-ene (DBU)-glycerol and CO ₂ -DBU-glycerol solutions at temperatures from 288.1 K to 323.1 K. <i>Journal of Chemical Thermodynamics</i> , 2018 , 125, 32-40	2.9	5
71	The CO ₂ absorption and desorption performance of the triethylenetetramine + N,N-diethylethanolamine + H ₂ O system. <i>Chinese Journal of Chemical Engineering</i> , 2018 , 26, 2351-2360	3.2	18
70	Ammonia Oxidation Process Catalyzed by Pt@XO ₂ (X = Ti, Zr, Ce, and Ce/Zr) Prepared by Photoreduction Process. <i>Industrial & Engineering Chemistry Research</i> , 2018 , 57, 7752-7763	3.9	4
69	Suppression of TiO ₂ Photocatalytic Activity by Low-Temperature Pulsed CVD-Grown SnO ₂ Protective Layer. <i>Industrial & Engineering Chemistry Research</i> , 2018 , 57, 8679-8688	3.9	7
68	Phase diagrams of the MgSO ₄ -Al ₂ (SO ₄) ₃ -(NH ₄) ₂ SO ₄ -H ₂ O system at 25 and 55 °C and their application in mineral carbonation. <i>Fluid Phase Equilibria</i> , 2018 , 473, 226-235	2.5	13
67	De-emulsification of 2-ethyl-1-hexanol/water emulsion using oil-wet narrow channel combined with low-speed rotation. <i>Chinese Journal of Chemical Engineering</i> , 2018 , 26, 2048-2054	3.2	3
66	Energy-efficient mineral carbonation of blast furnace slag with high value-added products. <i>Journal of Cleaner Production</i> , 2018 , 197, 242-252	10.3	28

65	Combined production of synthetic rutile in the sulfate TiO ₂ process. <i>Journal of Alloys and Compounds</i> , 2017 , 705, 572-580	5.7	22
64	Amine-grafted mesoporous copper silicates as recyclable solid amine sorbents for post-combustion CO ₂ capture. <i>Applied Energy</i> , 2017 , 198, 250-260	10.7	39
63	Lithium Enrichment of High Mg/Li Ratio Brine by Precipitation of Magnesium via Combined CO ₂ Mineralization and Solvent Extraction. <i>Industrial & Engineering Chemistry Research</i> , 2017 , 56, 5668-5678	3.9	27
62	Room-temperature pulsed CVD-grown SiO ₂ protective layer on TiO ₂ particles for photocatalytic activity suppression. <i>RSC Advances</i> , 2017 , 7, 4547-4554	3.7	23
61	Click functionalization of poly(glycidyl methacrylate) microspheres with triazole-4-carboxylic acid for the effective adsorption of Pb(II) ions. <i>New Journal of Chemistry</i> , 2017 , 41, 6475-6488	3.6	25
60	Enhancement of electricity generation in CO ₂ mineralization cell by using sodium sulfate as the reaction medium. <i>Applied Energy</i> , 2017 , 195, 991-999	10.7	9
59	Recyclable CoFe ₂ O ₄ /Ag ₂ O magnetic photocatalyst and its visible light-driven photocatalytic performance. <i>Research on Chemical Intermediates</i> , 2017 , 43, 4487-4502	2.8	4
58	Biomimetic Superhydrophobic Engineering Metal Surface with Hierarchical Structure and Tunable Adhesion: Design of Microscale Pattern. <i>Industrial & Engineering Chemistry Research</i> , 2017 , 56, 907-919	3.9	32
57	Microwave-assisted seed preparation for producing easily phase-transformed anatase to rutile. <i>RSC Advances</i> , 2017 , 7, 45607-45614	3.7	3
56	Nanostructured TiO ₂ /CuO dual-coated copper meshes with superhydrophilic, underwater superoleophobic and self-cleaning properties for highly efficient oil/water separation. <i>Chemical Engineering Journal</i> , 2017 , 328, 497-510	14.7	86
55	Indirect mineral carbonation of blast furnace slag with (NH ₄) ₂ SO ₄ as a recyclable extractant. <i>Journal of Energy Chemistry</i> , 2017 , 26, 927-935	12	36
54	Enhancing the energetic efficiency of MDEA/PZ-based CO ₂ capture technology for a 650 MW power plant: Process improvement. <i>Applied Energy</i> , 2017 , 185, 362-375	10.7	96
53	Enhanced adsorption of Cu(II) ions on chitosan microspheres functionalized with polyethylenimine-conjugated poly(glycidyl methacrylate) brushes. <i>RSC Advances</i> , 2016 , 6, 78136-78150	3.7	38
52	First principles study on formation mechanism of anodization process of titanium. <i>Protection of Metals and Physical Chemistry of Surfaces</i> , 2016 , 52, 500-511	0.9	4
51	Effects of ball milling on structural changes and hydrolysis of lignocellulosic biomass in liquid hot-water compressed carbon dioxide. <i>Korean Journal of Chemical Engineering</i> , 2016 , 33, 2134-2141	2.8	28
50	Adsorption and photocatalytic degradation behaviors of rhodamine dyes on surface-fluorinated TiO ₂ under visible irradiation. <i>RSC Advances</i> , 2016 , 6, 4090-4100	3.7	34
49	Wall-loaded Pt/TiO ₂ /Ti catalyst and its application in ammonia oxidation reaction in microchannel reactor. <i>RSC Advances</i> , 2016 , 6, 26637-26649	3.7	5
48	An efficient milling-assisted technology for K-feldspar processing, industrial waste treatment and CO ₂ mineralization. <i>Chemical Engineering Journal</i> , 2016 , 292, 255-263	14.7	24

47	Preparation of Superhydrophobic Cu Mesh and Its Application in Rolling-Spheronization Granulation. <i>Industrial & Engineering Chemistry Research</i> , 2016 , 55, 5545-5555	3.9	12
46	Study on the behavior of sulfur in hydrolysis process of titanyl sulfate solution. <i>Journal of Alloys and Compounds</i> , 2016 , 670, 249-257	5.7	15
45	An efficient methodology for utilization of K-feldspar and phosphogypsum with reduced energy consumption and CO ₂ emissions. <i>Chinese Journal of Chemical Engineering</i> , 2016 , 24, 1541-1551	3.2	10
44	Superhydrophobic CuO nanoneedle-covered copper surfaces for anticorrosion. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 4374-4388	13	168
43	Purification of phenol-contaminated water by adsorption with quaternized poly(dimethylaminopropyl methacrylamide)-grafted PVBC microspheres. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 4620-4636	13	81
42	Photocatalytic performance of Ag ₂ S under irradiation with visible and near-infrared light and its mechanism of degradation. <i>RSC Advances</i> , 2015 , 5, 24064-24071	3.7	80
41	Preparation and Antiscaling Application of Superhydrophobic Anodized CuO Nanowire Surfaces. <i>Industrial & Engineering Chemistry Research</i> , 2015 , 54, 6874-6883	3.9	64
40	Inter-solubility of product systems in biodiesel production from <i>Jatropha curcas</i> L. oil with the switchable solvent DBU/methanol. <i>RSC Advances</i> , 2015 , 5, 8311-8317	3.7	11
39	Calcium-based regenerable sorbents for high temperature H ₂ S removal. <i>Fuel</i> , 2015 , 154, 17-23	7.1	30
38	Fabrication of hematite nanowire arrays on pure iron via anodization process for superhydrophilic surfaces. <i>Protection of Metals and Physical Chemistry of Surfaces</i> , 2015 , 51, 435-440	0.9	4
37	Heat integration and optimization of hydrogen production for a 1 kW low-temperature proton exchange membrane fuel cell. <i>Chemical Engineering Science</i> , 2015 , 123, 81-91	4.4	7
36	Effect of impurities on the hydrolysis of low-concentration titanyl sulfate solutions. <i>Research on Chemical Intermediates</i> , 2015 , 41, 5423-5438	2.8	9
35	Influence of an alternating electric field on the hydrolysis process of titanyl sulphate solution without adding external seeds. <i>Materials Research Innovations</i> , 2015 , 19, S2-76-S2-82	1.9	1
34	Scientific and Engineering Progress in CO ₂ Mineralization Using Industrial Waste and Natural Minerals. <i>Engineering</i> , 2015 , 1, 150-157	9.7	39
33	Preparation of Silver Carbonate and its Application as Visible Light-driven Photocatalyst Without Sacrificial Reagent. <i>Photochemistry and Photobiology</i> , 2015 , 91, 1315-23	3.6	9
32	Aqueous carbonation of the potassium-depleted residue from potassium feldspar \rightarrow CaCl ₂ calcination for CO ₂ fixation. <i>Environmental Earth Sciences</i> , 2015 , 73, 6871-6879	2.9	11
31	Kinetic Study on the Sulfidation and Regeneration of Manganese-Based Regenerable Sorbent for High Temperature H ₂ S Removal. <i>Industrial & Engineering Chemistry Research</i> , 2015 , 54, 1179-1188	3.9	13
30	Mineralization of CO ₂ Using Natural K-Feldspar and Industrial Solid Waste to Produce Soluble Potassium. <i>Industrial & Engineering Chemistry Research</i> , 2014 , 53, 7971-7978	3.9	50

29	CO ₂ Mineralization of Activated K-Feldspar + CaCl ₂ Slag To Fix Carbon and Produce Soluble Potash Salt. <i>Industrial & Engineering Chemistry Research</i> , 2014 , 53, 10557-10565	3.9	31
28	PVDF film tethered with RGD-click-poly(glycidyl methacrylate) brushes by combination of direct surface-initiated ATRP and click chemistry for improved cytocompatibility. <i>RSC Advances</i> , 2014 , 4, 105-117	3.7	66
27	Surface Modification of Mild Steel with Thermally Cured Antibacterial Poly(vinylbenzyl chloride)/Polyaniline Bilayers for Effective Protection against Sulfate Reducing Bacteria Induced Corrosion. <i>Industrial & Engineering Chemistry Research</i> , 2014 , 53, 12363-12378	3.9	33
26	Generation of electricity from CO ₂ mineralization: Principle and realization. <i>Science China Technological Sciences</i> , 2014 , 57, 2335-2343	3.5	30
25	Manganese-based regenerable sorbents for high temperature H ₂ S removal. <i>Fuel</i> , 2013 , 107, 539-546	7.1	47
24	Effects of Orifice Orientation and Gas-Liquid Flow Pattern on Initial Bubble Size. <i>Chinese Journal of Chemical Engineering</i> , 2013 , 21, 1206-1215	3.2	21
23	A study on the liquid-phase oxidation of toluene in ionic liquids. <i>Applied Catalysis A: General</i> , 2012 , 439-440, 1-7	5.1	25
22	Residence time distribution in two-phase flow mini-channel reactor. <i>Chemical Engineering Journal</i> , 2011 , 174, 652-659	14.7	2
21	Reparation of palladium membrane over anodic TiO ₂ nanotube arrays on porous titanium. <i>Inorganic Materials</i> , 2010 , 46, 1321-1324	0.9	1
20	De-emulsification of Kerosene/Water Emulsions with Plate-Type Microchannels. <i>Industrial & Engineering Chemistry Research</i> , 2010 , 49, 9279-9288	3.9	25
19	Vapor-Liquid Equilibrium for Binary Systems of Cyclohexane + Cyclohexanone and + Cyclohexanol at Temperatures from (414.0 to 433.7) K. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 3418-3421	3.8	7
18	KINETIC MODELS FOR LIQUID-PHASE CATALYTIC OXIDATION OF TOLUENE TO BENZOIC ACID WITH PURE OXYGEN. <i>Chemical Engineering Communications</i> , 2010 , 197, 953-962	2.2	5
17	A Theoretical Model for the Size Prediction of Single Bubbles Formed under Liquid Cross-flow. <i>Chinese Journal of Chemical Engineering</i> , 2010 , 18, 770-776	3.2	23
16	Influences of the [Co ²⁺]/[Co ³⁺] Ratio on the Process of Liquid-phase Oxidation of Toluene by Air. <i>Chinese Journal of Chemical Engineering</i> , 2009 , 17, 613-617	3.2	2
15	Synthesis of potassium hexatitanate whiskers using hydrothermal method. <i>Rare Metals</i> , 2009 , 28, 24-32	5.5	6
14	Solubility Measurement for the Reaction Systems in Pre-Esterification of High Acid Value <i>Jatropha curcas</i> L. Oil. <i>Journal of Chemical & Engineering Data</i> , 2009 , 54, 1421-1425	2.8	15
13	Supported CaO Catalysts Used in the Transesterification of Rapeseed Oil for the Purpose of Biodiesel Production. <i>Energy & Fuels</i> , 2008 , 22, 646-651	4.1	157
12	Study on the mechanochemical oxidation of ilmenite. <i>Journal of Alloys and Compounds</i> , 2008 , 459, 354-361	3.7	25

11	Kinetics of the Liquid-Phase Oxidation of Toluene by Air. <i>Industrial & Engineering Chemistry Research</i> , 2007 , 46, 6442-6448	3.9	16
10	Scale Formation and Its Mechanism in the Liquid-Phase Oxidation of Toluene by Air. <i>Industrial & Engineering Chemistry Research</i> , 2007 , 46, 7826-7829	3.9	7
9	Dissolution of mechanically activated Panzhihua ilmenites in dilute solutions of sulphuric acid. <i>Hydrometallurgy</i> , 2007 , 89, 1-10	4	47
8	Measurement and Prediction of Oxygen Solubility in Toluene at Temperatures from 298.45 K to 393.15 K and Pressures up to 1.0 MPa. <i>Journal of Chemical & Engineering Data</i> , 2007 , 52, 2339-2344	2.8	38
7	Effect of mechanical activation on the dissolution of Panzhihua ilmenite. <i>Minerals Engineering</i> , 2006 , 19, 1430-1438	4.9	71
6	Solubility of Multicomponent Systems in the Biodiesel Production by Transesterification of <i>Jatropha curcas</i> L. Oil with Methanol. <i>Journal of Chemical & Engineering Data</i> , 2006 , 51, 1130-1135	2.8	125
5	Leaching kinetics of Panzhihua ilmenite in sulfuric acid. <i>Hydrometallurgy</i> , 2005 , 76, 173-179	4	84
4	Preparation of the Mn/Al ₂ O ₃ acceptor for high temperature regenerative H ₂ S removal. <i>Canadian Journal of Chemical Engineering</i> , 1999 , 77, 483-488	2.3	9
3	Principle and Technology of Ammonium Phosphate Production from Middle-Quality Phosphate Ore by a Slurry Concentration Process. <i>Industrial & Engineering Chemistry Research</i> , 1999 , 38, 4504-4506	3.9	7
2	An Integrated Absorption/Mineralization Process for CO ₂ Capture and Sequestration: Reaction Mechanism, Recycling Stability, and Energy Evaluation. <i>ACS Sustainable Chemistry and Engineering</i> ,	8.3	5
1	Nano Mo ₂ C supported on ordered mesoporous carbon for Kraft lignin decomposition to aromatic monomers. <i>Biomass Conversion and Biorefinery</i> , 1	2.3	0