

Gunnar P Nilsson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/859027/publications.pdf>

Version: 2024-02-01

89
papers

4,450
citations

93792

39
h-index

129628

63
g-index

94
all docs

94
docs citations

94
times ranked

5786
citing authors

#	ARTICLE	IF	CITATIONS
1	The ingenious mast cell: Contemporary insights into mast cell behavior and function. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022, 77, 83-99.	2.7	69
2	Activation of succinate receptor 1 boosts human mast cell reactivity and allergic bronchoconstriction. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022, 77, 2677-2687.	2.7	7
3	Mast cells derived from systemic mastocytosis exhibit an increased responsiveness to hyperosmolarity. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022, 77, 1909-1911.	2.7	3
4	Single-cell transcriptomics reveals the identity and regulators of human mast cell progenitors. <i>Blood Advances</i> , 2022, 6, 4439-4449.	2.5	10
5	Modulating T-cell activation with antisense oligonucleotides targeting lymphocyte cytosolic protein 2. <i>Journal of Autoimmunity</i> , 2022, 131, 102857.	3.0	6
6	Graft-versus-mastocytosis effect after donor lymphocyte infusion: Proof of principle. <i>European Journal of Haematology</i> , 2021, 106, 290-293.	1.1	5
7	Selective inhibition of prostaglandin D ₂ biosynthesis in human mast cells to overcome need for multiple receptor antagonists: Biochemical consequences. <i>Clinical and Experimental Allergy</i> , 2021, 51, 594-603.	1.4	7
8	Distinct effects of antigen and compound 48/80 in the guinea pig trachea. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 2270-2273.	2.7	1
9	Epigenetic Changes in Neoplastic Mast Cells and Potential Impact in Mastocytosis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2964.	1.8	6
10	COX-1 dependent biosynthesis of 15-hydroxyeicosatetraenoic acid in human mast cells. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2021, 1866, 158886.	1.2	2
11	Selecting the Right Criteria and Proper Classification to Diagnose Mast Cell Activation Syndromes: A Critical Review. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021, 9, 3918-3928.	2.0	33
12	Distinct plasma biomarkers confirm the diagnosis of mastocytosis and identify increased risk of anaphylaxis. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 148, 889-894.	1.5	12
13	Tissue-specific transcriptional imprinting and heterogeneity in human innate lymphoid cells revealed by full-length single-cell RNA-sequencing. <i>Cell Research</i> , 2021, 31, 554-568.	5.7	97
14	Updated Diagnostic Criteria and Classification of Mast Cell Disorders: A Consensus Proposal. <i>HemaSphere</i> , 2021, 5, e646.	1.2	128
15	Immunoprofiling Reveals Novel Mast Cell Receptors and the Continuous Nature of Human Lung Mast Cell Heterogeneity. <i>Frontiers in Immunology</i> , 2021, 12, 804812.	2.2	13
16	CD203c distinguishes the erythroid and mast cell/basophil differentiation trajectories among human Fc μ RI ⁺ bone marrow progenitors. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 211-214.	2.7	12
17	Novel aspects of mast cell and basophil function: Highlights from the 9th meeting of the European Mast Cell and Basophil Research Network (EMBRN)â€”A Marcus Wallenberg Symposium. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 707-708.	2.7	4
18	A new house dust miteâ€”driven and mast cellâ€”activated model of asthma in the guinea pig. <i>Clinical and Experimental Allergy</i> , 2020, 50, 1184-1195.	1.4	6

#	ARTICLE	IF	CITATIONS
19	Amelioration of Compound 48/80-Mediated Itch and LL-37-Induced Inflammation by a Single-Stranded Oligonucleotide. <i>Frontiers in Immunology</i> , 2020, 11, 559589.	2.2	17
20	Mast cells as a unique hematopoietic lineage and cell system: From Paul Ehrlich's visions to precision medicine concepts. <i>Theranostics</i> , 2020, 10, 10743-10768.	4.6	107
21	Back to the future: re-establishing guinea pig <i>in vivo</i> asthma models. <i>Clinical Science</i> , 2020, 134, 1219-1242.	1.8	26
22	Divergent Effects of Acute and Prolonged Interleukin 33 Exposure on Mast Cell IgE-Mediated Functions. <i>Frontiers in Immunology</i> , 2019, 10, 1361.	2.2	31
23	Wnt-3a Induces Cytokine Release in Human Mast Cells. <i>Cells</i> , 2019, 8, 1372.	1.8	8
24	<i>Cryptococcus neoformans</i> Induces MCP-1 Release and Delays the Death of Human Mast Cells. <i>Frontiers in Cellular and Infection Microbiology</i> , 2019, 9, 289.	1.8	13
25	Single-cell analysis reveals the KIT D816V mutation in haematopoietic stem and progenitor cells in systemic mastocytosis. <i>EBioMedicine</i> , 2019, 43, 150-158.	2.7	22
26	Induction of human regulatory innate lymphoid cells from group 2 innate lymphoid cells by retinoic acid. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, 2190-2201.e9.	1.5	133
27	New insights into the origin of mast cells. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 844-845.	2.7	16
28	Cytokine-induced endogenous production of prostaglandin D2 is essential for human group 2 innate lymphoid cell activation. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, 2202-2214.e5.	1.5	57
29	Legends of Allergy/Immunology: Gunnar Johansson. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 635-636.	2.7	0
30	Changing the threshold—Signals and mechanisms of mast cell priming. <i>Immunological Reviews</i> , 2018, 282, 73-86.	2.8	41
31	Achilles tendon rupture healing is enhanced by intermittent pneumatic compression upregulating collagen type I synthesis. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 2021-2029.	2.3	26
32	Deciphering the differentiation trajectory from hematopoietic stem cells to mast cells. <i>Blood Advances</i> , 2018, 2, 2273-2281.	2.5	49
33	An Optimized Protocol for the Isolation and Functional Analysis of Human Lung Mast Cells. <i>Frontiers in Immunology</i> , 2018, 9, 2193.	2.2	31
34	Positive and Negative Signals in Mast Cell Activation. <i>Trends in Immunology</i> , 2017, 38, 657-667.	2.9	107
35	Advances in the Classification and Treatment of Mastocytosis: Current Status and Outlook toward the Future. <i>Cancer Research</i> , 2017, 77, 1261-1270.	0.4	210
36	Interleukin-33 Promotes Recruitment of Microglia/Macrophages in Response to Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2017, 34, 3173-3182.	1.7	45

#	ARTICLE	IF	CITATIONS
37	Risk Factor Analysis of Anaphylactic Reactions in Patients With Systemic Mastocytosis. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2017, 5, 1248-1255.	2.0	61
38	Curdlan induces selective mast cell degranulation without concomitant release of LTC4, IL-6 or CCL2. <i>Immunobiology</i> , 2017, 222, 647-650.	0.8	27
39	KIT signaling is dispensable for human mast cell progenitor development. <i>Blood</i> , 2017, 130, 1785-1794.	0.6	42
40	Histone deacetylase inhibitor SAHA mediates mast cell death and epigenetic silencing of constitutively active D816V KIT in systemic mastocytosis. <i>Oncotarget</i> , 2017, 8, 9647-9659.	0.8	16
41	Psychometric characteristics of a modified Sympathyâ€“Acceptanceâ€“Understandingâ€“Caring competence model questionnaire among foreign-born parents encountering nurses in primary child health care services. <i>Primary Health Care Research and Development</i> , 2016, 17, 298-310.	0.5	1
42	Biomarkers of the involvement of mast cells, basophils and eosinophils in asthma and allergic diseases. <i>World Allergy Organization Journal</i> , 2016, 9, 7.	1.6	124
43	IL-33 and Thymic Stromal Lymphopoietin in mast cell functions. <i>European Journal of Pharmacology</i> , 2016, 778, 68-76.	1.7	44
44	Cutaneous manifestations in patients with mastocytosis: Consensus report of the European Competence Network on Mastocytosis; the American Academy of Allergy, Asthma & Immunology; and the European Academy of Allergology and Clinical Immunology. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 137, 35-45.	1.5	289
45	FRT â€“ FONDATION RENE TOURAINE. <i>Experimental Dermatology</i> , 2015, 24, 803-820.	1.4	0
46	Vaccination against IL-33 Inhibits Airway Hyperresponsiveness and Inflammation in a House Dust Mite Model of Asthma. <i>PLoS ONE</i> , 2015, 10, e0133774.	1.1	39
47	Knockdown of the Antiapoptotic Bcl-2 Family Member A1/Bfl-1 Protects Mice from Anaphylaxis. <i>Journal of Immunology</i> , 2015, 194, 1316-1322.	0.4	16
48	Opportunistic pathogen <i>Candida albicans</i> elicits a temporal response in primary human mast cells. <i>Scientific Reports</i> , 2015, 5, 12287.	1.6	69
49	Regulation of Mast Cell Survival and Apoptosis. <i>Methods in Molecular Biology</i> , 2015, 1220, 257-267.	0.4	5
50	Histone Deacetylase Inhibitor SAHA Mediates Epigenetic Silencing of KIT D816V Mutated Systemic Mastocytosis Primary Mast Cells and Selective Apoptosis of Mutated Mast Cells. <i>Blood</i> , 2015, 126, 2834-2834.	0.6	3
51	Bitter taste receptor (TAS2R) agonists inhibit IgE-dependent mast cell activation. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 134, 475-478.	1.5	51
52	Molecular targets on mast cells and basophils for novel therapies. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 134, 530-544.	1.5	123
53	Cliomaâ€“derived macrophage migration inhibitory factor (MIF) promotes mast cell recruitment in a STAT5â€“dependent manner. <i>Molecular Oncology</i> , 2014, 8, 50-58.	2.1	37
54	Flushing, fatigue, and recurrent anaphylaxis: a delayed diagnosis of mastocytosis. <i>Lancet, The</i> , 2014, 383, 1608.	6.3	23

#	ARTICLE	IF	CITATIONS
55	Intraperitoneal influx of neutrophils in response to IL-33 is mast cell-dependent. <i>Blood</i> , 2013, 121, 530-536.	0.6	89
56	Mast Cells Respond to Cell Injury through the Recognition of IL-33. <i>Frontiers in Immunology</i> , 2012, 3, 82.	2.2	74
57	Anti-Apoptotic Bfl-1 Is the Major Effector in Activation-Induced Human Mast Cell Survival. <i>PLoS ONE</i> , 2012, 7, e39117.	1.1	13
58	Fc μ R1-Mediated Mast Cell Reactivity Is Amplified through Prolonged Toll-Like Receptor-Ligand Treatment. <i>PLoS ONE</i> , 2012, 7, e43547.	1.1	47
59	Expression of Prostaglandin E Synthases in Periodontitis. <i>American Journal of Pathology</i> , 2011, 178, 1676-1688.	1.9	46
60	Human Cord Blood-Derived Mast Cells Are Activated by the Nod1 Agonist M-TriDAP to Release Pro-Inflammatory Cytokines and Chemokines. <i>Journal of Innate Immunity</i> , 2011, 3, 142-149.	1.8	48
61	The Effect of Bacterial, Viral and Fungal Infection on Mast Cell Reactivity in the Allergic Setting. <i>Journal of Innate Immunity</i> , 2011, 3, 120-130.	1.8	16
62	Mast Cells as Sensors of Cell Injury through IL-33 Recognition. <i>Journal of Immunology</i> , 2011, 186, 2523-2528.	0.4	182
63	Mast Cell Apoptosis and Survival. <i>Advances in Experimental Medicine and Biology</i> , 2011, 716, 47-60.	0.8	31
64	Mast Cell Survival and Mediator Secretion in Response to Hypoxia. <i>PLoS ONE</i> , 2010, 5, e12360.	1.1	46
65	Fc γ RI-Mediated Activation of Human Mast Cells Promotes Survival and Induction of the Pro-survival Gene Bfl-1. <i>Journal of Clinical Immunology</i> , 2008, 28, 250-255.	2.0	10
66	Fc μ RI Aggregation Promotes Survival of Connective Tissue-Like Mast Cells but Not Mucosal-Like Mast Cells. <i>Journal of Immunology</i> , 2007, 178, 4177-4183.	0.4	32
67	Expression of 15-lipoxygenase type-1 in human mast cells. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2007, 1771, 1156-1165.	1.2	49
68	Bcl-2 and Bcl-XL are indispensable for the late phase of mast cell development from mouse embryonic stem cells. <i>Experimental Hematology</i> , 2007, 35, 385-393.	0.2	17
69	Coaggregation of Fc μ RI with Fc γ RIIB Inhibits Degranulation but Not Induction of Bcl-2 Family Members A1 and Bim in Mast Cells. <i>Allergy, Asthma and Clinical Immunology</i> , 2006, 2, 87-97.	0.9	8
70	Mast cell CD30 ligand is upregulated in cutaneous inflammation and mediates degranulation-independent chemokine secretion. <i>Journal of Clinical Investigation</i> , 2006, 116, 2748-2756.	3.9	119
71	Chemokine Receptor Expression by Mast Cells. , 2005, 87, 130-144.		98
72	Functional and phenotypic studies of two variants of a human mast cell line with a distinct set of mutations in the c-kit proto-oncogene. <i>Immunology</i> , 2003, 108, 89-97.	2.0	105

#	ARTICLE	IF	CITATIONS
73	Selective CCL5/RANTES-induced mast cell migration through interactions with chemokine receptors CCR1 and CCR4. <i>Biochemical and Biophysical Research Communications</i> , 2002, 297, 480-485.	1.0	72
74	Human mast cells express two leukotriene C4 synthase isoenzymes and the CysLT1 receptor. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2002, 1583, 53-62.	1.2	31
75	IgE-mediated mast cell degranulation and recovery monitored by time-lapse photography. <i>Journal of Allergy and Clinical Immunology</i> , 2001, 108, 116-121.	1.5	61
76	Mast cells express functional CD30 ligand and are the predominant CD30L-positive cells in Hodgkin's disease. <i>British Journal of Haematology</i> , 2001, 114, 616-623.	1.2	116
77	Distinct and regulated expression of Notch receptors in hematopoietic lineages and during myeloid differentiation. <i>European Journal of Immunology</i> , 2001, 31, 3240-3247.	1.6	49
78	Essential Role of the Prosurvival bcl-2 Homologue A1 in Mast Cell Survival After Allergic Activation. <i>Journal of Experimental Medicine</i> , 2001, 194, 1561-1570.	4.2	95
79	Human mast cell migration in response to members of the transforming growth factor- β family. <i>Journal of Leukocyte Biology</i> , 2000, 67, 350-356.	1.5	108
80	Murine mast cell lines as indicators of early events in mast cell and basophil development. <i>European Journal of Immunology</i> , 2000, 30, 3396-3402.	1.6	29
81	The chemokine receptor CXCR4 is expressed within the mast cell lineage and its ligand stromal cell-derived factor-1 α acts as a mast cell chemotaxin. <i>European Journal of Immunology</i> , 2000, 30, 3614-3622.	1.6	81
82	Mast Cell Migratory Response to Interleukin-8 Is Mediated Through Interaction With Chemokine Receptor CXCR2/Interleukin-8RB. <i>Blood</i> , 1999, 93, 2791-2797.	0.6	93
83	Expression of the insulin-like growth factor 1 receptor (IGF-1R) in breast cancer cells: evidence for a regulatory role of dolichyl phosphate in the transition from an intracellular to an extracellular IGF-1 pathway. <i>Glycobiology</i> , 1999, 9, 571-579.	1.3	32
84	The potential of human mast cell progenitors to differentiate into mature mast cells remains after prolonged culture with flt3 ligand, interleukin-3 or granulocyte-macrophage colony stimulating factor. <i>British Journal of Haematology</i> , 1999, 104, 516-522.	1.2	9
85	Mast Cell Migratory Response to Interleukin-8 Is Mediated Through Interaction With Chemokine Receptor CXCR2/Interleukin-8RB. <i>Blood</i> , 1999, 93, 2791-2797.	0.6	20
86	Human mast cells express functional TrkA and are a source of nerve growth factor. <i>European Journal of Immunology</i> , 1997, 27, 2295-2301.	1.6	209
87	ALTERATIONS IN MAST CELL PROTEINASES AND PROTEASE INHIBITORS IN THE PROGRESS OF CUTANEOUS HERPES ZOSTER INFECTION. , 1996, 180, 434-440.		13
88	ALTERATIONS IN MAST CELL PROTEINASES AND PROTEASE INHIBITORS IN THE PROGRESS OF CUTANEOUS HERPES ZOSTER INFECTION. , 1996, 180, 434.		3
89	Effects of interleukin (IL)-13 on immediate-early response gene expression, phenotype and differentiation of human mast cells. Comparison with IL-4. <i>European Journal of Immunology</i> , 1995, 25, 870-873.	1.6	67