

# Elio Riboli

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/859058/publications.pdf>

Version: 2024-02-01

809  
papers

72,124  
citations

416

132  
h-index

1668

214  
g-index

826  
all docs

826  
docs citations

826  
times ranked

68430  
citing authors

#	ARTICLE	IF	CITATIONS
1	Fruit and vegetable intake and the risk of cardiovascular disease, total cancer and all-cause mortalityâ€”a systematic review and dose-response meta-analysis of prospective studies. <i>International Journal of Epidemiology</i> , 2017, 46, 1029-1056.	0.9	1,491
2	A susceptibility locus for lung cancer maps to nicotinic acetylcholine receptor subunit genes on 15q25. <i>Nature</i> , 2008, 452, 633-637.	13.7	1,169
3	Association of Leisure-Time Physical Activity With Risk of 26 Types of Cancer in 1.44 Million Adults. <i>JAMA Internal Medicine</i> , 2016, 176, 816.	2.6	1,000
4	Dietary fibre in food and protection against colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC): an observational study. <i>Lancet, The</i> , 2003, 361, 1496-1501.	6.3	988
5	Epidemiologic evidence of the protective effect of fruit and vegetables on cancer risk. <i>American Journal of Clinical Nutrition</i> , 2003, 78, 559S-569S.	2.2	942
6	Meat, Fish, and Colorectal Cancer Risk: The European Prospective Investigation into Cancer and Nutrition. <i>Journal of the National Cancer Institute</i> , 2005, 97, 906-916.	3.0	716
7	Genome-wide association scan identifies a colorectal cancer susceptibility locus on chromosome 8q24. <i>Nature Genetics</i> , 2007, 39, 989-994.	9.4	676
8	Association analyses of more than 140,000 men identify 63 new prostate cancer susceptibility loci. <i>Nature Genetics</i> , 2018, 50, 928-936.	9.4	652
9	Whole grain consumption and risk of cardiovascular disease, cancer, and all cause and cause specific mortality: systematic review and dose-response meta-analysis of prospective studies. <i>BMJ, The</i> , 2016, 353, i2716.	3.0	628
10	Prediction of acute myeloid leukaemia risk in healthy individuals. <i>Nature</i> , 2018, 559, 400-404.	13.7	617
11	Genome-wide association study identifies variants in the ABO locus associated with susceptibility to pancreatic cancer. <i>Nature Genetics</i> , 2009, 41, 986-990.	9.4	597
12	Behavioral and Dietary Risk Factors for Noncommunicable Diseases. <i>New England Journal of Medicine</i> , 2013, 369, 954-964.	13.9	573
13	Serum C-Peptide, Insulin-Like Growth Factor (IGF)-I, IGF-Binding Proteins, and Colorectal Cancer Risk in Women. <i>Journal of the National Cancer Institute</i> , 2000, 92, 1592-1600.	3.0	558
14	A genome-wide association study identifies pancreatic cancer susceptibility loci on chromosomes 13q22.1, 1q32.1 and 5p15.33. <i>Nature Genetics</i> , 2010, 42, 224-228.	9.4	539
15	Detectable clonal mosaicism and its relationship to aging and cancer. <i>Nature Genetics</i> , 2012, 44, 651-658.	9.4	519
16	Lung cancer susceptibility locus at 5p15.33. <i>Nature Genetics</i> , 2008, 40, 1404-1406.	9.4	514
17	A multi-stage genome-wide association study of bladder cancer identifies multiple susceptibility loci. <i>Nature Genetics</i> , 2010, 42, 978-984.	9.4	493
18	Identification of 23 new prostate cancer susceptibility loci using the iCOGS custom genotyping array. <i>Nature Genetics</i> , 2013, 45, 385-391.	9.4	492

#	ARTICLE	IF	CITATIONS
19	SCORE2 risk prediction algorithms: new models to estimate 10-year risk of cardiovascular disease in Europe. <i>European Heart Journal</i> , 2021, 42, 2439-2454.	1.0	491
20	Body Size and Risk of Colon and Rectal Cancer in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2006, 98, 920-931.	3.0	485
21	Body size and breast cancer risk: Findings from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2004, 111, 762-771.	2.3	484
22	Differences in the prospective association between individual plasma phospholipid saturated fatty acids and incident type 2 diabetes: the EPIC-InterAct case-cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 810-818.	5.5	431
23	Meat consumption and colorectal cancer risk: Dose-response meta-analysis of epidemiological studies. <i>International Journal of Cancer</i> , 2002, 98, 241-256.	2.3	418
24	A meta-analysis of 87,040 individuals identifies 23 new susceptibility loci for prostate cancer. <i>Nature Genetics</i> , 2014, 46, 1103-1109.	9.4	408
25	Serum Sex Steroids in Premenopausal Women and Breast Cancer Risk Within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2005, 97, 755-765.	3.0	391
26	Discovery of common and rare genetic risk variants for colorectal cancer. <i>Nature Genetics</i> , 2019, 51, 76-87.	9.4	377
27	Genome-wide association studies identify four ER negative-specific breast cancer risk loci. <i>Nature Genetics</i> , 2013, 45, 392-398.	9.4	374
28	Lung Cancer Occurrence in Never-Smokers: An Analysis of 13 Cohorts and 22 Cancer Registry Studies. <i>PLoS Medicine</i> , 2008, 5, e185.	3.9	371
29	Rare variants of large effect in BRCA2 and CHEK2 affect risk of lung cancer. <i>Nature Genetics</i> , 2014, 46, 736-741.	9.4	360
30	Effect of delays in the 2-week-wait cancer referral pathway during the COVID-19 pandemic on cancer survival in the UK: a modelling study. <i>Lancet Oncology</i> , 2020, 21, 1035-1044.	5.1	359
31	Fruit and Vegetable Intake and Overall Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2010, 102, 529-537.	3.0	357
32	Breast cancer risk in relation to different types of hormone replacement therapy in the E3N-EPIC cohort. <i>International Journal of Cancer</i> , 2005, 114, 448-454.	2.3	338
33	Plasma Insulin-Like Growth Factor-I, Insulin-Like Growth Factor-Binding Proteins, and Prostate Cancer Risk: a Prospective Study. <i>Journal of the National Cancer Institute</i> , 2000, 92, 1910-1917.	3.0	336
34	Diet and cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Nature Reviews Cancer</i> , 2004, 4, 206-215.	12.8	336
35	Bias in dietary-report instruments and its implications for nutritional epidemiology. <i>Public Health Nutrition</i> , 2002, 5, 915-923.	1.1	330
36	Plasma antibodies to oral bacteria and risk of pancreatic cancer in a large European prospective cohort study. <i>Gut</i> , 2013, 62, 1764-1770.	6.1	330

#	ARTICLE	IF	CITATIONS
37	Dietary polyphenol intake in Europe: the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , 2016, 55, 1359-1375.	1.8	313
38	Association Between Low-Density Lipoprotein Cholesterol and Lowering Genetic Variants and Risk of Type 2 Diabetes. <i>JAMA - Journal of the American Medical Association</i> , 2016, 316, 1383.	3.8	310
39	Nut consumption and risk of cardiovascular disease, total cancer, all-cause and cause-specific mortality: a systematic review and dose-response meta-analysis of prospective studies. <i>BMC Medicine</i> , 2016, 14, 207.	2.3	306
40	Meat Intake and Risk of Stomach and Esophageal Adenocarcinoma Within the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2006, 98, 345-354.	3.0	301
41	Cigarette Smoking and Pancreatic Cancer: A Pooled Analysis From the Pancreatic Cancer Cohort Consortium. <i>American Journal of Epidemiology</i> , 2009, 170, 403-413.	1.6	298
42	Genome-wide association study identifies multiple susceptibility loci for pancreatic cancer. <i>Nature Genetics</i> , 2014, 46, 994-1000.	9.4	294
43	Fruit and vegetable intake and the risk of stomach and oesophagus adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>International Journal of Cancer</i> , 2006, 118, 2559-2566.	2.3	292
44	Is concordance with World Cancer Research Fund/American Institute for Cancer Research guidelines for cancer prevention related to subsequent risk of cancer? Results from the EPIC study. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 150-163.	2.2	285
45	Physical activity and all-cause mortality across levels of overall and abdominal adiposity in European men and women: the European Prospective Investigation into Cancer and Nutrition Study (EPIC). <i>American Journal of Clinical Nutrition</i> , 2015, 101, 613-621.	2.2	284
46	Structure of the standardized computerized 24-h diet recall interview used as reference method in the 22 centers participating in the EPIC project. <i>Computer Methods and Programs in Biomedicine</i> , 1999, 58, 251-266.	2.6	280
47	Evaluation of Human Papillomavirus Antibodies and Risk of Subsequent Head and Neck Cancer. <i>Journal of Clinical Oncology</i> , 2013, 31, 2708-2715.	0.8	280
48	Seven prostate cancer susceptibility loci identified by a multi-stage genome-wide association study. <i>Nature Genetics</i> , 2011, 43, 785-791.	9.4	265
49	Trans-ancestry genome-wide association meta-analysis of prostate cancer identifies new susceptibility loci and informs genetic risk prediction. <i>Nature Genetics</i> , 2021, 53, 65-75.	9.4	264
50	Insulin-like Growth Factors, Their Binding Proteins, and Prostate Cancer Risk: Analysis of Individual Patient Data from 12 Prospective Studies. <i>Annals of Internal Medicine</i> , 2008, 149, 461.	2.0	263
51	Case-control study on colorectal cancer and diet in marseilles. <i>International Journal of Cancer</i> , 1986, 38, 183-191.	2.3	261
52	Validation and calibration of food-frequency questionnaire measurements in the Northern Sweden Health and Disease cohort. <i>Public Health Nutrition</i> , 2002, 5, 487-496.	1.1	259
53	Fruit, vegetables, and colorectal cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 1441-1452.	2.2	251
54	A road map for efficient and reliable human genome epidemiology. <i>Nature Genetics</i> , 2006, 38, 3-5.	9.4	244

#	ARTICLE	IF	CITATIONS
55	Dietary intake and blood concentrations of antioxidants and the risk of cardiovascular disease, total cancer, and all-cause mortality: a systematic review and dose-response meta-analysis of prospective studies. <i>American Journal of Clinical Nutrition</i> , 2018, 108, 1069-1091.	2.2	232
56	Lifetime and baseline alcohol intake and risk of colon and rectal cancers in the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2007, 121, 2065-2072.	2.3	229
57	Endogenous sex hormones and endometrial cancer risk in women in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2008, 15, 485-497.	1.6	228
58	Consumption of Vegetables and Fruits and Risk of Breast Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2005, 293, 183.	3.8	227
59	Fruit and vegetable intake and mortality from ischaemic heart disease: results from the European Prospective Investigation into Cancer and Nutrition (EPIC)-Heart study. <i>European Heart Journal</i> , 2011, 32, 1235-1243.	1.0	225
60	Reproductive risk factors and endometrial cancer: the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010, 127, 442-451.	2.3	223
61	Genome-wide association study of renal cell carcinoma identifies two susceptibility loci on 2p21 and 11q13.3. <i>Nature Genetics</i> , 2011, 43, 60-65.	9.4	220
62	Identification of a new prostate cancer susceptibility locus on chromosome 8q24. <i>Nature Genetics</i> , 2009, 41, 1055-1057.	9.4	218
63	Dietary Fibre Intake and Risks of Cancers of the Colon and Rectum in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , 2012, 7, e39361.	1.1	218
64	Plasma Phospholipid Fatty Acid Concentration and Incident Coronary Heart Disease in Men and Women: The EPIC-Norfolk Prospective Study. <i>PLoS Medicine</i> , 2012, 9, e1001255.	3.9	216
65	Association of Body Mass Index and Age With Subsequent Breast Cancer Risk in Premenopausal Women. <i>JAMA Oncology</i> , 2018, 4, e181771.	3.4	210
66	Smoking and the risk of gastric cancer in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2003, 107, 629-634.	2.3	209
67	Circulating levels of sex steroid hormones and risk of endometrial cancer in postmenopausal women. <i>International Journal of Cancer</i> , 2004, 108, 425-432.	2.3	209
68	Separate and combined associations of obesity and metabolic health with coronary heart disease: a pan-European case-cohort analysis. <i>European Heart Journal</i> , 2018, 39, 397-406.	1.0	209
69	Dietary Patterns and Risk of Inflammatory Bowel Disease in Europe. <i>Inflammatory Bowel Diseases</i> , 2016, 22, 345-354.	0.9	207
70	Circulating Vitamin D and Colorectal Cancer Risk: An International Pooling Project of 17 Cohorts. <i>Journal of the National Cancer Institute</i> , 2019, 111, 158-169.	3.0	199
71	Adherence to a Mediterranean diet and risk of gastric adenocarcinoma within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 381-390.	2.2	198
72	Association Between Genetic Variants on Chromosome 15q25 Locus and Objective Measures of Tobacco Exposure. <i>Journal of the National Cancer Institute</i> , 2012, 104, 740-748.	3.0	198

#	ARTICLE	IF	CITATIONS
73	Hepatocellular Carcinoma Risk Factors and Disease Burden in a European Cohort: A Nested Case-Control Study. <i>Journal of the National Cancer Institute</i> , 2011, 103, 1686-1695.	3.0	197
74	Intake of Vegetables, Legumes, and Fruit, and Risk for All-Cause, Cardiovascular, and Cancer Mortality in a European Diabetic Population. <i>Journal of Nutrition</i> , 2008, 138, 775-781.	1.3	194
75	Mediterranean dietary patterns and prospective weight change in participants of the EPIC-PANACEA project. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 912-921.	2.2	194
76	Physical activity and risks of breast and colorectal cancer: a Mendelian randomisation analysis. <i>Nature Communications</i> , 2020, 11, 597.	5.8	193
77	Tobacco smoking-associated genome-wide DNA methylation changes in the EPIC study. <i>Epigenomics</i> , 2016, 8, 599-618.	1.0	192
78	Plasma Adiponectin Levels and Endometrial Cancer Risk in Pre- and Postmenopausal Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 255-263.	1.8	191
79	Serum levels of IGF-1, IGFBP-3 and colorectal cancer risk: results from the EPIC cohort, plus a meta-analysis of prospective studies. <i>International Journal of Cancer</i> , 2010, 126, 1702-1715.	2.3	190
80	Meat consumption and prospective weight change in participants of the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 398-407.	2.2	189
81	Plasma phospholipid fatty acid profiles and their association with food intakes: results from a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 331-346.	2.2	188
82	Blood lipid and lipoprotein concentrations and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>Gut</i> , 2011, 60, 1094-1102.	6.1	187
83	Can Noncommunicable Diseases Be Prevented? Lessons from Studies of Populations and Individuals. <i>Science</i> , 2012, 337, 1482-1487.	6.0	186
84	Age at Menopause, Reproductive Life Span, and Type 2 Diabetes Risk. <i>Diabetes Care</i> , 2013, 36, 1012-1019.	4.3	186
85	Prospective study of IGF-I, IGF-binding proteins, and breast cancer risk, in northern and southern Sweden. <i>Cancer Causes and Control</i> , 2002, 13, 307-316.	0.8	185
86	Validity of a short questionnaire to assess physical activity in 10 European countries. <i>European Journal of Epidemiology</i> , 2012, 27, 15-25.	2.5	185
87	The amount and type of dairy product intake and incident type 2 diabetes: results from the EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 382-390.	2.2	183
88	Erythrocyte Membrane Fatty Acids and Subsequent Breast Cancer: a Prospective Italian Study. <i>Journal of the National Cancer Institute</i> , 2001, 93, 1088-1095.	3.0	180
89	Gene-Lifestyle Interaction and Type 2 Diabetes: The EPIC InterAct Case-Cohort Study. <i>PLoS Medicine</i> , 2014, 11, e1001647.	3.9	180
90	Genome-wide association study identifies multiple risk loci for chronic lymphocytic leukemia. <i>Nature Genetics</i> , 2013, 45, 868-876.	9.4	179

#	ARTICLE	IF	CITATIONS
91	Combined impact of healthy lifestyle factors on colorectal cancer: a large European cohort study. <i>BMC Medicine</i> , 2014, 12, 168.	2.3	178
92	Meta-Analyses of Vitamin D Intake, 25-Hydroxyvitamin D Status, Vitamin D Receptor Polymorphisms, and Colorectal Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 1003-1016.	1.1	177
93	Inflammatory and metabolic biomarkers and risk of liver and biliary tract cancer. <i>Hepatology</i> , 2014, 60, 858-871.	3.6	175
94	Body size and risk of renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2006, 118, 728-738.	2.3	173
95	Alcohol intake and colorectal cancer risk: A dose-response meta-analysis of published cohort studies. <i>International Journal of Cancer</i> , 2007, 120, 664-671.	2.3	173
96	Intake of specific carotenoids and flavonoids and the risk of gastric cancer in Spain. <i>Cancer Causes and Control</i> , 1999, 10, 71-75.	0.8	170
97	Blood Pressure and Risk of Renal Cell Carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2008, 167, 438-446.	1.6	170
98	Association Between Soft Drink Consumption and Mortality in 10 European Countries. <i>JAMA Internal Medicine</i> , 2019, 179, 1479.	2.6	169
99	A meta-analysis of genome-wide association studies of breast cancer identifies two novel susceptibility loci at 6q14 and 20q11. <i>Human Molecular Genetics</i> , 2012, 21, 5373-5384.	1.4	168
100	Coffee Drinking and Mortality in 10 European Countries. <i>Annals of Internal Medicine</i> , 2017, 167, 236-247.	2.0	168
101	Serum C-peptide, IGFBP-1 and IGFBP-2 and risk of colon and rectal cancers in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2007, 121, 368-376.	2.3	166
102	Prediagnostic levels of C-peptide, IGF-I, IGFBP -1, -2 and -3 and risk of endometrial cancer. <i>International Journal of Cancer</i> , 2004, 108, 262-268.	2.3	165
103	Development and validation of a lifestyle-based model for colorectal cancer risk prediction: the LiFeCRC score. <i>BMC Medicine</i> , 2021, 19, 1.	2.3	164
104	The relationship between dietary fat intake and risk of colorectal cancer: evidence from the combined analysis of 13 case-control studies. <i>Cancer Causes and Control</i> , 1997, 8, 215-228.	0.8	163
105	Endogenous versus exogenous exposure to N-nitroso compounds and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study. <i>Carcinogenesis</i> , 2006, 27, 1497-1501.	1.3	162
106	Covid-19 epidemic in Italy: evolution, projections and impact of government measures. <i>European Journal of Epidemiology</i> , 2020, 35, 341-345.	2.5	162
107	Smoking as a major risk factor for cervical cancer and pre-cancer: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 135, 453-466.	2.3	161
108	Selenium status is associated with colorectal cancer risk in the European prospective investigation of cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2015, 136, 1149-1161.	2.3	161

#	ARTICLE	IF	CITATIONS
109	Genome-wide association study identifies new prostate cancer susceptibility loci. <i>Human Molecular Genetics</i> , 2011, 20, 3867-3875.	1.4	160
110	Air pollution and risk of lung cancer in a prospective study in Europe. <i>International Journal of Cancer</i> , 2006, 119, 169-174.	2.3	158
111	TP53 and KRAS2 Mutations in Plasma DNA of Healthy Subjects and Subsequent Cancer Occurrence: A Prospective Study. <i>Cancer Research</i> , 2006, 66, 6871-6876.	0.4	158
112	A Genome-Wide Association Study of Upper Aerodigestive Tract Cancers Conducted within the INHANCE Consortium. <i>PLoS Genetics</i> , 2011, 7, e1001333.	1.5	158
113	Abdominal obesity, weight gain during adulthood and risk of liver and biliary tract cancer in a European cohort. <i>International Journal of Cancer</i> , 2013, 132, 645-657.	2.3	158
114	DNA methylome analysis identifies accelerated epigenetic ageing associated with postmenopausal breast cancer susceptibility. <i>European Journal of Cancer</i> , 2017, 75, 299-307.	1.3	154
115	Diet and gastric cancer. A case-control study in Belgium. <i>International Journal of Cancer</i> , 1992, 51, 1-6.	2.3	153
116	Common Genetic Variants Highlight the Role of Insulin Resistance and Body Fat Distribution in Type 2 Diabetes, Independent of Obesity. <i>Diabetes</i> , 2014, 63, 4378-4387.	0.3	153
117	Association of Plasma Phospholipid n-3 and n-6 Polyunsaturated Fatty Acids with Type 2 Diabetes: The EPIC-InterAct Case-Cohort Study. <i>PLoS Medicine</i> , 2016, 13, e1002094.	3.9	150
118	Anthropometric factors and risk of endometrial cancer: the European prospective investigation into cancer and nutrition. <i>Cancer Causes and Control</i> , 2007, 18, 399-413.	0.8	148
119	Anthropometric Factors and Thyroid Cancer Risk by Histological Subtype: Pooled Analysis of 22 Prospective Studies. <i>Thyroid</i> , 2016, 26, 306-318.	2.4	148
120	Lifestyle factors and risk of multimorbidity of cancer and cardiometabolic diseases: a multinational cohort study. <i>BMC Medicine</i> , 2020, 18, 5.	2.3	148
121	Serum B Vitamin Levels and Risk of Lung Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2010, 303, 2377.	3.8	147
122	Interactions Between Genetic Variants and Breast Cancer Risk Factors in the Breast and Prostate Cancer Cohort Consortium. <i>Journal of the National Cancer Institute</i> , 2011, 103, 1252-1263.	3.0	147
123	Long-Term Risk of Incident Type 2 Diabetes and Measures of Overall and Regional Obesity: The EPIC-InterAct Case-Cohort Study. <i>PLoS Medicine</i> , 2012, 9, e1001230.	3.9	147
124	Age at Menarche and Type 2 Diabetes Risk. <i>Diabetes Care</i> , 2013, 36, 3526-3534.	4.3	147
125	Genome-wide association study identifies multiple susceptibility loci for diffuse large B cell lymphoma. <i>Nature Genetics</i> , 2014, 46, 1233-1238.	9.4	147
126	Adherence to the Mediterranean Diet Is Associated with Lower Abdominal Adiposity in European Men and Women. <i>Journal of Nutrition</i> , 2009, 139, 1728-1737.	1.3	144



#	ARTICLE	IF	CITATIONS
127	Obesity, inflammatory markers, and endometrial cancer risk: a prospective case-control study. <i>Endocrine-Related Cancer</i> , 2010, 17, 1007-1019.	1.6	143
128	Intragenic ATM Methylation in Peripheral Blood DNA as a Biomarker of Breast Cancer Risk. <i>Cancer Research</i> , 2012, 72, 2304-2313.	0.4	142
129	Dietary intakes of $\omega$ -6 and $\omega$ -3 polyunsaturated fatty acids and the risk of breast cancer. <i>International Journal of Cancer</i> , 2009, 124, 924-931.	2.3	141
130	Genome-Wide Association Study of Classical Hodgkin Lymphoma and Epstein-Barr Virus Status-Defined Subgroups. <i>Journal of the National Cancer Institute</i> , 2012, 104, 240-253.	3.0	141
131	Dietary Protein Intake and Incidence of Type 2 Diabetes in Europe: The EPIC-InterAct Case-Cohort Study. <i>Diabetes Care</i> , 2014, 37, 1854-1862.	4.3	141
132	Biomarkers of dietary fatty acid intake and the risk of breast cancer: A meta-analysis. <i>International Journal of Cancer</i> , 2004, 111, 584-591.	2.3	140
133	Genetic Variation at the CYP19A1 Locus Predicts Circulating Estrogen Levels but not Breast Cancer Risk in Postmenopausal Women. <i>Cancer Research</i> , 2007, 67, 1893-1897.	0.4	140
134	Uses and limitations of statistical accounting for random error correlations, in the validation of dietary questionnaire assessments. <i>Public Health Nutrition</i> , 2002, 5, 969-976.	1.1	139
135	Dietary fat and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 1304-12.	2.2	139
136	Genome-wide association study identifies multiple loci associated with bladder cancer risk. <i>Human Molecular Genetics</i> , 2014, 23, 1387-1398.	1.4	137
137	Dietary patterns among older Europeans: the EPIC-Elderly study. <i>British Journal of Nutrition</i> , 2005, 94, 100-113.	1.2	136
138	Dietary calcium, phosphorus, vitamin D, dairy products and the risk of colorectal adenoma and cancer among French women of the E3N-EPIC prospective study. <i>International Journal of Cancer</i> , 2005, 117, 137-144.	2.3	136
139	A Common 8q24 Variant in Prostate and Breast Cancer from a Large Nested Case-Control Study. <i>Cancer Research</i> , 2007, 67, 2951-2956.	0.4	136
140	Colorectal polyps and diet: A case-control study in Marseilles. <i>International Journal of Cancer</i> , 1987, 40, 179-188.	2.3	135
141	Indoor Air Pollution and Lung Cancer in Guangzhou, People's Republic of China. <i>American Journal of Epidemiology</i> , 1993, 137, 145-154.	1.6	135
142	Fruit and Vegetable Consumption and Mortality. <i>American Journal of Epidemiology</i> , 2013, 178, 590-602.	1.6	135
143	Diet and bladder cancer in Spain: A multi-centre case-control study. <i>International Journal of Cancer</i> , 1991, 49, 214-219.	2.3	134
144	Anthropometric measures, endogenous sex steroids and breast cancer risk in postmenopausal women: A study within the EPIC cohort. <i>International Journal of Cancer</i> , 2006, 118, 2832-2839.	2.3	132

#	ARTICLE	IF	CITATIONS
145	Fatty acid composition of plasma phospholipids and risk of prostate cancer in a case-control analysis nested within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 1353-1363.	2.2	132
146	Non-invasive risk scores for prediction of type 2 diabetes (EPIC-InterAct): a validation of existing models. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 19-29.	5.5	132
147	Anthropometric and Hormonal Risk Factors for Male Breast Cancer: Male Breast Cancer Pooling Project Results. <i>Journal of the National Cancer Institute</i> , 2014, 106, djt465-djt465.	3.0	131
148	Circulating levels of insulin-like growth factor-I and risk of ovarian cancer. <i>International Journal of Cancer</i> , 2002, 101, 549-554.	2.3	129
149	Exposure of nonsmoking women to environmental tobacco smoke: a 10-country collaborative study. <i>Cancer Causes and Control</i> , 1990, 1, 243-252.	0.8	127
150	Fatty-acid composition in serum phospholipids and risk of breast cancer: An incident case-control study in Sweden. , 1999, 83, 585-590.		127
151	Diet in the Aetiology of Ulcerative Colitis: A European Prospective Cohort Study. <i>Digestion</i> , 2008, 77, 57-64.	1.2	127
152	Lower educational level is a predictor of incident type 2 diabetes in European countries: The EPIC-InterAct study. <i>International Journal of Epidemiology</i> , 2012, 41, 1162-1173.	0.9	127
153	Universal weekly testing as the UK COVID-19 lockdown exit strategy. <i>Lancet</i> , 2020, 395, 1420-1421.	6.3	127
154	Nutritional Factors and Gastric Cancer in Spain. <i>American Journal of Epidemiology</i> , 1994, 139, 466-473.	1.6	126
155	Prediagnostic 25-Hydroxyvitamin D, <i>VDR</i> and <i>CASR</i> Polymorphisms, and Survival in Patients with Colorectal Cancer in Western European Populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 582-593.	1.1	126
156	Menopausal hormone therapy and breast cancer risk: Impact of different treatments. The European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011, 128, 144-156.	2.3	125
157	Metabolic Syndrome and Risks of Colon and Rectal Cancer: The European Prospective Investigation into Cancer and Nutrition Study. <i>Cancer Prevention Research</i> , 2011, 4, 1873-1883.	0.7	125
158	Fruits and vegetables and lung cancer: Findings from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2004, 108, 269-276.	2.3	124
159	Diabetes mellitus, blood glucose and the risk of atrial fibrillation: A systematic review and meta-analysis of cohort studies. <i>Journal of Diabetes and Its Complications</i> , 2018, 32, 501-511.	1.2	124
160	Measurement of Past Diet: Review of Previous and Proposed Methods. <i>Epidemiologic Reviews</i> , 1992, 14, 177-196.	1.3	123
161	Plasma and dietary vitamin C levels and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>Carcinogenesis</i> , 2006, 27, 2250-2257.	1.3	123
162	Dietary patterns and survival of older Europeans: The EPIC-Elderly Study (European Prospective) <i>Tj ETQq0 0 0 rgBT /Qverlock 10 Tf 50 62</i>	1.1	121

#	ARTICLE	IF	CITATIONS
163	Breast Cancer Risk After Recent Childbirth. <i>Annals of Internal Medicine</i> , 2019, 170, 22.	2.0	120
164	Hormonal, Metabolic, and Inflammatory Profiles and Endometrial Cancer Risk Within the EPIC Cohort—A Factor Analysis. <i>American Journal of Epidemiology</i> , 2013, 177, 787-799.	1.6	119
165	Intake of fruits and vegetables and risk of cancer of the upper aero-digestive tract: the prospective EPIC-study. <i>Cancer Causes and Control</i> , 2006, 17, 957-969.	0.8	118
166	Cigarette smoking, environmental tobacco smoke exposure and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010, 126, 2394-2403.	2.3	118
167	A meta-analysis of genome-wide association studies to identify prostate cancer susceptibility loci associated with aggressive and non-aggressive disease. <i>Human Molecular Genetics</i> , 2013, 22, 408-415.	1.4	118
168	Menopausal Hormone Therapy and Risk of Endometrial Carcinoma Among Postmenopausal Women in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2010, 172, 1394-1403.	1.6	117
169	The association of pattern of lifetime alcohol use and cause of death in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Epidemiology</i> , 2013, 42, 1772-1790.	0.9	117
170	Fiber intake and total and cause-specific mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 164-174.	2.2	116
171	Calibration of Dietary Intake Measurements in Prospective Cohort Studies. <i>American Journal of Epidemiology</i> , 1995, 142, 548-556.	1.6	115
172	Fruit and vegetable consumption and lung cancer risk: Updated information from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2007, 121, 1103-1114.	2.3	115
173	Dietary Intakes of Individual Flavanols and Flavonols Are Inversely Associated with Incident Type 2 Diabetes in European Populations. <i>Journal of Nutrition</i> , 2014, 144, 335-343.	1.3	115
174	t(14;18) Translocation: A Predictive Blood Biomarker for Follicular Lymphoma. <i>Journal of Clinical Oncology</i> , 2014, 32, 1347-1355.	0.8	115
175	Plasma carotenoids, retinol, and tocopherols and the risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 672-681.	2.2	114
176	CagA+Helicobacter pylori infection and gastric cancer risk in the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2007, 120, 859-867.	2.3	114
177	Fruit and vegetable intake and the risk of gastric adenocarcinoma: A reanalysis of the european prospective investigation into cancer and nutrition (EPICâ€”EURGAST) study after a longer followâ€”up. <i>International Journal of Cancer</i> , 2012, 131, 2910-2919.	2.3	114
178	Differences in dietary intakes, food sources and determinants of total flavonoids between Mediterranean and non-Mediterranean countries participating in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2013, 109, 1498-1507.	1.2	114
179	Reproductive Factors and Exogenous Hormone Use in Relation to Risk of Glioma and Meningioma in a Large European Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2562-2569.	1.1	113
180	Physical activity and gain in abdominal adiposity and body weight: prospective cohort study in 288,498 men and women. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 826-835.	2.2	112

#	ARTICLE	IF	CITATIONS
181	Active and passive cigarette smoking and breast cancer risk: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 134, 1871-1888.	2.3	112
182	Body mass index, abdominal fatness, fat mass and the risk of atrial fibrillation: a systematic review and doseâ€“response meta-analysis of prospective studies. <i>European Journal of Epidemiology</i> , 2017, 32, 181-192.	2.5	112
183	Intake of specific carotenoids and flavonoids and the risk of lung cancer in women in Barcelona, Spain. <i>Nutrition and Cancer</i> , 1998, 32, 154-158.	0.9	111
184	Smoking and risk for amyotrophic lateral sclerosis: Analysis of the EPIC cohort. <i>Annals of Neurology</i> , 2009, 65, 378-385.	2.8	111
185	DNA Adducts and Lung Cancer Risk: A Prospective Study. <i>Cancer Research</i> , 2005, 65, 8042-8048.	0.4	109
186	The evaluation of the diet/disease relation in the EPIC study: considerations for the calibration and the disease models. <i>International Journal of Epidemiology</i> , 2008, 37, 368-378.	0.9	109
187	Assessment of Lung Cancer Risk on the Basis of a Biomarker Panel of Circulating Proteins. <i>JAMA Oncology</i> , 2018, 4, e182078.	3.4	109
188	Validation of the Oxford WebQ Online 24-Hour Dietary Questionnaire Using Biomarkers. <i>American Journal of Epidemiology</i> , 2019, 188, 1858-1867.	1.6	109
189	Circulating levels of insulin-like growth factor I, its binding proteins -1,-2,-3, C-peptide and risk of postmenopausal breast cancer. <i>International Journal of Cancer</i> , 2003, 106, 90-95.	2.3	108
190	Region-Specific Nutrient Intake Patterns Exhibit a Geographical Gradient within and between European Countries. <i>Journal of Nutrition</i> , 2010, 140, 1280-1286.	1.3	108
191	Postmenopausal Serum Sex Steroids and Risk of Hormone Receptorâ€“Positive and -Negative Breast Cancer: a Nested Caseâ€“Control Study. <i>Cancer Prevention Research</i> , 2011, 4, 1626-1635.	0.7	108
192	Estimation of the intake of anthocyanidins and their food sources in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2011, 106, 1090-1099.	1.2	108
193	The Association Between Dietary Flavonoid and Lignan Intakes and Incident Type 2 Diabetes in European Populations. <i>Diabetes Care</i> , 2013, 36, 3961-3970.	4.3	108
194	Circulating C-Reactive Protein Concentrations and Risks of Colon and Rectal Cancer: A Nested Case-Control Study Within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2010, 172, 407-418.	1.6	107
195	Breast-cancer incidence in relation to height, weight and body-fat distribution in the Dutch â€œDOMâ€“ cohort. , 1998, 76, 647-651.		106
196	IGF-1, IGFBP-1, and IGFBP-3 Polymorphisms Predict Circulating IGF Levels but Not Breast Cancer Risk: Findings from the Breast and Prostate Cancer Cohort Consortium (BPC3). <i>PLoS ONE</i> , 2008, 3, e2578.	1.1	106
197	Association between large detectable clonal mosaicism and type 2 diabetes with vascular complications. <i>Nature Genetics</i> , 2013, 45, 1040-1043.	9.4	106
198	A Network of Investigator Networks in Human Genome Epidemiology. <i>American Journal of Epidemiology</i> , 2005, 162, 302-304.	1.6	104

#	ARTICLE	IF	CITATIONS
199	Serum C-peptide levels and breast cancer risk: Results from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2006, 119, 659-667.	2.3	104
200	Metabolic syndrome, plasma lipid, lipoprotein and glucose levels, and endometrial cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2007, 14, 755-767.	1.6	104
201	Alcohol intake and breast cancer risk: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2007, 18, 361-373.	0.8	104
202	Dietary fat intake and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 1405-1413.	2.2	104
203	Meat Consumption and Colorectal Cancer: A Review of Epidemiologic Evidence. <i>Nutrition Reviews</i> , 2001, 59, 37-47.	2.6	104
204	Body size and risk of differentiated thyroid carcinomas: Findings from the EPIC study. <i>International Journal of Cancer</i> , 2012, 131, E1004-14.	2.3	104
205	Aging, inflammation and cancer. <i>Seminars in Immunology</i> , 2018, 40, 74-82.	2.7	103
206	Consumption of Meat, Fish, Dairy Products, and Eggs and Risk of Ischemic Heart Disease. <i>Circulation</i> , 2019, 139, 2835-2845.	1.6	103
207	Pathway analysis of genome-wide association study data highlights pancreatic development genes as susceptibility factors for pancreatic cancer. <i>Carcinogenesis</i> , 2012, 33, 1384-1390.	1.3	102
208	The Influence of Hormonal Factors on the Risk of Developing Cervical Cancer and Pre-Cancer: Results from the EPIC Cohort. <i>PLoS ONE</i> , 2016, 11, e0147029.	1.1	102
209	Plasma levels of six carotenoids in nine European countries: report from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2004, 7, 713-722.	1.1	101
210	Characterization of Large Structural Genetic Mosaicism in Human Autosomes. <i>American Journal of Human Genetics</i> , 2015, 96, 487-497.	2.6	101
211	Fruits and vegetables and prostate cancer: No association among 1,104 cases in a prospective study of 130,544 men in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2004, 109, 119-124.	2.3	100
212	Fine-mapping identifies multiple prostate cancer risk loci at 5p15, one of which associates with TERT expression. <i>Human Molecular Genetics</i> , 2013, 22, 2520-2528.	1.4	100
213	The Qatar Biobank: background and methods. <i>BMC Public Health</i> , 2015, 15, 1208.	1.2	100
214	A genomic approach to therapeutic target validation identifies a glucose-lowering <i>GLP1R</i> variant protective for coronary heart disease. <i>Science Translational Medicine</i> , 2016, 8, 341ra76.	5.8	100
215	Heterogeneity of Colorectal Cancer Risk Factors by Anatomical Subsite in 10 European Countries: A Multinational Cohort Study. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 1323-1331.e6.	2.4	99
216	Meat, eggs, dairy products, and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>American Journal of Clinical Nutrition</i> , 2009, 90, 602-612.	2.2	98

#	ARTICLE	IF	CITATIONS
217	A Mendelian Randomization Study of Circulating Uric Acid and Type 2 Diabetes. <i>Diabetes</i> , 2015, 64, 3028-3036.	0.3	98
218	Tobacco smoking and the risk of atrial fibrillation: A systematic review and meta-analysis of prospective studies. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 1437-1451.	0.8	98
219	Simultaneous measurement of seven carotenoids, retinol and $\alpha$ -tocopherol in serum by high-performance liquid chromatography. <i>Biomedical Applications</i> , 1997, 694, 71-81.	1.7	96
220	Nutritional and lifestyle determinants of DNA oxidative damage: a study in a Mediterranean population. <i>Carcinogenesis</i> , 2002, 23, 1483-1489.	1.3	96
221	Serum levels of C-peptide, IGFBP-1 and IGFBP-2 and endometrial cancer risk; Results from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007, 120, 2656-2664.	2.3	96
222	Iron intake, body iron stores and colorectal cancer risk in women: a nested case-control study. , 1999, 80, 693-698.		95
223	Amount of DNA in plasma and cancer risk: A prospective study. <i>International Journal of Cancer</i> , 2004, 111, 746-749.	2.3	95
224	Healthy lifestyle and risk of breast cancer among postmenopausal women in the European Prospective Investigation into Cancer and Nutrition cohort study. <i>International Journal of Cancer</i> , 2015, 136, 2640-2648.	2.3	95
225	Adiposity, hormone replacement therapy use and breast cancer risk by age and hormone receptor status: a large prospective cohort study. <i>Breast Cancer Research</i> , 2012, 14, R76.	2.2	94
226	Meta-analysis of genome-wide association studies discovers multiple loci for chronic lymphocytic leukemia. <i>Nature Communications</i> , 2016, 7, 10933.	5.8	94
227	The association between alcohol and breast cancer risk: Evidence from the combined analysis of six dietary case-control studies. <i>International Journal of Cancer</i> , 1991, 47, 707-710.	2.3	93
228	Fish consumption and breast cancer risk. The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2006, 119, 175-182.	2.3	93
229	A Risk Model for Lung Cancer Incidence. <i>Cancer Prevention Research</i> , 2012, 5, 834-846.	0.7	93
230	Metabolomic profiles of hepatocellular carcinoma in a European prospective cohort. <i>BMC Medicine</i> , 2015, 13, 242.	2.3	93
231	Diet and Cancer Prevention: Where We Are, Where We Are Going. <i>Nutrition and Cancer</i> , 2006, 56, 225-231.	0.9	92
232	Dietary intakes and food sources of phenolic acids in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2013, 110, 1500-1511.	1.2	92
233	Dietary Fat Intake and Development of Specific Breast Cancer Subtypes. <i>Journal of the National Cancer Institute</i> , 2014, 106, .	3.0	92
234	Diet and cancers of the larynx and hypopharynx: the IARC multi-center study in southwestern Europe. <i>Cancer Causes and Control</i> , 1996, 7, 240-252.	0.8	91

#	ARTICLE	IF	CITATIONS
235	EPIC-Heart: The cardiovascular component of a prospective study of nutritional, lifestyle and biological factors in 520,000 middle-aged participants from 10 European countries. <i>European Journal of Epidemiology</i> , 2007, 22, 129-141.	2.5	91
236	Prediagnostic circulating vitamin D levels and risk of hepatocellular carcinoma in European populations: A nested case-control study. <i>Hepatology</i> , 2014, 60, 1222-1230.	3.6	91
237	C-peptide, IGF-I, sex-steroid hormones and adiposity: a cross-sectional study in healthy women within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2005, 16, 561-572.	0.8	90
238	Alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 1266-1275.	2.2	90
239	Intake estimation of total and individual flavan-3-ols, proanthocyanidins and theaflavins, their food sources and determinants in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2012, 108, 1095-1108.	1.2	90
240	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. <i>Human Molecular Genetics</i> , 2014, 23, 6616-6633.	1.4	90
241	Circulating Levels of Insulin-like Growth Factor 1 and Insulin-like Growth Factor Binding Protein 3 Associate With Risk of Colorectal Cancer Based on Serologic and Mendelian Randomization Analyses. <i>Gastroenterology</i> , 2020, 158, 1300-1312.e20.	0.6	90
242	Dietary Determinants of Changes in Waist Circumference Adjusted for Body Mass Index "a Proxy Measure of Visceral Adiposity. <i>PLoS ONE</i> , 2010, 5, e11588.	1.1	90
243	Physical activity and risk of endometrial cancer: The European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007, 121, 347-355.	2.3	89
244	Estimated dietary intakes of flavonols, flavanones and flavones in the European Prospective Investigation into Cancer and Nutrition (EPIC) 24 hour dietary recall cohort. <i>British Journal of Nutrition</i> , 2011, 106, 1915-1925.	1.2	89
245	Serum Insulin-like Growth Factor (IGF)-I and IGF-Binding Protein-3 Concentrations and Prostate Cancer Risk: Results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 1121-1127.	1.1	88
246	Two susceptibility loci identified for prostate cancer aggressiveness. <i>Nature Communications</i> , 2015, 6, 6889.	5.8	88
247	Three new pancreatic cancer susceptibility signals identified on chromosomes 1q32.1, 5p15.33 and 8q24.21. <i>Oncotarget</i> , 2016, 7, 66328-66343.	0.8	88
248	Fine-mapping of prostate cancer susceptibility loci in a large meta-analysis identifies candidate causal variants. <i>Nature Communications</i> , 2018, 9, 2256.	5.8	88
249	Serum Vitamin D and Risk of Prostate Cancer in a Case-Control Analysis Nested Within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Epidemiology</i> , 2009, 169, 1223-1232.	1.6	87
250	Body fatness, diabetes, physical activity and risk of kidney stones: a systematic review and meta-analysis of cohort studies. <i>European Journal of Epidemiology</i> , 2018, 33, 1033-1047.	2.5	87
251	Cancer and Polyps of the Colorectum and Lifetime Consumption of Beer and Other Alcoholic Beverages. <i>American Journal of Epidemiology</i> , 1991, 134, 157-166.	1.6	86
252	Dietary factors and stomach cancer in Spain: A multi-centre case-control study. <i>International Journal of Cancer</i> , 1991, 49, 513-519.	2.3	86

#	ARTICLE	IF	CITATIONS
253	Nutrition and Physical Activity and Chronic Disease Prevention: Research Strategies and Recommendations. <i>Journal of the National Cancer Institute</i> , 2004, 96, 1276-1287.	3.0	86
254	Female chromosome X mosaicism is age-related and preferentially affects the inactivated X chromosome. <i>Nature Communications</i> , 2016, 7, 11843.	5.8	86
255	Consumption of Dairy Products and Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , 2013, 8, e72715.	1.1	85
256	Thyroid-Stimulating Hormone, Thyroglobulin, and Thyroid Hormones and Risk of Differentiated Thyroid Carcinoma: The EPIC Study. <i>Journal of the National Cancer Institute</i> , 2014, 106, dju097.	3.0	84
257	A Body Shape Index (ABSI) achieves better mortality risk stratification than alternative indices of abdominal obesity: results from a large European cohort. <i>Scientific Reports</i> , 2020, 10, 14541.	1.6	84
258	Food Composition of the Diet in Relation to Changes in Waist Circumference Adjusted for Body Mass Index. <i>PLoS ONE</i> , 2011, 6, e23384.	1.1	84
259	Estimating the accuracy of dietary questionnaire assessments: Validation in terms of structural equation models. <i>Statistics in Medicine</i> , 1994, 13, 127-142.	0.8	83
260	Plasma insulin, IGF-binding proteins-1 and -2 and risk of colorectal cancer: A prospective study in Northern Sweden. <i>International Journal of Cancer</i> , 2003, 107, 89-93.	2.3	83
261	The Role of Smoking and Diet in Explaining Educational Inequalities in Lung Cancer Incidence. <i>Journal of the National Cancer Institute</i> , 2009, 101, 321-330.	3.0	83
262	Plasma carotenoids, vitamin C, tocopherols, and retinol and the risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 454-464.	2.2	83
263	Serum carotenoids as biomarkers of fruit and vegetable consumption in the New York Women's Health Study. <i>Public Health Nutrition</i> , 2001, 4, 829-835.	1.1	82
264	Validity of an online 24-h recall tool (myfood24) for dietary assessment in population studies: comparison with biomarkers and standard interviews. <i>BMC Medicine</i> , 2018, 16, 136.	2.3	82
265	Socioeconomic position and the risk of gastric and oesophageal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>International Journal of Epidemiology</i> , 2007, 36, 66-76.	0.9	81
266	Dietary flavonoid and lignan intake and gastric adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 1398-1408.	2.2	81
267	A genome-wide association study identifies a novel susceptibility locus for renal cell carcinoma on 12p11.23. <i>Human Molecular Genetics</i> , 2012, 21, 456-462.	1.4	81
268	Lifetime alcohol use and overall and cause-specific mortality in the European Prospective Investigation into Cancer and nutrition (EPIC) study. <i>BMJ Open</i> , 2014, 4, e005245-e005245.	0.8	81
269	Nitrosamine, nitrate and nitrite in relation to gastric cancer: A case-control study in Marseille, France. <i>European Journal of Epidemiology</i> , 1995, 11, 67-73.	2.5	80
270	Serum androgens and prostate cancer among 643 cases and 643 controls in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2007, 121, 1331-1338.	2.3	80



#	ARTICLE	IF	CITATIONS
271	A Prospective Evaluation of Early Detection Biomarkers for Ovarian Cancer in the European EPIC Cohort. <i>Clinical Cancer Research</i> , 2016, 22, 4664-4675.	3.2	80
272	Fruit and vegetable consumption and prospective weight change in participants of the European Prospective Investigation into Cancer and Nutrition—Physical Activity, Nutrition, Alcohol, Cessation of Smoking, Eating Out of Home, and Obesity study. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 184-193.	2.2	79
273	Dietary Glycemic Index, Glycemic Load, and Digestible Carbohydrate Intake Are Not Associated with Risk of Type 2 Diabetes in Eight European Countries. <i>Journal of Nutrition</i> , 2013, 143, 93-99.	1.3	79
274	General and abdominal obesity and risk of esophageal and gastric adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015, 137, 646-657.	2.3	79
275	Fibre intake and the development of inflammatory bowel disease: A European prospective multi-centre cohort study (EPIC-IBD). <i>Journal of Crohn's and Colitis</i> , 2018, 12, 129-136.	0.6	79
276	Prospective analysis of circulating metabolites and breast cancer in EPIC. <i>BMC Medicine</i> , 2019, 17, 178.	2.3	79
277	Dietary fish intake and plasma phospholipid n-3 polyunsaturated fatty acid concentrations in men and women in the European Prospective Investigation into Cancer—Norfolk United Kingdom cohort. <i>American Journal of Clinical Nutrition</i> , 2006, 84, 1330-1339.	2.2	78
278	Variations in Plasma Phytoestrogen Concentrations in European Adults. <i>Journal of Nutrition</i> , 2007, 137, 1294-1300.	1.3	78
279	Anthropometric characteristics and non-Hodgkin's lymphoma and multiple myeloma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Haematologica</i> , 2008, 93, 1666-1677.	1.7	78
280	Plasma selenium concentration and prostate cancer risk: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2008, 88, 1567-1575.	2.2	77
281	Polymorphisms in fatty acid metabolism-related genes are associated with colorectal cancer risk. <i>Carcinogenesis</i> , 2010, 31, 466-472.	1.3	77
282	Biomarkers of Oxidative Stress and Risk of Developing Colorectal Cancer: A Cohort-nested Case-Control Study in the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2012, 175, 653-663.	1.6	77
283	Physical activity and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2009, 125, 902-908.	2.3	76
284	Dietary fiber intake and risk of hormonal receptor-defined breast cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 344-353.	2.2	76
285	Adiposity, metabolites, and colorectal cancer risk: Mendelian randomization study. <i>BMC Medicine</i> , 2020, 18, 396.	2.3	76
286	A Nested Case-Control Study of Metabolically Defined Body Size Phenotypes and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS Medicine</i> , 2016, 13, e1001988.	3.9	76
287	Occupation and Bladder Cancer in Spain: A Multi-Centre Case-Control Study. <i>International Journal of Epidemiology</i> , 1989, 18, 569-577.	0.9	75
288	A prospective study of insulin-like growth factor-I, IGF-binding proteins-1, -2 and -3 and lung cancer risk in women. <i>International Journal of Cancer</i> , 2001, 92, 888-892.	2.3	75

#	ARTICLE	IF	CITATIONS
289	Circulating levels of sex steroid hormones and risk of ovarian cancer. <i>International Journal of Cancer</i> , 2003, 104, 636-642.	2.3	75
290	Coffee, tea and decaffeinated coffee in relation to hepatocellular carcinoma in a European population: Multicentre, prospective cohort study. <i>International Journal of Cancer</i> , 2015, 136, 1899-1908.	2.3	75
291	Genome-wide association analysis implicates dysregulation of immunity genes in chronic lymphocytic leukaemia. <i>Nature Communications</i> , 2017, 8, 14175.	5.8	75
292	Association of plasma biomarkers of fruit and vegetable intake with incident type 2 diabetes: EPIC-InterAct case-cohort study in eight European countries. <i>BMJ</i> , The, 2020, 370, m2194.	3.0	75
293	Diet Quality Scores and Prediction of All-Cause, Cardiovascular and Cancer Mortality in a Pan-European Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0159025.	1.1	75
294	Proportion of lung cancers due to occupational exposure. <i>International Journal of Cancer</i> , 1984, 33, 231-237.	2.3	74
295	Consumption of Fish and Long-chain n-3 Polyunsaturated Fatty Acids Is Associated With Reduced Risk of Colorectal Cancer in a Large European Cohort. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 654-666.e6.	2.4	74
296	Epidemiologic correlates with menstrual cycle length in middle aged women. <i>European Journal of Epidemiology</i> , 1999, 15, 809-814.	2.5	73
297	Fruits and vegetables and renal cell carcinoma: Findings from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2006, 118, 3133-3139.	2.3	73
298	Vitamin D Receptor and Calcium Sensing Receptor Polymorphisms and the Risk of Colorectal Cancer in European Populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 2485-2491.	1.1	73
299	Variety in Fruit and Vegetable Consumption and the Risk of Lung Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2278-2286.	1.1	73
300	Dietary total antioxidant capacity and gastric cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2012, 131, E544-54.	2.3	73
301	Plasma Folate, Related Genetic Variants, and Colorectal Cancer Risk in EPIC. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1328-1340.	1.1	72
302	A cross-sectional analysis of the associations between adult height, BMI and serum concentrations of IGF-I and IGFBP-1 -2 and -3 in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Annals of Human Biology</i> , 2011, 38, 194-202.	0.4	72
303	Total and high-molecular weight adiponectin and risk of colorectal cancer: the European Prospective Investigation into Cancer and Nutrition Study. <i>Carcinogenesis</i> , 2012, 33, 1211-1218.	1.3	72
304	Physical activity and risk of breast cancer overall and by hormone receptor status: The European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2013, 132, 1667-1678.	2.3	72
305	Diabetes mellitus and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015, 136, 372-381.	2.3	72
306	Within- and Between-Cohort Variation in Measured Macronutrient Intakes, Taking Account of Measurement Errors, in the European Prospective Investigation into Cancer and Nutrition Study. <i>American Journal of Epidemiology</i> , 2004, 160, 814-822.	1.6	71

#	ARTICLE	IF	CITATIONS
307	The prospective association between total and type of fish intake and type 2 diabetes in 8 European countries: EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 1445-1453.	2.2	71
308	Premenopausal serum sex hormone levels in relation to breast cancer risk, overall and by hormone receptor status-Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 134, 1947-1957.	2.3	71
309	Nonlinear relationship of insulin-like growth factor (IGF)-I and IGF-I/IGF-binding protein-3 ratio with indices of adiposity and plasma insulin concentrations (Sweden). <i>Cancer Causes and Control</i> , 2002, 13, 509-516.	0.8	70
310	Risk of second primary malignancies in women with breast cancer: Results from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2015, 137, 940-948.	2.3	70
311	Prediagnostic selenium status and hepatobiliary cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 406-414.	2.2	70
312	Exploring causality of the association between smoking and Parkinson's disease. <i>International Journal of Epidemiology</i> , 2019, 48, 912-925.	0.9	70
313	Alcohol intake in relation to non-fatal and fatal coronary heart disease and stroke: EPIC-CVD case-cohort study. <i>BMJ: British Medical Journal</i> , 2018, 361, k934.	2.4	70
314	Fruit and vegetable consumption and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009, 124, 1926-1934.	2.3	69
315	Reproductive and menstrual factors and risk of differentiated thyroid carcinoma: The EPIC study. <i>International Journal of Cancer</i> , 2015, 136, 1218-1227.	2.3	69
316	Association of CRP genetic variants with blood concentrations of C-reactive protein and colorectal cancer risk. <i>International Journal of Cancer</i> , 2015, 136, 1181-1192.	2.3	69
317	Prediagnostic Plasma Bile Acid Levels and Colon Cancer Risk: A Prospective Study. <i>Journal of the National Cancer Institute</i> , 2020, 112, 516-524.	3.0	69
318	DNA repair polymorphisms and the risk of stomach adenocarcinoma and severe chronic gastritis in the EPIC-EURGAST study. <i>International Journal of Epidemiology</i> , 2008, 37, 1316-1325.	0.9	68
319	Anthropometric measures and epithelial ovarian cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010, 126, 2404-2415.	2.3	68
320	PTGS2 and IL6 genetic variation and risk of breast and prostate cancer: results from the Breast and Prostate Cancer Cohort Consortium (BPC3). <i>Carcinogenesis</i> , 2010, 31, 455-461.	1.3	68
321	Plasma Vitamin C and Type 2 Diabetes: Genome-Wide Association Study and Mendelian Randomization Analysis in European Populations. <i>Diabetes Care</i> , 2021, 44, 98-106.	4.3	68
322	GWAS of allometric body-shape indices in UK Biobank identifies loci suggesting associations with morphogenesis, organogenesis, adrenal cell renewal and cancer. <i>Scientific Reports</i> , 2021, 11, 10688.	1.6	68
323	High Intake of Specific Carotenoids and Flavonoids Does Not Reduce the Risk of Bladder Cancer. <i>Nutrition and Cancer</i> , 1999, 35, 212-214.	0.9	67
324	Dietary glycemic index and glycemic load and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2012, 96, 345-355.	2.2	67

#	ARTICLE	IF	CITATIONS
325	Insulin-like Growth Factor-I Concentration and Risk of Prostate Cancer: Results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 1531-1541.	1.1	67
326	Combined effects of smoking and HPV16 in oropharyngeal cancer. <i>International Journal of Epidemiology</i> , 2016, 45, 752-761.	0.9	67
327	Association of Dietary Fiber and Yogurt Consumption With Lung Cancer Risk. <i>JAMA Oncology</i> , 2020, 6, e194107.	3.4	67
328	Genetic Variation in the HSD17B1 Gene and Risk of Prostate Cancer. <i>PLoS Genetics</i> , 2005, 1, e68.	1.5	66
329	Circulating Biomarkers of Tryptophan and the Kynurenine Pathway and Lung Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 461-468.	1.1	66
330	Pre-diagnostic concordance with the WCRF/AICR guidelines and survival in European colorectal cancer patients: a cohort study. <i>BMC Medicine</i> , 2015, 13, 107.	2.3	66
331	Tall height and obesity are associated with an increased risk of aggressive prostate cancer: results from the EPIC cohort study. <i>BMC Medicine</i> , 2017, 15, 115.	2.3	66
332	Body mass index in relation to ovarian cancer: A multi-centre nested case-control study. <i>International Journal of Cancer</i> , 2002, 99, 603-608.	2.3	65
333	Tobacco smoke and bladder cancer-in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2006, 119, 2412-2416.	2.3	65
334	Leptin and Soluble Leptin Receptor in Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>Cancer Research</i> , 2012, 72, 5328-5337.	0.4	65
335	Meat and fish consumption and risk of pancreatic cancer: Results from the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2013, 132, 617-624.	2.3	65
336	Dietary flavonoid, lignan and antioxidant capacity and risk of hepatocellular carcinoma in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2013, 133, 2429-2443.	2.3	65
337	Alcohol intake and breast cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2015, 137, 1921-1930.	2.3	65
338	Prediagnostic Sex Steroid Hormones in Relation to Male Breast Cancer Risk. <i>Journal of Clinical Oncology</i> , 2015, 33, 2041-2050.	0.8	65
339	Association of Multiple Biomarkers of Iron Metabolism and Type 2 Diabetes: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2016, 39, 572-581.	4.3	65
340	Chronic disease research in Europe and the need for integrated population cohorts. <i>European Journal of Epidemiology</i> , 2017, 32, 741-749.	2.5	65
341	Haplotype Analysis of the HSD17B1 Gene and Risk of Breast Cancer: A Comprehensive Approach to Multicenter Analyses of Prospective Cohort Studies. <i>Cancer Research</i> , 2006, 66, 2468-2475.	0.4	64
342	Infection with Hepatitis B and C Viruses and Risk of Lymphoid Malignancies in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 208-214.	1.1	64

#	ARTICLE	IF	CITATIONS
343	Macronutrient Composition of the Diet and Prospective Weight Change in Participants of the EPIC-PANACEA Study. <i>PLoS ONE</i> , 2013, 8, e57300.	1.1	64
344	Erythrocyte Membrane Phospholipid Composition as a Biomarker of Dietary Fat. <i>Annals of Nutrition and Metabolism</i> , 2006, 50, 95-102.	1.0	63
345	The association of coffee intake with liver cancer risk is mediated by biomarkers of inflammation and hepatocellular injury: data from the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1498-1508.	2.2	63
346	Nutritional quality of food as represented by the FSA-m-NPS nutrient profiling system underlying the Nutri-Score label and cancer risk in Europe: Results from the EPIC prospective cohort study. <i>PLoS Medicine</i> , 2018, 15, e1002651.	3.9	63
347	Diet, smoking and anthropometric indices and postmenopausal bone fractures: a prospective study. <i>International Journal of Epidemiology</i> , 2000, 29, 85-92.	0.9	62
348	Carotenoids, alpha-tocopherols, and retinol in plasma and breast cancer risk in northern Sweden. <i>Cancer Causes and Control</i> , 2001, 12, 529-537.	0.8	62
349	Associations between dietary pattern and lifestyle, anthropometry and other health indicators in the elderly participants of the EPIC-Italy cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2006, 16, 186-201.	1.1	62
350	Physical activity and lung cancer risk in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>International Journal of Cancer</i> , 2006, 119, 2389-2397.	2.3	62
351	Aberrant DNA methylation of cancer-associated genes in gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>Cancer Letters</i> , 2011, 311, 85-95.	3.2	62
352	Height, age at menarche and risk of hormone receptor-positive and -negative breast cancer: A cohort study. <i>International Journal of Cancer</i> , 2013, 132, 2619-2629.	2.3	62
353	Tobacco smoking and the risk of abdominal aortic aneurysm: a systematic review and meta-analysis of prospective studies. <i>Scientific Reports</i> , 2018, 8, 14786.	1.6	62
354	Cigarette Smoking and Colorectal Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition Study. <i>Clinical Gastroenterology and Hepatology</i> , 2011, 9, 137-144.	2.4	61
355	Tumor necrosis factor (TNF)- $\alpha$ , soluble TNF receptors and endometrial cancer risk: The EPIC study. <i>International Journal of Cancer</i> , 2011, 129, 2032-2037.	2.3	61
356	A combination of plasma phospholipid fatty acids and its association with incidence of type 2 diabetes: The EPIC-InterAct case-cohort study. <i>PLoS Medicine</i> , 2017, 14, e1002409.	3.9	61
357	Body mass index, abdominal fatness, and the risk of sudden cardiac death: a systematic review and dose-response meta-analysis of prospective studies. <i>European Journal of Epidemiology</i> , 2018, 33, 711-722.	2.5	61
358	Biomarkers of dietary intake of micronutrients modulate DNA adduct levels in healthy adults. <i>Carcinogenesis</i> , 2003, 24, 739-746.	1.3	60
359	Prostate stem cell antigen gene is associated with diffuse and intestinal gastric cancer in Caucasians: Results from the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2012, 130, 2417-2427.	2.3	60
360	Weight change in middle adulthood and breast cancer risk in the EPIC-PANACEA study. <i>International Journal of Cancer</i> , 2014, 135, 2887-2899.	2.3	60

#	ARTICLE	IF	CITATIONS
361	Tobacco smoking and the risk of sudden cardiac death: a systematic review and meta-analysis of prospective studies. <i>European Journal of Epidemiology</i> , 2018, 33, 509-521.	2.5	60
362	The associations of major foods and fibre with risks of ischaemic and haemorrhagic stroke: a prospective study of 418 329 participants in the EPIC cohort across nine European countries. <i>European Heart Journal</i> , 2020, 41, 2632-2640.	1.0	60
363	A dietary pattern rich in olive oil and raw vegetables is associated with lower mortality in Italian elderly subjects. <i>British Journal of Nutrition</i> , 2007, 98, 406-415.	1.2	59
364	Plasma Vitamins B2, B6, and B12, and Related Genetic Variants as Predictors of Colorectal Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2549-2561.	1.1	59
365	Eighteen Insulin-like Growth Factor Pathway Genes, Circulating Levels of IGF-I and Its Binding Protein, and Risk of Prostate and Breast Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2877-2887.	1.1	59
366	Genetic Polymorphisms in 15q25 and 19q13 Loci, Cotinine Levels, and Risk of Lung Cancer in EPIC. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 2250-2261.	1.1	59
367	Dietary reporting errors on 24h recalls and dietary questionnaires are associated with BMI across six European countries as evaluated with recovery biomarkers for protein and potassium intake. <i>British Journal of Nutrition</i> , 2012, 107, 910-920.	1.2	59
368	Tea Consumption and Incidence of Type 2 Diabetes in Europe: The EPIC-InterAct Case-Cohort Study. <i>PLoS ONE</i> , 2012, 7, e36910.	1.1	59
369	Genome-wide association study of survival in patients with pancreatic adenocarcinoma. <i>Gut</i> , 2014, 63, 152-160.	6.1	59
370	Plasma prolactin and prostate cancer risk: A prospective study. <i>International Journal of Cancer</i> , 2001, 92, 463-465.	2.3	58
371	Fluid intake and the risk of urothelial cell carcinomas in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2011, 128, 2695-2708.	2.3	58
372	Prediction of breast cancer risk by genetic risk factors, overall and by hormone receptor status. <i>Journal of Medical Genetics</i> , 2012, 49, 601-608.	1.5	58
373	Dairy products and risk of hepatocellular carcinoma: The European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2014, 135, 1662-1672.	2.3	58
374	Parity, breastfeeding and risk of coronary heart disease: A pan-European case-cohort study. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1755-1765.	0.8	58
375	Association between physical activity and risk of hepatobiliary cancers: A multinational cohort study. <i>Journal of Hepatology</i> , 2019, 70, 885-892.	1.8	58
376	Passive smoking and lung cancer: current evidence and ongoing studies at the International Agency for Research on Cancer. <i>Mutation Research - Genetic Toxicology Testing and Biomonitoring of Environmental Or Occupational Exposure</i> , 1989, 222, 117-127.	1.2	57
377	Nutrient intake patterns and gastric cancer risk: A case-control study in Belgium. , 1998, 78, 415-420.		57
378	Prospective study of physical activity and risk of primary adenocarcinomas of the oesophagus and stomach in the EPIC (European Prospective Investigation into Cancer and nutrition) cohort. <i>Cancer Causes and Control</i> , 2010, 21, 657-669.	0.8	57

#	ARTICLE	IF	CITATIONS
379	Smoking and Long-Term Risk of Type 2 Diabetes: The EPIC-InterAct Study in European Populations. <i>Diabetes Care</i> , 2014, 37, 3164-3171.	4.3	57
380	Prioritisation by FIT to mitigate the impact of delays in the 2-week wait colorectal cancer referral pathway during the COVID-19 pandemic: a UK modelling study. <i>Gut</i> , 2021, 70, 1053-1060.	6.1	57
381	Characterizing Associations and SNP-Environment Interactions for GWAS-Identified Prostate Cancer Risk Markers—Results from BPC3. <i>PLoS ONE</i> , 2011, 6, e17142.	1.1	57
382	A case-control study of gastric cancer and nutritional factors in Marseille, France. <i>European Journal of Epidemiology</i> , 1995, 11, 55-65.	2.5	56
383	Dietary intake of different types and characteristics of processed meat which might be associated with cancer risk – results from the 24-hour diet recalls in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2006, 9, 449-464.	1.1	56
384	Serum IGF-I, its major binding protein (IGFBP-3) and epithelial ovarian cancer risk: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2007, 14, 81-90.	1.6	56
385	Coffee and tea consumption and the risk of ovarian cancer: a prospective cohort study and updated meta-analysis. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 1172-1181.	2.2	56
386	Fruit and vegetable intake and cause-specific mortality in the EPIC study. <i>European Journal of Epidemiology</i> , 2014, 29, 639-652.	2.5	56
387	Biomarker patterns of inflammatory and metabolic pathways are associated with risk of colorectal cancer: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Epidemiology</i> , 2014, 29, 261-275.	2.5	56
388	Tobacco smoking and the risk of heart failure: A systematic review and meta-analysis of prospective studies. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 279-288.	0.8	56
389	Genetic variation in alcohol dehydrogenase (ADH1A, ADH1B, ADH1C, ADH7) and aldehyde dehydrogenase (ALDH2), alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Carcinogenesis</i> , 2012, 33, 361-367.	1.3	55
390	Smoking and the risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2013, 108, 708-714.	2.9	55
391	A case-control study of air pollution and tobacco smoking in lung cancer among women in Athens. <i>Preventive Medicine</i> , 1991, 20, 271-278.	1.6	54
392	The European Prospective Investigation into Cancer and Nutrition (EPIC): Plans and Progress. <i>Journal of Nutrition</i> , 2001, 131, 170S-175S.	1.3	54
393	Anthropometric Measures, Physical Activity, and Risk of Glioma and Meningioma in a Large Prospective Cohort Study. <i>Cancer Prevention Research</i> , 2011, 4, 1385-1392.	0.7	54
394	Lifestyle factors and mortality risk in individuals with diabetes mellitus: are the associations different from those in individuals without diabetes?. <i>Diabetologia</i> , 2014, 57, 63-72.	2.9	54
395	Human Papillomavirus 16 E6 Antibodies in Individuals without Diagnosed Cancer: A Pooled Analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 683-689.	1.1	54
396	Association between nutritional profiles of foods underlying Nutri-Score front-of-pack labels and mortality: EPIC cohort study in 10 European countries. <i>BMJ</i> , The, 2020, 370, m3173.	3.0	54

#	ARTICLE	IF	CITATIONS
397	Tobacco Smoking and Risk of Second Primary Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2021, 16, 968-979.	0.5	54
398	Dietary Carbohydrates, Glycemic Index, Glycemic Load, and Endometrial Cancer Risk within the European Prospective Investigation into Cancer and Nutrition Cohort. <i>American Journal of Epidemiology</i> , 2007, 166, 912-923.	1.6	53
399	Reproductive factors and risk of mortality in the European Prospective Investigation into Cancer and Nutrition; a cohort study. <i>BMC Medicine</i> , 2015, 13, 252.	2.3	53
400	Human Papillomavirus Antibodies and Future Risk of Anogenital Cancer: A Nested Case-Control Study in the European Prospective Investigation into Cancer and Nutrition Study. <i>Journal of Clinical Oncology</i> , 2015, 33, 877-884.	0.8	53
401	Reproductive and hormone-related risk factors for epithelial ovarian cancer by histologic pathways, invasiveness and histologic subtypes: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2015, 137, 1196-1208.	2.3	53
402	Dietary flavonoid and lignan intake and breast cancer risk according to menopause and hormone receptor status in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Breast Cancer Research and Treatment</i> , 2013, 139, 163-176.	1.1	52
403	Genetically predicted longer telomere length is associated with increased risk of B-cell lymphoma subtypes. <i>Human Molecular Genetics</i> , 2016, 25, 1663-1676.	1.4	52
404	Body mass index, abdominal fatness, weight gain and the risk of psoriasis: a systematic review and dose-response meta-analysis of prospective studies. <i>European Journal of Epidemiology</i> , 2018, 33, 1163-1178.	2.5	52
405	Blood pressure and risk of cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2020, 146, 2680-2693.	2.3	52
406	Tobacco Smoke Inhalation Pattern, Tobacco Type, and Bladder Cancer in Spain. <i>American Journal of Epidemiology</i> , 1991, 134, 830-839.	1.6	51
407	Menopausal hormone therapy and risk of ovarian cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Causes and Control</i> , 2011, 22, 1075-1084.	0.8	51
408	Dietary factors and <i>in situ</i> and invasive cervical cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2011, 129, 449-459.	2.3	51
409	Inflammatory Markers and Risk of Epithelial Ovarian Cancer by Tumor Subtypes: The EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 951-961.	1.1	51
410	Determinants of circulating insulin-like growth factor (IGF)-I and IGF binding proteins 1-3 in premenopausal women: physical activity and anthropometry (Netherlands). <i>Cancer Causes and Control</i> , 2001, 12, 951-958.	0.8	50
411	Genome-wide interaction study of smoking and bladder cancer risk. <i>Carcinogenesis</i> , 2014, 35, 1737-1744.	1.3	50
412	Integration of multiethnic fine-mapping and genomic annotation to prioritize candidate functional SNPs at prostate cancer susceptibility regions. <i>Human Molecular Genetics</i> , 2015, 24, 5603-5618.	1.4	50
413	Atlas of prostate cancer heritability in European and African-American men pinpoints tissue-specific regulation. <i>Nature Communications</i> , 2016, 7, 10979.	5.8	50
414	Dietary flavonoid intake and colorectal cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2017, 140, 1836-1844.	2.3	50



#	ARTICLE	IF	CITATIONS
415	Inflammatory potential of the diet and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2018, 107, 607-616.	2.2	50
416	Cereal fiber intake may reduce risk of gastric adenocarcinomas: The EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2007, 121, 1618-1623.	2.3	49
417	Plasma 25-hydroxyvitamin D and the risk of breast cancer in the European prospective investigation into cancer and nutrition: A nested case-control study. <i>International Journal of Cancer</i> , 2013, 133, 1689-1700.	2.3	49
418	Physical activity and risk of Amyotrophic Lateral Sclerosis in a prospective cohort study. <i>European Journal of Epidemiology</i> , 2016, 31, 255-266.	2.5	49
419	Exposure to bacterial products lipopolysaccharide and flagellin and hepatocellular carcinoma: a nested case-control study. <i>BMC Medicine</i> , 2017, 15, 72.	2.3	49
420	Consumption of fruits, vegetables and fruit juices and differentiated thyroid carcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , 2018, 142, 449-459.	2.3	49
421	Genetic Data from Nearly 63,000 Women of European Descent Predicts DNA Methylation Biomarkers and Epithelial Ovarian Cancer Risk. <i>Cancer Research</i> , 2019, 79, 505-517.	0.4	49
422	Ethanol intake and the risk of pancreatic cancer in the European prospective investigation into cancer and nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009, 20, 785-794.	0.8	48
423	Cigar and pipe smoking and cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2010, 127, 2402-2411.	2.3	48
424	A Large Study of Androgen Receptor Germline Variants and Their Relation to Sex Hormone Levels and Prostate Cancer Risk. Results from the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, E121-E127.	1.8	48
425	Vegetable and fruit consumption and the risk of hormone receptor-defined breast cancer in the EPIC cohort. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 168-177.	2.2	48
426	A comprehensive analysis of common IGF1, IGFBP1 and IGFBP3 genetic variation with prospective IGF-I and IGFBP-3 blood levels and prostate cancer risk among Caucasians. <i>Human Molecular Genetics</i> , 2010, 19, 3089-3101.	1.4	47
427	Genetic association of gastric cancer with miRNA clusters including the cancer-related genes <i>MIR29</i> , <i>MIR25</i> , <i>MIR93</i> and <i>MIR106</i> : Results from the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2014, 135, 2065-2076.	2.3	47
428	Pre-diagnostic metabolite concentrations and prostate cancer risk in 1077 cases and 1077 matched controls in the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , 2017, 15, 122.	2.3	47
429	Association between plasma phospholipid saturated fatty acids and metabolic markers of lipid, hepatic, inflammation and glycaemic pathways in eight European countries: a cross-sectional analysis in the EPIC-InterAct study. <i>BMC Medicine</i> , 2017, 15, 203.	2.3	47
430	High erythrocyte levels of the n-6 polyunsaturated fatty acid linoleic acid are associated with lower risk of subsequent rheumatoid arthritis in a southern European nested case-control study. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 981-987.	0.5	47
431	Association of menopausal characteristics and risk of coronary heart disease: a pan-European case-cohort analysis. <i>International Journal of Epidemiology</i> , 2019, 48, 1275-1285.	0.9	47
432	Risk of endometrial cancer in relationship to cigarette smoking: Results from the EPIC study. <i>International Journal of Cancer</i> , 2007, 121, 2741-2747.	2.3	46

#	ARTICLE	IF	CITATIONS
433	Lifetime and baseline alcohol intake and risk of cancer of the upper aerodigestive tract in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , 2009, 125, 406-412.	2.3	46
434	Mitochondrial DNA copy number and future risk of B-cell lymphoma in a nested case-control study in the prospective EPIC cohort. <i>Blood</i> , 2014, 124, 530-535.	0.6	46
435	Interaction between genes and macronutrient intake on the risk of developing type 2 diabetes: systematic review and findings from European Prospective Investigation into Cancer (EPIC)-InterAct. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 263-275.	2.2	46
436	Pathology findings and validation of gastric and esophageal cancer cases in a European cohort (EPIC/EUR-GAST). <i>Scandinavian Journal of Gastroenterology</i> , 2007, 42, 618-627.	0.6	45
437	Comprehensive analysis of common genetic variation in 61 genes related to steroid hormone and insulin-like growth factor-I metabolism and breast cancer risk in the NCI breast and prostate cancer cohort consortium. <i>Human Molecular Genetics</i> , 2010, 19, 3873-3884.	1.4	45
438	Examining the Joint Effect of Multiple Risk Factors Using Exposure Risk Profiles: Lung Cancer in Nonsmokers. <i>Environmental Health Perspectives</i> , 2011, 119, 84-91.	2.8	45
439	Red Meat, Dietary Nitrosamines, and Heme Iron and Risk of Bladder Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 555-559.	1.1	45
440	Insulin-like Growth Factor-I and Risk of Differentiated Thyroid Carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 976-985.	1.1	45
441	Subtypes of fruit and vegetables, variety in consumption and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015, 137, 2705-2714.	2.3	45
442	Coffee and tea consumption and risk of pre- and postmenopausal breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>Breast Cancer Research</i> , 2015, 17, 15.	2.2	45
443	Patterns in metabolite profile are associated with risk of more aggressive prostate cancer: A prospective study of 3,057 matched case-control sets from EPIC. <i>International Journal of Cancer</i> , 2020, 146, 720-730.	2.3	45
444	The association between circulating 25-hydroxyvitamin D metabolites and type 2 diabetes in European populations: A meta-analysis and Mendelian randomisation analysis. <i>PLoS Medicine</i> , 2020, 17, e1003394.	3.9	45
445	Metabolic perturbations prior to hepatocellular carcinoma diagnosis: Findings from a prospective observational cohort study. <i>International Journal of Cancer</i> , 2021, 148, 609-625.	2.3	45
446	Bladder cancer among workers in the textile industry: Results of a spanish case-control study. <i>American Journal of Industrial Medicine</i> , 1988, 14, 673-680.	1.0	44
447	Sexual behaviour, history of sexually transmitted diseases, and the risk of prostate cancer: a case-control study in Cuba. <i>International Journal of Epidemiology</i> , 2004, 34, 193-197.	0.9	44
448	Coffee and tea intake and risk of brain tumors in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 1145-1150.	2.2	44
449	Nutrient Patterns and Their Food Sources in an International Study Setting: Report from the EPIC Study. <i>PLoS ONE</i> , 2014, 9, e98647.	1.1	44
450	Prospective seroepidemiologic study on the role of Human Papillomavirus and other infections in cervical carcinogenesis: Evidence from the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 135, 440-452.	2.3	44

#	ARTICLE	IF	CITATIONS
451	Modifiable causes of premature death in middle-age in Western Europe: results from the EPIC cohort study. <i>BMC Medicine</i> , 2016, 14, 87.	2.3	44
452	Genetic variant predictors of gene expression provide new insight into risk of colorectal cancer. <i>Human Genetics</i> , 2019, 138, 307-326.	1.8	44
453	Genetic architectures of proximal and distal colorectal cancer are partly distinct. <i>Gut</i> , 2021, 70, 1325-1334.	6.1	44
454	Breast cancer risk in relation to abortion: Results from the EPIC study. <i>International Journal of Cancer</i> , 2006, 119, 1741-1745.	2.3	43
455	Pooled Analysis of Phosphatidylinositol 3-Kinase Pathway Variants and Risk of Prostate Cancer. <i>Cancer Research</i> , 2010, 70, 2389-2396.	0.4	43
456	Fine mapping of a region of chromosome 11q13 reveals multiple independent loci associated with risk of prostate cancer. <i>Human Molecular Genetics</i> , 2011, 20, 2869-2878.	1.4	43
457	The Contribution of Risk Factors to the Higher Incidence of Invasive and In Situ Breast Cancers in Women With Higher Levels of Education in the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2011, 173, 26-37.	1.6	43
458	Plasma carotenoids and vitamin C concentrations and risk of urothelial cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 902-910.	2.2	43
459	The association of circulating adiponectin levels with pancreatic cancer risk: A study within the prospective EPIC cohort. <i>International Journal of Cancer</i> , 2012, 130, 2428-2437.	2.3	43
460	An epidemiological model for prediction of endometrial cancer risk in Europe. <i>European Journal of Epidemiology</i> , 2016, 31, 51-60.	2.5	43
461	Epigenome-wide association study of adiposity and future risk of obesity-related diseases. <i>International Journal of Obesity</i> , 2018, 42, 2022-2035.	1.6	43
462	Consumption of vegetables and fruit and the risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009, 125, 2643-2651.	2.3	42
463	Pre-diagnostic anthropometry and survival after colorectal cancer diagnosis in Western European populations. <i>International Journal of Cancer</i> , 2014, 135, 1949-1960.	2.3	42
464	Investigation of Dietary Factors and Endometrial Cancer Risk Using a Nutrient-wide Association Study Approach in the EPIC and Nurses' Health Study (NHS) and NHSII. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 466-471.	1.1	42
465	Lifetime and baseline alcohol intakes and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2018, 143, 801-812.	2.3	42
466	Adipokines and inflammation markers and risk of differentiated thyroid carcinoma: The EPIC study. <i>International Journal of Cancer</i> , 2018, 142, 1332-1342.	2.3	42
467	Healthy lifestyle and the risk of pancreatic cancer in the EPIC study. <i>European Journal of Epidemiology</i> , 2020, 35, 975-986.	2.5	42
468	Co-benefits from sustainable dietary shifts for population and environmental health: an assessment from a large European cohort study. <i>Lancet Planetary Health</i> , The, 2021, 5, e786-e796.	5.1	42

#	ARTICLE	IF	CITATIONS
469	A Potential Inverse Association Between Insulin-Like Growth Factor I and Hypertension in a Cross-Sectional Study. <i>Annals of Epidemiology</i> , 2006, 16, 563-571.	0.9	41
470	Diabetes and the risk of non-Hodgkin's lymphoma and multiple myeloma in the European Prospective Investigation into Cancer and Nutrition. <i>Haematologica</i> , 2008, 93, 842-850.	1.7	41
471	Plasma phospholipid fatty acid concentrations and risk of gastric adenocarcinomas in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>American Journal of Clinical Nutrition</i> , 2011, 94, 1304-1313.	2.2	41
472	Axonal guidance signaling pathway interacting with smoking in modifying the risk of pancreatic cancer: a gene- and pathway-based interaction analysis of GWAS data. <i>Carcinogenesis</i> , 2014, 35, 1039-1045.	1.3	41
473	Risk factors for cancers of unknown primary site: Results from the prospective EPIC cohort. <i>International Journal of Cancer</i> , 2014, 135, 2475-2481.	2.3	41
474	Circulating Osteopontin and Prediction of Hepatocellular Carcinoma Development in a Large European Population. <i>Cancer Prevention Research</i> , 2016, 9, 758-765.	0.7	41
475	Educational level and risk of colorectal cancer in EPIC with specific reference to tumor location. <i>International Journal of Cancer</i> , 2012, 130, 622-630.	2.3	40
476	Vitamin C transporter gene (SLC23A1 and SLC23A2) polymorphisms, plasma vitamin C levels, and gastric cancer risk in the EPIC cohort. <i>Genes and Nutrition</i> , 2013, 8, 549-560.	1.2	40
477	Investigating sources of variability in metabolomic data in the EPIC study: the Principal Component Partial R-square (PC-PR2) method. <i>Metabolomics</i> , 2014, 10, 1074-1083.	1.4	40
478	Risk of Iron Overload among Middle-aged Women. <i>International Journal for Vitamin and Nutrition Research</i> , 2000, 70, 119-125.	0.6	39
479	Dietary Determinants of Epithelial Ovarian Cancer: A Review of the Epidemiologic Literature. <i>Nutrition and Cancer</i> , 2004, 50, 120-140.	0.9	39
480	Polymorphisms of genes coding for ghrelin and its receptor in relation to anthropometry, circulating levels of IGF-I and IGFBP-3, and breast cancer risk: a case-control study nested within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Carcinogenesis</i> , 2008, 29, 1360-1366.	1.3	39
481	Vitamins B2 and B6 and Genetic Polymorphisms Related to One-Carbon Metabolism as Risk Factors for Gastric Adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 28-38.	1.1	39
482	Fish consumption and mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>European Journal of Epidemiology</i> , 2015, 30, 57-70.	2.5	39
483	Menstrual and Reproductive Factors, Exogenous Hormone Use, and Gastric Cancer Risk in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2010, 172, 1384-1393.	1.6	38
484	Tea and coffee consumption and risk of esophageal cancer: The European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2014, 135, 1470-1479.	2.3	38
485	Prospective association of liver function biomarkers with development of hepatobiliary cancers. <i>Cancer Epidemiology</i> , 2016, 40, 179-187.	0.8	38
486	Identification of a novel susceptibility locus at 13q34 and refinement of the 20p12.2 region as a multi-signal locus associated with bladder cancer risk in individuals of European ancestry. <i>Human Molecular Genetics</i> , 2016, 25, 1203-1214.	1.4	38

#	ARTICLE	IF	CITATIONS
487	RESPONSE: Re: Meat, Fish, and Colorectal Cancer Risk: The European Prospective Investigation into Cancer and Nutrition. <i>Journal of the National Cancer Institute</i> , 2005, 97, 1788-1789.	3.0	37
488	Dietary intake of heme iron and risk of gastric cancer in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2012, 130, 2654-2663.	2.3	37
489	Genetic variation in the <i>lactase</i> gene, dairy product intake and risk for prostate cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2013, 132, 1901-1910.	2.3	37
490	Post-GWAS gene-environment interplay in breast cancer: results from the Breast and Prostate Cancer Cohort Consortium and a meta-analysis on 79 000 women. <i>Human Molecular Genetics</i> , 2014, 23, 5260-5270.	1.4	37
491	Alcohol Consumption and Survival after a Breast Cancer Diagnosis: A Literature-Based Meta-analysis and Collaborative Analysis of Data for 29,239 Cases. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 934-945.	1.1	37
492	Smoking, <i>Porphyromonas gingivalis</i> and the immune response to citrullinated autoantigens before the clinical onset of rheumatoid arthritis in a Southern European nested case-control study. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 331.	0.8	37
493	Anthropometry, breast cancer and menopausal status: Use of repeated measurements over 10 years of follow-up? results of the French E3N women's cohort study. <i>International Journal of Cancer</i> , 2004, 111, 264-269.	2.3	36
494	Smoking and Lymphoma Risk in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2008, 167, 1081-1089.	1.6	36
495	Endogenous Sex Steroids and Risk of Cervical Carcinoma: Results from the EPIC Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 2532-2540.	1.1	36
496	Additive Interactions Between Susceptibility Single-Nucleotide Polymorphisms Identified in Genome-Wide Association Studies and Breast Cancer Risk Factors in the Breast and Prostate Cancer Cohort Consortium. <i>American Journal of Epidemiology</i> , 2014, 180, 1018-1027.	1.6	36
497	Leukocyte Telomere Length in Relation to Pancreatic Cancer Risk: A Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2447-2454.	1.1	36
498	Endogenous androgens and risk of epithelial invasive ovarian cancer by tumor characteristics in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015, 136, 399-410.	2.3	36
499	Methylome Analysis and Epigenetic Changes Associated with Menarcheal Age. <i>PLoS ONE</i> , 2013, 8, e79391.	1.1	36
500	Lifestyle factors and serum androgens among 636 middle aged men from seven countries in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009, 20, 811-821.	0.8	35
501	Plasma 25-hydroxyvitamin D concentration and lymphoma risk: results of the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2013, 98, 827-838.	2.2	35
502	Alcohol and lung cancer risk among never smokers: A pooled analysis from the international lung cancer consortium and the SYNERGY study. <i>International Journal of Cancer</i> , 2017, 140, 1976-1984.	2.3	35
503	Dietary Polyphenols in the Aetiology of Crohn's Disease and Ulcerative Colitis? A Multicenter European Prospective Cohort Study (EPIC). <i>Inflammatory Bowel Diseases</i> , 2017, 23, 2072-2082.	0.9	35
504	Replacement of Red and Processed Meat With Other Food Sources of Protein and the Risk of Type 2 Diabetes in European Populations: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2020, 43, 2660-2667.	4.3	35

#	ARTICLE	IF	CITATIONS
505	The Risk of Ovarian Cancer Increases with an Increase in the Lifetime Number of Ovulatory Cycles: An Analysis from the Ovarian Cancer Cohort Consortium (OC3). <i>Cancer Research</i> , 2020, 80, 1210-1218.	0.4	35
506	Physical activity and the risk of heart failure: a systematic review and dose-response meta-analysis of prospective studies. <i>European Journal of Epidemiology</i> , 2021, 36, 367-381.	2.5	35
507	Standardization of Food Composition Databases for the European Prospective Investigation into Cancer and Nutrition (EPIC): General Theoretical Concept. <i>Journal of Food Composition and Analysis</i> , 2000, 13, 567-584.	1.9	34
508	Exposure to environmental tobacco smoke in childhood and incidence of cancer in adulthood in never smokers in the European prospective investigation into cancer and nutrition. <i>Cancer Causes and Control</i> , 2011, 22, 487-494.	0.8	34
509	Ecological-Level Associations Between Highly Processed Food Intakes and Plasma Phospholipid Elaidic Acid Concentrations: Results From a Cross-Sectional Study Within the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Nutrition and Cancer</i> , 2011, 63, 1235-1250.	0.9	34
510	Serum $\alpha$ -Tocopherol and $\beta$ -Tocopherol Concentrations and Prostate Cancer Risk in the PLCO Screening Trial: A Nested Case-Control Study. <i>PLoS ONE</i> , 2012, 7, e40204.	1.1	34
511	Macronutrient intake and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2013, 132, 635-644.	2.3	34
512	Fine-Mapping the HOXB Region Detects Common Variants Tagging a Rare Coding Allele: Evidence for Synthetic Association in Prostate Cancer. <i>PLoS Genetics</i> , 2014, 10, e1004129.	1.5	34
513	Prediagnostic Intake of Dairy Products and Dietary Calcium and Colorectal Cancer Survival—Results from the EPIC Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 1813-1823.	1.1	34
514	Fruit and vegetable intake and prostate cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2017, 141, 287-297.	2.3	34
515	Circulating sex hormones in relation to anthropometric, sociodemographic and behavioural factors in an international dataset of 12,300 men. <i>PLoS ONE</i> , 2017, 12, e0187741.	1.1	34
516	KIM-1 as a Blood-Based Marker for Early Detection of Kidney Cancer: A Prospective Nested Case-Control Study. <i>Clinical Cancer Research</i> , 2018, 24, 5594-5601.	3.2	34
517	HLA Class I and II Diversity Contributes to the Etiologic Heterogeneity of Non-Hodgkin Lymphoma Subtypes. <i>Cancer Research</i> , 2018, 78, 4086-4096.	0.4	34
518	Urinary infection, renal lithiasis and bladder cancer in Spain. <i>European Journal of Cancer &amp; Clinical Oncology</i> , 1991, 27, 498-500.	0.9	33
519	Serum Retinol and Prostate Cancer Risk: a Nested Case-Control Study in the Prostate, Lung, Colorectal, and Ovarian Cancer Screening Trial. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1227-1231.	1.1	33
520	<i>CYP19A1</i> Genetic Variation in Relation to Prostate Cancer Risk and Circulating Sex Hormone Concentrations in Men from the Breast and Prostate Cancer Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 2734-2744.	1.1	33
521	A prospective analysis of the association between dietary fiber intake and prostate cancer risk in EPIC. <i>International Journal of Cancer</i> , 2009, 124, 245-249.	2.3	33
522	Fatty acid patterns and risk of prostate cancer in a case-control study nested within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 1354-1361.	2.2	33

#	ARTICLE	IF	CITATIONS
523	Prediagnostic plasma testosterone, sex hormone-binding globulin, IGF-1 and hepatocellular carcinoma: Etiological factors or risk markers?. <i>International Journal of Cancer</i> , 2014, 134, 164-173.	2.3	33
524	Weight change later in life and colon and rectal cancer risk in participants in the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , 2014, 99, 139-147.	2.2	33
525	Variations in Lycopene Blood Levels and Tomato Consumption across European Countries Based on the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Nutrition</i> , 2005, 135, 2032S-2036S.	1.3	32
526	A comprehensive analysis of the androgen receptor gene and risk of breast cancer: results from the National Cancer Institute Breast and Prostate Cancer Cohort Consortium (BPC3). <i>Breast Cancer Research</i> , 2006, 8, R54.	2.2	32
527	A prospective analysis of the association between macronutrient intake and renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009, 125, 982-987.	2.3	32
528	Occupational exposures contribute to educational inequalities in lung cancer incidence among men: Evidence from the EPIC prospective cohort study. <i>International Journal of Cancer</i> , 2010, 126, 1928-1935.	2.3	32
529	Genes-Environment Interactions in Obesity- and Diabetes-Associated Pancreatic Cancer: A GWAS Data Analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 98-106.	1.1	32
530	Alcohol consumption and the risk of renal cancers in the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2015, 137, 1953-1966.	2.3	32
531	Anthropometry and head and neck cancer: a pooled analysis of cohort data. <i>International Journal of Epidemiology</i> , 2015, 44, 673-681.	0.9	32
532	Circulating Metabolites Associated with Alcohol Intake in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>Nutrients</i> , 2018, 10, 654.	1.7	32
533	Time for a European initiative for research to prevent cancer: A manifesto for Cancer Prevention Europe (CPE). <i>Journal of Cancer Policy</i> , 2018, 17, 15-23.	0.6	32
534	Cancer prevention and diet: opportunities in Europe. <i>Public Health Nutrition</i> , 2001, 4, 475-484.	1.1	31
535	N-Acetyltransferase 2 Polymorphisms, Tobacco Smoking, and Breast Cancer Risk in the Breast and Prostate Cancer Cohort Consortium. <i>American Journal of Epidemiology</i> , 2011, 174, 1316-1322.	1.6	31
536	N-acetyltransferase 2 Phenotype, Occupation, and Bladder Cancer Risk: Results from the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 2055-2065.	1.1	31
537	Pre-diagnostic polyphenol intake and breast cancer survival: the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Breast Cancer Research and Treatment</i> , 2015, 154, 389-401.	1.1	31
538	Sweet-beverage consumption and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2016, 104, 760-768.	2.2	31
539	Circulating vitamin D in relation to cancer incidence and survival of the head and neck and oesophagus in the EPIC cohort. <i>Scientific Reports</i> , 2016, 6, 36017.	1.6	31
540	Comparison of prognostic models to predict the occurrence of colorectal cancer in asymptomatic individuals: a systematic literature review and external validation in the EPIC and UK Biobank prospective cohort studies. <i>Gut</i> , 2019, 68, 672-683.	6.1	31

#	ARTICLE	IF	CITATIONS
541	Sources of Pre-Analytical Variations in Yield of DNA Extracted from Blood Samples: Analysis of 50,000 DNA Samples in EPIC. PLoS ONE, 2012, 7, e39821.	1.1	31
542	Validity of Urinary Biomarkers of Exposure to Tobacco Smoke following Prolonged Storage. International Journal of Epidemiology, 1995, 24, 354-358.	0.9	30
543	The effect of occasional smoking on smoking-related cancers. Cancer Causes and Control, 2006, 17, 1305-1309.	0.8	30
544	Insulin-like Growth Factor-II Methylation Status in Lymphocyte DNA and Colon Cancer Risk in the Northern Sweden Health and Disease Cohort. Cancer Research, 2009, 69, 5400-5405.	0.4	30
545	Smoking, Secondhand Smoke, and Cotinine Levels in a Subset of EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 869-875.	1.1	30
546	Concentrations of IGF-I and IGFBP-3 and Brain Tumor Risk in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 2174-2182.	1.1	30
547	Dietary Intake of Vitamin D and Calcium and Breast Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. Nutrition and Cancer, 2013, 65, 178-187.	0.9	30
548	Circulating prolactin and in situ breast cancer risk in the European EPIC cohort: a case-control study. Breast Cancer Research, 2015, 17, 49.	2.2	30
549	The Association between Glyceraldehyde-Derived Advanced Glycation End-Products and Colorectal Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 1855-1863.	1.1	30
550	Pre-diagnostic meat and fibre intakes in relation to colorectal cancer survival in the European Prospective Investigation into Cancer and Nutrition. British Journal of Nutrition, 2016, 116, 316-325.	1.2	30
551	Dietary fibre intake and the risk of diverticular disease: a systematic review and meta-analysis of prospective studies. European Journal of Nutrition, 2020, 59, 421-432.	1.8	30
552	Predicted basal metabolic rate and cancer risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2020, 147, 648-661.	2.3	30
553	Nutrient-wide association study of 92 foods and nutrients and breast cancer risk. Breast Cancer Research, 2020, 22, 5.	2.2	30
554	Fruit and vegetable consumption and lymphoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Causes and Control, 2007, 18, 537-549.	0.8	29
555	Hemochromatosis (HFE) gene mutations and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. Carcinogenesis, 2013, 34, 1244-1250.	1.3	29
556	Dietary Flavonoid Intake and Esophageal Cancer Risk in the European Prospective Investigation into Cancer and Nutrition Cohort. American Journal of Epidemiology, 2013, 178, 570-581.	1.6	29
557	Meat and heme iron intake and esophageal adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition study. International Journal of Cancer, 2013, 133, n/a-n/a.	2.3	29
558	Plasma alkylresorcinol concentrations, biomarkers of whole-grain wheat and rye intake, in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. British Journal of Nutrition, 2014, 111, 1881-1890.	1.2	29



#	ARTICLE	IF	CITATIONS
559	Reproductive factors and epithelial ovarian cancer survival in the EPIC cohort study. <i>British Journal of Cancer</i> , 2015, 113, 1622-1631.	2.9	29
560	Nutrient-wide association study of 57 foods/nutrients and epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition study and the Netherlands Cohort Study. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 161-167.	2.2	29
561	Circulating RANKL and RANKL/OPG and Breast Cancer Risk by ER and PR Subtype: Results from the EPIC Cohort. <i>Cancer Prevention Research</i> , 2017, 10, 525-534.	0.7	29
562	Dairy Product Intake and Risk of Type 2 Diabetes in EPIC-InterAct: A Mendelian Randomization Study. <i>Diabetes Care</i> , 2019, 42, 568-575.	4.3	29
563	Cancer survivorship, excess body fatness and weight-loss intervention“where are we in 2020?. <i>British Journal of Cancer</i> , 2021, 124, 1057-1065.	2.9	29
564	Dietary Fatty Acids, Macronutrient Substitutions, Food Sources and Incidence of Coronary Heart Disease: Findings From the EPIC“CVD Case“Cohort Study Across Nine European Countries. <i>Journal of the American Heart Association</i> , 2021, 10, e019814.	1.6	29
565	Bladder Cancer and Coffee Consumption in Smokers and Non-Smokers in Spain. <i>International Journal of Epidemiology</i> , 1993, 22, 38-44.	0.9	28
566	Ethanol Intake and Risk of Lung Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Epidemiology</i> , 2006, 164, 1103-1114.	1.6	28
567	Menopausal hormone therapy and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011, 128, 1881-1889.	2.3	28
568	Large-scale fine mapping of the HNF1B locus and prostate cancer risk. <i>Human Molecular Genetics</i> , 2011, 20, 3322-3329.	1.4	28
569	Insulin“like growth factor pathway genes and blood concentrations, dietary protein and risk of prostate cancer in the NCI Breast and Prostate Cancer Cohort Consortium (BPC3). <i>International Journal of Cancer</i> , 2013, 133, 495-504.	2.3	28
570	Body iron status and gastric cancer risk in the <scp>EURGAST</scp> study. <i>International Journal of Cancer</i> , 2015, 137, 2904-2914.	2.3	28
571	Variation at <i>ABO</i> histo“blood group and <i>FUT</i> loci and diffuse and intestinal gastric cancer risk in a European population. <i>International Journal of Cancer</i> , 2015, 136, 880-893.	2.3	28
572	A statistical framework to model the meeting-in-the-middle principle using metabolomic data: application to hepatocellular carcinoma in the EPIC study. <i>Mutagenesis</i> , 2015, 30, gev045.	1.0	28
573	Serum Endotoxins and Flagellin and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 291-301.	1.1	28
574	Endometrial cancer risk prediction including serum-based biomarkers: results from the EPIC cohort. <i>International Journal of Cancer</i> , 2017, 140, 1317-1323.	2.3	28
575	Tobacco smoking and the risk of pancreatitis: A systematic review and meta-analysis of prospective studies. <i>Pancreatology</i> , 2019, 19, 1009-1022.	0.5	28
576	A Body Shape Index (ABSI), hip index, and risk of cancer in the UK Biobank cohort. <i>Cancer Medicine</i> , 2021, 10, 5614-5628.	1.3	28

#	ARTICLE	IF	CITATIONS
577	Combined Impact of Lifestyle Factors on Prospective Change in Body Weight and Waist Circumference in Participants of the EPIC-PANACEA Study. <i>PLoS ONE</i> , 2012, 7, e50712.	1.1	27
578	Circulating 25-Hydroxyvitamin D3 in Relation to Renal Cell Carcinoma Incidence and Survival in the EPIC Cohort. <i>American Journal of Epidemiology</i> , 2014, 180, 810-820.	1.6	27
579	Acrylamide and Glycidamide Hemoglobin Adducts and Epithelial Ovarian Cancer: A Nested Caseâ€“Control Study in Nonsmoking Postmenopausal Women from the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 127-134.	1.1	27
580	Mediterranean diet and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>British Journal of Cancer</i> , 2017, 116, 811-820.	2.9	27
581	A Pooled Analysis of 15 Prospective Cohort Studies on the Association between Fruit, Vegetable, and Mature Bean Consumption and Risk of Prostate Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 1276-1287.	1.1	27
582	Coffee and Tea Consumption and the Contribution of Their Added Ingredients to Total Energy and Nutrient Intakes in 10 European Countries: Benchmark Data from the Late 1990s. <i>Nutrients</i> , 2018, 10, 725.	1.7	27
583	Sex specific associations in genome wide association analysis of renal cell carcinoma. <i>European Journal of Human Genetics</i> , 2019, 27, 1589-1598.	1.4	27
584	Genetically predicted circulating concentrations of micronutrients and risk of colorectal cancer among individuals of European descent: a Mendelian randomization study. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 1490-1502.	2.2	27
585	Risk of ovarian cancer in relation to prediagnostic levels of C-peptide, insulin-like growth factor binding proteins-1 and -2 (USA, Sweden, Italy). <i>Cancer Causes and Control</i> , 2003, 14, 285-292.	0.8	26
586	Refining the Prostate Cancer Genetic Association within the <i>JAZF1</i> Gene on Chromosome 7p15.2. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1349-1355.	1.1	26
587	Consumption of meat and fish and risk of lung cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Causes and Control</i> , 2011, 22, 909-918.	0.8	26
588	Variety in vegetable and fruit consumption and risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011, 128, 2971-2979.	2.3	26
589	Prediagnostic Circulating Parathyroid Hormone Concentration and Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 767-778.	1.1	26
590	Longitudinal changes in weight in relation to smoking cessation in participants of the EPIC-PANACEA study. <i>Preventive Medicine</i> , 2012, 54, 183-192.	1.6	26
591	Anthropometric measures and bladder cancer risk: A prospective study in the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 135, 2918-2929.	2.3	26
592	A treelet transform analysis to relate nutrient patterns to the risk of hormonal receptor-defined breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2016, 19, 242-254.	1.1	26
593	Added Value of Serum Hormone Measurements in Risk Prediction Models for Breast Cancer for Women Not Using Exogenous Hormones: Results from the EPIC Cohort. <i>Clinical Cancer Research</i> , 2017, 23, 4181-4189.	3.2	26
594	Metabolic signature of healthy lifestyle and its relation with risk of hepatocellular carcinoma in a large European cohort. <i>American Journal of Clinical Nutrition</i> , 2018, 108, 117-126.	2.2	26

#	ARTICLE	IF	CITATIONS
595	Genetically predicted circulating concentrations of micronutrients and risk of breast cancer: A Mendelian randomization study. <i>International Journal of Cancer</i> , 2021, 148, 646-653.	2.3	26
596	Relationship between Plasma Fatty Acid Composition and Diet over Previous Years in the Italian Centers of the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Tumori</i> , 2003, 89, 624-635.	0.6	25
597	Physical activity and lung cancer among non-smokers: a pilot molecular epidemiological study within EPIC. <i>Biomarkers</i> , 2010, 15, 20-30.	0.9	25
598	Dietary intake of iron, heme-iron and magnesium and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2012, 131, E1134-47.	2.3	25
599	Prospective evaluation of antibody response to <i>Streptococcus gallolyticus</i> and risk of colorectal cancer. <i>International Journal of Cancer</i> , 2018, 143, 245-252.	2.3	25
600	Association of Plasma Vitamin D Metabolites With Incident Type 2 Diabetes: EPIC-InterAct Case-Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 1293-1303.	1.8	25
601	Physical activity and the risk of sudden cardiac death: a systematic review and meta-analysis of prospective studies. <i>BMC Cardiovascular Disorders</i> , 2020, 20, 318.	0.7	25
602	Serum levels of <i>hsa-miR-16-5p</i> , <i>hsa-miR-29a-3p</i> , <i>hsa-miR-150-5p</i> , <i>hsa-miR-155-5p</i> and <i>hsa-miR-223-3p</i> and subsequent risk of chronic lymphocytic leukemia in the EPIC study. <i>International Journal of Cancer</i> , 2020, 147, 1315-1324.	2.3	25
603	Sample Size Requirements for Calibration Studies of Dietary Intake Measurements in Prospective Cohort Investigations. <i>American Journal of Epidemiology</i> , 1995, 142, 557-565.	1.6	24
604	Plasma phytanic acid concentration and risk of prostate cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 1769-1776.	2.2	24
605	Occupation and risk of lymphoma: a multicentre prospective cohort study (EPIC). <i>Occupational and Environmental Medicine</i> , 2011, 68, 77-81.	1.3	24
606	Prediagnostic concentrations of plasma genistein and prostate cancer risk in 1,605 men with prostate cancer and 1,697 matched control participants in EPIC. <i>Cancer Causes and Control</i> , 2012, 23, 1163-1171.	0.8	24
607	Dietary Intakes and Risk of Lymphoid and Myeloid Leukemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Nutrition and Cancer</i> , 2014, 66, 14-28.	0.9	24
608	The 19q12 Bladder Cancer GWAS Signal: Association with Cyclin E Function and Aggressive Disease. <i>Cancer Research</i> , 2014, 74, 5808-5818.	0.4	24
609	Energy and macronutrient intake and risk of differentiated thyroid carcinoma in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2016, 138, 65-73.	2.3	24
610	Ovarian cancer early detection by circulating <i>CA125</i> in the context of anti- <i>CA125</i> autoantibody levels: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2018, 142, 1355-1360.	2.3	24
611	Risk prediction for estrogen receptor-specific breast cancers in two large prospective cohorts. <i>Breast Cancer Research</i> , 2018, 20, 147.	2.2	24
612	Estimated Substitution of Tea or Coffee for Sugar-Sweetened Beverages Was Associated with Lower Type 2 Diabetes Incidence in Case-Cohort Analysis across 8 European Countries in the EPIC-InterAct Study. <i>Journal of Nutrition</i> , 2019, 149, 1985-1993.	1.3	24

#	ARTICLE	IF	CITATIONS
613	Bulky DNA adducts, 4-aminobiphenyl-haemoglobin adducts and diet in the European Prospective Investigation into Cancer and Nutrition (EPIC) prospective study. <i>British Journal of Nutrition</i> , 2008, 100, 489-495.	1.2	23
614	North-south gradients in plasma concentrations of B-vitamins and other components of one-carbon metabolism in Western Europe: results from the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>British Journal of Nutrition</i> , 2013, 110, 363-374.	1.2	23
615	Circulating Biomarkers of One-Carbon Metabolism in Relation to Renal Cell Carcinoma Incidence and Survival. <i>Journal of the National Cancer Institute</i> , 2014, 106, .	3.0	23
616	Anthropometry and the Risk of Lung Cancer in EPIC. <i>American Journal of Epidemiology</i> , 2016, 184, 129-139.	1.6	23
617	The Premenopausal Breast Cancer Collaboration: A Pooling Project of Studies Participating in the National Cancer Institute Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 1360-1369.	1.1	23
618	<i>Helicobacter pylori</i> infection, chronic corpus atrophic gastritis and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort: A nested case-control study. <i>International Journal of Cancer</i> , 2017, 140, 1727-1735.	2.3	23
619	Are Metabolic Signatures Mediating the Relationship between Lifestyle Factors and Hepatocellular Carcinoma Risk? Results from a Nested Case-Control Study in EPIC. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018, 27, 531-540.	1.1	23
620	Weight change in middle adulthood and risk of cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2021, 148, 1637-1651.	2.3	23
621	Smoking and body fatness measurements: A cross-sectional analysis in the EPIC-PANACEA study. <i>Preventive Medicine</i> , 2009, 49, 365-373.	1.6	22
622	Correlates of circulating ovarian cancer early detection markers and their contribution to discrimination of early detection models: results from the EPIC cohort. <i>Journal of Ovarian Research</i> , 2017, 10, 20.	1.3	22
623	Diabetes mellitus and the risk of abdominal aortic aneurysm: A systematic review and meta-analysis of prospective studies. <i>Journal of Diabetes and Its Complications</i> , 2018, 32, 1169-1174.	1.2	22
624	Association of Selenoprotein and Selenium Pathway Genotypes with Risk of Colorectal Cancer and Interaction with Selenium Status. <i>Nutrients</i> , 2019, 11, 935.	1.7	22
625	Consumption of predefined "Nordic" dietary items in ten European countries - an investigation in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Public Health Nutrition</i> , 2014, 17, 2650-2659.	1.1	21
626	A prospective study of one-carbon metabolism biomarkers and cancer of the head and neck and esophagus. <i>International Journal of Cancer</i> , 2015, 136, 915-927.	2.3	21
627	A Genome-wide Pleiotropy Scan for Prostate Cancer Risk. <i>European Urology</i> , 2015, 67, 649-657.	0.9	21
628	Acrylamide and glycidamide hemoglobin adduct levels and endometrial cancer risk: A nested case-control study in nonsmoking postmenopausal women from the EPIC cohort. <i>International Journal of Cancer</i> , 2016, 138, 1129-1138.	2.3	21
629	Osteoprotegerin and breast cancer risk by hormone receptor subtype: a nested case-control study in the EPIC cohort. <i>BMC Medicine</i> , 2017, 15, 26.	2.3	21
630	The association between adult attained height and sitting height with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , 2017, 12, e0173117.	1.1	21

#	ARTICLE	IF	CITATIONS
631	Coffee and tea consumption and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2019, 144, 240-250.	2.3	21
632	Grain and dietary fiber intake and bladder cancer risk: a pooled analysis of prospective cohort studies. <i>American Journal of Clinical Nutrition</i> , 2020, 112, 1252-1266.	2.2	21
633	Epidemiologic studies of nutrition and cancer: Let us not throw out the baby with the bath water. <i>International Journal of Cancer</i> , 2005, 116, 662-664.	2.3	20
634	Genetic variation in genes of the fatty acid synthesis pathway and breast cancer risk. <i>Breast Cancer Research and Treatment</i> , 2009, 118, 565-574.	1.1	20
635	Single-nucleotide polymorphisms (5p15.33, 15q25.1, 6p22.1, 6q27 and 7p15.3) and lung cancer survival in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Mutagenesis</i> , 2011, 26, 657-666.	1.0	20
636	Lifestyle, dietary factors, and antibody levels to oral bacteria in cancer-free participants of a European cohort study. <i>Cancer Causes and Control</i> , 2013, 24, 1901-1909.	0.8	20
637	Menstrual and reproductive factors in women, genetic variation in <i>CYP17A1</i> , and pancreatic cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2013, 132, 2164-2175.	2.3	20
638	Anthropometric characteristics and risk of lymphoid and myeloid leukemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2013, 24, 427-438.	0.8	20
639	Dietary intake of acrylamide and esophageal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Cancer Causes and Control</i> , 2014, 25, 639-646.	0.8	20
640	Plasma fetuin-A concentration, genetic variation in the <i>AHSG</i> gene and risk of colorectal cancer. <i>International Journal of Cancer</i> , 2015, 137, 911-920.	2.3	20
641	Vitamin D-Associated Genetic Variation and Risk of Breast Cancer in the Breast and Prostate Cancer Cohort Consortium (BPC3). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 627-630.	1.1	20
642	Meat and fish consumption and the risk of renal cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2015, 136, E423-31.	2.3	20
643	Baseline and lifetime alcohol consumption and risk of differentiated thyroid carcinoma in the EPIC study. <i>British Journal of Cancer</i> , 2015, 113, 840-847.	2.9	20
644	Interplay between genetic predisposition, macronutrient intake and type 2 diabetes incidence: analysis within EPIC-InterAct across eight European countries. <i>Diabetologia</i> , 2018, 61, 1325-1332.	2.9	20
645	Hospital versus Neighbourhood Controls in the Assessment of Dietary Risk Factors. <i>International Journal of Epidemiology</i> , 1990, 19, 354-361.	0.9	19
646	Prospective study of the association between grapefruit intake and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009, 20, 803-809.	0.8	19
647	Multiple Miscarriages Are Associated with the Risk of Ovarian Cancer: Results from the European Prospective Investigation into Cancer and Nutrition. <i>PLoS ONE</i> , 2012, 7, e37141.	1.1	19
648	Tobacco and Alcohol in Relation to Male Breast Cancer: An Analysis of the Male Breast Cancer Pooling Project Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 520-531.	1.1	19

#	ARTICLE	IF	CITATIONS
649	Flavonoid and lignan intake and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2016, 139, 1480-1492.	2.3	19
650	Consumption of Fish Is Not Associated with Risk of Differentiated Thyroid Carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Nutrition</i> , 2017, 147, 1366-1373.	1.3	19
651	Physical activity, mediating factors and risk of colon cancer: insights into adiposity and circulating biomarkers from the EPIC cohort. <i>International Journal of Epidemiology</i> , 2017, 46, 1823-1835.	0.9	19
652	Vitamin D-Related Genes, Blood Vitamin D Levels and Colorectal Cancer Risk in Western European Populations. <i>Nutrients</i> , 2019, 11, 1954.	1.7	19
653	Genome-wide association analysis of type 2 diabetes in the EPIC-InterAct study. <i>Scientific Data</i> , 2020, 7, 393.	2.4	19
654	Adherence to a Western dietary pattern and risk of bladder cancer: A pooled analysis of 13 cohort studies of the Bladder Cancer Epidemiology and Nutritional Determinants international study. <i>International Journal of Cancer</i> , 2020, 147, 3394-3403.	2.3	19
655	Glycemic index, glycemic load, and risk of coronary heart disease: a pan-European cohort study. <i>American Journal of Clinical Nutrition</i> , 2020, 112, 631-643.	2.2	19
656	Vasectomy and Prostate Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of Clinical Oncology</i> , 2017, 35, 1297-1303.	0.8	18
657	Tumor-associated autoantibodies as early detection markers for ovarian cancer? A prospective evaluation. <i>International Journal of Cancer</i> , 2018, 143, 515-526.	2.3	18
658	Pre-diagnostic circulating insulin-like growth factor and bladder cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2018, 143, 2351-2358.	2.3	18
659	Adherence to the World Cancer Research Fund/American Institute for Cancer Research cancer prevention recommendations and risk of in situ breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>BMC Medicine</i> , 2019, 17, 221.	2.3	18
660	Diabetes mellitus and the risk of pancreatitis: A systematic review and meta-analysis of cohort studies. <i>Pancreatology</i> , 2020, 20, 602-607.	0.5	18
661	A Community Study of Alcohol Consumption and Dietary Habits in Middle-Aged Italian Women. <i>International Journal of Epidemiology</i> , 1991, 20, 663-670.	0.9	17
662	An Approach to Estimate Between- and Within-Group Correlation Coefficients in Multicenter Studies: Plasma Carotenoids as Biomarkers of Intake of Fruits and Vegetables. <i>American Journal of Epidemiology</i> , 2005, 162, 591-598.	1.6	17
663	Fish consumption and subsequent change in body weight in European women and men. <i>British Journal of Nutrition</i> , 2013, 109, 353-362.	1.2	17
664	Total, caffeinated and decaffeinated coffee and tea intake and gastric cancer risk: Results from the EPIC cohort study. <i>International Journal of Cancer</i> , 2015, 136, E720-30.	2.3	17
665	A Prospective Study of the Immune System Activation Biomarker Neopterin and Colorectal Cancer Risk. <i>Journal of the National Cancer Institute</i> , 2015, 107, .	3.0	17
666	Dietary and lifestyle determinants of acrylamide and glycidamide hemoglobin adducts in non-smoking postmenopausal women from the EPIC cohort. <i>European Journal of Nutrition</i> , 2017, 56, 1157-1168.	1.8	17

#	ARTICLE	IF	CITATIONS
667	Genetic variation in the ADIPOQ gene, adiponectin concentrations and risk of colorectal cancer: a Mendelian Randomization analysis using data from three large cohort studies. <i>European Journal of Epidemiology</i> , 2017, 32, 419-430.	2.5	17
668	Metabolic Mediators of the Association Between Adult Weight Gain and Colorectal Cancer: Data From the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>American Journal of Epidemiology</i> , 2017, 185, 751-764.	1.6	17
669	Circulating Fetuin-A and Risk of Type 2 Diabetes: A Mendelian Randomization Analysis. <i>Diabetes</i> , 2018, 67, 1200-1205.	0.3	17
670	Gallstones and incident colorectal cancer in a large pan-European cohort study. <i>International Journal of Cancer</i> , 2019, 145, 1510-1516.	2.3	17
671	Haem iron intake and risk of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 1122-1132.	1.3	17
672	Plasma polyphenols associated with lower high-sensitivity C-reactive protein concentrations: a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>British Journal of Nutrition</i> , 2020, 123, 198-208.	1.2	17
673	Inflammatory potential of the diet and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2020, 147, 1027-1039.	2.3	17
674	Adult weight change and premenopausal breast cancer risk: A prospective pooled analysis of data from 628,463 women. <i>International Journal of Cancer</i> , 2020, 147, 1306-1314.	2.3	17
675	High Body Mass Index and Central Adiposity Is Associated with Increased Risk of Acute Pancreatitis: A Meta-Analysis. <i>Digestive Diseases and Sciences</i> , 2021, 66, 1249-1267.	1.1	17
676	Adiposity and Endometrial Cancer Risk in Postmenopausal Women: A Sequential Causal Mediation Analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 104-113.	1.1	17
677	Vegetable intake and the risk of bladder cancer in the BLadder Cancer Epidemiology and Nutritional Determinants (BLEND) international study. <i>BMC Medicine</i> , 2021, 19, 56.	2.3	17
678	Interactions Between Genome-wide Significant Genetic Variants and Circulating Concentrations of Insulin-like Growth Factor 1, Sex Hormones, and Binding Proteins in Relation to Prostate Cancer Risk in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. <i>American Journal of Epidemiology</i> , 2012, 175, 926-935.	1.6	16
679	Prediagnostic immunoglobulin E levels and risk of chronic lymphocytic leukemia, other lymphomas and multiple myeloma-results of the European Prospective Investigation into Cancer and Nutrition. <i>Carcinogenesis</i> , 2014, 35, 2716-2722.	1.3	16
680	Dietary fat intake and risk of epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology</i> , 2014, 38, 528-537.	0.8	16
681	Parkinson's Disease Case Ascertainment in the EPIC Cohort: The NeuroEPIC4PD Study. <i>Neurodegenerative Diseases</i> , 2015, 15, 331-338.	0.8	16
682	Dietary Intake of Acrylamide and Epithelial Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 291-297.	1.1	16
683	Circulating concentrations of vitamin D in relation to pancreatic cancer risk in European populations. <i>International Journal of Cancer</i> , 2018, 142, 1189-1201.	2.3	16
684	Methodological issues in a prospective study on plasma concentrations of persistent organic pollutants and pancreatic cancer risk within the EPIC cohort. <i>Environmental Research</i> , 2019, 169, 417-433.	3.7	16

#	ARTICLE	IF	CITATIONS
685	Primary sclerosing cholangitis and the risk of cancer, cardiovascular disease, and all-cause mortality: a systematic review and meta-analysis of cohort studies. <i>Scientific Reports</i> , 2021, 11, 10646.	1.6	16
686	Plasma concentrations of persistent organic pollutants and pancreatic cancer risk. <i>International Journal of Epidemiology</i> , 2022, 51, 479-490.	0.9	16
687	The blood metabolome of incident kidney cancer: A case-control study nested within the MetKid consortium. <i>PLoS Medicine</i> , 2021, 18, e1003786.	3.9	16
688	Physical activity and the risk of abdominal aortic aneurysm: a systematic review and meta-analysis of prospective studies. <i>Scientific Reports</i> , 2020, 10, 22287.	1.6	16
689	Nitrosamines and Heme Iron and Risk of Prostate Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 547-551.	1.1	15
690	A structural equation modelling approach to explore the role of B vitamins and immune markers in lung cancer risk. <i>European Journal of Epidemiology</i> , 2013, 28, 677-688.	2.5	15
691	Plasma Carotenoid- and Retinol-Weighted Multi-SNP Scores and Risk of Breast Cancer in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 927-936.	1.1	15
692	Assessment of moderate coffee consumption and risk of epithelial ovarian cancer: a Mendelian randomization study. <i>International Journal of Epidemiology</i> , 2018, 47, 450-459.	0.9	15
693	Interaction of Dietary and Genetic Factors Influencing Body Iron Status and Risk of Type 2 Diabetes Within the EPIC-InterAct Study. <i>Diabetes Care</i> , 2018, 41, 277-285.	4.3	15
694	Timing of eating across ten European countries – results from the European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study. <i>Public Health Nutrition</i> , 2019, 22, 324-335.	1.1	15
695	Autoimmunity plays a role in the onset of diabetes after 40 years of age. <i>Diabetologia</i> , 2020, 63, 266-277.	2.9	15
696	Body Size at Different Ages and Risk of 6 Cancers: A Mendelian Randomization and Prospective Cohort Study. <i>Journal of the National Cancer Institute</i> , 2022, 114, 1296-1300.	3.0	15
697	Prospective Study on Physical Activity and Risk of In Situ Breast Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 2209-2219.	1.1	14
698	Mediation analysis of the alcohol-postmenopausal breast cancer relationship by sex hormones in the EPIC cohort. <i>International Journal of Cancer</i> , 2020, 146, 759-768.	2.3	14
699	Comparison of Fatty Acid Profile in Plasma Phospholipids in Women from Granada (southern Spain) and Malmö (southern Sweden). <i>International Journal for Vitamin and Nutrition Research</i> , 2001, 71, 237-242.	0.6	13
700	Variation in genes coding for AMP-activated protein kinase (AMPK) and breast cancer risk in the European Prospective Investigation on Cancer (EPIC). <i>Breast Cancer Research and Treatment</i> , 2011, 127, 761-767.	1.1	13
701	Association of body-shape phenotypes with imaging measures of body composition in the UK Biobank cohort: relevance to colon cancer risk. <i>BMC Cancer</i> , 2021, 21, 1106.	1.1	13
702	Genetically Determined Reproductive Aging and Coronary Heart Disease: A Bidirectional 2-sample Mendelian Randomization. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e2952-e2961.	1.8	13



#	ARTICLE	IF	CITATIONS
703	Passive smoking and lung cancer: Epidemiological evidence and ongoing international collaborative studies. <i>Toxicology Letters</i> , 1987, 35, 19-27.	0.4	12
704	Plasma Carotenoids in Relation to Food Consumption in Granada (Southern Spain) and Malmö (Southern Sweden). <i>International Journal for Vitamin and Nutrition Research</i> , 2001, 71, 97-102.	0.6	12
705	Genetic Variability of the mTOR Pathway and Prostate Cancer Risk in the European Prospective Investigation on Cancer (EPIC). <i>PLoS ONE</i> , 2011, 6, e16914.	1.1	12
706	Fiber intake modulates the association of alcohol intake with breast cancer. <i>International Journal of Cancer</i> , 2017, 140, 316-321.	2.3	12
707	Meat and haem iron intake in relation to glioma in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Cancer Prevention</i> , 2018, 27, 379-383.	0.6	12
708	Circulating insulin-like growth factor I in relation to melanoma risk in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019, 144, 957-966.	2.3	12
709	Development and validation of circulating CA125 prediction models in postmenopausal women. <i>Journal of Ovarian Research</i> , 2019, 12, 116.	1.3	12
710	Plant foods, dietary fibre and risk of ischaemic heart disease in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Epidemiology</i> , 2021, 50, 212-222.	0.9	12
711	Cancer prevention through weight control—where are we in 2020?. <i>British Journal of Cancer</i> , 2021, 124, 1049-1056.	2.9	12
712	Associations between dietary amino acid intakes and blood concentration levels. <i>Clinical Nutrition</i> , 2021, 40, 3772-3779.	2.3	12
713	A Bayesian multilevel model for estimating the diet/disease relationship in a multicenter study with exposures measured with error: The EPIC study. <i>Statistics in Medicine</i> , 2008, 27, 6037-6054.	0.8	11
714	Genetic variants in the IL1A gene region contribute to intestinal-type gastric carcinoma susceptibility in European populations. <i>International Journal of Cancer</i> , 2014, 135, 1343-1355.	2.3	11
715	Lag Times between Lymphoproliferative Disorder and Clinical Diagnosis of Chronic Lymphocytic Leukemia: A Prospective Analysis Using Plasma Soluble CD23. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 538-545.	1.1	11
716	Measured Adiposity in Relation to Head and Neck Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 895-904.	1.1	11
717	Nonsteroidal anti-inflammatory drug use and breast cancer risk in a European prospective cohort study. <i>International Journal of Cancer</i> , 2018, 143, 1688-1695.	2.3	11
718	Intake of individual fatty acids and risk of prostate cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2020, 146, 44-57.	2.3	11
719	A nutrient-wide association study for risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition and the Netherlands Cohort Study. <i>European Journal of Nutrition</i> , 2020, 59, 2929-2937.	1.8	11
720	Unnecessary obstacles to COVID-19 mass testing. <i>Lancet, The</i> , 2020, 396, 1633.	6.3	11

#	ARTICLE	IF	CITATIONS
721	Antibody Responses to <i>Helicobacter pylori</i> and Risk of Developing Colorectal Cancer in a European Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1475-1481.	1.1	11
722	Long-term weight change and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Epidemiology</i> , 2022, 50, 1914-1926.	0.9	11
723	The association between meat and fish consumption and bladder cancer risk: a pooled analysis of 11 cohort studies. <i>European Journal of Epidemiology</i> , 2021, 36, 781-792.	2.5	11
724	Associations of body shape index (ABSI) and hip index with liver, metabolic, and inflammatory biomarkers in the UK Biobank cohort. <i>Scientific Reports</i> , 2022, 12, .	1.6	11
725	Plasma cotinine levels and pancreatic cancer in the EPIC cohort study. <i>International Journal of Cancer</i> , 2012, 131, 997-1002.	2.3	10
726	Prolactin Determinants in Healthy Women: A Large Cross-Sectional Study within the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2532-2542.	1.1	10
727	Epithelial, possibly precancerous, lesions of the lung in relation to smoking, passive smoking, and socio-demographic variables. <i>Scandinavian Journal of Public Health</i> , 1996, 24, 259-263.	0.6	9
728	Epidemiology Studies on Diet and Cancer. <i>Tumori</i> , 2003, 89, 581-585.	0.6	9
729	Cellular immune activity biomarker neopterin is associated hyperlipidemia: results from a large population-based study. <i>Immunity and Ageing</i> , 2016, 13, 5.	1.8	9
730	Comparison of abdominal adiposity and overall obesity in relation to risk of small intestinal cancer in a European Prospective Cohort. <i>Cancer Causes and Control</i> , 2016, 27, 919-927.	0.8	9
731	Receptor activator of nuclear factor $\kappa$ B ligand, osteoprotegerin, and risk of death following a breast cancer diagnosis: results from the EPIC cohort. <i>BMC Cancer</i> , 2018, 18, 1010.	1.1	9
732	Predicting Circulating CA125 Levels among Healthy Premenopausal Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1076-1085.	1.1	9
733	Adherence to the mediterranean diet and lymphoma risk in the european prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019, 145, 122-131.	2.3	9
734	Consumption of nuts and seeds and pancreatic ductal adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2020, 146, 76-84.	2.3	9
735	Soft Drink and Juice Consumption and Renal Cell Carcinoma Incidence and Mortality in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1270-1274.	1.1	9
736	Coffee consumption and risk of breast cancer: A Mendelian randomization study. <i>PLoS ONE</i> , 2021, 16, e0236904.	1.1	9
737	The role of multi-centre cohort studies in studying the relation between diet and cancer. <i>Cancer Letters</i> , 1997, 114, 263-270.	3.2	8
738	Ratios of IGF-I, IGF Binding Protein-3, and Prostate-Specific Antigen in Prostate Cancer Detection. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 5745-5748.	1.8	8

#	ARTICLE	IF	CITATIONS
739	Alcohol consumption and mortality in individuals with diabetes mellitus. <i>British Journal of Nutrition</i> , 2012, 108, 1307-1315.	1.2	8
740	Obesity and gastrointestinal cancers – where do we go from here?. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2018, 15, 651-652.	8.2	8
741	Inflammatory potential of diet and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Nutrition</i> , 2020, 59, 813-823.	1.8	8
742	Smoking Modifies Pancreatic Cancer Risk Loci on 2q21.3. <i>Cancer Research</i> , 2021, 81, 3134-3143.	0.4	8
743	Inflammatory potential of the diet and risk of breast cancer in the European Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Epidemiology</i> , 2021, 36, 953-964.	2.5	8
744	Evaluation of protein and amino acid intake estimates from the EPIC dietary questionnaires and 24-h dietary recalls using different food composition databases. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 80-89.	1.1	8
745	Physical activity attenuates but does not eliminate coronary heart disease risk amongst adults with risk factors: EPIC-CVD case-cohort study. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 1618-1629.	0.8	8
746	Prediagnostic circulating concentrations of plasma insulin-like growth factor-1 and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2017, 140, 1111-1118.	2.3	7
747	General and abdominal adiposity and the risk of Parkinson's disease: A prospective cohort study. <i>Parkinsonism and Related Disorders</i> , 2019, 62, 98-104.	1.1	7
748	Soluble Receptor for Advanced Glycation End-products (sRAGE) and Colorectal Cancer Risk: A Case-Control Study Nested within a European Prospective Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 182-192.	1.1	7
749	Lifetime alcohol intake, drinking patterns over time and risk of stomach cancer: A pooled analysis of data from two prospective cohort studies. <i>International Journal of Cancer</i> , 2021, 148, 2759-2773.	2.3	7
750	A comparison of complementary measures of vitamin B6 status, function, and metabolism in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 338-347.	2.2	7
751	Food biodiversity and total and cause-specific mortality in 9 European countries: An analysis of a prospective cohort study. <i>PLoS Medicine</i> , 2021, 18, e1003834.	3.9	7
752	Genetic variation in the HSD17B1 gene and risk of prostate cancer. <i>PLoS Genetics</i> , 2005, preprint, e68.	1.5	6
753	Level of education and the risk of lymphoma in the European prospective investigation into cancer and nutrition. <i>Journal of Cancer Research and Clinical Oncology</i> , 2010, 136, 71-77.	1.2	6
754	One-carbon metabolism biomarkers and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019, 145, 2349-2359.	2.3	6
755	Generalizability of a Diabetes-Associated Country-Specific Exploratory Dietary Pattern Is Feasible Across European Populations. <i>Journal of Nutrition</i> , 2019, 149, 1047-1055.	1.3	6
756	Socioeconomic Effect of Education on Pancreatic Cancer Risk in Western Europe: An Update on the EPIC Cohorts Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1089-1092.	1.1	6

#	ARTICLE	IF	CITATIONS
757	Reproductive Factors, Exogenous Hormone Use, and Risk of B-Cell Non-Hodgkin Lymphoma in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2019, 188, 274-281.	1.6	6
758	Genetically Determined Height and Risk of Non-hodgkin Lymphoma. <i>Frontiers in Oncology</i> , 2019, 9, 1539.	1.3	6
759	Theoretical potential for endometrial cancer prevention through primary risk factor modification: Estimates from the EPIC cohort. <i>International Journal of Cancer</i> , 2020, 147, 1325-1333.	2.3	6
760	Interaction Between GAD65 Antibodies and Dietary Fish Intake or Plasma Phospholipid n-3 Polyunsaturated Fatty Acids on Incident Adult-Onset Diabetes: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2021, 44, 416-424.	4.3	6
761	Risk Prediction for Renal Cell Carcinoma: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC) Prospective Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 507-512.	1.1	6
762	Plasma Phospholipid Long-Chain n-3 Polyunsaturated Fatty Acids and Body Weight Change. <i>Obesity Facts</i> , 2011, 4, 312-318.	1.6	5
763	The cancer-obesity connection: what do we know and what can we do?. <i>BMC Biology</i> , 2014, 12, 9.	1.7	5
764	Are primary care factors associated with hospital episodes for adverse drug reactions? A national observational study. <i>BMJ Open</i> , 2015, 5, e008130.	0.8	5
765	Prostate cancer screening. <i>Lancet, The</i> , 2001, 357, 1202-1203.	6.3	4
766	Double-strand break DNA repair genotype predictive of later mortality and cancer incidence in a cohort of non-smokers. <i>DNA Repair</i> , 2009, 8, 60-71.	1.3	4
767	Polymorphisms in genes related to one-carbon metabolism are not related to pancreatic cancer in PanScan and PanC4. <i>Cancer Causes and Control</i> , 2013, 24, 595-602.	0.8	4
768	The Role of Metabolic Carcinogenesis in Cancer Causation and Prevention: Evidence from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Treatment and Research</i> , 2014, 159, 3-20.	0.2	4
769	Healthy lifestyle and the risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2020, 147, 1649-1656.	2.3	4
770	Coffee Drinking and Mortality in 10 European Countries. <i>Annals of Internal Medicine</i> , 2018, 168, 380.	2.0	3
771	Abstract LB-23: Meta-analysis of genome-wide association studies identifies multiple loci associated with chronic lymphocytic leukemia.. , 2013, , .		3
772	NUTRITION Lipides alimentaires et risque de cancer chez l'homme : revue des études épidémiologiques et biochimiques. <i>Oleagineux Corps Gras Lipides</i> , 2001, 8, 111-116.	0.2	2
773	Fine-mapping identifies multiple prostate cancer risk loci at 5p15, one of which associates with TERT expression. <i>Human Molecular Genetics</i> , 2013, 22, 4239-4239.	1.4	2
774	Al.5â€¦Smoking is a risk factor for ACPA prior to onset of symptoms of rheumatoid arthritis in a cohort from southern europe. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, A2.3-A3.	0.5	2

#	ARTICLE	IF	CITATIONS
775	How would a decision to leave the European Union affect medical research and health in the United Kingdom?. Journal of the Royal Society of Medicine, 2016, 109, 216-218.	1.1	2
776	Nutrition and cancer: a complex relationship. IARC (international Agency for Research on Cancer) Scientific Publications, 2002, 156, 3-4.	0.4	2
777	Comment on Muzzioli et al. Are Front-of-Pack Labels a Health Policy Tool? Nutrients 2022, 14, 771. Nutrients, 2022, 14, 2165.	1.7	2
778	IARC approaches to monitoring exposure of passive smoking. Toxicology Letters, 1987, 35, 29-33.	0.4	1
779	Breast cancer in HRT use. International Journal of Cancer, 2005, 116, 999-999.	2.3	1
780	Reply to W Liang and CW Binns. American Journal of Clinical Nutrition, 2009, 90, 1112-1114.	2.2	1
781	Parity and mortality from causes other than breast cancer in breast cancer patients. Breast Cancer Research and Treatment, 2012, 131, 1077-1081.	1.1	1
782	Authors' Reply: Body fatness, diabetes, physical activity and risk of kidney stones: a systematic review and meta-analysis of cohort studies. European Journal of Epidemiology, 2019, 34, 1177-1178.	2.5	1
783	Alkylresorcinols (biomarkers of whole grain intake), cereal fibre intake and metabolic profile - results from a European study. Proceedings of the Nutrition Society, 2020, 79, .	0.4	1
784	Covid-19 mass testing: throwing the baby out with the bathwater?. BMJ, The, 2020, 371, m4782.	3.0	1
785	Prospective associations between the nutritional quality of foods consumed (graded by the FSA-m-NPS) and overall health. Proceedings of the Nutrition Society, 2020, 79, .	0.4	1
786	Nutrient-wide association study of 92 foods and nutrients and breast cancer risk. Proceedings of the Nutrition Society, 2020, 79, .	0.4	1
787	Abstract LB-328: Plasma antibodies to oral pathogen and commensals and risk of pancreatic cancer in a large European prospective cohort study. , 2012, , .		1
788	Abstract 4814: Prediagnostic anthropometric measures and survival after diagnosis with colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC).. , 2013, , .		1
789	Abstract 3746: Prostate stem cell antigen is associated with gastric cancer in Caucasians: Results from the EPIC-EURGAST study. , 2011, , .		1
790	Abstract 1581: Gut barrier function-related genes and colorectal cancer risk in Western European populations. , 2019, , .		1
791	Biomarkers of the transsulfuration pathway and risk of renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. International Journal of Cancer, 2022, , .	2.3	1
792	Cancers, environnements et modes de vie. Oleagineux Corps Gras Lipides, 2004, 11, 157-166.	0.2	0

#	ARTICLE	IF	CITATIONS
793	Reply to CK Chow. American Journal of Clinical Nutrition, 2010, 91, 239.	2.2	0
794	Determinants of the t(14;18) translocation and their role in t(14;18)-positive follicular lymphoma. Cancer Causes and Control, 2015, 26, 1845-1855.	0.8	0
795	OTU-014â€¦Reproductive factors and risk of gastric cancer by anatomical subsite: the epic study. , 2018, , .		0
796	Validation of an automated online 24-hour recall (myfood24) using nutrient biomarkers provides similar results to a traditional interviewer administered recall. Proceedings of the Nutrition Society, 2020, 79, .	0.4	0
797	Genome-wide homozygosity and risk of four non-Hodgkin lymphoma subtypes. , 2021, 5, 200-217.		0
798	Inflammatory Potential of the Diet and Risk of Breast Cancer in the European Investigation Into Cancer and Nutrition (EPIC) Study. Current Developments in Nutrition, 2021, 5, 264.	0.1	0
799	88The Role of Visceral Adiposity in the Metabolic Phenotype of multi-ethnic South-East Asian population. International Journal of Epidemiology, 2021, 50, .	0.9	0
800	1227Colorectal cancer risk prediction models incorporating lifestyle and biomarker data: Results from the EPIC cohort. International Journal of Epidemiology, 2021, 50, .	0.9	0
801	1007Vitamin B6 intake, its active form pyridoxal 5â€™-phosphate, and markers of B6 activity and catabolism. International Journal of Epidemiology, 2021, 50, .	0.9	0
802	The emergence of networks in human genome epidemiology: challenges and opportunities. , 2009, , 120-134.		0
803	Abstract 3748: Polymorphisms in the alcohol dehydrogenase (ADH1) gene cluster, alcohol consumption, and interactions in relation to gastric cancer risk in the EPIC cohort. , 2011, , .		0
804	Abstract LB-448: Genome-wide association study identifies new prostate cancer susceptibility loci. , 2011, , .		0
805	Abstract 3585: Second primary tumors after breast cancer: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. , 2012, , .		0
806	Abstract 4045: Intragenic ATM methylation in peripheral blood DNA as a biomarker of breast cancer risk. , 2012, , .		0
807	Abstract 2922: Prediagnostic smoking, alcohol intake, physical activity and survival after colorectal cancer diagnosis in Western European populations. , 2014, , .		0
808	Abstract 2200: Plasma Fetuin-a concentration, genetic variation in the AHSG gene and risk of colorectal cancer. , 2014, , .		0
809	Abstract 2214: Genome-wide gene-diabetes and gene-obesity interaction scan in the pancreatic cancer case control consortium. , 2014, , .		0