

Helene Verdoux

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8592924/helene-verdoux-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

220
papers

8,545
citations

48
h-index

87
g-index

271
ext. papers

9,774
ext. citations

4.6
avg, IF

5.83
L-index

#	Paper	IF	Citations
220	Evidence that three dimensions of psychosis have a distribution in the general population. <i>Psychological Medicine</i> , 2002 , 32, 347-58	6.9	615
219	Cannabis use and psychosis: a longitudinal population-based study. <i>American Journal of Epidemiology</i> , 2002 , 156, 319-27	3.8	607
218	Psychotic symptoms in non-clinical populations and the continuum of psychosis. <i>Schizophrenia Research</i> , 2002 , 54, 59-65	3.6	386
217	Benzodiazepine use and risk of Alzheimer's disease: case-control study. <i>BMJ, The</i> , 2014 , 349, g5205	5.9	313
216	Obstetric complications and age at onset in schizophrenia: an international collaborative meta-analysis of individual patient data. <i>American Journal of Psychiatry</i> , 1997 , 154, 1220-7	11.9	289
215	Benzodiazepine use and risk of dementia: prospective population based study. <i>BMJ, The</i> , 2012 , 345, e6231	3.9	246
214	Schizophrenia and complications of pregnancy and labor: an individual patient data meta-analysis. <i>Schizophrenia Bulletin</i> , 1999 , 25, 413-23	1.3	234
213	Antipsychotic prescribing trends: a review of pharmaco-epidemiological studies. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 121, 4-10	6.5	185
212	Women with anxiety disorders during pregnancy are at increased risk of intense postnatal depressive symptoms: a prospective survey of the MATQUID cohort. <i>European Psychiatry</i> , 2004 , 19, 459-63	6.3	182
211	A survey of delusional ideation in primary-care patients. <i>Psychological Medicine</i> , 1998 , 28, 127-34	6.9	168
210	Effects of cannabis and psychosis vulnerability in daily life: an experience sampling test study. <i>Psychological Medicine</i> , 2003 , 33, 23-32	6.9	161
209	Medication adherence in psychosis: predictors and impact on outcome. A 2-year follow-up of first-admitted subjects. <i>Acta Psychiatrica Scandinavica</i> , 2000 , 102, 203-10	6.5	150
208	Prospective, multicentre, randomized, double-blind study of the efficacy of escitalopram versus citalopram in outpatient treatment of major depressive disorder. <i>International Clinical Psychopharmacology</i> , 2005 , 20, 131-7	2.2	143
207	Is early adulthood a critical developmental stage for psychosis proneness? A survey of delusional ideation in normal subjects. <i>Schizophrenia Research</i> , 1998 , 29, 247-54	3.6	140
206	How psychotic are individuals with non-psychotic disorders?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003 , 38, 149-54	4.5	126
205	International trends in clozapine use: a study in 17 countries. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 37-51	6.5	120
204	Is the association between duration of untreated psychosis and outcome confounded? A two year follow-up study of first-admitted patients. <i>Schizophrenia Research</i> , 2001 , 49, 231-41	3.6	120

203	Self-reported psychosis-like symptoms and the continuum of psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1999 , 34, 459-63	4.5	115
202	Patterns and correlates of benzodiazepine use in the French general population. <i>European Journal of Clinical Pharmacology</i> , 2004 , 60, 523-9	2.8	114
201	International trends in antipsychotic use: A study in 16 countries, 2005-2014. <i>European Neuropsychopharmacology</i> , 2017 , 27, 1064-1076	1.2	112
200	Cognitive predictors of psychosocial functioning outcome in schizophrenia: a follow-up study of subjects participating in a rehabilitation program. <i>Schizophrenia Research</i> , 2005 , 77, 343-53	3.6	101
199	Maternal depressive symptoms and early childhood cognitive development: a meta-analysis. <i>Psychological Medicine</i> , 2017 , 47, 680-689	6.9	95
198	Psychotropic drugs use and risk of heat-related hospitalisation. <i>European Psychiatry</i> , 2007 , 22, 335-8	6	90
197	Increased occurrence of depression in psychosis-prone subjects: a follow-up study in primary care settings. <i>Comprehensive Psychiatry</i> , 1999 , 40, 462-8	7.3	84
196	Is benzodiazepine use a risk factor for cognitive decline and dementia? A literature review of epidemiological studies. <i>Psychological Medicine</i> , 2005 , 35, 307-15	6.9	82
195	Cannabis use and dimensions of psychosis in a nonclinical population of female subjects. <i>Schizophrenia Research</i> , 2003 , 59, 77-84	3.6	81
194	Predictors and outcome characteristics associated with suicidal behaviour in early psychosis: a two-year follow-up of first-admitted subjects. <i>Acta Psychiatrica Scandinavica</i> , 2001 , 103, 347-54	6.5	81
193	Cannabis use and anxiety in daily life: a naturalistic investigation in a non-clinical population. <i>Psychiatry Research</i> , 2003 , 118, 1-8	9.9	78
192	Metabolic abnormalities associated with second generation antipsychotics: fact or fiction? Development of guidelines for screening and monitoring. <i>International Clinical Psychopharmacology</i> , 2006 , 21 Suppl 2, S11-5	2.2	76
191	A comparative study of obstetric history in schizophrenics, bipolar patients and normal subjects. <i>Schizophrenia Research</i> , 1993 , 9, 67-9	3.6	73
190	Does familiarity predispose to both emergence and persistence of psychosis? A follow-up study. <i>British Journal of Psychiatry</i> , 1996 , 168, 620-6	5.4	72
189	Substance use and the course of early psychosis: a 2-year follow-up of first-admitted subjects. <i>European Psychiatry</i> , 2003 , 18, 133-6	6	71
188	Does long-acting injectable risperidone make a difference to the real-life treatment of schizophrenia? Results of the Cohort for the General study of Schizophrenia (CGS). <i>Schizophrenia Research</i> , 2012 , 134, 187-94	3.6	70
187	Neuroleptic effects on neuropsychological test performance in schizophrenia. <i>Schizophrenia Research</i> , 1995 , 14, 133-9	3.6	69
186	Self-assessed cognitive dysfunction and objective performance in outpatients with schizophrenia participating in a rehabilitation program. <i>Schizophrenia Research</i> , 2004 , 69, 85-91	3.6	68

185	Which temperamental characteristics are associated with substance use in subjects with psychotic and mood disorders?. <i>Psychiatry Research</i> , 2000 , 93, 63-72	9.9	67
184	A prospective longitudinal study of the impact of early postnatal vs. chronic maternal depressive symptoms on child development. <i>European Psychiatry</i> , 2011 , 26, 484-9	6	66
183	Atypical antipsychotics: from potassium channels to torsade de pointes and sudden death. <i>Drug Safety</i> , 2005 , 28, 35-51	5.1	64
182	Suicidality and substance misuse in first-admitted subjects with psychotic disorder. <i>Acta Psychiatrica Scandinavica</i> , 1999 , 100, 389-95	6.5	61
181	Social and clinical consequences of cognitive deficits in early psychosis: a two-year follow-up study of first-admitted patients. <i>Schizophrenia Research</i> , 2002 , 56, 149-59	3.6	61
180	Prediction of duration of psychosis before first admission. <i>European Psychiatry</i> , 1998 , 13, 346-52	6	61
179	Specific vs general cognitive remediation for executive functioning in schizophrenia: a multicenter randomized trial. <i>Schizophrenia Research</i> , 2013 , 147, 68-74	3.6	57
178	Obstetrical complications and the development of postpartum depressive symptoms: a prospective survey of the MATQUID cohort. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 106, 212-9	6.5	55
177	Neuropsychological function in subjects with psychotic and affective disorders. Relationship to diagnostic category and duration of illness. <i>European Psychiatry</i> , 2000 , 15, 236-43	6	55
176	Neuroleptics and mortality in schizophrenia: prospective analysis of deaths in a French cohort of schizophrenic patients. <i>Schizophrenia Research</i> , 2002 , 57, 147-56	3.6	53
175	Evolution of perinatal depressive symptoms from pregnancy to two years postpartum in a low-risk sample: the MATQUID cohort. <i>Journal of Affective Disorders</i> , 2012 , 139, 23-9	6.6	51
174	Consensus statement on the use of clozapine during the COVID-19 pandemic. <i>Journal of Psychiatry and Neuroscience</i> , 2020 , 45, 222-223	4.5	50
173	Prescriber and institutional barriers and facilitators of clozapine use: A systematic review. <i>Schizophrenia Research</i> , 2018 , 201, 10-19	3.6	48
172	Agreement between self-rated and clinically assessed symptoms in subjects with psychosis. <i>Journal of Nervous and Mental Disease</i> , 2004 , 192, 352-6	1.8	48
171	Pathways to care of first-admitted subjects with psychosis in South-Western France. <i>Psychological Medicine</i> , 2004 , 34, 267-76	6.9	43
170	Perinatal risk factors for schizophrenia: diagnostic specificity and relationships with maternal psychopathology. <i>American Journal of Medical Genetics Part A</i> , 2002 , 114, 898-905		43
169	The current state of adult mental health care in France. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007 , 257, 64-70	5.1	41
168	Temperament in bipolar illness: impact on prognosis. <i>Journal of Affective Disorders</i> , 1999 , 56, 103-8	6.6	41

167	Impact of substance use on the onset and course of early psychosis. <i>Schizophrenia Research</i> , 2005 , 79, 69-75	3.6	39
166	The crucial role of sustained attention in community functioning in outpatients with schizophrenia. <i>Psychiatry Research</i> , 2004 , 129, 171-7	9.9	35
165	Is the intensity of Schneiderian symptoms related to handedness and speech disorder in subjects with psychosis?. <i>Schizophrenia Research</i> , 2004 , 67, 167-73	3.6	34
164	A survey of prescribing practice of antipsychotic maintenance treatment for manic-depressive outpatients. <i>Journal of Affective Disorders</i> , 1996 , 38, 81-7	6.6	34
163	Factors influencing compulsory admission in first-admitted subjects with psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 804-9	4.5	33
162	Focus on psychiatry in France. <i>British Journal of Psychiatry</i> , 2003 , 183, 466-71	5.4	32
161	Delusional parasitosis: folie à deux and attempted murder of a family doctor. <i>British Journal of Psychiatry</i> , 1992 , 161, 709-11	5.4	32
160	Prenatal psychological distress and access to mental health care in the ELFE cohort. <i>European Psychiatry</i> , 2015 , 30, 322-8	6	31
159	General practitioners' choices and their determinants when starting treatment for major depression: a cross sectional, randomized case-vignette survey. <i>PLoS ONE</i> , 2012 , 7, e52429	3.7	30
158	Antipsychotic prescribing in youths: a French community-based study from 2006 to 2013. <i>European Child and Adolescent Psychiatry</i> , 2015 , 24, 1181-91	5.5	29
157	Seasonality of birth in schizophrenia: the effect of regional population density. <i>Schizophrenia Research</i> , 1997 , 23, 175-80	3.6	27
156	Perinatal risk factors for schizophrenia: how specific are they?. <i>Current Psychiatry Reports</i> , 2004 , 6, 162-79.1		27
155	Association between temperamental characteristics and medication adherence in subjects presenting with psychotic or mood disorders. <i>Psychiatry Research</i> , 2001 , 102, 91-5	9.9	27
154	How to improve recognition and diagnosis of depressive syndromes using international diagnostic criteria. <i>British Journal of General Practice</i> , 1998 , 48, 1245-6	1.6	26
153	The 4-Point ordinal Alliance Self-report: a self-report questionnaire for assessing therapeutic relationships in routine mental health. <i>Comprehensive Psychiatry</i> , 2009 , 50, 181-5	7.3	25
152	Newborn Behavior and Risk of Postnatal Depression in the Mother. <i>Infancy</i> , 2003 , 4, 589-602	2.4	25
151	Clozapine is strongly associated with the risk of pneumonia and inflammation. <i>Annals of General Psychiatry</i> , 2020 , 33, e100183	5.3	24
150	Risk of death related to psychotropic drug use in older people during the European 2003 heatwave: a population-based case-control study. <i>American Journal of Geriatric Psychiatry</i> , 2009 , 17, 1059-67	6.5	24

149	Life-threatening adverse drug reactions at admission to medical intensive care: a prospective study in a teaching hospital. <i>Intensive Care Medicine</i> , 2007 , 33, 2150-7	14.5	24
148	Social environments and daily life occurrence of psychotic symptoms--an experience sampling test in a non-clinical population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003 , 38, 654-61	4.5	24
147	Impact of prenatal exposure to psychotropic drugs on neonatal outcome in infants of mothers with serious psychiatric illnesses. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, 967-73	4.6	24
146	Psychotic Experiences and Related Distress: A Cross-national Comparison and Network Analysis Based on 7141 Participants From 13 Countries. <i>Schizophrenia Bulletin</i> , 2018 , 44, 1185-1194	1.3	23
145	Trends in incident use of benzodiazepines and Z-drugs in France from 2006 to 2012: a population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 162-169	2.6	23
144	Comorbidities and concurrent medications increasing the risk of adverse drug reactions: prevalence in French benzodiazepine users. <i>European Journal of Clinical Pharmacology</i> , 2016 , 72, 869-76	2.8	23
143	Post-partum blues and mild depressive symptomatology at days three and five after delivery, A French cross sectional study. <i>Journal of Affective Disorders</i> , 1997 , 44, 1-4	6.6	22
142	Antipsychotic long-acting injections: A community-based study from 2007 to 2014 of prescribing trends and characteristics associated with initiation. <i>Schizophrenia Research</i> , 2016 , 178, 58-63	3.6	22
141	Comparison of pharmacy-based and diagnosis-based comorbidity measures from medical administrative data. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 402-411	2.6	21
140	Clinical determinants of fever in clozapine users and implications for treatment management: A narrative review. <i>Schizophrenia Research</i> , 2019 , 211, 1-9	3.6	21
139	Social inequalities in new antidepressant treatment: a study at the individual and neighborhood levels. <i>Annals of Epidemiology</i> , 2013 , 23, 99-105	6.4	20
138	Physicians' characteristics associated with exploring suicide risk among patients with depression: a French panel survey of general practitioners. <i>PLoS ONE</i> , 2013 , 8, e80797	3.7	19
137	Factors associated with choice of psychotropic drugs used for intentional drug overdose. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009 , 259, 86-91	5.1	19
136	Cost-effectiveness of escitalopram vs. citalopram in major depressive disorder. <i>International Clinical Psychopharmacology</i> , 2007 , 22, 107-15	2.2	19
135	Pattern of health service utilization and predictors of readmission after a first admission for psychosis: a 2-year follow-up study. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 113, 340-9	6.5	19
134	Cannabis use and risk of psychosis: an etiological link?. <i>Epidemiologia E Psichiatria Sociale</i> , 2004 , 13, 113-9		19
133	Impact of antidepressants on the risk of suicide in patients with depression in real-life conditions: a decision analysis model. <i>Psychological Medicine</i> , 2009 , 39, 1307-15	6.9	18
132	Impact of duration of antidepressant treatment on the risk of occurrence of a new sequence of antidepressant treatment. <i>Pharmacopsychiatry</i> , 2011 , 44, 96-101	2	18

131	Have the times come for early intervention in psychosis?. <i>Acta Psychiatrica Scandinavica</i> , 2001 , 103, 321-325	6.5	18
130	Social inequalities in early antidepressant discontinuation. <i>Psychiatric Services</i> , 2014 , 65, 618-25	3.3	17
129	Psychotic disorders among homeless subjects attending a psychiatric emergency service. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 904-10	4.5	17
128	How do general practitioners manage subjects with early schizophrenia and collaborate with mental health professionals? A postal survey in South-Western France. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 892-8	4.5	17
127	Risk of discontinuation of antipsychotic long-acting injections vs. oral antipsychotics in real-life prescribing practice: a community-based study. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 429-438	6.5	16
126	Antidepressants and Hepatotoxicity: A Cohort Study among 5 Million Individuals Registered in the French National Health Insurance Database. <i>CNS Drugs</i> , 2018 , 32, 673-684	6.7	15
125	Time between schizophrenia onset and first request for disability status in France and associated patient characteristics. <i>Psychiatric Services</i> , 2007 , 58, 1427-32	3.3	15
124	The early detection and treatment controversy in schizophrenia research. <i>Current Opinion in Psychiatry</i> , 2003 , 16, 175-179	4.9	15
123	A case of lithium neurotoxicity with irreversible cerebellar syndrome. <i>Journal of Nervous and Mental Disease</i> , 1990 , 178, 761-2	1.8	15
122	Frequency and pattern of Internet use in patients with schizophrenia or bipolar disorders seeking medical information. <i>Psychiatry Research</i> , 2017 , 247, 152-154	9.9	14
121	Geographical disparities in prescription practices of lithium and clozapine: a community-based study. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 470-80	6.5	14
120	Dealing with missing data in the Center for Epidemiologic Studies Depression self-report scale: a study based on the French E3N cohort. <i>BMC Medical Research Methodology</i> , 2013 , 13, 28	4.7	14
119	Self-perceived cognitive deficits and occupational outcome in persons with schizophrenia. <i>Psychiatry Research</i> , 2010 , 178, 437-9	9.9	14
118	Congruence between diagnosis of recurrent major depressive disorder and psychotropic treatment in the general population. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 117, 20-7	6.5	14
117	Satisfaction and Needs in Serious Mental Illness and Autism Spectrum Disorder: The REHABase Psychosocial Rehabilitation Project. <i>Psychiatric Services</i> , 2019 , 70, 316-323	3.3	13
116	Antidepressant treatment patterns in younger and older adults from the general population in a real-life setting. <i>International Journal of Geriatric Psychiatry</i> , 2014 , 29, 928-35	3.9	13
115	Psychotherapy for depression in primary care: a panel survey of general practitioners' opinion and prescribing practice. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 59-68	4.5	13
114	Patterns of risperidone prescription: a utilization study in south-west France. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 202-6	6.5	13

113	A comparison of manic patient subgroups. <i>Journal of Affective Disorders</i> , 1993 , 27, 267-72	6.6	13
112	A one-day survey of characteristics of off-label hospital prescription of psychotropic drugs. <i>Pharmacopsychiatry</i> , 2007 , 40, 116-20	2	12
111	Social class in unipolar and bipolar probands and relatives. <i>Journal of Affective Disorders</i> , 1995 , 33, 181-76.6		12
110	Psychosis as an Extreme of Continuous Variation in Dimensions of Psychopathology 1999 , 59-79		12
109	Characteristics associated with use of homeopathic drugs for psychiatric symptoms in the general population. <i>European Psychiatry</i> , 2013 , 28, 110-6	6	11
108	Clozapine use pattern in persons with and without treatment for Parkinson's disease in real-world conditions: a naturalistic study in a community-based sample. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 130, 487-97	6.5	11
107	Serious psychiatric outcome of subjects prenatally exposed to diethylstilboestrol in the E3N cohort study. <i>Psychological Medicine</i> , 2007 , 37, 1315-22	6.9	11
106	A decision analysis model to assess the feasibility of the early detection of psychosis in the general population. <i>Schizophrenia Research</i> , 2005 , 74, 27-36	3.6	11
105	Comparison of patient questionnaires and plasma assays in intentional drug overdoses. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2004 , 95, 31-7	3.1	11
104	An International Adult Guideline for Making Clozapine Titration Safer by Using Six Ancestry-Based Personalized Dosing Titrations, CRP, and Clozapine Levels.. <i>Pharmacopsychiatry</i> , 2021 , 55,	2	11
103	Effects of depression and cognitive impairment on quality of life in older adults with schizophrenia spectrum disorder: Results from a multicenter study. <i>Journal of Affective Disorders</i> , 2019 , 256, 164-175	6.6	10
102	Assessing metacognition during a cognitive task: impact of "on-line" metacognitive questions on neuropsychological performances in a non-clinical sample. <i>Journal of the International Neuropsychological Society</i> , 2014 , 20, 547-54	3.1	10
101	The prognostic impact of psychotropic drugs in intentional drug overdose. <i>Pharmacopsychiatry</i> , 2009 , 42, 51-6	2	10
100	A partial form of lycanthropy with hair delusion in a manic-depressive patient. <i>British Journal of Psychiatry</i> , 1993 , 163, 684-6	5.4	10
99	Compliance of psychotropic drug prescription with clinical practice guidelines in older inpatients. <i>Fundamental and Clinical Pharmacology</i> , 2016 , 30, 82-92	3.1	10
98	Psychiatric and physical outcomes of long-term use of lithium in older adults with bipolar disorder and major depressive disorder: A cross-sectional multicenter study. <i>Journal of Affective Disorders</i> , 2019 , 259, 210-217	6.6	9
97	Trajectory analysis of anxiolytic dispensing over 10 years among new users aged 50 and older. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 328-341	6.5	9
96	Eight-Year Follow-up of Hypnotic Delivery by Adults Aged 50 and Older from an Insurance Database. <i>Sleep</i> , 2017 , 40,	1.1	9

95	Economic impact of antidepressant treatment duration in naturalistic conditions. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 127, 365-72	6.5	9
94	Analysis of the seasonal variation of schizophrenic births using a Kolmogorov-Smirnov type statistic. <i>European Psychiatry</i> , 1997 , 12, 111-6	6	9
93	Psychiatric disorders and their comorbidity in subjects with parasuicide by intentional drug overdose: prevalence and gender differences. <i>Psychiatry Research</i> , 2005 , 136, 93-100	9.9	9
92	A survey of general practitioners' knowledge of symptoms and epidemiology of schizophrenia. <i>European Psychiatry</i> , 2006 , 21, 238-44	6	9
91	Antidepressants: psychiatrists' opinions and clinical practice. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 108, 24-31	6.5	9
90	Associations between self-esteem, anxiety and depression and metacognitive awareness or metacognitive knowledge. <i>Psychiatry Research</i> , 2015 , 230, 738-41	9.9	8
89	Self-stigma in serious mental illness and autism spectrum disorder: Results from the REHABase national psychiatric rehabilitation cohort. <i>European Psychiatry</i> , 2020 , 63, e13	6	8
88	Cognitive insight in schizophrenia: the missing link between insight and neurocognitive complaint?. <i>Journal of Nervous and Mental Disease</i> , 2012 , 200, 908-10	1.8	8
87	Accuracy of information on substance use recorded in medical charts of patients with intentional drug overdose. <i>Psychiatry Research</i> , 2007 , 152, 73-9	9.9	8
86	Cannabis and psychosis proneness 2004 , 75-88		8
85	Accuracy of self-report and toxicological assays to detect substance misuse disorders in parasuicide patients. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 108, 410-8	6.5	8
84	Influence of the drug exposure definition on the assessment of the antipsychotic metabolic impact in patients initially treated with mood-stabilizers. <i>British Journal of Clinical Pharmacology</i> , 2012 , 74, 189-96	3.8	7
83	Trends in patterns of antidepressant use in older general population between 2006 and 2012 following publication of practice guidelines. <i>International Journal of Geriatric Psychiatry</i> , 2017 , 32, 849-859	3.9	7
82	Psychotropic drug dispensing in people with and without cancer in France. <i>Journal of Cancer Survivorship</i> , 2017 , 11, 92-101	5.1	7
81	Early detection of schizophrenia. <i>British Journal of Psychiatry</i> , 1997 , 170, 579	5.4	7
80	Diagnosis and classification of schizophrenia: categories versus dimensions, distributions versus disease 2002 , 364-410		7
79	GPs' management of polypharmacy and therapeutic dilemma in patients with multimorbidity: a cross-sectional survey of GPs in France. <i>British Journal of General Practice</i> , 2019 , 69, e270-e278	1.6	6
78	Trial exclusion criteria and their impact on the estimation of antipsychotic drugs effect: A case study using the SOHO database. <i>Schizophrenia Research</i> , 2018 , 193, 146-153	3.6	6

77	Conventional mood stabilizers and/or second-generation antipsychotic drugs in bipolar disorders: A population-based comparison of risk of treatment failure. <i>Journal of Affective Disorders</i> , 2019 , 257, 412-420	6.6	6
76	Pharmacoepidemiology of psychotropic drugs: examples of current research challenges on major public health issues. <i>Epidemiologia E Psichiatria Sociale</i> , 2009 , 18, 107-113		6
75	Characteristics associated with duration of employment of persons with schizophrenia after first contact with psychiatric services. <i>Work</i> , 2009 , 34, 365-71	1.6	6
74	Impact de la d�pression postnatale maternelle pr�coce sur le d�veloppement cognitif du nourrisson: tude prospective sur 2 ans. <i>Devenir</i> , 2008 , 20, 47	0.5	6
73	Multi-trajectories of antidepressant and antipsychotic use: a 11-year naturalistic study in a community-based sample. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 139, 536-547	6.5	5
72	Antipsychotic use patterns in persons initially treated with mood stabilizers: a naturalistic study. <i>Pharmacopsychiatry</i> , 2010 , 43, 17-23	2	5
71	Transition in care in persons with antidepressant prescription in naturalistic conditions. <i>Family Practice</i> , 2011 , 28, 400-5	1.9	5
70	Efficiency and safety of oxcarbazepine in mood disorders: a naturalistic study exploring the interest of plasma dosages. <i>European Psychiatry</i> , 2008 , 23, 409-12	6	5
69	Impact of visits from pharmaceutical company representatives on antipsychotic prescription in primary care. <i>Schizophrenia Research</i> , 2005 , 77, 107-9	3.6	5
68	Prognostic impact of psychoactive substances use during hospitalization for intentional drug overdose. <i>Acta Psychiatrica Scandinavica</i> , 2005 , 112, 134-40	6.5	5
67	5. Les relations entre cognition et handicap psychique dans la schizophr�nie 2011 , 135		5
66	Misuse of benzodiazepines: Prevalence and impact in an inpatient population with psychiatric disorders. <i>British Journal of Clinical Pharmacology</i> , 2020 , 86, 601-610	3.8	5
65	Stigma resistance is associated with advanced stages of personal recovery in serious mental illness patients enrolled in psychiatric rehabilitation. <i>Psychological Medicine</i> , 2020 , 1-11	6.9	5
64	Functioning and cognitive characteristics of clozapine users referred to psychosocial rehabilitation centers: A REHABase cohort study. <i>Psychiatry Research</i> , 2019 , 281, 112543	9.9	4
63	Depression and severe heart failure: benefits of cardiac resynchronization therapy. <i>Journal of Cardiovascular Electrophysiology</i> , 2012 , 23, 631-6	2.7	4
62	Research activities on schizophrenia in 17 non-english speaking countries: a MEDLINE survey. <i>European Psychiatry</i> , 1997 , 12, 319-20	6	4
61	A decade of debate on early intervention in psychosis: a systematic review of screening criteria. <i>Schizophrenia Research</i> , 2003 , 60, 91-3	3.6	4
60	Cannabis use and the expression of psychosis vulnerability in daily life. <i>European Psychiatry</i> , 2002 , 17, 180	6	4

59	Impact of anticholinergic load on functioning and cognitive performances of persons with psychosis referred to psychosocial rehabilitation centers. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	4
58	Characteristics associated with self-reported medication adherence in persons with psychosis referred to psychosocial rehabilitation centers. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 271, 1415-1424	5.1	4
57	Pharmacoepidemiology of psychotropic drugs: examples of current research challenges on major public health issues. <i>Epidemiologia E Psichiatria Sociale</i> , 2009 , 18, 107-13		4
56	Assessing metacognition during or after basic-level and high-level cognitive tasks? A comparative study in a non-clinical sample. <i>L'Encephale</i> , 2020 , 46, 3-6	2.9	3
55	Gender differences in metabolic monitoring of second-generation antipsychotic prescription. <i>Human Psychopharmacology</i> , 2008 , 23, 471-4	2.3	3
54	Is early adulthood a critical developmental stage for psychosis proneness? A survey of delusional ideation in normal subjects. <i>Schizophrenia Research</i> , 1998 , 29, 24	3.6	3
53	Delusional mania: what is a mood-incongruent psychotic feature?. <i>Journal of Nervous and Mental Disease</i> , 1993 , 181, 517-8	1.8	3
52	Comparing psychotic experiences in low-and-middle-income-countries and high-income-countries with a focus on measurement invariance. <i>Psychological Medicine</i> , 2020 , 1-8	6.9	3
51	Long-term risk of hip or forearm fractures in older occasional users of benzodiazepines. <i>British Journal of Clinical Pharmacology</i> , 2020 , 86, 2155-2164	3.8	3
50	Impact of prenatal exposure to diethylstilbestrol (DES) on psychological outcome: a national survey of DES daughters and unexposed controls. <i>Archives of Women's Mental Health</i> , 2017 , 20, 389-395	5	2
49	Neurocognitive insight and executive functioning in schizophrenia. <i>Cognitive Neuropsychiatry</i> , 2015 , 20, 64-71	2	2
48	Antipsychotic prescribing in youths: A French community-based study from 2006 to 2013. <i>European Psychiatry</i> , 2015 , 30, S9-S10	6	2
47	La place de l'autorité judiciaire dans les lois françaises de soins sans consentement. <i>Evolution Psychiatrique</i> , 2015 , 80, 209-220	0.4	2
46	Trends in costs of antipsychotics in France. <i>European Psychiatry</i> , 2009 , 24, 214-5	6	2
45	Did the US boycott of French products spread to include scientific output?. <i>BMJ, The</i> , 2004 , 329, 1430-1	5.9	2
44	Médicaments psychotropes chez l'enfant et l'adolescent. <i>European Psychiatry</i> , 2015 , 30, S9-S9	6	1
43	Clozapine and COVID-19: The authors respond. <i>Journal of Psychiatry and Neuroscience</i> , 2020 , 45, E1-E2	4.5	1
42	The association of clozapine and haematological malignancies needs to be replicated by other studies and more importantly by analyses of subsamples from VigiBase. <i>Psychological Medicine</i> , 2020 , 1-2	6.9	1

41	Use of benzodiazepines non-compliant with guidelines in patients with psychiatric and non-psychiatric chronic disorders. <i>General Hospital Psychiatry</i> , 2020 , 65, 21-27	5.6	1
40	Educational needs and psychoeducation interventions in clozapine users: a narrative review. <i>Acta Psychiatrica Scandinavica</i> , 2020 , 142, 96-108	6.5	1
39	Dépression maternelle : facteurs de risque, conséquences sur le développement des enfants et interventions de prévention. <i>European Psychiatry</i> , 2015 , 30, S33-S34	6	1
38	Soins pharmaceutiquement ordonnés : étude des pratiques des psychiatres de la Gironde. <i>Annales Medico-Psychologiques</i> , 2012 , 170, 569-572	0.2	1
37	Psychotropes, grossesse et adaptation néonatale du nouveau-né. Étude exploratoire (Unité Mère-Enfant, Bordeaux : 2001-2007). <i>Annales Medico-Psychologiques</i> , 2010 , 168, 628-631	0.2	1
36	The risk of dementia in patients using psychotropic drugs: Antidepressants, mood stabilizers or antipsychotics. <i>Acta Psychiatrica Scandinavica</i> , 2021 ,	6.5	1
35	Obstetric complications, maternal psychopathology, and the risk of psychosis 2002 , 105-112		1
34	A reappraisal of the role of fever in the occurrence of neurological sequelae following lithium intoxication: a systematic review. <i>Expert Opinion on Drug Safety</i> , 2021 , 20, 827-838	4.1	1
33	Safety of psychotropic medicines: contribution from observational evidence. <i>Epidemiology and Psychiatric Sciences</i> , 2018 , 27, 531-536	5.1	1
32	Altérations cognitives et plaintes mnésiques lors d'un traitement par l'électroconvulsivothérapie : revue de la littérature. <i>Annales Medico-Psychologiques</i> , 2013 , 171, 285-294	0.2	0
31	Trauma and resistance to antipsychotic treatment in schizophrenia: A narrative review.. <i>Psychiatry Research</i> , 2022 , 309, 114392	9.9	0
30	Maternal post-natal depressive symptoms at 2 months: Effects of French antenatal preventive measures in the E.L.F.E. cohort. <i>Journal of Affective Disorders</i> , 2021 , 293, 238-244	6.6	0
29	The central role of self-esteem in the quality of life of patients with mental disorders.. <i>Scientific Reports</i> , 2022 , 12, 7852	4.9	0
28	Les facteurs associés à la dépression post-partum dans la cohorte Étude Longitudinale Française depuis l'Enfance (ELFE). <i>European Psychiatry</i> , 2015 , 30, S34-S34	6	
27	The use of random-effects models to identify health care center-related characteristics modifying the effect of antipsychotic drugs. <i>Clinical Epidemiology</i> , 2017 , 9, 689-698	5.9	
26	Hospitalisation sans consentement : fondements éthiques, contraintes et justice procédurale. <i>Annales Medico-Psychologiques</i> , 2016 , 174, 832-838	0.2	
25	Des lois de soins sans consentement à l'évolution de la responsabilité en psychiatrie. <i>Annales Medico-Psychologiques</i> , 2014 , 172, 766-771	0.2	
24	Social inequalities in antidepressant treatment. <i>European Psychiatry</i> , 2013 , 28, 75-75	6	

23	Impact de l'évaluation de la métacognition « on line » sur les performances cognitives auprès d'une population non clinique. <i>European Psychiatry</i> , 2013 , 28, 23-23	6
22	Reduced risk of hospitalisation with risperidone long-acting injectable. Results of the french cohort for the general study of schizophrenia (CGS). <i>European Psychiatry</i> , 2011 , 26, 1487-1487	6
21	Which cannabis users develop psychosis? 137-143	
20	P2-538 Using the CES-D scale in a large cohort and dealing with missing data: application to the French E3N cohort. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, A369-A370	5.1
19	Facteurs de vulnérabilité 2012, 105-121	
18	From conduct disorder to severe mental illness: a risky pathway. <i>Psychological Medicine</i> , 2008 , 38, 927-8	6.9
17	Prévention : économie ou surcoût. <i>L'Encephale</i> , 2007 , 33, 176-179	2.9
16	Implementing early intervention in psychosis.. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 107, 79-79	6.5
15	S36.03 Delusions in the General Population. <i>European Psychiatry</i> , 2000 , 15, 286s-286s	6
14	Dr. Verdoux and Colleagues Reply. <i>American Journal of Psychiatry</i> , 1998 , 155, 1626ah-1626	11.9
13	Schizophrenics with a family history of bipolar disorder. Possible involvement of obstetric complications. <i>European Psychiatry</i> , 1993 , 8, 223-226	6
12	Las mujeres con trastornos de ansiedad durante el embarazo corren mayor riesgo de síntomas depresivos postnatales intensos: Un estudio prospectivo de la cohorte MATQUID. <i>European Psychiatry (Ed Española)</i> , 2005 , 12, 207-211	
11	Un estudio de los conocimientos de los médicos generales de los síntomas y la epidemiología de la esquizofrenia. <i>European Psychiatry (Ed Española)</i> , 2006 , 13, 393-400	
10	Consumo de psicofármacos y riesgo de hospitalización relacionado con el calor. <i>European Psychiatry (Ed Española)</i> , 2007 , 14, 408-412	
9	Prescription médicamenteuse en faveur de la réhabilitation 2018 , 273-284	
8	Dynamiques temporelles de remboursements de médicaments anxiolytiques chez des nouveaux consommateurs de 50 ans et plus. <i>French Journal of Psychiatry</i> , 2018 , 1, S133-S134	0.1
7	Dynamiques temporelles de remboursements de médicaments anxiolytiques chez des nouveaux consommateurs de 50 ans et plus. <i>French Journal of Psychiatry</i> , 2018 , 1, S29	0.1
6	Comorbidity of bipolar disorder and bulimia nervosa. <i>European Psychiatry</i> , 1994 , 9, 315-317	6

- 5 Análisis de la variación estacional del nacimiento de los esquizofrénicos utilizando un estadístico del tipo Kolmogorov-Smirnov. *European Psychiatry (Ed Española)*, **1997**, 4, 452-458
- 4 Actividades de investigación sobre esquizofrenia en 17 países de habla no inglesa: un estudio de MEDLINE. *European Psychiatry (Ed Española)*, **1998**, 5, 116-118
- 3 Predicción de la duración de la psicosis antes de la primera admisión. *European Psychiatry (Ed Española)*, **1999**, 6, 162-169
- 2 Usage et mésusage des médicaments psychotropes : les antipsychotiques, nouvelle panacée pour les troubles psychiatriques ?. *Bulletin De L'Académie Nationale De Médecine*, **2016**, 200, 1155-1166 0.1
- 1 Trajectories of Antipsychotic Drug Use Over 10 Years in a French Community-Based Sample of Persons Aged 50 and Older. *American Journal of Geriatric Psychiatry*, **2019**, 27, 73-83 6.5