

# Helene Verdoux

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8592924/helene-verdoux-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

220  
papers

8,545  
citations

48  
h-index

87  
g-index

271  
ext. papers

9,774  
ext. citations

4.6  
avg, IF

5.83  
L-index

| #   | Paper   | IF  | Citations |
|-----|---|-----|-----------|
| 220 | Trauma and resistance to antipsychotic treatment in schizophrenia: A narrative review.. <i>Psychiatry Research</i> , <b>2022</b> , 309, 114392  | 9.9 | 0         |
| 219 | The central role of self-esteem in the quality of life of patients with mental disorders.. <i>Scientific Reports</i> , <b>2022</b> , 12, 7852   | 4.9 | 0         |
| 218 | The risk of dementia in patients using psychotropic drugs: Antidepressants, mood stabilizers or antipsychotics. <i>Acta Psychiatrica Scandinavica</i> , <b>2021</b> ,   | 6.5 | 1         |
| 217 | Characteristics associated with self-reported medication adherence in persons with psychosis referred to psychosocial rehabilitation centers. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2021</b> , 271, 1415-1424 | 5.1 | 4         |
| 216 | A reappraisal of the role of fever in the occurrence of neurological sequelae following lithium intoxication: a systematic review. <i>Expert Opinion on Drug Safety</i> , <b>2021</b> , 20, 827-838   | 4.1 | 1         |
| 215 | Maternal post-natal depressive symptoms at 2 months: Effects of French antenatal preventive measures in the E.L.F.E. cohort. <i>Journal of Affective Disorders</i> , <b>2021</b> , 293, 238-244   | 6.6 | 0         |
| 214 | An International Adult Guideline for Making Clozapine Titration Safer by Using Six Ancestry-Based Personalized Dosing Titrations, CRP, and Clozapine Levels.. <i>Pharmacopsychiatry</i> , <b>2021</b> , 55,                                   | 2   | 11        |
| 213 | Consensus statement on the use of clozapine during the COVID-19 pandemic. <i>Journal of Psychiatry and Neuroscience</i> , <b>2020</b> , 45, 222-223   | 4.5 | 50        |
| 212 | Clozapine and COVID-19: The authors respond. <i>Journal of Psychiatry and Neuroscience</i> , <b>2020</b> , 45, E1-E2  | 4.5 | 1         |
| 211 | The association of clozapine and haematological malignancies needs to be replicated by other studies and more importantly by analyses of subsamples from VigiBase. <i>Psychological Medicine</i> , <b>2020</b> , 1-2                          | 6.9 | 1         |
| 210 | Clozapine is strongly associated with the risk of pneumonia and inflammation. <i>Annals of General Psychiatry</i> , <b>2020</b> , 33, e100183   | 5.3 | 24        |
| 209 | Use of benzodiazepines non-compliant with guidelines in patients with psychiatric and non-psychiatric chronic disorders. <i>General Hospital Psychiatry</i> , <b>2020</b> , 65, 21-27   | 5.6 | 1         |
| 208 | Self-stigma in serious mental illness and autism spectrum disorder: Results from the REHABase national psychiatric rehabilitation cohort. <i>European Psychiatry</i> , <b>2020</b> , 63, e13  | 6   | 8         |
| 207 | Assessing metacognition during or after basic-level and high-level cognitive tasks? A comparative study in a non-clinical sample. <i>L'Encephale</i> , <b>2020</b> , 46, 3-6  | 2.9 | 3         |
| 206 | Educational needs and psychoeducation interventions in clozapine users: a narrative review. <i>Acta Psychiatrica Scandinavica</i> , <b>2020</b> , 142, 96-108   | 6.5 | 1         |
| 205 | Impact of anticholinergic load on functioning and cognitive performances of persons with psychosis referred to psychosocial rehabilitation centers. <i>Psychological Medicine</i> , <b>2020</b> , 1-9   | 6.9 | 4         |
| 204 | Misuse of benzodiazepines: Prevalence and impact in an inpatient population with psychiatric disorders. <i>British Journal of Clinical Pharmacology</i> , <b>2020</b> , 86, 601-610   | 3.8 | 5         |

|     |  |     |    |
|-----|--|-----|----|
| 203 | Comparing psychotic experiences in low-and-middle-income-countries and high-income-countries with a focus on measurement invariance. <i>Psychological Medicine</i> , <b>2020</b> , 1-8   | 6.9 | 3  |
| 202 | Stigma resistance is associated with advanced stages of personal recovery in serious mental illness patients enrolled in psychiatric rehabilitation. <i>Psychological Medicine</i> , <b>2020</b> , 1-11                                    | 6.9 | 5  |
| 201 | Long-term risk of hip or forearm fractures in older occasional users of benzodiazepines. <i>British Journal of Clinical Pharmacology</i> , <b>2020</b> , 86, 2155-2164   | 3.8 | 3  |
| 200 | Psychiatric and physical outcomes of long-term use of lithium in older adults with bipolar disorder and major depressive disorder: A cross-sectional multicenter study. <i>Journal of Affective Disorders</i> , <b>2019</b> , 259, 210-217 | 6.6 | 9  |
| 199 | Functioning and cognitive characteristics of clozapine users referred to psychosocial rehabilitation centers: A REHABase cohort study. <i>Psychiatry Research</i> , <b>2019</b> , 281, 112543  | 9.9 | 4  |
| 198 | Satisfaction and Needs in Serious Mental Illness and Autism Spectrum Disorder: The REHABase Psychosocial Rehabilitation Project. <i>Psychiatric Services</i> , <b>2019</b> , 70, 316-323   | 3.3 | 13 |
| 197 | Effects of depression and cognitive impairment on quality of life in older adults with schizophrenia spectrum disorder: Results from a multicenter study. <i>Journal of Affective Disorders</i> , <b>2019</b> , 256, 164-175               | 6.6 | 10 |
| 196 | Multi-trajectories of antidepressant and antipsychotic use: a 11-year naturalistic study in a community-based sample. <i>Acta Psychiatrica Scandinavica</i> , <b>2019</b> , 139, 536-547   | 6.5 | 5  |
| 195 | GPs' management of polypharmacy and therapeutic dilemma in patients with multimorbidity: a cross-sectional survey of GPs in France. <i>British Journal of General Practice</i> , <b>2019</b> , 69, e270-e278                               | 1.6 | 6  |
| 194 | Clinical determinants of fever in clozapine users and implications for treatment management: A narrative review. <i>Schizophrenia Research</i> , <b>2019</b> , 211, 1-9  | 3.6 | 21 |
| 193 | Conventional mood stabilizers and/or second-generation antipsychotic drugs in bipolar disorders: A population-based comparison of risk of treatment failure. <i>Journal of Affective Disorders</i> , <b>2019</b> , 257, 412-420            | 6.6 | 6  |
| 192 | Trajectories of Antipsychotic Drug Use Over 10 Years in a French Community-Based Sample of Persons Aged 50 and Older. <i>American Journal of Geriatric Psychiatry</i> , <b>2019</b> , 27, 73-83  | 6.5 |    |
| 191 | Trajectory analysis of anxiolytic dispensing over 10 years among new users aged 50 and older. <i>Acta Psychiatrica Scandinavica</i> , <b>2018</b> , 137, 328-341   | 6.5 | 9  |
| 190 | Trial exclusion criteria and their impact on the estimation of antipsychotic drugs effect: A case study using the SOHO database. <i>Schizophrenia Research</i> , <b>2018</b> , 193, 146-153  | 3.6 | 6  |
| 189 | Psychotic Experiences and Related Distress: A Cross-national Comparison and Network Analysis Based on 7141 Participants From 13 Countries. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, 1185-1194                                     | 1.3 | 23 |
| 188 | Antidepressants and Hepatotoxicity: A Cohort Study among 5 Million Individuals Registered in the French National Health Insurance Database. <i>CNS Drugs</i> , <b>2018</b> , 32, 673-684   | 6.7 | 15 |
| 187 | Prescriber and institutional barriers and facilitators of clozapine use: A systematic review. <i>Schizophrenia Research</i> , <b>2018</b> , 201, 10-19   | 3.6 | 48 |
| 186 | Prescription médicamenteuse en faveur de la réhabilitation <b>2018</b> , 273-284   |     |    |

|     |   |     |     |
|-----|---|-----|-----|
| 185 | Dynamiques temporelles de remboursements de médicaments anxiolytiques chez des nouveaux consommateurs de 50 ans et plus. <i>French Journal of Psychiatry</i> , <b>2018</b> , 1, S133-S134                                 | 0.1 |     |
| 184 | Dynamiques temporelles de remboursements de médicaments anxiolytiques chez des nouveaux consommateurs de 50 ans et plus. <i>French Journal of Psychiatry</i> , <b>2018</b> , 1, S29                                       | 0.1 |     |
| 183 | Safety of psychotropic medicines: contribution from observational evidence. <i>Epidemiology and Psychiatric Sciences</i> , <b>2018</b> , 27, 531-536  | 5.1 | 1   |
| 182 | Impact of prenatal exposure to diethylstilbestrol (DES) on psychological outcome: a national survey of DES daughters and unexposed controls. <i>Archives of Women's Mental Health</i> , <b>2017</b> , 20, 389-395         | 5   | 2   |
| 181 | International trends in clozapine use: a study in 17 countries. <i>Acta Psychiatrica Scandinavica</i> , <b>2017</b> , 136, 37-51  | 6.5 | 120 |
| 180 | Comparison of pharmacy-based and diagnosis-based comorbidity measures from medical administrative data. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2017</b> , 26, 402-411   | 2.6 | 21  |
| 179 | Frequency and pattern of Internet use in patients with schizophrenia or bipolar disorders seeking medical information. <i>Psychiatry Research</i> , <b>2017</b> , 247, 152-154  | 9.9 | 14  |
| 178 | Risk of discontinuation of antipsychotic long-acting injections vs. oral antipsychotics in real-life prescribing practice: a community-based study. <i>Acta Psychiatrica Scandinavica</i> , <b>2017</b> , 135, 429-438    | 6.5 | 16  |
| 177 | The use of random-effects models to identify health care center-related characteristics modifying the effect of antipsychotic drugs. <i>Clinical Epidemiology</i> , <b>2017</b> , 9, 689-698                              | 5.9 |     |
| 176 | International trends in antipsychotic use: A study in 16 countries, 2005-2014. <i>European Neuropsychopharmacology</i> , <b>2017</b> , 27, 1064-1076  | 1.2 | 112 |
| 175 | Trends in incident use of benzodiazepines and Z-drugs in France from 2006 to 2012: a population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2017</b> , 26, 162-169                                      | 2.6 | 23  |
| 174 | Trends in patterns of antidepressant use in older general population between 2006 and 2012 following publication of practice guidelines. <i>International Journal of Geriatric Psychiatry</i> , <b>2017</b> , 32, 849-859 | 3.9 | 7   |
| 173 | Maternal depressive symptoms and early childhood cognitive development: a meta-analysis. <i>Psychological Medicine</i> , <b>2017</b> , 47, 680-689  | 6.9 | 95  |
| 172 | Psychotropic drug dispensing in people with and without cancer in France. <i>Journal of Cancer Survivorship</i> , <b>2017</b> , 11, 92-101  | 5.1 | 7   |
| 171 | Eight-Year Follow-up of Hypnotic Delivery by Adults Aged 50 and Older from an Insurance Database. <i>Sleep</i> , <b>2017</b> , 40,  | 1.1 | 9   |
| 170 | Geographical disparities in prescription practices of lithium and clozapine: a community-based study. <i>Acta Psychiatrica Scandinavica</i> , <b>2016</b> , 133, 470-80   | 6.5 | 14  |
| 169 | Hospitalisation sans consentement : fondements éthiques, contraintes et justice procédurale. <i>Annales Medico-Psychologiques</i> , <b>2016</b> , 174, 832-838  | 0.2 |     |
| 168 | Usage et mésusage des médicaments psychotropes : les antipsychotiques, nouvelle panacée pour les troubles psychiatriques ?. <i>Bulletin De L'Académie Nationale De Médecine</i> , <b>2016</b> , 200, 1155-1166            | 0.1 |     |

|     |   |     |     |
|-----|---|-----|-----|
| 167 | Comorbidities and concurrent medications increasing the risk of adverse drug reactions: prevalence in French benzodiazepine users. <i>European Journal of Clinical Pharmacology</i> , <b>2016</b> , 72, 869-76                    | 2.8 | 23  |
| 166 | Antipsychotic long-acting injections: A community-based study from 2007 to 2014 of prescribing trends and characteristics associated with initiation. <i>Schizophrenia Research</i> , <b>2016</b> , 178, 58-63                    | 3.6 | 22  |
| 165 | Compliance of psychotropic drug prescription with clinical practice guidelines in older inpatients. <i>Fundamental and Clinical Pharmacology</i> , <b>2016</b> , 30, 82-92  | 3.1 | 10  |
| 164 | Antipsychotic prescribing in youths: a French community-based study from 2006 to 2013. <i>European Child and Adolescent Psychiatry</i> , <b>2015</b> , 24, 1181-91  | 5.5 | 29  |
| 163 | Associations between self-esteem, anxiety and depression and metacognitive awareness or metacognitive knowledge. <i>Psychiatry Research</i> , <b>2015</b> , 230, 738-41   | 9.9 | 8   |
| 162 | Les facteurs associés à la dépression post-partum dans la cohorte Étude Longitudinale Française depuis l'Enfance (ELFE). <i>European Psychiatry</i> , <b>2015</b> , 30, S34-S34   | 6   |     |
| 161 | Médicaments psychotropes chez l'enfant et l'adolescent. <i>European Psychiatry</i> , <b>2015</b> , 30, S9-S9  | 6   | 1   |
| 160 | Neurocognitive insight and executive functioning in schizophrenia. <i>Cognitive Neuropsychiatry</i> , <b>2015</b> , 20, 64-71   | 2   | 2   |
| 159 | Antipsychotic prescribing in youths: A French community-based study from 2006 to 2013. <i>European Psychiatry</i> , <b>2015</b> , 30, S9-S10  | 6   | 2   |
| 158 | Dépression maternelle : facteurs de risque, conséquences sur le développement des enfants et interventions de prévention. <i>European Psychiatry</i> , <b>2015</b> , 30, S33-S34  | 6   | 1   |
| 157 | Prenatal psychological distress and access to mental health care in the ELFE cohort. <i>European Psychiatry</i> , <b>2015</b> , 30, 322-8   | 6   | 31  |
| 156 | La place de l'autorité judiciaire dans les lois françaises de soins sans consentement. <i>Evolution Psychiatrique</i> , <b>2015</b> , 80, 209-220   | 0.4 | 2   |
| 155 | Impact of prenatal exposure to psychotropic drugs on neonatal outcome in infants of mothers with serious psychiatric illnesses. <i>Journal of Clinical Psychiatry</i> , <b>2015</b> , 76, 967-73                                  | 4.6 | 24  |
| 154 | Des lois de soins sans consentement à l'évolution de la responsabilité en psychiatrie. <i>Annales Medico-Psychologiques</i> , <b>2014</b> , 172, 766-771  | 0.2 |     |
| 153 | Benzodiazepine use and risk of Alzheimer's disease: case-control study. <i>BMJ, The</i> , <b>2014</b> , 349, g5205  | 5.9 | 313 |
| 152 | Social inequalities in early antidepressant discontinuation. <i>Psychiatric Services</i> , <b>2014</b> , 65, 618-25   | 3.3 | 17  |
| 151 | Antidepressant treatment patterns in younger and older adults from the general population in a real-life setting. <i>International Journal of Geriatric Psychiatry</i> , <b>2014</b> , 29, 928-35                                 | 3.9 | 13  |
| 150 | Clozapine use pattern in persons with and without treatment for Parkinson's disease in real-world conditions: a naturalistic study in a community-based sample. <i>Acta Psychiatrica Scandinavica</i> , <b>2014</b> , 130, 487-97 | 6.5 | 11  |

|     |   |     |     |
|-----|---|-----|-----|
| 149 | Assessing metacognition during a cognitive task: impact of "on-line" metacognitive questions on neuropsychological performances in a non-clinical sample. <i>Journal of the International Neuropsychological Society</i> , <b>2014</b> , 20, 547-54 | 3.1 | 10  |
| 148 | Psychotherapy for depression in primary care: a panel survey of general practitioners' opinion and prescribing practice. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2014</b> , 49, 59-68  | 4.5 | 13  |
| 147 | Dealing with missing data in the Center for Epidemiologic Studies Depression self-report scale: a study based on the French E3N cohort. <i>BMC Medical Research Methodology</i> , <b>2013</b> , 13, 28  | 4.7 | 14  |
| 146 | Specific vs general cognitive remediation for executive functioning in schizophrenia: a multicenter randomized trial. <i>Schizophrenia Research</i> , <b>2013</b> , 147, 68-74  | 3.6 | 57  |
| 145 | Altérations cognitives et plaintes mnésiques lors d'un traitement par lévodopa : revue de la littérature. <i>Annales Medico-Psychologiques</i> , <b>2013</b> , 171, 285-294   | 0.2 | 0   |
| 144 | Social inequalities in antidepressant treatment. <i>European Psychiatry</i> , <b>2013</b> , 28, 75-75   | 6   |     |
| 143 | Impact de l'évaluation de la métacognition « on line » sur les performances cognitives auprès d'une population non clinique. <i>European Psychiatry</i> , <b>2013</b> , 28, 23-23   | 6   |     |
| 142 | Social inequalities in new antidepressant treatment: a study at the individual and neighborhood levels. <i>Annals of Epidemiology</i> , <b>2013</b> , 23, 99-105  | 6.4 | 20  |
| 141 | Characteristics associated with use of homeopathic drugs for psychiatric symptoms in the general population. <i>European Psychiatry</i> , <b>2013</b> , 28, 110-6   | 6   | 11  |
| 140 | Economic impact of antidepressant treatment duration in naturalistic conditions. <i>Acta Psychiatrica Scandinavica</i> , <b>2013</b> , 127, 365-72  | 6.5 | 9   |
| 139 | Physicians' characteristics associated with exploring suicide risk among patients with depression: a French panel survey of general practitioners. <i>PLoS ONE</i> , <b>2013</b> , 8, e80797  | 3.7 | 19  |
| 138 | Evolution of perinatal depressive symptoms from pregnancy to two years postpartum in a low-risk sample: the MATQUID cohort. <i>Journal of Affective Disorders</i> , <b>2012</b> , 139, 23-9   | 6.6 | 51  |
| 137 | Influence of the drug exposure definition on the assessment of the antipsychotic metabolic impact in patients initially treated with mood-stabilizers. <i>British Journal of Clinical Pharmacology</i> , <b>2012</b> , 74, 189-96                   | 3.8 | 7   |
| 136 | Benzodiazepine use and risk of dementia: prospective population based study. <i>BMJ, The</i> , <b>2012</b> , 345, e6231   | 3.9 | 246 |
| 135 | Soins pharmaceutiques ordonnés : étude des pratiques des psychiatres de la Gironde. <i>Annales Medico-Psychologiques</i> , <b>2012</b> , 170, 569-572   | 0.2 | 1   |
| 134 | Does long-acting injectable risperidone make a difference to the real-life treatment of schizophrenia? Results of the Cohort for the General study of Schizophrenia (CGS). <i>Schizophrenia Research</i> , <b>2012</b> , 134, 187-94                | 3.6 | 70  |
| 133 | Depression and severe heart failure: benefits of cardiac resynchronization therapy. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2012</b> , 23, 631-6  | 2.7 | 4   |
| 132 | Facteurs de vulnérabilité <b>2012</b> , 105-121   |     |     |

|     |  |     |     |
|-----|--|-----|-----|
| 131 | Cognitive insight in schizophrenia: the missing link between insight and neurocognitive complaint?. <i>Journal of Nervous and Mental Disease</i> , <b>2012</b> , 200, 908-10                                 | 1.8 | 8   |
| 130 | General practitioners' choices and their determinants when starting treatment for major depression: a cross sectional, randomized case-vignette survey. <i>PLoS ONE</i> , <b>2012</b> , 7, e52429            | 3.7 | 30  |
| 129 | Reduced risk of hospitalisation with risperidone long-acting injectable. Results of the french cohort for the general study of schizophrenia (CGS). <i>European Psychiatry</i> , <b>2011</b> , 26, 1487-1487 | 6   |     |
| 128 | A prospective longitudinal study of the impact of early postnatal vs. chronic maternal depressive symptoms on child development. <i>European Psychiatry</i> , <b>2011</b> , 26, 484-9                        | 6   | 66  |
| 127 | P2-538 Using the CES-D scale in a large cohort and dealing with missing data: application to the French E3N cohort. <i>Journal of Epidemiology and Community Health</i> , <b>2011</b> , 65, A369-A370        | 5.1 |     |
| 126 | Impact of duration of antidepressant treatment on the risk of occurrence of a new sequence of antidepressant treatment. <i>Pharmacopsychiatry</i> , <b>2011</b> , 44, 96-101                                 | 2   | 18  |
| 125 | Transition in care in persons with antidepressant prescription in naturalistic conditions. <i>Family Practice</i> , <b>2011</b> , 28, 400-5  | 1.9 | 5   |
| 124 | 5. Les relations entre cognition et handicap psychique dans la schizophrénie <b>2011</b> , 135   |     | 5   |
| 123 | Antipsychotic prescribing trends: a review of pharmaco-epidemiological studies. <i>Acta Psychiatrica Scandinavica</i> , <b>2010</b> , 121, 4-10  | 6.5 | 185 |
| 122 | Antipsychotic use patterns in persons initially treated with mood stabilizers: a naturalistic study. <i>Pharmacopsychiatry</i> , <b>2010</b> , 43, 17-23   | 2   | 5   |
| 121 | Self-perceived cognitive deficits and occupational outcome in persons with schizophrenia. <i>Psychiatry Research</i> , <b>2010</b> , 178, 437-9  | 9.9 | 14  |
| 120 | Psychotropes, grossesse et adaptation néonatale du nouveau-né. Étude exploratoire (Unité Mère-Enfant, Bordeaux : 2001-2007). <i>Annales Medico-Psychologiques</i> , <b>2010</b> , 168, 628-631               | 0.2 | 1   |
| 119 | Impact of antidepressants on the risk of suicide in patients with depression in real-life conditions: a decision analysis model. <i>Psychological Medicine</i> , <b>2009</b> , 39, 1307-15                   | 6.9 | 18  |
| 118 | The prognostic impact of psychotropic drugs in intentional drug overdose. <i>Pharmacopsychiatry</i> , <b>2009</b> , 42, 51-6   | 2   | 10  |
| 117 | Pharmacoepidemiology of psychotropic drugs: examples of current research challenges on major public health issues. <i>Epidemiologia E Psichiatria Sociale</i> , <b>2009</b> , 18, 107-113                    |     | 6   |
| 116 | Factors associated with choice of psychotropic drugs used for intentional drug overdose. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2009</b> , 259, 86-91                         | 5.1 | 19  |
| 115 | The 4-Point ordinal Alliance Self-report: a self-report questionnaire for assessing therapeutic relationships in routine mental health. <i>Comprehensive Psychiatry</i> , <b>2009</b> , 50, 181-5            | 7.3 | 25  |
| 114 | Trends in costs of antipsychotics in France. <i>European Psychiatry</i> , <b>2009</b> , 24, 214-5  | 6   | 2   |

|     |  |      |    |
|-----|--|------|----|
| 113 | Risk of death related to psychotropic drug use in older people during the European 2003 heatwave: a population-based case-control study. <i>American Journal of Geriatric Psychiatry</i> , <b>2009</b> , 17, 1059-67 | 6.5  | 24 |
| 112 | Characteristics associated with duration of employment of persons with schizophrenia after first contact with psychiatric services. <i>Work</i> , <b>2009</b> , 34, 365-71   | 1.6  | 6  |
| 111 | Pharmacoepidemiology of psychotropic drugs: examples of current research challenges on major public health issues. <i>Epidemiologia E Psichiatria Sociale</i> , <b>2009</b> , 18, 107-13                             |      | 4  |
| 110 | Efficiency and safety of oxcarbazepine in mood disorders: a naturalistic study exploring the interest of plasma dosages. <i>European Psychiatry</i> , <b>2008</b> , 23, 409-12                                       | 6    | 5  |
| 109 | From conduct disorder to severe mental illness: a risky pathway. <i>Psychological Medicine</i> , <b>2008</b> , 38, 927-8   | 6.9  |    |
| 108 | Congruence between diagnosis of recurrent major depressive disorder and psychotropic treatment in the general population. <i>Acta Psychiatrica Scandinavica</i> , <b>2008</b> , 117, 20-7                            | 6.5  | 14 |
| 107 | Gender differences in metabolic monitoring of second-generation antipsychotic prescription. <i>Human Psychopharmacology</i> , <b>2008</b> , 23, 471-4  | 2.3  | 3  |
| 106 | Impact de la d'pression postnatale maternelle pr'coce sur le d'veloppement cognitif du nourrisson : tude prospective sur 2 ans. <i>Devenir</i> , <b>2008</b> , 20, 47  | 0.5  | 6  |
| 105 | Life-threatening adverse drug reactions at admission to medical intensive care: a prospective study in a teaching hospital. <i>Intensive Care Medicine</i> , <b>2007</b> , 33, 2150-7                                | 14.5 | 24 |
| 104 | The current state of adult mental health care in France. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2007</b> , 257, 64-70   | 5.1  | 41 |
| 103 | A one-day survey of characteristics of off-label hospital prescription of psychotropic drugs. <i>Pharmacopsychiatry</i> , <b>2007</b> , 40, 116-20   | 2    | 12 |
| 102 | Serious psychiatric outcome of subjects prenatally exposed to diethylstilboestrol in the E3N cohort study. <i>Psychological Medicine</i> , <b>2007</b> , 37, 1315-22   | 6.9  | 11 |
| 101 | Cost-effectiveness of escitalopram vs. citalopram in major depressive disorder. <i>International Clinical Psychopharmacology</i> , <b>2007</b> , 22, 107-15  | 2.2  | 19 |
| 100 | Time between schizophrenia onset and first request for disability status in France and associated patient characteristics. <i>Psychiatric Services</i> , <b>2007</b> , 58, 1427-32                                   | 3.3  | 15 |
| 99  | Accuracy of information on substance use recorded in medical charts of patients with intentional drug overdose. <i>Psychiatry Research</i> , <b>2007</b> , 152, 73-9   | 9.9  | 8  |
| 98  | Psychotropic drugs use and risk of heat-related hospitalisation. <i>European Psychiatry</i> , <b>2007</b> , 22, 335-8  | 6    | 90 |
| 97  | Pr'vention : 'conomie ou surcoût. <i>L'Encephale</i> , <b>2007</b> , 33, 176-179   | 2.9  |    |
| 96  | Consumo de psicotr'ficos y riesgo de hospitalizaci'õn relacionado con el calor. <i>European Psychiatry (Ed Espaõola)</i> , <b>2007</b> , 14, 408-412   |      |    |



|    |  |     |     |
|----|--|-----|-----|
| 95 | A survey of general practitioners' knowledge of symptoms and epidemiology of schizophrenia. <i>European Psychiatry</i> , <b>2006</b> , 21, 238-44  | 6   | 9   |
| 94 | Metabolic abnormalities associated with second generation antipsychotics: fact or fiction? Development of guidelines for screening and monitoring. <i>International Clinical Psychopharmacology</i> , <b>2006</b> , 21 Suppl 2, S11-5            | 2.2 | 76  |
| 93 | Pattern of health service utilization and predictors of readmission after a first admission for psychosis: a 2-year follow-up study. <i>Acta Psychiatrica Scandinavica</i> , <b>2006</b> , 113, 340-9  | 6.5 | 19  |
| 92 | Psychotic disorders among homeless subjects attending a psychiatric emergency service. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2006</b> , 41, 904-10  | 4.5 | 17  |
| 91 | Un estudio de los conocimientos de los m̃dicos generales de los s̃ntomas y la epidemiolog̃a de la esquizofrenia. <i>European Psychiatry (Ed Espãola)</i> , <b>2006</b> , 13, 393-400  |     |     |
| 90 | Psychiatric disorders and their comorbidity in subjects with parasuicide by intentional drug overdose: prevalence and gender differences. <i>Psychiatry Research</i> , <b>2005</b> , 136, 93-100   | 9.9 | 9   |
| 89 | Atypical antipsychotics: from potassium channels to torsade de pointes and sudden death. <i>Drug Safety</i> , <b>2005</b> , 28, 35-51  | 5.1 | 64  |
| 88 | A decision analysis model to assess the feasibility of the early detection of psychosis in the general population. <i>Schizophrenia Research</i> , <b>2005</b> , 74, 27-36   | 3.6 | 11  |
| 87 | Impact of substance use on the onset and course of early psychosis. <i>Schizophrenia Research</i> , <b>2005</b> , 79, 69-75  | 3.6 | 39  |
| 86 | Impact of visits from pharmaceutical company representatives on antipsychotic prescription in primary care. <i>Schizophrenia Research</i> , <b>2005</b> , 77, 107-9  | 3.6 | 5   |
| 85 | Cognitive predictors of psychosocial functioning outcome in schizophrenia: a follow-up study of subjects participating in a rehabilitation program. <i>Schizophrenia Research</i> , <b>2005</b> , 77, 343-53                                     | 3.6 | 101 |
| 84 | Prospective, multicentre, randomized, double-blind study of the efficacy of escitalopram versus citalopram in outpatient treatment of major depressive disorder. <i>International Clinical Psychopharmacology</i> , <b>2005</b> , 20, 131-7      | 2.2 | 143 |
| 83 | Is benzodiazepine use a risk factor for cognitive decline and dementia? A literature review of epidemiological studies. <i>Psychological Medicine</i> , <b>2005</b> , 35, 307-15   | 6.9 | 82  |
| 82 | Prognostic impact of psychoactive substances use during hospitalization for intentional drug overdose. <i>Acta Psychiatrica Scandinavica</i> , <b>2005</b> , 112, 134-40   | 6.5 | 5   |
| 81 | How do general practitioners manage subjects with early schizophrenia and collaborate with mental health professionals? A postal survey in South-Western France. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2005</b> , 40, 892-8 | 4.5 | 17  |
| 80 | Las mujeres con trastornos de ansiedad durante el embarazo corren mayor riesgo de s̃ntomas depresivos postnatales intensos: Un estudio prospectivo de la cohorte MATQUID. <i>European Psychiatry (Ed Espãola)</i> , <b>2005</b> , 12, 207-211   |     |     |
| 79 | Cannabis and psychosis proneness <b>2004</b> , 75-88   |     | 8   |
| 78 | Did the US boycott of French products spread to include scientific output?. <i>BMJ, The</i> , <b>2004</b> , 329, 1430-1  | 5.9 | 2   |

|    |   |     |     |
|----|---|-----|-----|
| 77 | Cannabis use and risk of psychosis: an etiological link?. <i>Epidemiologia E Psichiatria Sociale</i> , <b>2004</b> , 13, 113-9  |     | 19  |
| 76 | Pathways to care of first-admitted subjects with psychosis in South-Western France. <i>Psychological Medicine</i> , <b>2004</b> , 34, 267-76  | 6.9 | 43  |
| 75 | Comparison of patient questionnaires and plasma assays in intentional drug overdoses. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2004</b> , 95, 31-7  | 3.1 | 11  |
| 74 | Factors influencing compulsory admission in first-admitted subjects with psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2004</b> , 39, 804-9   | 4.5 | 33  |
| 73 | Patterns and correlates of benzodiazepine use in the French general population. <i>European Journal of Clinical Pharmacology</i> , <b>2004</b> , 60, 523-9  | 2.8 | 114 |
| 72 | Perinatal risk factors for schizophrenia: how specific are they?. <i>Current Psychiatry Reports</i> , <b>2004</b> , 6, 162-79.1   |     | 27  |
| 71 | Patterns of risperidone prescription: a utilization study in south-west France. <i>Acta Psychiatrica Scandinavica</i> , <b>2004</b> , 109, 202-6  | 6.5 | 13  |
| 70 | Is the intensity of Schneiderian symptoms related to handedness and speech disorder in subjects with psychosis?. <i>Schizophrenia Research</i> , <b>2004</b> , 67, 167-73                                       | 3.6 | 34  |
| 69 | Self-assessed cognitive dysfunction and objective performance in outpatients with schizophrenia participating in a rehabilitation program. <i>Schizophrenia Research</i> , <b>2004</b> , 69, 85-91              | 3.6 | 68  |
| 68 | The crucial role of sustained attention in community functioning in outpatients with schizophrenia. <i>Psychiatry Research</i> , <b>2004</b> , 129, 171-7   | 9.9 | 35  |
| 67 | Women with anxiety disorders during pregnancy are at increased risk of intense postnatal depressive symptoms: a prospective survey of the MATQUID cohort. <i>European Psychiatry</i> , <b>2004</b> , 19, 459-63 | 6.3 | 182 |
| 66 | Agreement between self-rated and clinically assessed symptoms in subjects with psychosis. <i>Journal of Nervous and Mental Disease</i> , <b>2004</b> , 192, 352-6   | 1.8 | 48  |
| 65 | Effects of cannabis and psychosis vulnerability in daily life: an experience sampling test study. <i>Psychological Medicine</i> , <b>2003</b> , 33, 23-32   | 6.9 | 161 |
| 64 | The early detection and treatment controversy in schizophrenia research. <i>Current Opinion in Psychiatry</i> , <b>2003</b> , 16, 175-179   | 4.9 | 15  |
| 63 | Focus on psychiatry in France. <i>British Journal of Psychiatry</i> , <b>2003</b> , 183, 466-71   | 5.4 | 32  |
| 62 | Newborn Behavior and Risk of Postnatal Depression in the Mother. <i>Infancy</i> , <b>2003</b> , 4, 589-602  | 2.4 | 25  |
| 61 | How psychotic are individuals with non-psychotic disorders?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2003</b> , 38, 149-54   | 4.5 | 126 |
| 60 | Social environments and daily life occurrence of psychotic symptoms--an experience sampling test in a non-clinical population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2003</b> , 38, 654-61 | 4.5 | 24  |

|    |   |     |     |
|----|---|-----|-----|
| 59 | Antidepressants: psychiatrists' opinions and clinical practice. <i>Acta Psychiatrica Scandinavica</i> , <b>2003</b> , 108, 24-31  | 6.5 | 9   |
| 58 | Implementing early intervention in psychosis.. <i>Acta Psychiatrica Scandinavica</i> , <b>2003</b> , 107, 79-79   | 6.5 |     |
| 57 | Accuracy of self-report and toxicological assays to detect substance misuse disorders in parasuicide patients. <i>Acta Psychiatrica Scandinavica</i> , <b>2003</b> , 108, 410-8                   | 6.5 | 8   |
| 56 | Cannabis use and dimensions of psychosis in a nonclinical population of female subjects. <i>Schizophrenia Research</i> , <b>2003</b> , 59, 77-84  | 3.6 | 81  |
| 55 | A decade of debate on early intervention in psychosis: a systematic review of screening criteria. <i>Schizophrenia Research</i> , <b>2003</b> , 60, 91-3  | 3.6 | 4   |
| 54 | Substance use and the course of early psychosis: a 2-year follow-up of first-admitted subjects. <i>European Psychiatry</i> , <b>2003</b> , 18, 133-6  | 6   | 71  |
| 53 | Cannabis use and anxiety in daily life: a naturalistic investigation in a non-clinical population. <i>Psychiatry Research</i> , <b>2003</b> , 118, 1-8  | 9.9 | 78  |
| 52 | Diagnosis and classification of schizophrenia: categories versus dimensions, distributions versus disease <b>2002</b> , 364-410   |     | 7   |
| 51 | Perinatal risk factors for schizophrenia: diagnostic specificity and relationships with maternal psychopathology. <i>American Journal of Medical Genetics Part A</i> , <b>2002</b> , 114, 898-905 |     | 43  |
| 50 | Obstetrical complications and the development of postpartum depressive symptoms: a prospective survey of the MATQUID cohort. <i>Acta Psychiatrica Scandinavica</i> , <b>2002</b> , 106, 212-9     | 6.5 | 55  |
| 49 | Evidence that three dimensions of psychosis have a distribution in the general population. <i>Psychological Medicine</i> , <b>2002</b> , 32, 347-58   | 6.9 | 615 |
| 48 | Neuroleptics and mortality in schizophrenia: prospective analysis of deaths in a French cohort of schizophrenic patients. <i>Schizophrenia Research</i> , <b>2002</b> , 57, 147-56                | 3.6 | 53  |
| 47 | Psychotic symptoms in non-clinical populations and the continuum of psychosis. <i>Schizophrenia Research</i> , <b>2002</b> , 54, 59-65  | 3.6 | 386 |
| 46 | Cannabis use and the expression of psychosis vulnerability in daily life. <i>European Psychiatry</i> , <b>2002</b> , 17, 180  | 6   | 4   |
| 45 | Cannabis use and psychosis: a longitudinal population-based study. <i>American Journal of Epidemiology</i> , <b>2002</b> , 156, 319-27  | 3.8 | 607 |
| 44 | Social and clinical consequences of cognitive deficits in early psychosis: a two-year follow-up study of first-admitted patients. <i>Schizophrenia Research</i> , <b>2002</b> , 56, 149-59        | 3.6 | 61  |
| 43 | Obstetric complications, maternal psychopathology, and the risk of psychosis <b>2002</b> , 105-112  |     | 1   |
| 42 | Have the times come for early intervention in psychosis?. <i>Acta Psychiatrica Scandinavica</i> , <b>2001</b> , 103, 321-3.5  |     | 18  |

|    |  |      |     |
|----|--|------|-----|
| 41 | Predictors and outcome characteristics associated with suicidal behaviour in early psychosis: a two-year follow-up of first-admitted subjects. <i>Acta Psychiatrica Scandinavica</i> , <b>2001</b> , 103, 347-54 | 6.5  | 81  |
| 40 | Is the association between duration of untreated psychosis and outcome confounded? A two year follow-up study of first-admitted patients. <i>Schizophrenia Research</i> , <b>2001</b> , 49, 231-41               | 3.6  | 120 |
| 39 | Association between temperamental characteristics and medication adherence in subjects presenting with psychotic or mood disorders. <i>Psychiatry Research</i> , <b>2001</b> , 102, 91-5                         | 9.9  | 27  |
| 38 | Medication adherence in psychosis: predictors and impact on outcome. A 2-year follow-up of first-admitted subjects. <i>Acta Psychiatrica Scandinavica</i> , <b>2000</b> , 102, 203-10                            | 6.5  | 150 |
| 37 | Which temperamental characteristics are associated with substance use in subjects with psychotic and mood disorders?. <i>Psychiatry Research</i> , <b>2000</b> , 93, 63-72                                       | 9.9  | 67  |
| 36 | Neuropsychological function in subjects with psychotic and affective disorders. Relationship to diagnostic category and duration of illness. <i>European Psychiatry</i> , <b>2000</b> , 15, 236-43               | 6    | 55  |
| 35 | S36.03 Delusions in the General Population. <i>European Psychiatry</i> , <b>2000</b> , 15, 286s-286s   | 6    |     |
| 34 | Suicidality and substance misuse in first-admitted subjects with psychotic disorder. <i>Acta Psychiatrica Scandinavica</i> , <b>1999</b> , 100, 389-95   | 6.5  | 61  |
| 33 | Self-reported psychosis-like symptoms and the continuum of psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>1999</b> , 34, 459-63   | 4.5  | 115 |
| 32 | Temperament in bipolar illness: impact on prognosis. <i>Journal of Affective Disorders</i> , <b>1999</b> , 56, 103-8   | 6.6  | 41  |
| 31 | Increased occurrence of depression in psychosis-prone subjects: a follow-up study in primary care settings. <i>Comprehensive Psychiatry</i> , <b>1999</b> , 40, 462-8  | 7.3  | 84  |
| 30 | Schizophrenia and complications of pregnancy and labor: an individual patient data meta-analysis. <i>Schizophrenia Bulletin</i> , <b>1999</b> , 25, 413-23   | 1.3  | 234 |
| 29 | Psychosis as an Extreme of Continuous Variation in Dimensions of Psychopathology <b>1999</b> , 59-79   |      | 12  |
| 28 | Predicci3 de la duraci3 de la psicosis antes de la primera admisi3. <i>European Psychiatry (Ed Espa3ola)</i> , <b>1999</b> , 6, 162-169  |      |     |
| 27 | Is early adulthood a critical developmental stage for psychosis proneness? A survey of delusional ideation in normal subjects. <i>Schizophrenia Research</i> , <b>1998</b> , 29, 247-54                          | 3.6  | 140 |
| 26 | Is early adulthood a critical developmental stage for psychosis proneness? A survey of delusional ideation in normal subjects. <i>Schizophrenia Research</i> , <b>1998</b> , 29, 24                              | 3.6  | 3   |
| 25 | Prediction of duration of psychosis before first admission. <i>European Psychiatry</i> , <b>1998</b> , 13, 346-52  | 6    | 61  |
| 24 | Dr. Verdoux and Colleagues Reply. <i>American Journal of Psychiatry</i> , <b>1998</b> , 155, 1626ah-1626   | 11.9 |     |

|    |   |      |     |
|----|---|------|-----|
| 23 | A survey of delusional ideation in primary-care patients. <i>Psychological Medicine</i> , <b>1998</b> , 28, 127-34  | 6.9  | 168 |
| 22 | How to improve recognition and diagnosis of depressive syndromes using international diagnostic criteria. <i>British Journal of General Practice</i> , <b>1998</b> , 48, 1245-6                       | 1.6  | 26  |
| 21 | Actividades de investigaci3n sobre esquizofrenia en 17 pa3ses de habla no inglesa: un estudio de MEDLINE. <i>European Psychiatry (Ed Espa3ola)</i> , <b>1998</b> , 5, 116-118                         |      |     |
| 20 | Obstetric complications and age at onset in schizophrenia: an international collaborative meta-analysis of individual patient data. <i>American Journal of Psychiatry</i> , <b>1997</b> , 154, 1220-7 | 11.9 | 289 |
| 19 | Seasonality of birth in schizophrenia: the effect of regional population density. <i>Schizophrenia Research</i> , <b>1997</b> , 23, 175-80  | 3.6  | 27  |
| 18 | Analysis of the seasonal variation of schizophrenic births using a Kolmogorov-Smirnov type statistic. <i>European Psychiatry</i> , <b>1997</b> , 12, 111-6  | 6    | 9   |
| 17 | Research activities on schizophrenia in 17 non-english speaking countries: a MEDLINE survey. <i>European Psychiatry</i> , <b>1997</b> , 12, 319-20  | 6    | 4   |
| 16 | Early detection of schizophrenia. <i>British Journal of Psychiatry</i> , <b>1997</b> , 170, 579   | 5.4  | 7   |
| 15 | Post-partum blues and mild depressive symptomatology at days three and five after delivery, A French cross sectional study. <i>Journal of Affective Disorders</i> , <b>1997</b> , 44, 1-4             | 6.6  | 22  |
| 14 | An3lisis de la variaci3n estacional del nacimiento de los esquizofr3nicos utilizando un estad3stico del tipo Kolmogorov-Smirnov. <i>European Psychiatry (Ed Espa3ola)</i> , <b>1997</b> , 4, 452-458  |      |     |
| 13 | A survey of prescribing practice of antipsychotic maintenance treatment for manic-depressive outpatients. <i>Journal of Affective Disorders</i> , <b>1996</b> , 38, 81-7                              | 6.6  | 34  |
| 12 | Does familiarity predispose to both emergence and persistence of psychosis? A follow-up study. <i>British Journal of Psychiatry</i> , <b>1996</b> , 168, 620-6  | 5.4  | 72  |
| 11 | Social class in unipolar and bipolar probands and relatives. <i>Journal of Affective Disorders</i> , <b>1995</b> , 33, 181-76.6   |      | 12  |
| 10 | Neuroleptic effects on neuropsychological test performance in schizophrenia. <i>Schizophrenia Research</i> , <b>1995</b> , 14, 133-9  | 3.6  | 69  |
| 9  | Comorbidity of bipolar disorder and bulimia nervosa. <i>European Psychiatry</i> , <b>1994</b> , 9, 315-317  | 6    |     |
| 8  | A comparison of manic patient subgroups. <i>Journal of Affective Disorders</i> , <b>1993</b> , 27, 267-72   | 6.6  | 13  |
| 7  | A comparative study of obstetric history in schizophrenics, bipolar patients and normal subjects. <i>Schizophrenia Research</i> , <b>1993</b> , 9, 67-9   | 3.6  | 73  |
| 6  | A partial form of lycanthropy with hair delusion in a manic-depressive patient. <i>British Journal of Psychiatry</i> , <b>1993</b> , 163, 684-6   | 5.4  | 10  |

|   |  |     |    |
|---|--|-----|----|
| 5 | Delusional mania: what is a mood-incongruent psychotic feature?. <i>Journal of Nervous and Mental Disease</i> , <b>1993</b> , 181, 517-8                         | 1.8 | 3  |
| 4 | Schizophrenics with a family history of bipolar disorder. Possible involvement of obstetric complications. <i>European Psychiatry</i> , <b>1993</b> , 8, 223-226 | 6   |    |
| 3 | Delusional parasitosis: folie <sup>^</sup> deux and attempted murder of a family doctor. <i>British Journal of Psychiatry</i> , <b>1992</b> , 161, 709-11        | 5.4 | 32 |
| 2 | A case of lithium neurotoxicity with irreversible cerebellar syndrome. <i>Journal of Nervous and Mental Disease</i> , <b>1990</b> , 178, 761-2                   | 1.8 | 15 |
| 1 | Which cannabis users develop psychosis?137-143   |     |    |