

Michael C Ostrowski

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8593032/michael-c-ostrowski-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

161
papers

10,041
citations

56
h-index

97
g-index

169
ext. papers

11,255
ext. citations

8.7
avg, IF

5.55
L-index

#	Paper	IF	Citations
161	PTEN in cancer associated fibroblasts.. <i>Advances in Cancer Research</i> , 2022 , 154, 203-226	5.9	0
160	Origin, activation and heterogeneity of fibroblasts associated with pancreas and breast cancers.. <i>Advances in Cancer Research</i> , 2022 , 154, 169-201	5.9	
159	Role of hepatic PKC in nutritional regulation of hepatic glycogen synthesis. <i>JCI Insight</i> , 2021 , 6,	9.9	1
158	Targeting the KRAS G12S allosteric interface inhibits pancreatic cancer tumorigenesis. <i>Small GTPases</i> , 2021 , 1-14	2.7	5
157	PRMT5-mediated arginine methylation activates AKT kinase to govern tumorigenesis. <i>Nature Communications</i> , 2021 , 12, 3444	17.4	9
156	The small G-protein RalA promotes progression and metastasis of triple-negative breast cancer. <i>Breast Cancer Research</i> , 2021 , 23, 65	8.3	1
155	Stromal Platelet-Derived Growth Factor Receptor-β Signaling Promotes Breast Cancer Metastasis in the Brain. <i>Cancer Research</i> , 2021 , 81, 606-618	10.1	12
154	Hepatocyte-specific PKC deficiency protects against high-fat diet-induced nonalcoholic hepatic steatosis. <i>Molecular Metabolism</i> , 2021 , 44, 101133	8.8	1
153	Pten regulates collagen fibrillogenesis by fibroblasts through SPARC. <i>PLoS ONE</i> , 2021 , 16, e0245653	3.7	2
152	Defining the Tumor Microenvironment by Integration of Immunohistochemistry and Extracellular Matrix Targeted Imaging Mass Spectrometry. <i>Cancers</i> , 2021 , 13,	6.6	2
151	Combinatorial ETS1-dependent control of oncogenic NOTCH1 enhancers in T-cell leukemia. <i>Blood Cancer Discovery</i> , 2020 , 1, 178-197	7	4
150	Two Distinct E2F Transcriptional Modules Drive Cell Cycles and Differentiation. <i>Cell Reports</i> , 2019 , 27, 3547-3560.e5	10.6	28
149	Loss of PTEN Accelerates NKX3.1 Degradation to Promote Prostate Cancer Progression. <i>Cancer Research</i> , 2019 , 79, 4124-4134	10.1	12
148	Nanofiber-expanded human CD34 cells heal cutaneous wounds in streptozotocin-induced diabetic mice. <i>Scientific Reports</i> , 2019 , 9, 8415	4.9	14
147	Modeling Human Cancer-induced Cachexia. <i>Cell Reports</i> , 2019 , 28, 1612-1622.e4	10.6	51
146	PTEN in the Stroma. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2019 , 9,	5.4	5
145	BSCI-11. STROMAL PLATELET DERIVED GROWTH FACTOR RECEPTOR-β PROMOTES BREAST CANCER BRAIN METASTASIS. <i>Neuro-Oncology Advances</i> , 2019 , 1, i3-i3	0.9	78

144	Endothelial-specific deletion of Ets-1 attenuates Angiotensin II-induced cardiac fibrosis via suppression of endothelial-to-mesenchymal transition. <i>BMB Reports</i> , 2019 , 52, 595-600	5.5	15
143	Stromal PTEN Regulates Extracellular Matrix Organization in the Mammary Gland. <i>Neoplasia</i> , 2019 , 21, 132-145	6.4	22
142	Eomes partners with PU.1 and MITF to Regulate Transcription Factors Critical for osteoclast differentiation. <i>iScience</i> , 2019 , 11, 238-245	6.1	11
141	Enhancer variants reveal a conserved transcription factor network governed by PU.1 during osteoclast differentiation. <i>Bone Research</i> , 2018 , 6, 8	13.3	21
140	-mApple Transgene Expression and Ligand Binding In Vivo Reveal Dynamics of CSF1R Expression within the Mononuclear Phagocyte System. <i>Journal of Immunology</i> , 2018 , 200, 2209-2223	5.3	42
139	Fibroblast-derived CXCL12 promotes breast cancer metastasis by facilitating tumor cell intravasation. <i>Oncogene</i> , 2018 , 37, 4428-4442	9.2	69
138	Synthetic Lethality of PARP Inhibition and Ionizing Radiation is p53-dependent. <i>Molecular Cancer Research</i> , 2018 , 16, 1092-1102	6.6	20
137	IL-6 and PD-L1 antibody blockade combination therapy reduces tumour progression in murine models of pancreatic cancer. <i>Gut</i> , 2018 , 67, 320-332	19.2	255
136	Stromal PTEN determines mammary epithelial response to radiotherapy. <i>Nature Communications</i> , 2018 , 9, 2783	17.4	13
135	Disruption of stromal hedgehog signaling initiates RNF5-mediated proteasomal degradation of PTEN and accelerates pancreatic tumor growth. <i>Life Science Alliance</i> , 2018 , 1, e201800190	5.8	20
134	The ETS1 Transcription Factor Is Implicated in Human and Murine Intermediate NK Cell Development Stages. <i>Blood</i> , 2018 , 132, 2567-2567	2.2	
133	Ets1 Enhances Context-Dependent Notch1 Activity in T-Cell Leukemia. <i>Blood</i> , 2018 , 132, 2595-2595	2.2	
132	PTEN expression by an oncolytic herpesvirus directs T-cell mediated tumor clearance. <i>Nature Communications</i> , 2018 , 9, 5006	17.4	27
131	Pyruvate kinase M2 regulates homologous recombination-mediated DNA double-strand break repair. <i>Cell Research</i> , 2018 , 28, 1090-1102	24.7	28
130	Stromal PDGFR- α Activation Enhances Matrix Stiffness, Impedes Mammary Ductal Development, and Accelerates Tumor Growth. <i>Neoplasia</i> , 2017 , 19, 496-508	6.4	31
129	The ETS family of oncogenic transcription factors in solid tumours. <i>Nature Reviews Cancer</i> , 2017 , 17, 337-351	3.5	140
128	Inhibition of Jak/STAT signaling reduces the activation of pancreatic stellate cells in vitro and limits caerulein-induced chronic pancreatitis in vivo. <i>Scientific Reports</i> , 2017 , 7, 1787	4.9	41
127	Discovery of Stromal Regulatory Networks that Suppress Ras-Sensitized Epithelial Cell Proliferation. <i>Developmental Cell</i> , 2017 , 41, 392-407.e6	10.2	20

126	Integrative genome analysis of somatic p53 mutant osteosarcomas identifies Ets2-dependent regulation of small nucleolar RNAs by mutant p53 protein. <i>Genes and Development</i> , 2017 , 31, 1847-1857	12.6	28
125	Generation of a pancreatic cancer model using a Pdx1-Flp recombinase knock-in allele. <i>PLoS ONE</i> , 2017 , 12, e0184984	3.7	9
124	IL-18 Drives ILC3 Proliferation and Promotes IL-22 Production via NF- κ B. <i>Journal of Immunology</i> , 2017 , 199, 2333-2342	5.3	46
123	Genetic ablation of Smoothed in pancreatic fibroblasts increases acinar-ductal metaplasia. <i>Genes and Development</i> , 2016 , 30, 1943-55	12.6	35
122	Failure to Target RANKL Signaling Through p38-MAPK Results in Defective Osteoclastogenesis in the Microphthalmia Cloudy-Eyed Mutant. <i>Journal of Cellular Physiology</i> , 2016 , 231, 630-40	7	5
121	FGFR and PTEN signaling interact during lens development to regulate cell survival. <i>Developmental Biology</i> , 2016 , 410, 150-163	3.1	18
120	E2f3 in tumor macrophages promotes lung metastasis. <i>Oncogene</i> , 2016 , 35, 3636-46	9.2	37
119	Stromal ETS2 Regulates Chemokine Production and Immune Cell Recruitment during Acinar-to-Ductal Metaplasia. <i>Neoplasia</i> , 2016 , 18, 541-52	6.4	20
118	Changes in BAI1 and nestin expression are prognostic indicators for survival and metastases in breast cancer and provide opportunities for dual targeted therapies. <i>Molecular Cancer Therapeutics</i> , 2015 , 14, 307-14	6.1	21
117	Noncatalytic PTEN missense mutation predisposes to organ-selective cancer development in vivo. <i>Genes and Development</i> , 2015 , 29, 1707-20	12.6	18
116	CSF1-ETS2-induced microRNA in myeloid cells promote metastatic tumor growth. <i>Oncogene</i> , 2015 , 34, 3651-61	9.2	52
115	RAGE mediates S100A7-induced breast cancer growth and metastasis by modulating the tumor microenvironment. <i>Cancer Research</i> , 2015 , 75, 974-85	10.1	86
114	Cry protein crystals: a novel platform for protein delivery. <i>PLoS ONE</i> , 2015 , 10, e0127669	3.7	14
113	Single agent BMS-911543 Jak2 inhibitor has distinct inhibitory effects on STAT5 signaling in genetically engineered mice with pancreatic cancer. <i>Oncotarget</i> , 2015 , 6, 44509-22	3.3	11
112	The multifunctional protein fused in sarcoma (FUS) is a coactivator of microphthalmia-associated transcription factor (MITF). <i>Journal of Biological Chemistry</i> , 2014 , 289, 326-34	5.4	18
111	Extracellular vesicles modulate the glioblastoma microenvironment via a tumor suppression signaling network directed by miR-1. <i>Cancer Research</i> , 2014 , 74, 738-750	10.1	170
110	Protein kinase C Beta in the tumor microenvironment promotes mammary tumorigenesis. <i>Frontiers in Oncology</i> , 2014 , 4, 87	5.3	16
109	MicroRNA 17-92 cluster mediates ETS1 and ETS2-dependent RAS-oncogenic transformation. <i>PLoS ONE</i> , 2014 , 9, e100693	3.7	15

108	Systemic delivery of SapC-DOPS has antiangiogenic and antitumor effects against glioblastoma. <i>Molecular Therapy</i> , 2013 , 21, 1517-25	11.7	40
107	SRGAP1 is a candidate gene for papillary thyroid carcinoma susceptibility. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, E973-80	5.6	62
106	Inhibitor B kinase 2 is a myosin light chain kinase in vascular smooth muscle. <i>Circulation Research</i> , 2013 , 113, 562-70	15.7	11
105	Ets2 in tumor fibroblasts promotes angiogenesis in breast cancer. <i>PLoS ONE</i> , 2013 , 8, e71533	3.7	29
104	MicroRNA-128 coordinately targets Polycomb Repressor Complexes in glioma stem cells. <i>Neuro-Oncology</i> , 2013 , 15, 1212-24	1	92
103	Transcription factor ATF3 links host adaptive response to breast cancer metastasis. <i>Journal of Clinical Investigation</i> , 2013 , 123, 2893-906	15.9	82
102	Loss of fibroblast HIF-1 α accelerates tumorigenesis. <i>Cancer Research</i> , 2012 , 72, 3187-95	10.1	49
101	Setting Snail2's pace during EMT. <i>Nature Cell Biology</i> , 2012 , 14, 1122-3	23.4	5
100	Role for Ets-2(Thr-72) transcription factor in stage-specific thymocyte development and survival. <i>Journal of Biological Chemistry</i> , 2012 , 287, 5199-210	5.4	4
99	Reprogramming of the tumour microenvironment by stromal PTEN-regulated miR-320. <i>Nature Cell Biology</i> , 2011 , 14, 159-67	23.4	220
98	NF-kappaB activation within macrophages leads to an anti-tumor phenotype in a mammary tumor lung metastasis model. <i>Breast Cancer Research</i> , 2011 , 13, R83	8.3	44
97	Transcription factor ets-2 plays an important role in the pathogenesis of pulmonary fibrosis. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2011 , 45, 999-1006	5.7	13
96	NF- κ B signaling in fetal lung macrophages disrupts airway morphogenesis. <i>Journal of Immunology</i> , 2011 , 187, 2740-7	5.3	90
95	Pten in the breast tumor microenvironment: modeling tumor-stroma coevolution. <i>Cancer Research</i> , 2011 , 71, 1203-7	10.1	36
94	E2f1-3 are critical for myeloid development. <i>Journal of Biological Chemistry</i> , 2011 , 286, 4783-95	5.4	26
93	TNF inhibits Notch-1 in skeletal muscle cells by Ezh2 and DNA methylation mediated repression: implications in duchenne muscular dystrophy. <i>PLoS ONE</i> , 2010 , 5, e12479	3.7	88
92	Allele-specific tumor spectrum in pten knockin mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 5142-7	11.5	48
91	An ets2-driven transcriptional program in tumor-associated macrophages promotes tumor metastasis. <i>Cancer Research</i> , 2010 , 70, 1323-33	10.1	98

90	Analysis of spatial variation of nuclear morphology in tissue microenvironments 2010 ,		1
89	MicroRNA-451 regulates LKB1/AMPK signaling and allows adaptation to metabolic stress in glioma cells. <i>Molecular Cell</i> , 2010 , 37, 620-32	17.6	344
88	Transformed epithelial cells and fibroblasts/myofibroblasts interaction in breast tumor: a mathematical model and experiments. <i>Journal of Mathematical Biology</i> , 2010 , 61, 401-21	2	31
87	A new role for OPG: putting RANKL in its place. <i>Journal of Bone and Mineral Research</i> , 2010 , 25, 1905-6	6.3	2
86	ETS Transcription Factors in the Tumor Microenvironment. <i>The Open Cancer Journal</i> , 2010 , 3, 49-54		2
85	The PtdIns 3-kinase/Akt pathway regulates macrophage-mediated ADCC against B cell lymphoma. <i>PLoS ONE</i> , 2009 , 4, e4208	3.7	12
84	Erk1 and Erk2 regulate endothelial cell proliferation and migration during mouse embryonic angiogenesis. <i>PLoS ONE</i> , 2009 , 4, e8283	3.7	108
83	Ambient air pollution exaggerates adipose inflammation and insulin resistance in a mouse model of diet-induced obesity. <i>Circulation</i> , 2009 , 119, 538-46	16.7	484
82	Genomic alterations in tumor stroma. <i>Cancer Research</i> , 2009 , 69, 6759-64	10.1	47
81	Free cholesterol accumulation in macrophage membranes activates Toll-like receptors and p38 mitogen-activated protein kinase and induces cathepsin K. <i>Circulation Research</i> , 2009 , 104, 455-65	15.7	116
80	Clonal mutations in the cancer-associated fibroblasts: the case against genetic coevolution. <i>Cancer Research</i> , 2009 , 69, 6765-8; discussion 6769	10.1	66
79	Defective co-activator recruitment in osteoclasts from microphthalmia-oak ridge mutant mice. <i>Journal of Cellular Physiology</i> , 2009 , 220, 230-7	7	8
78	Pten in stromal fibroblasts suppresses mammary epithelial tumours. <i>Nature</i> , 2009 , 461, 1084-91	50.4	413
77	Tensor classification of N-point correlation function features for histology tissue segmentation. <i>Medical Image Analysis</i> , 2009 , 13, 156-66	15.4	20
76	A mouse model of yellow fluorescent protein (YFP) expression in hematopoietic cells to assess leukocyte-endothelial interactions in the microcirculation. <i>Microvascular Research</i> , 2009 , 78, 294-300	3.7	4
75	Eos mediates Foxp3-dependent gene silencing in CD4+ regulatory T cells. <i>Science</i> , 2009 , 325, 1142-6	33.3	235
74	Ets1 and Ets2 are required for endothelial cell survival during embryonic angiogenesis. <i>Blood</i> , 2009 , 114, 1123-30	2.2	116
73	Trisomy represses Apc(Min)-mediated tumours in mouse models of Down's syndrome. <i>Nature</i> , 2008 , 451, 73-5	50.4	120

72	e-Science, caGrid, and Translational Biomedical Research. <i>Computer</i> , 2008 , 41, 58-66	1.6	14
71	The Ewing sarcoma protein (EWS) binds directly to the proximal elements of the macrophage-specific promoter of the CSF-1 receptor (<i>csf1r</i>) gene. <i>Journal of Immunology</i> , 2008 , 180, 6733-42	5.3	22
70	Breast cancer-associated fibroblasts confer AKT1-mediated epigenetic silencing of Cystatin M in epithelial cells. <i>Cancer Research</i> , 2008 , 68, 10257-66	10.1	60
69	Direct evidence for epithelial-mesenchymal transitions in breast cancer. <i>Cancer Research</i> , 2008 , 68, 937-45	15.1	295
68	Analysis of the IKKbeta/NF-kappaB signaling pathway during embryonic angiogenesis. <i>Developmental Dynamics</i> , 2008 , 237, 2926-35	2.9	14
67	PU.1 and NFATc1 mediate osteoclastic induction of the mouse beta3 integrin promoter. <i>Journal of Cellular Physiology</i> , 2008 , 215, 636-44	7	65
66	NFATc1 in mice represses osteoprotegerin during osteoclastogenesis and dissociates systemic osteopenia from inflammation in cherubism. <i>Journal of Clinical Investigation</i> , 2008 , 118, 3775-89	15.9	244
65	ErbB-2 induces the cyclin D1 gene in prostate epithelial cells in vitro and in vivo. <i>Cancer Research</i> , 2007 , 67, 4364-72	10.1	33
64	MITF and PU.1 recruit p38 MAPK and NFATc1 to target genes during osteoclast differentiation. <i>Journal of Biological Chemistry</i> , 2007 , 282, 15921-9	5.4	138
63	The expression of <i>Clcn7</i> and <i>Ostm1</i> in osteoclasts is coregulated by microphthalmia transcription factor. <i>Journal of Biological Chemistry</i> , 2007 , 282, 1891-904	5.4	64
62	CpG island methylation in a mouse model of lymphoma is driven by the genetic configuration of tumor cells. <i>PLoS Genetics</i> , 2007 , 3, 1757-69	6	34
61	Eos, MITF, and PU.1 recruit corepressors to osteoclast-specific genes in committed myeloid progenitors. <i>Molecular and Cellular Biology</i> , 2007 , 27, 4018-27	4.8	72
60	Cytokines in the Tumor Stroma 2007 , 233-244		
59	A critical role for Akt in macrophage cytotoxicity to antibody-coated tumor cells. <i>FASEB Journal</i> , 2007 , 21, A184	0.9	1
58	The ERK1/2 pathway modulates nuclear PTEN-mediated cell cycle arrest by cyclin D1 transcriptional regulation. <i>Human Molecular Genetics</i> , 2006 , 15, 2553-9	5.6	88
57	Microphthalmia-associated transcription factor interactions with 14-3-3 modulate differentiation of committed myeloid precursors. <i>Molecular Biology of the Cell</i> , 2006 , 17, 3897-906	3.5	59
56	Tyrosine kinase Etk/BMX is up-regulated in human prostate cancer and its overexpression induces prostate intraepithelial neoplasia in mouse. <i>Cancer Research</i> , 2006 , 66, 8058-64	10.1	45
55	Lipopolysaccharide-induced production of interleukin-10 is promoted by the serine/threonine kinase Akt. <i>Molecular Immunology</i> , 2006 , 43, 1557-64	4.3	89

54	Genetics and genomics of osteoclast differentiation: integrating cell signaling pathways and gene networks. <i>Critical Reviews in Eukaryotic Gene Expression</i> , 2006 , 16, 253-77	1.3	7
53	A subpopulation of peritoneal macrophages form capillary-like lumens and branching patterns in vitro 2006 , 10, 708		1
52	ERK phosphorylation is linked to VEGFR2 expression and Ets-2 phosphorylation in breast cancer and is associated with tamoxifen treatment resistance and small tumours with good prognosis. <i>Oncogene</i> , 2005 , 24, 4370-9	9.2	94
51	Akt Activation Regulates Macrophage Survival and Differentiation: Role of M-CSF and Endogenous ROS. <i>Blood</i> , 2005 , 106, 2208-2208	2.2	
50	The inositol 3-phosphatase PTEN negatively regulates Fc gamma receptor signaling, but supports Toll-like receptor 4 signaling in murine peritoneal macrophages. <i>Journal of Immunology</i> , 2004 , 172, 4851-4857	5.3	79
49	The serine/threonine kinase Akt Promotes Fc gamma receptor-mediated phagocytosis in murine macrophages through the activation of p70S6 kinase. <i>Journal of Biological Chemistry</i> , 2004 , 279, 54416-54425	5.4	59
48	Activated Ets2 is required for persistent inflammatory responses in the mouse model. <i>Journal of Immunology</i> , 2004 , 173, 1374-9	5.3	37
47	RANKL coordinates cell cycle withdrawal and differentiation in osteoclasts through the cyclin-dependent kinase inhibitors p27KIP1 and p21CIP1. <i>Journal of Bone and Mineral Research</i> , 2004 , 19, 1339-48	6.3	44
46	Ets-2 and components of mammalian SWI/SNF form a repressor complex that negatively regulates the BRCA1 promoter. <i>Journal of Biological Chemistry</i> , 2003 , 278, 17876-84	5.4	62
45	Microphthalmia transcription factor and PU.1 synergistically induce the leukocyte receptor osteoclast-associated receptor gene expression. <i>Journal of Biological Chemistry</i> , 2003 , 278, 24209-16	5.4	78
44	A central role for Ets-2 in the transcriptional regulation and cyclic adenosine 5' monophosphate responsiveness of the human chorionic gonadotropin-beta subunit gene. <i>Molecular Endocrinology</i> , 2003 , 17, 11-26		27
43	A macrophage colony-stimulating factor receptor-green fluorescent protein transgene is expressed throughout the mononuclear phagocyte system of the mouse. <i>Blood</i> , 2003 , 101, 1155-63	2.2	506
42	Regulation of the murine TRACP gene promoter. <i>Journal of Bone and Mineral Research</i> , 2003 , 18, 1901-46	6.3	14
41	Extra-embryonic function of Rb is essential for embryonic development and viability. <i>Nature</i> , 2003 , 421, 942-7	5.4	337
40	CD13/APN transcription is induced by RAS/MAPK-mediated phosphorylation of Ets-2 in activated endothelial cells. <i>Journal of Biological Chemistry</i> , 2003 , 278, 49358-68	5.4	47
39	Ets-2 interacts with co-repressor BS69 to repress target gene expression. <i>Anticancer Research</i> , 2003 , 23, 2173-8	2.3	21
38	Microphthalmia transcription factor is a target of the p38 MAPK pathway in response to receptor activator of NF-kappa B ligand signaling. <i>Journal of Biological Chemistry</i> , 2002 , 277, 11077-83	5.4	187
37	PTEN blocks insulin-mediated ETS-2 phosphorylation through MAP kinase, independently of the phosphoinositide 3-kinase pathway. <i>Human Molecular Genetics</i> , 2002 , 11, 1687-96	5.6	66

36	The microphthalmia transcription factor (MITF) contains two N-terminal domains required for transactivation of osteoclast target promoters and rescue of mi mutant osteoclasts. <i>Journal of Leukocyte Biology</i> , 2002 , 71, 295-303	6.5	18
35	The microphthalmia transcription factor and the related helix-loop-helix zipper factors TFE-3 and TFE-C collaborate to activate the tartrate-resistant acid phosphatase promoter. <i>Journal of Leukocyte Biology</i> , 2002 , 71, 304-10	6.5	32
34	Genetic and physical interactions between Microphthalmia transcription factor and PU.1 are necessary for osteoclast gene expression and differentiation. <i>Journal of Biological Chemistry</i> , 2001 , 276, 36703-10	5.4	98
33	The microphthalmia transcription factor regulates expression of the tartrate-resistant acid phosphatase gene during terminal differentiation of osteoclasts. <i>Journal of Bone and Mineral Research</i> , 2000 , 15, 451-60	6.3	103
32	Transgenic mice overexpressing tartrate-resistant acid phosphatase exhibit an increased rate of bone turnover. <i>Journal of Bone and Mineral Research</i> , 2000 , 15, 103-10	6.3	127
31	ets-2 is a target for an akt (Protein kinase B)/jun N-terminal kinase signaling pathway in macrophages of motheaten-viable mutant mice. <i>Molecular and Cellular Biology</i> , 2000 , 20, 8026-34	4.8	63
30	Differentiation of the Mononuclear Phagocyte System During Mouse Embryogenesis: The Role of Transcription Factor PU.1. <i>Blood</i> , 1999 , 94, 127-138	2.2	129
29	Macrophage colony-stimulating factor promotes cell survival through Akt/protein kinase B. <i>Journal of Biological Chemistry</i> , 1999 , 274, 26393-8	5.4	131
28	Cloning and characterization of the murine genes for bHLH-ZIP transcription factors TFEC and TFEB reveal a common gene organization for all MiT subfamily members. <i>Genomics</i> , 1999 , 56, 111-20	4.3	76
27	Interaction between PU.1 and another Ets family transcription factor promotes macrophage-specific Basal transcription initiation. <i>Journal of Biological Chemistry</i> , 1998 , 273, 6662-9	5.4	64
26	Control of interferon-tau gene expression by Ets-2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 7882-7	11.5	78
25	Persistent activation of mitogen-activated protein kinases p42 and p44 and ets-2 phosphorylation in response to colony-stimulating factor 1/c-fms signaling. <i>Molecular and Cellular Biology</i> , 1998 , 18, 5148-56	4.8	92
24	Rapid phosphorylation of Ets-2 accompanies mitogen-activated protein kinase activation and the induction of heparin-binding epidermal growth factor gene expression by oncogenic Raf-1. <i>Molecular and Cellular Biology</i> , 1997 , 17, 2401-12	4.8	155
23	Regulation of CSF-1 receptor expression. <i>Molecular Reproduction and Development</i> , 1997 , 46, 46-52; discussion 52-3	2.6	28
22	The transactivation potential of a c-Myc N-terminal region (residues 92-143) is regulated by growth factor/Ras signaling. <i>Nucleic Acids Research</i> , 1996 , 24, 1971-8	20.1	8
21	Transcriptional control of the expression of the c-fms gene encoding the receptor for macrophage colony-stimulating factor (CSF-1). <i>Immunobiology</i> , 1996 , 195, 461-76	3.4	3
20	GHF-1/Pit-1 functions as a cell-specific integrator of Ras signaling by targeting the Ras pathway to a composite Ets-1/GHF-1 response element. <i>Journal of Biological Chemistry</i> , 1996 , 271, 24639-48	5.4	50
19	Stimulation of the P-450 side chain cleavage enzyme (CYP11A1) promoter through ras- and Ets-2-signaling pathways. <i>Molecular Endocrinology</i> , 1996 , 10, 1084-1094		23

18	Cyclic AMP-dependent activation of Rap1b. <i>Journal of Biological Chemistry</i> , 1995 , 270, 10373-6	5.4	107
17	Opposing actions of c-ets/PU.1 and c-myb protooncogene products in regulating the macrophage-specific promoters of the human and mouse colony-stimulating factor-1 receptor (c-fms) genes. <i>Journal of Experimental Medicine</i> , 1994 , 180, 2309-19	16.6	105
16	An enhancer element responsive to ras and fms signaling pathways is composed of two distinct nuclear factor binding sites. <i>Molecular Endocrinology</i> , 1992 , 6, 1051-1060		16
15	Analysis of the v-myb structural components important for transactivation of gene expression. <i>Nucleic Acids Research</i> , 1991 , 19, 1533-9	20.1	13
14	The carboxy-terminal catalytic domain of the GTPase-activating protein inhibits nuclear signal transduction and morphological transformation mediated by the CSF-1 receptor. <i>Genes and Development</i> , 1991 , 5, 1777-85	12.6	27
13	Transcriptional activation of a conserved sequence element by ras requires a nuclear factor distinct from c-fos or c-jun. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1990 , 87, 3866-70	11.5	38
12	Negative regulation of transcription in vitro by a glucocorticoid response element is mediated by a trans-acting factor. <i>Molecular and Cellular Biology</i> , 1988 , 8, 3872-3881	4.8	34
11	Isolation and characterization of minichromosome particles that contain a glucocorticoid-modulated promoter. <i>Nucleic Acids Research</i> , 1987 , 15, 6957-71	20.1	7
10	Interfaces for Data Transfer Between Solid Modeling Systems. <i>IEEE Computer Graphics and Applications</i> , 1985 , 5, 41-51	1.7	18
9	Covalent and noncovalent receptor-glucocorticoid complexes preferentially bind to the same regions of the long terminal repeat of murine mammary tumor virus proviral DNA. <i>Biochemistry</i> , 1984 , 23, 6883-9	3.2	38
8	The mouse mammary tumor virus model in studies of glucocorticoid regulation. <i>Endocrine Reviews</i> , 1984 , 40, 121-42		12
7	Effect of castration on the synthesis of seminal vesicle secretory protein IV in the rat. <i>Biochemistry</i> , 1982 , 21, 3525-9	3.2	40
6	Glucocorticoid regulation of the Ha-MuSV p21 gene conferred by sequences from mouse mammary tumor virus. <i>Cell</i> , 1981 , 27, 245-55	56.2	328
5	Developmental regulation of secretory protein synthesis in rat seminal vesicle. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1981 , 78, 737-41	11.5	31
4	Specific transcriptional initiation in vitro on murine type C retrovirus promoters. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1981 , 78, 4485-9	11.5	27
3	Properties of a flavoprotein sulphhydryl oxidase from rat seminal vesicle secretion. <i>Biochemistry</i> , 1980 , 19, 2639-45	3.2	86
2	A flavoprotein responsible for the intense sulphhydryl oxidase activity of rat seminal vesicle secretion. <i>Biochemical and Biophysical Research Communications</i> , 1979 , 87, 171-6	3.4	45
1	Redundant function of Ets1 and Ets2 in regulating M-phase progression in post-natal angiogenesis		1

