
Taiping Zhang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8593681/publications.pdf Version: 2024-02-01



TAIDING THANG

#	Article	IF	CITATIONS
1	Enhanced emission intensity of vertical aligned flexible ZnO nanowire/p-polymer hybridized LED array by piezo-phototronic effect. Nano Energy, 2015, 14, 364-371.	16.0	92
2	Enhancing Light Emission of ZnOâ€Nanofilm/Siâ€Micropillar Heterostructure Arrays by Piezoâ€Phototronic Effect. Advanced Materials, 2015, 27, 4447-4453.	21.0	81
3	Tuning Light Emission of a Pressure-Sensitive Silicon/ZnO Nanowires Heterostructure Matrix through Piezo-phototronic Effects. ACS Nano, 2016, 10, 6074-6079.	14.6	75
4	Critical Role of Shell in Enhanced Fluorescence of Metal–Dielectric Core–Shell Nanoparticles. Journal of Physical Chemistry C, 2020, 124, 13365-13373.	3.1	43
5	Plasmonic-photonic crystal coupled nanolaser. Nanotechnology, 2014, 25, 315201.	2.6	42
6	Plasmonic coupling with most of the transition metals: a new family of broad band and near infrared nanoantennas. Nanoscale, 2015, 7, 1181-1192.	5.6	33
7	Enhanced Directional Fluorescence Emission of Randomly Oriented Emitters via a Metal–Dielectric Hybrid Nanoantenna. Journal of Physical Chemistry C, 2019, 123, 21150-21160.	3.1	27
8	A Bambooâ€Like GaN Microwireâ€Based Piezotronic Memristor. Advanced Functional Materials, 2016, 26, 5307-5314.	14.9	24
9	Bionic optical physical unclonable functions for authentication and encryption. Journal of Materials Chemistry C, 2021, 9, 13200-13208.	5.5	23
10	Wavelength-tunable infrared light emitting diode based on ordered ZnO nanowire/Si1–x Ge x alloy heterojunction. Nano Research, 2015, 8, 2676-2685.	10.4	16
11	Effect of laser pulse parameters on the size and fluorescence of nanodiamonds formed upon pulsed-laser irradiation. Materials Research Bulletin, 2010, 45, 826-829.	5.2	13
12	Random Nanofractureâ€Enabled Physical Unclonable Function. Advanced Materials Technologies, 2021, 6, 2001073.	5.8	13
13	Authentication of Optical Physical Unclonable Functions Based on Single-Pixel Detection. Physical Review Applied, 2021, 16, .	3.8	8
14	Highly-symmetrical plasmonic nanoantenna for fluorescence enhancement and polarization preservation of arbitrarily oriented fluorophore. Optical Materials Express, 2018, 8, 3770.	3.0	5
15	High-Resolution Light-Emitting Diode Array Based on an Ordered ZnO Nanowire/SiGe Heterojunction. IEEE Nanotechnology Magazine, 2016, 15, 539-548.	2.0	4
16	PLASMONIC-PHOTONIC HYBRID NANODEVICE. International Journal of Nanoscience, 2012, 11, 1240019.	0.7	3
17	3D light harnessing based on coupling engineering between 1D-2D photonic crystal membranes and OD photonic structures. , 2010, , .		0
18	Plasmonic-photonic hybrid nanodevice: A new route toward 3D light harnessing. , 2011, , .		0

#	Article	IF	CITATIONS
19	High resolution light emitting diode array based on ordered ZnO nanowire/SiGe heterojunction. , 2015, , .		0
20	Manipulate the Dipole Emission Properties Using Highly Symmetrical Nanoantenna. , 2019, , .		0
21	Enhanced Directional Fluorescence via Modehybridization in Metal-Dielectric Nanoantenna. , 2020, , .		0