Maria Cruz Fouz Iglesias

List of Publications by Citations

Source: https://exaly.com/author-pdf/8594106/maria-cruz-fouz-iglesias-publications-by-citations.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 502
 14,218
 56
 93

 papers
 citations
 h-index
 g-index

 524
 16,592
 5
 1.02

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
502	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8[Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 212	4.2	399
501	Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	389
500	Study of high-p T charged particle suppression in PbPb compared to pp collisions at (sqrt{s_{mathrm{NN}}}=2.76~mathrm{TeV}). European Physical Journal C, 2012 , 72, 1	4.2	316
499	Observation of a new boson with mass near 125 GeV in pp collisions at (sqrt{s}=7) and 8 TeV. Journal of High Energy Physics, 2013 , 2013, 1	5.4	261
498	Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 235	4.2	250
497	Event generator tunes obtained from underlying event and multiparton scattering measurements. <i>European Physical Journal C</i> , 2016 , 76, 155	4.2	250
496	Observation of the diphoton decay of the Higgs boson and measurement of its properties. <i>European Physical Journal C</i> , 2014 , 74, 3076	4.2	239
495	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at (sqrt{s} = 0.9) and 2.36 TeV. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	201
494	Suppression of non-prompt J/ \square prompt J/ \square and (Upsilon)(1S) in PbPb collisions at (sqrt {{{s_{text{NN}}}}} = 2.76) TeV. Journal of High Energy Physics, 2012 , 2012, 1	5.4	184
493	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV. <i>European Physical Journal C</i> , 2014 , 74, 3036	4.2	183
492	Search for top-squark pair production in the single-lepton final state in pp collisions at (sqrt{s}=8 mathrm{TeV}). European Physical Journal C, 2013 , 73, 1	4.2	162
491	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at (sqrt{s_{NN}}= 2.76 mbox{TeV}). European Physical Journal C, 2012, 72, 1	4.2	158
490	Search for dark matter and large extra dimensions in monojet events in pp collisions at (sqrt {s} = {7}) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	155
489	Combined measurements of Higgs boson couplings in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 421	4.2	153
488	Search for heavy neutrinos and [Formula: see text] bosons with right-handed couplings in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3149	4.2	149
487	Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	144
486	Study of the inclusive production of charged pions, kaons, and protons in pp collisions at (sqrt $\{s\}$ = 0.9, 2.76,mbox $\{$ and $\}$ 7~mbox $\{$ TeV $\}$). European Physical Journal C, 2012 , 72, 1	4.2	133

485	Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. <i>European Physical Journal C</i> , 2014 , 74, 2980	4.2	131	
484	Measurement of the inclusive W and Z production cross sections in pp collisions at (sqrt $\{s\} = 7$) TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	121	
483	Prompt and non-prompt J/ \Box production in pp collisions at (sqrt{s} = 7) TeV. European Physical Journal C, 2011 , 71, 1	4.2	118	
482	A search for a doubly-charged Higgs boson in pp collisions at ($sqrt{s} = 7 mbox{TeV}$). European Physical Journal C, 2012 , 72, 1	4.2	111	
481	Measurements of inclusive W and Z cross sections in pp collisions at (sqrt $\{s\} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	104	
480	Measurement of differential top-quark-pair production cross sections in pp collisions at (sqrt{s} = 7 mathrm{TeV}). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	102	
479	Search for a light charged Higgs boson in top quark decays in pp collisions at (sqrt {s} = 7;TeV). Journal of High Energy Physics, 2012 , 2012, 1	5.4	101	
478	CMS tracking performance results from early LHC operation. European Physical Journal C, 2010, 70, 11	65 ₄ 1219	2 99	
477	Measurement of the differential cross section for top quark pair production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 542	4.2	98	
476	Searches for long-lived charged particles in pp collisions at (sqrt{s}) = 7 and 8 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	96	
475	Search for supersymmetry in hadronic final states using M T2 in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, 2012 , 2012, 1	5.4	92	
474	Charged particle multiplicities in pp interactions at (sqrt $\{s\}$ = 0.9), 2.36, and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	89	
473	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at (sqrt {{{s_{text{NN}}}}} = 2.76) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	87	
472	Search for supersymmetry in hadronic final states with missing transverse energy using the variables and b-quark multiplicity in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2568	4.2	82	
471	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at ($sqrt\{s\}$) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	81	
470	Strange particle production in pp collisions at (sqrt $\{s\}$ = 0.9) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	78	
469	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	77	
468	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	74	

467	Searches for invisible decays of the Higgs boson in pp collisions at ($sqrt{s}$) = 7, 8, and 13 TeV. Journal of High Energy Physics, 2017 , 2017, 1	5.4	74
466	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	73
465	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at (sqrt{{{s_{mathrm{NN}}}}} = 2.76) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	73
464	Study of the production of charged pions, kaons, and protons in pPb collisions at [Formula: see text]5.02[Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 2847	4.2	71
463	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	70
462	Measurement of the single-top-quark t-channel cross section in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, 2012, 2012, 1	5.4	70
461	Measurement of the underlying event activity at the LHC with ($sqrt \{s\} = 7$) TeV and comparison with ($sqrt \{s\} = 0.9$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	70
460	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	69
459	J/ \triangle and (PS) production in pp collisions at (sqrt {s} = 7{text{Tev}}). Journal of High Energy Physics, 2012 , 2012, 1	5.4	69
458	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $(sqrt{s_{NN}}) = 5.02)$ (,text {TeV}). European Physical Journal C, 2014 , 74, 1	4.2	67
457	Search for anomalous production of multilepton events in pp collisions at (sqrt $\{s\}$ = 7,TeV). Journal of High Energy Physics, 2012 , 2012, 1	5.4	65
456	Charged-particle nuclear modification factors in PbPb and pPb collisions at (sqrt{s_{mathrm{N};mathrm{N}}}=5.02) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	64
455	Measurement of the (mathrm{t}overline{mathrm{t}}) production cross section in the dilepton channel in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, 2012 , 2012, 1	5.4	64
454	Search for high-mass resonances in dilepton final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	63
453	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i> , 2020 , 80, 4	4.2	61
452	Study of double parton scattering using W + 2-jet events in proton-proton collisions at (sqrt $\{s\}$) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	61
451	Search for a charged Higgs boson in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	61
450	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at (sqrt{{{s_{NN }}}}) =2.76 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	60

449	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	59
448	Suppression and azimuthal anisotropy of prompt and nonprompt [Formula: see text] production in PbPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 252	4.2	58
447	Search for anomalous (toverline t) production in the highly-boosted all-hadronic final state. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	57
446	Study of exclusive two-photon production of W+Wlin pp collisions at (sqrt{s}=7) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	56
445	Measurement of the W+Wltross section in pp collisions at (sqrt{s} = 7mbox{ TeV}) and limits on anomalous WWland WWZ couplings. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	56
444	Long-range and short-range dihadron angular correlations in central PbPb collisions at (sqrt {{{s_{text{NN}}}}}) = 2.76 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	56
443	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. <i>European Physical Journal C</i> , 2015 , 75, 251	4.2	55
442	Search for new phenomena with the variable in the all-hadronic final state produced in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 710	4.2	54
441	Search for ({text{B}}_{text{s}}^0) -	5.4	52
440	Measurements of differential and double-differential Drell-Yan cross sections in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 147	4.2	50
439	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at (sqrt{s} = 7 mathrm{TeV}) and first determination of the strong coupling constant in the TeV range. European Physical Journal C, 2013, 73, 1	4.2	50
438	Search for narrow and broad dijet resonances in proton-proton collisions at (sqrt{s}=13) TeV and constraints on dark matter mediators and other new particles. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	50
437	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. European Physical Journal C, 2013 , 73, 2469	4.2	49
436	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 237	4.2	48
435	Measurement of the t-channel single-top-quark production cross section and of the $ V $ tb CKM matrix element in pp collisions at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	48
434	Measurement of the ($\{\{rm\ t\}bar\{rm\ t\}\}$) production cross section and the top quark mass in the dilepton channel in pp collisions at ($sqrt\ \{s\} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	48
433	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	46
432	Measurement of the relative prompt production rate of and in pp collisions at [Formula: see text]. European Physical Journal C, 2012, 72, 2251	4.2	46

431	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	46
430	Search for new physics with jets and missing transverse momentum in pp collisions at (sqrt {s} = 7) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	46
429	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	45
428	Exclusive $\Box \Rightarrow \Box$ in proton-proton collisions at (sqrt {s} = {7}) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	45
427	Search for the associated production of the Higgs boson with a top-quark pair. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	45
426	Search for exclusive or semi-exclusive ©production and observation of exclusive and semi-exclusive e+e©production in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	45
425	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2283	4.2	45
424	Measurement of the X(3872) production cross section via decays to J/I In pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	44
423	Search for heavy bottom-like quarks in 4.9 fb $\overline{0}$ of pp collisions at (sqrt {s} = 7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	44
422	Charged particle transverse momentum spectra in pp collisions at (sqrt {s} = 0.9) and 7 TeV. Journal of High Energy Physics, 2011 , 2011, 1	5.4	44
421	Measurement of the (toverline $\{t\}$) production cross section in the dilepton channel in pp collisions at (sqrt $\{s\}$) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	43
420	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at (sqrt $\{s\}$) = 7 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	43
419	Search for leptonic decays of W? bosons in pp collisions at (sqrt $\{s\} = \{7\}$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	43
418	Event activity dependence of (Y)(nS) production in (sqrt{{{s_{NN}}}}) = 5.02 TeV pPb and (sqrt{s}) = 2.76 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	42
417	Search for additional neutral MSSM Higgs bosons in the III in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	42
416	Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at 7 TeVand determination of the strong coupling constant in the TeVange. <i>European Physical Journal C</i> , 2015 , 75, 186	4.2	41
415	Measurement of prompt J/pair production in pp collisions at (sqrt{s}) = 7 Tev. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	41
414	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	41

413	Measurement of the inelastic proton-proton cross section at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	41	
412	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	40	
411	Studies of jet mass in dijet and W/Z + jet events. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	39	
410	Study of the underlying event at forward rapidity in pp collisions at (sqrt{s}=0.9,2.76,;mathrm{and};7;mathrm{TeV}). <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	39	
409	Measurement of the ZZ production cross section and search for anomalous couplings in 200 final states in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	39	
408	Search for same-sign top-quark pair production at (sqrt {s} = 7) TeV and limits on flavour changing neutral currents in the top sector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	39	
407	Search for natural and split supersymmetry in proton-proton collisions at (sqrt{s}=13) TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	39	
406	Search for new physics in events with same-sign dileptons and jets in pp collisions at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	38	
405	Search for microscopic black holes in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	38	
404	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at (sqrt {s} = 7;{text{TeV}}). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	38	
403	Measurement of the [Formula: see text] cross section in pp collisions at [Formula: see text] TeVand limits on anomalous gauge couplings. <i>European Physical Journal C</i> , 2016 , 76, 401	4.2	38	
402	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 288	4.2	37	
401	Measurement of the differential cross section and charge asymmetry for inclusive [Formula: see text] production at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2016 , 76, 469	4.2	37	
400	Measurement of associated W + charm production in pp collisions at (sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	37	
399	Jet production rates in association with W and Z bosons in pp collisions at (sqrt $\{s\} = 7 \{\text{text}\{\text{TeV}\}\}$). Journal of High Energy Physics, 2012 , 2012, 1	5.4	37	
398	Measurement of masses in the [Formula: see text] system by kinematic endpoints in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2494	4.2	37	
397	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	37	
396	Measurement of pseudorapidity distributions of charged particles in proton \overline{p} roton collisions at (sqrt{s} = 8) TeV by the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	37	

395	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	37
394	Measurement of prompt and nonprompt charmonium suppression in collisions at 5.02. <i>European Physical Journal C</i> , 2018 , 78, 509	4.2	37
393	Measurement of the top-quark mass in (mathrm $\{t\}$) events with dilepton final states in pp collisions at (sqrt $\{s\}$ =7 mbox $\{TeV\}$). European Physical Journal C, 2012 , 72, 1	4.2	36
392	First measurement of the underlying event activity at the LHC with ($sqrt{s} = 0.9$) TeV. European Physical Journal C, 2010 , 70, 555-572	4.2	36
391	Measurement of the double-differential inclusive jet cross section in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 451	4.2	36
390	Search for disappearing tracks in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	35
389	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 13	4.2	35
388	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	35
387	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	35
386	Measurement of the (mathrm{{tbar{t}}}) production cross section in pp collisions at (sqrt{s}=7) TeV using the kinematic properties of events with leptons and jets. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	35
385	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at (sqrt{s}=8) TeV and cross section ratios to 2.76 and 7 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	34
384	Search for new physics in same-sign dilepton events in proton-proton collisions at [Formula: see text]. European Physical Journal C, 2016 , 76, 439	4.2	34
383	Search for microscopic black holes in pp collisions at (sqrt $\{s\} = \{\text{text}\{7\text{TeV}\}\}$). Journal of High Energy Physics, 2012 , 2012, 1	5.4	34
382	Search for heavy stable charged particles in pp collisions at (sqrt $\{s\} = 7; \{text\{TeV\}\}\}$). Journal of High Energy Physics, 2011 , 2011, 1	5.4	34
381	Construction and commissioning of the CALICE analog hadron calorimeter prototype. <i>Journal of Instrumentation</i> , 2010 , 5, P05004-P05004	1	34
380	Search for decays of stopped long-lived particles produced in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 151	4.2	33
379	Search for new physics in events with same-sign dileptons and b jets in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	33
378	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	33

(2016-2015)

377	Search for a light charged Higgs boson decaying to (mathrm{c}overline{mathrm{s}}) in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-37	5.4	33	
376	Identification techniques for highly boosted W bosons that decay into hadrons. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	32	
375	Search for resonances in the dilepton mass distribution in pp collisions at (sqrt $\{s\} = 7$) TeV. Journal of High Energy Physics, 2011 , 2011, 1	5.4	32	
374	Search for supersymmetry in pp collisions at (sqrt {s} = 7) TeV in events with a single lepton, jets, and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	32	
373	Measurement of the Drell-Yan cross section in pp collisions at (sqrt $\{s\} = 7$) TeV. Journal of High Energy Physics, 2011 , 2011, 1	5.4	32	
372	Measurement of the (mathrm{t}overline{mathrm{t}}) production cross section in the elthannel in proton-proton collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	30	
371	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	30	
370	Inclusive b-jet production in pp collisions at (sqrt {s} = 7TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	30	
369	Observation of Z decays to four leptons with the CMS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	30	
368	Measurement of the top-quark mass in (mathrm{t}overline{mathrm{t}}) events with lepton+jets final states in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	30	
367	Measurement of the underlying event in the Drell Γ an process in proton Γ roton collisions at (sqrt{s} = 7~mbox{TeV}). European Physical Journal C, 2012 , 72, 1	4.2	30	
366	Measurements of the production cross section and the branching fraction, and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2018 , 78, 165	4.2	29	
365	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or $\mathbb B$ b-quark jets in 7 TeV pp collisions using the variable $\mathbb B$ T. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	29	
364	Observation of Y(1S) pair production in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	29	
363	Measurement of top quark-antiquark pair production in association with a W or Z boson in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3060	4.2	29	
362	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3129	4.2	29	
361	Search for vector-like T and B quark pairs in final states with leptons at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	29	
360	Search for heavy Majorana neutrinos in $e = e = + $ jets and $e = = + $ jets events in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	28	

359	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	28
358	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	28
357	Measurement of the production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. <i>European Physical Journal C</i> , 2019 , 79, 368	4.2	27
356	Evidence for exclusive 日秋 + W [production and constraints on anomalous quartic gauge couplings in pp collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	27
355	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at (sqrt{s}=7;TeV). Journal of High Energy Physics, 2012, 2012, 1	5.4	27
354	Measurement of ({text{B}}overline {text{B}}) angular correlations based on secondary vertex reconstruction at (sqrt {s} = 7,{text{TeV}}). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	27
353	Measurement of prompt and nonprompt [Formula: see text] production in [Formula: see text] and [Formula: see text] collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 269	4.2	26
352	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at ($sqrt{s}$) = 7 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	26
351	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	26
350	Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	26
349	Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at (sqrt {s} = 7,{text{TeV}}). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	26
348	Measurement of the W-boson helicity in top-quark decays from (mathrm{t}overline{mathrm{t}}) production in lepton+jets events in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, 2013, 2013, 1	5.4	25
347	Search for top squark pair production in pp collisions at (sqrt{s}=13) TeV using single lepton events. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	25
346	Measurements of the [Formula: see text][Formula: see text] production cross sections in the [Formula: see text] channel in proton-proton collisions at [Formula: see text] and [Formula: see text] and combined constraints on triple gauge couplings. <i>European Physical Journal C</i> , 2015 , 75, 511	4.2	25
345	Search for resonant (mathrm{t}overline{mathrm{t}}) production in lepton+jets events in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	25
344	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. <i>European Physical Journal C</i> , 2016 , 76, 371	4.2	25
343	Measurement of the weak mixing angle using the forward-backward asymmetry of Drell-Yan events in collisions at 8. <i>European Physical Journal C</i> , 2018 , 78, 701	4.2	25
342	Search for charged Higgs bosons in the H∃ -暑ddecay channel in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	24

(2017-2015)

341	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 325	4.2	24	
340	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 75	4.2	24	
339	Measurement of inclusive jet production and nuclear modifications in pPb collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 372	4.2	24	
338	Jet and underlying event properties as a function of charged-particle multiplicity in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2674	4.2	24	
337	Measurement of the $Z/B + b$ -jet cross section in pp collisions at (sqrt $\{s\} = 7$) TeV. Journal of High Energy Physics, 2012 , 2012, 1	5.4	24	
336	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at (sqrt {s} = 7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	24	
335	Search for the standard model Higgs boson in the $H - \mathbb{Z}Z - \mathbb{Z}\mathbb{R}$ thannel in pp collisions at (sqrt {text{s}} = {7};{text{TeV}}). Journal of High Energy Physics, 2012 , 2012, 1	5.4	24	
334	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	24	
333	Search for W? - \pm b decays in the lepton + jets final state in pp collisions at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	23	
332	Search for third-generation scalar leptoquarks decaying to a top quark and a lepton at. <i>European Physical Journal C</i> , 2018 , 78, 707	4.2	23	
331	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying [leptons at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	23	
330	Measurement of the [Formula: see text] production cross section using events in the [Formula: see text] final state in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 172	4.2	22	
329	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	22	
328	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 845	4.2	22	
327	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	22	
326	Measurement of Bose-Einstein correlations in pp collisions at (sqrt $\{s\}$ = 0.9) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	22	
325	Measurement of the WZ production cross section in pp collisions at [Formula: see text] and 8[Formula: see text] and search for anomalous triple gauge couplings at [Formula: see text]. European Physical Journal C, 2017, 77, 236	4.2	21	
324	A search for new phenomena in pp collisions at [Formula: see text] in final states with missing transverse momentum and at least one jet using the [Formula: see text] variable. <i>European Physical Journal C</i> , 2017 , 77, 294	4.2	21	

323	Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 66	4.2	21
322	Correlations between jets and charged particles in PbPb and pp collisions at (sqrt{s_{mathrm{NN}}}=2.76) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	21
321	Measurement of the [Formula: see text] production cross section in the all-jets final state in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 128	4.2	21
320	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at (sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	21
319	Measurement of the top-quark mass in all-jets [Formula: see text] events in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2014 , 74, 2758	4.2	21
318	Measurement of the (mathrm $\{t\}$ bar $\{mathrm\{t\}\}$) production cross section in the $\exists j$ ets channel in pp collisions at (sqrt $\{s\}=7$ mbox $\{TeV\}$). European Physical Journal C, 2013 , 73, 1	4.2	21
317	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 578	4.2	21
316	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	21
315	Search for a Higgs boson in the decay channel $H - \mathbb{Z}Z(*) - \mathbb{A}($ overline $\{\text{text}\{q\}\} \}$ in pp collisions at (sqrt $\{s\} = 7$) TeV. Journal of High Energy Physics, 2012 , 2012, 1	5.4	21
314	Inclusive b-hadron production cross section with muons in pp collisions at (sqrt $\{s\} = 7; \{\text{text}\{\text{TeV}\}\}$). Journal of High Energy Physics, 2011 , 2011, 1	5.4	21
313	Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	21
312	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at (sqrt{s_{mathrm{NN}}}=2.76) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	21
311	Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	21
310	Search for high mass dijet resonances with a new background prediction method in proton-proton collisions at (sqrt $\{s\}$) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	20
309	Measurement of [Formula: see text] production with additional jet activity, including [Formula: see text] quark jets, in the dilepton decay channel using pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 379	4.2	20
308	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 140	4.2	20
307	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at. <i>European Physical Journal C</i> , 2019 , 79, 564	4.2	20
306	Measurement of the production cross section for pairs of isolated photons in pp collisions at (sqrt {s} = 7;TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	20

305	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	20	
304	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at. <i>European Physical Journal C</i> , 2017 , 77, 636	4.2	20	
303	Search for anomalous single top quark production in association with a photon in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	20	
302	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	20	
301	Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	20	
300	Measurements of the [Formula: see text] production cross section in lepton+jets final states in pp collisions at 8 [Formula: see text] and ratio of 8 to 7[[Formula: see text] cross sections. <i>European Physical Journal C</i> , 2017 , 77, 15	4.2	19	
299	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	19	
298	Search for resonant and nonresonant Higgs boson pair production in the (mathrm{b}overline{mathrm{b}}mathit{ell nu ell nu }) final state in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	19	
297	Search for massive WH resonances decaying into the [Formula: see text] final state at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 237	4.2	19	
296	Measurement of exclusive photoproduction from protons in Pb collisions at. <i>European Physical Journal C</i> , 2019 , 79, 277	4.2	19	
295	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	19	
294	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	19	
293	Search for third-generation scalar leptoquarks in the tlthannel in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	19	
292	Measurement of energy flow at large pseudorapidities in pp collisions at (sqrt $\{s\}$ = 0. $\{9\}$) and 7 TeV. Journal of High Energy Physics, 2011 , 2011, 1	5.4	19	
291	Measurement of differential cross sections for boson production in association with jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 965	4.2	19	
290	Search for new physics in dijet angular distributions using proton-proton collisions at and constraints on dark matter and other models. <i>European Physical Journal C</i> , 2018 , 78, 789	4.2	19	
289	Search for lepton flavour violating decays of the Higgs boson to Dand ellin proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	19	
288	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 364	4.2	18	

287	Study of Z production in PbPb and pp collisions at (sqrt{s_{mathrm{NN}}}=2.76) TeV in the dimuon and dielectron decay channels. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	18
286	Observation of top quark pairs produced in association with a vector boson in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	18
285	Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two [leptons and two jets in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	18
284	. Journal of High Energy Physics, 2014 , 2014, 1	5.4	18
283	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	18
282	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying leptons and two jets in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	18
281	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	18
280	Search for heavy Higgs bosons decaying to a top quark pair in proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	18
279	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	18
278	Search for (mathrm{t}overline{mathrm{t}}mathrm{H}) production in the (mathrm{H}to mathrm{b}overline{mathrm{b}}) decay channel with leptonic (mathrm{t}overline{mathrm{t}}) decays in proton-proton collisions at (sqrt{s}=13) TeV. Journal of High Energy Physics, 2019, 2019, 1	5.4	17
277	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at = 13. <i>European Physical Journal C</i> , 2018 , 78, 291	4.2	17
276	Measurement of the inclusive jet cross section in pp collisions at (sqrt{s} = 2.76,text {TeV}). European Physical Journal C, 2016 , 76, 1	4.2	17
275	Search for (mathrm{t}overline{mathrm{t}}) resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	17
274	Searches for pair production of third-generation squarks in [Formula: see text][Formula: see text] pp collisions. <i>European Physical Journal C</i> , 2017 , 77, 327	4.2	17
273	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	17
272	Search for stopped long-lived particles produced in pp collisions at (sqrt $\{s\} = \{\text{text}\{7\text{TeV}\}\}$). Journal of High Energy Physics, 2012, 2012, 1	5.4	17
271	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in protonproton collisions at (sqrt{s} = 7 mathrm{TeV}). European Physical Journal C, 2012, 72, 1	4.2	17
270	Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at (sqrt $\{s\} = 7$) TeV. Journal of High Energy Physics, 2011 , 2011, 1	5.4	17

(2013-2017)

269	Measurement of double-differential cross sections for top quark pair production in pp collisions at [Formula: see text][Formula: see text] and impact on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 459	4.2	16	
268	Searches for physics beyond the standard model with the variable in hadronic final states with and without disappearing tracks in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 3	4.2	16	
267	Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16	
266	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into [leptons in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16	
265	Measurement of WZ and ZZ production in pp collisions at [Formula: see text] in final states with b-tagged jets. <i>European Physical Journal C</i> , 2014 , 74, 2973	4.2	16	
264	Search for exotic resonances decaying into WZ/ZZ in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	16	
263	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	16	
262	Search for a charged Higgs boson decaying into top and bottom quarks in events with electrons or muons in proton-proton collisions at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	16	
261	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	16	
260	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	16	
259	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	16	
258	Measurements of (mathrm{t}overline{mathrm{t}}) differential cross sections in proton-proton collisions at (sqrt{mathrm{s}}=13) TeV using events containing two leptons. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	15	
257	Measurements of the associated production of a Z boson and b jets in pp collisions at. <i>European Physical Journal C</i> , 2017 , 77, 751	4.2	15	
256	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	15	
255	Search for new particles decaying to a jet and an emerging jet. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	15	
254	Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at (sqrt $\{s\}$) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	15	
253	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	15	
252	Search for supersymmetry in pp collisions at [Formula: see text] TeV in events with a single lepton, jets, and missing transverse momentum. <i>European Physical Journal C</i> , 2013 , 73, 2404	4.2	15	

251	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	15
250	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	15
249	Search for high-mass resonances in final states with a lepton and missing transverse momentum at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	15
248	Measurement of the jet mass in highly boosted [Formula: see text] events from pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 467	4.2	14
247	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	14
246	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 460	4.2	14
245	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	14
244	Measurement of the (Lambda_{mathrm{b}}^0) lifetime in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	14
243	Measurement of the (mathrm{t}overline{mathrm{t}}) production cross section in the all-jet final state in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, 2013, 2013, 1	5.4	14
242	Measurement of the (mathrm{t}overline{mathrm{t}}) production cross section using events with one lepton and at least one jet in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	14
241	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	14
240	Evidence for Higgs boson decay to a pair of muons. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	14
239	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
238	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two [leptons in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
237	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
236	Search for supersymmetry in events with a [lepton pair and missing transverse momentum in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
235	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
234	Search for resonant (mathrm{t}overline{mathrm{t}}) production in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	13

(2013-2015)

233	Measurement of the ratio of the production cross sections times branching fractions of B ⊕ - → □ ⊕ and B⊕ - → □ and (mathrm{mathcal{B}}\eft({mathrm{B}}_{mathrm{c}}^{pn} to mathrm{J}/psi {pi}^{pm}{pm}{pi}^{mp}right)/mathrm{mathcal{B}}\eft({mathrm{B}}_{mathrm{c}}^{pn} to mathrm{c}}^{pn} to m	5.4	13	
232	mathrm{J}/psi {pi}^{pm}right)) in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at (sqrt{s}=8) TeV. Journal of High Energy Physics, 2018, 2018, 1	5.4	13	
231	Forward-backward asymmetry of Drell-Yan lepton pairs in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 325	4.2	13	
230	Measurement of exclusive Iphotoproduction in ultraperipheral pPb collisions at. <i>European Physical Journal C</i> , 2019 , 79, 702	4.2	13	
229	Measurement of the top quark mass in the all-jets final state at and combination with the lepton+jets channel. <i>European Physical Journal C</i> , 2019 , 79, 313	4.2	13	
228	Probing color coherence effects in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 2901	4.2	13	
227	Search for a fermiophobic Higgs boson in pp collisions at (sqrt $\{s\} = 7$) TeV. Journal of High Energy Physics, 2012 , 2012, 1	5.4	13	
226	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at (sqrt $\{s\} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	13	
225	Measurement of the mass difference between top and antitop quarks. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	13	
224	Measurement of (hbox {t}{bar{hbox {t}}}) normalised multi-differential cross sections in ({text {p}}{text {p}}) collisions at (sqrt{s}=13,{text {TeV}}), and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. <i>European Physical</i>	4.2	13	
223	Search for charged Higgs bosons decaying into a top and a bottom quark in the all-jet final state of pp collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	13	
222	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at (sqrt{s_{mathrm{N};mathrm{N}}}=2.76) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13	
221	Search for (mathrm{t}overline{mathrm{t}}mathrm{H}) production in the all-jet final state in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	13	
220	Measurement of the top quark mass with lepton+jets final states using collisions at. <i>European Physical Journal C</i> , 2018 , 78, 891	4.2	13	
219	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 280	4.2	12	
218	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	12	
217	Measurement of normalized differential (mathrm{t}overline{mathrm{t}}) cross sections in the dilepton channel from pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12	
216	Measurement of the production cross section for (mathrm{Z}gamma to nu overline{nu}gamma) in pp collisions at (sqrt{s} = 7) TeV and limits on ZZ[and Z[triple gauge boson couplings. Journal of High Energy Physics, 2013, 2013, 1	5.4	12	

215	Search for heavy quarks decaying into a top quark and a W or Z boson using lepton + jets events in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	12
214	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
213	Search for quark compositeness in dijet angular distributions from pp collisions at (sqrt $\{s\}$ = 7 $\{\}$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	12
212	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at (sqrt{s}=7;TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	12
211	Search for light resonances decaying into pairs of muons as a signal of new physics. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	12
210	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12
209	Studies of and mesons including the observation of the decay in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 939	4.2	12
208	Electroweak production of two jets in association with a Z boson in protonproton collisions at (sqrt{s}=) 13(,text {TeV}). European Physical Journal C, 2018, 78, 1	4.2	12
207	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12
206	Search for new physics in the monophoton final state in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
205	Search for a heavy Higgs boson decaying to a pair of W bosons in proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	11
204	Measurement of associated Z + charm production in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 287	4.2	11
203	Phenomenological MSSM interpretation of CMS searches in pp collisions at (sqrt{s}=7) and 8 TeV. Journal of High Energy Physics, 2016 , 2016, 1	5.4	11
202	Measurement of jet multiplicity distributions in [Formula: see text] production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3014	4.2	11
201	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
200	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
199	Search for new physics with dijet angular distributions in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
198	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	11

197	Measurement of the underlying event activity in pp collisions at (sqrt $\{s\}$ = 0.9) and 7 TeV with the novel jet-area/median approach. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	11
196	Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at (sqrt{s}= 7) TeV. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	11
195	Search for the standard model Higgs boson in the H $- \mathbb{Z}\mathbb{Z} - \mathbb{A}\mathbb{H}\mathbb{D}$ decay channel in pp collisions at (sqrt {s} = {7};{text{TeV}}). Journal of High Energy Physics, 2012 , 2012, 1	5.4	11
194	Measurements of differential Z boson production cross sections in proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	11
193	Charged-particle nuclear modification factors in XeXe collisions at (sqrt{s_{mathrm{NN}}} = 5.44) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11
192	Search for ZIresonances using leptonic and hadronic final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11
191	Search for the decay of a Higgs boson in the Ithannel in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11
190	Search for beyond the standard model Higgs bosons decaying into a (mathrm{b}overline{mathrm{b}}) pair in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11
189	Measurements of the pp ->WZ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	10
188	Search for new neutral Higgs bosons through the (mathrm{H}to mathrm{ZA}to $\{ell\}^{+}\{ell\}^{-}\}$ mathrm{b}overline{mathrm{b}}) process in pp collisions at (sqrt{s}) = 13 TeV. Journal of High Energy Physics, 2020 , 2020, 1	5.4	10
187	A multi-dimensional search for new heavy resonances decaying to boosted , , or boson pairs in the dijet final state at 13 <i>European Physical Journal C</i> , 2020 , 80, 237	4.2	10
186	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at (sqrt{s}=8) TeV using H->WW decays. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
185	Search for excited leptons in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
184	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, 2013, 2013, 1	5.4	10
183	Search for physics beyond the standard model in events with leptons, jets, and large transverse momentum imbalance in pp collisions at [Formula: see text]. European Physical Journal C, 2013, 73, 2493	3 ^{4.2}	10
182	Measurements of jet charge with dijet events in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
181	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
180	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10

179	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	10
178	Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at (sqrt $\{s\} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	10
177	Measurement of properties of ({mathrm{B}}_{mathrm{s}}^0)-堀decays and search for B0-堀口 with the CMS experiment. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	10
176	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
175	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	10
174	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	10
173	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	9
172	A search for the standard model Higgs boson decaying to charm quarks. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	9
171	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	9
170	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at (sqrt{s}=7) TeV. Journal of High Energy Physics, 2016 , 2016, 1	5.4	9
169	Measurement of b hadron lifetimes in pp collisions at. European Physical Journal C, 2018, 78, 457	4.2	9
168	Search for top quark partners with charge 5/3 in the same-sign dilepton and single-lepton final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	9
167	Search for associated production of dark matter with a Higgs boson decaying to (mathrm{b}overline{mathrm{b}}) or Lat (sqrt{s}=13) TeV. Journal of High Energy Physics, 2017, 2017, 1	5.4	9
166	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
165	Measurement of electroweak-induced production of Wilwith two jets in pp collisions at (sqrt{s}=8) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
164	Search for anomalous triple gauge couplings in WW and WZ production in lepton + jet events in proton-proton collisions at (sqrt $\{s\}$) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	9
163	Search for a light pseudoscalar Higgs boson in the boosted Γ in all state in proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	9
162	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an [Formula: see text] pair in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 317	4.2	9

161	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	9
160	Measurement of charged particle spectra in minimum-bias events from proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 697	4.2	9
159	Search for a singly produced third-generation scalar leptoquark decaying to a flepton and a bottom quark in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	9
158	Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at ($sqrt{s}$) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
157	Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
156	Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
155	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
154	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at (sqrt{s_{mathrm{NN}}}=5.02) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	8
153	Search for s channel single top quark production in pp collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	8
152	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
151	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	8
150	Measurement of the top quark mass using single top quark events in proton-proton collisions at [Formula: see text] TeV. European Physical Journal C, 2017, 77, 354	4.2	8
149	Measurement of the triple-differential dijet cross section in proton-proton collisions at and constraints on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 746	4.2	8
148	Search for electroweak production of a vector-like T quark using fully hadronic final states. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
147	Search for physics beyond the standard model in multilepton final states in proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
146	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	8
145	Search for electroweak production of charginos in final states with two ¶eptons in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
144	Measurement of the production cross section of a Wlboson in association with two b jets in pp collisions at [Formula: see text]. European Physical Journal C, 2017, 77, 92	4.2	7

143	Measurement of the energy density as a function of pseudorapidity in protonproton collisions at (sqrt{s} =13,text {TeV}). European Physical Journal C, 2019 , 79, 1	4.2	7
142	Search for rare decays of and Higgs bosons to and a photon in proton-proton collisions at = 13. European Physical Journal C, 2019 , 79, 94	4.2	7
141	Search for production of Higgs boson pairs in the four b quark final state using large-area jets in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
140	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
139	Measurement of the cross section for electroweak production of a Z boson, a photon and two jets in proton-proton collisions at (sqrt{mathrm{s}}) = 13 TeV and constraints on anomalous quartic couplings. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	7
138	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	7
137	Search for supersymmetry in pp collisions at (sqrt{s}=13) TeV in the single-lepton final state using the sum of masses of large-radius jets. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	7
136	Measurement of top quark polarisation in t-channel single top quark production. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	7
135	Jet properties in PbPb and pp collisions at ($sqrt{s_{mathrm{N};mathrm{N}}}=5.02$) TeV. Journal of High Energy Physics, 2018 , 2018, 1	5.4	7
134	Measurement of the semileptonic (mathrm{t}overline{mathrm{t}}) + Φ roduction cross section in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
133	Searches for W? bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
132	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
131	Measurement of the Z[production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	7
130	Search for dark photons in decays of Higgs bosons produced in association with Z bosons in proton-proton collisions at (sqrt $\{s\}$) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
129	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	7
128	Search for dark matter produced in association with a leptonically decaying boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 13	4.2	7
127	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at (sqrt{s}=8) and 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
126	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7

125	Search for a heavy resonance decaying into a Z boson and a Z or W boson in 2🛭 q final states at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7	
124	Search for dark matter produced in association with a Higgs boson decaying to Dor D-Dat (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7	
123	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7	
122	Precision luminosity measurement in proton-proton collisions at in 2015 and 2016 at CMS. <i>European Physical Journal C</i> , 2021 , 81, 800	4.2	7	
121	Search for single production of vector-like quarks decaying to a top quark and a boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 90	4.2	6	
120	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at (sqrt{s}=2.76) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	6	
119	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in collisions at and 5.02. <i>European Physical Journal C</i> , 2020 , 80, 534	4.2	6	
118	Measurement of electroweak production of a boson in association with two jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 43	4.2	6	
117	Search for lepton flavour violating decays of a neutral heavy Higgs boson to \Box and \Box n proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	6	
116	Measurement of dijet azimuthal decorrelation in pptollisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 536	4.2	6	
115	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton $+$ jets final state in pp collisions at (sqrt{s} = 13,text {TeV}). European Physical Journal C, 2019 , 79, 1	4.2	6	
114	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at (sqrt{s}=7)TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	6	
113	Search for supersymmetry in final states with two oppositely charged same-flavor leptons and missing transverse momentum in proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	6	
112	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	6	
111	Measurement of the differential Drell-Yan cross section in proton-proton collisions at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	6	
110	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 893	4.2	6	
109	Search for new physics in top quark production in dilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 886	4.2	6	
108	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6	

107	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
106	Search for a heavy resonance decaying into a Z boson and a vector boson in the (nu overline{nu}mathrm{q}overline{mathrm{q}}) final state. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
105	Measurement of the mass of the top quark in decays with a J/Imeson in pp collisions at 8 TeV. Journal of High Energy Physics, 2016 , 2016, 1	5.4	5
104	Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	5
103	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	5
102	Comparison of the Z/\mathbb{F} + jets to \mathbb{F} jets cross sections in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	5
101	Search for a heavy pseudoscalar Higgs boson decaying into a 125 GeV Higgs boson and a Z boson in final states with two tau and two light leptons at ($sqrt{s}$) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	5
100	Measurements of production cross sections and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2021 , 81, 200	4.2	5
99	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 488	4.2	5
98	Search for resonant and nonresonant new phenomena in high-mass dilepton final states at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	5
97	Search for resonances decaying to a pair of Higgs bosons in the b(overline{mathrm{b}})q(overline{mathrm{q}})If inal state in proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	5
96	Search for top squark pair production using dilepton final states in collision data collected at. <i>European Physical Journal C</i> , 2021 , 81, 3	4.2	5
95	Measurement of the groomed jet mass in PbPb and pp collisions at (sqrt{s_{mathrm{NN}}}=5.02) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	5
94	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	5
93	Measurement of the cross section in pp collisions at and validation of lepton analysis techniques. <i>European Physical Journal C</i> , 2018 , 78, 708	4.2	5
92	Search for a low-mass \blacksquare resonance in association with a bottom quark in proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
91	Search for the pair production of light top squarks in the e⊞ final state in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
90	Search for nonresonant Higgs boson pair production in the (mathrm{b}overline{mathrm{b}}mathrm{b}}) final state at (sqrt{s}) = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1	5.4	4

(2021-2019)

89	Study of the underlying event in top quark pair production in collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 123	4.2	4
88	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 20	4.2	4
87	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 302	4.2	4
86	Evidence for (text {W}text {W}) production from double-parton interactions in proton β roton collisions at (sqrt{s} = 13 ,text {TeV}). European Physical Journal C, 2020 , 80, 1	4.2	4
85	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at. <i>European Physical Journal C</i> , 2018 , 78, 242	4.2	4
84	Pseudorapidity distributions of charged hadrons in proton-lead collisions at (sqrt{s_{mathrm{NN}}}=5.02) and 8.16 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4
83	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5∙4	4
82	Search for a W? boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
81	Search for a heavy resonance decaying to a top quark and a vector-like top quark at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4
80	Search for high-mass ZIresonances in e+eland I+ III inal states in proton-proton collisions at (sqrt{s}=8) and 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4
79	Search for CP violation in (toverline{t}) production and decay in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4
78	Measurement of differential cross sections and charge ratios for -channel single top quark production in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 370	4.2	4
77	Measurement of quark- and gluon-like jet fractions using jet charge in PbPb and pp collisions at 5.02 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	4
76	Search for nonresonant Higgs boson pair production in final states with two bottom quarks and two photons in proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	4
75	Search for new physics in top quark production with additional leptons in proton-proton collisions at (sqrt $\{s\}$) = 13 TeV using effective field theory. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	4
74	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	4
73	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at (sqrt{s}= 13~hbox {TeV}). European Physical Journal C, 2018 , 78, 1	4.2	4
72	MUSiC: a model-unspecific search for new physics in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 629	4.2	4

71	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at (sqrt{s}) = 13 TeV via Higgs boson decays to [leptons. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	3
70	Search for direct pair production of supersymmetric partners to the lepton in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 189	4.2	3
69	Measurement of the top quark forward-backward production asymmetry and the anomalous chromoelectric and chromomagnetic moments in pp collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3
68	Measurement of the inclusive (mathrm{t}overline{mathrm{t}}) cross section in pp collisions at (sqrt{s}=5.02) TeV using final states with at least one charged lepton. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3
67	Search for ZZ resonances in the 2½ Final state in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3
66	Search for pair production of excited top quarks in the lepton + jets final state. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	3
65	Search for top quark partners with charge 5/3 in proton-proton collisions at (sqrt{s}=13) TeV. Journal of High Energy Physics, 2017 , 2017, 1	5.4	3
64	Study of hadronic event-shape variables in multijet final states in pp collisions at (sqrt{s} = 7) TeV. Journal of High Energy Physics, 2014 , 2014, 1	5.4	3
63	Measurement of the cross section for production of (boverline b X) decaying to muons in pp collisions at (sqrt $\{s\} = 7$) TeV. Journal of High Energy Physics, 2012, 2012, 1	5.4	3
62	Dependence of inclusive jet production on the anti-kT distance parameter in pp collisions at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3
61	Investigation into the event-activity dependence of $?(nS)$ relative production in proton-proton collisions at ($sqrt{s}$) = 7 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3
60	Measurement of the inclusive and differential Higgs boson production cross sections in the leptonic WW decay mode at ($sqrt{s}$) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	3
59	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	3
58	Event shape variables measured using multijet final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3
57	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to elfinal states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3
56	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 723	4.2	3
55	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 305	4.2	2
54	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at ($sqrt{s} = 13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2

53	Search for decays of the 125 GeV Higgs boson into a Z boson and a lbr? meson. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
52	Determination of the strong coupling constant $\exists S(mZ)$ from measurements of inclusive $W\exists$ and Z boson production cross sections in proton-proton collisions at ($sqrt\{mathrm\{s\}\}$) = 7 and 8 TeV. Journal of High Energy Physics, 2020 , 2020, 1	5.4	2
51	Measurement of differential cross sections in the kinematic angular variable ?* for inclusive Z boson production in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	2
50	Search for dark matter particles in proton-proton collisions at (sqrt{s}=8) TeV using the razor variables. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	2
49	Search for W? -*b in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	2
48	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	2
47	Inclusive search for supersymmetry in pp collisions at (sqrt{s}=13) TeV using razor variables and boosted object identification in zero and one lepton final states. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
46	Search for excited leptons in If inal states in proton-proton collisions at (sqrt{mathrm{s}}=13) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
45	Measurements of the pp -ঋland pp -≵læross sections and limits on anomalous quartic gauge couplings at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	2
44	Search for new phenomena with multiple charged leptons in protonproton collisions at (sqrt{s}=13) (,text {TeV}). European Physical Journal C, 2017 , 77, 1	4.2	2
43	Search for supersymmetry using Higgs boson to diphoton decays at ($sqrt{s}$) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
42	The production of isolated photons in PbPb and pp collisions at (sqrt{s_{mathrm{NN}}}) = 5.02 TeV. Journal of High Energy Physics, 2020, 2020, 1	5.4	2
41	Bose-Einstein correlations of charged hadrons in proton-proton collisions at (sqrt{s}) = 13 TeV. Journal of High Energy Physics, 2020 , 2020, 1	5.4	2
40	Study of central exclusive production in proton-proton collisions at and 13TeV. <i>European Physical Journal C</i> , 2020 , 80, 718	4.2	2
39	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 752	4.2	2
38	Search for dark photons in Higgs boson production via vector boson fusion in proton-proton collisions at ($sqrt{s}$) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	2
37	Angular analysis of the decay B+ - \times *(892)+ \oplus In proton-proton collisions at (sqrt{mathrm{s}}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	2
36	Search for the production of four top quarks in the single-lepton and opposite-sign dilepton final states in proton-proton collisions at ($sqrt\{s\}$) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2

35	Search for supersymmetry in events with a photon, jets, -jets, and missing transverse momentum in proton-proton collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 444	4.2	1
34	Search for supersymmetry in proton-proton collisions at (sqrt{s}) = 13 TeV in events with high-momentum Z bosons and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
33	Search for an excited lepton that decays via a contact interaction to a lepton and two jets in proton-proton collisions at ($sqrt\{s\}$) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
32	Search for top squark pair production in a final state with two tau leptons in proton-proton collisions at (sqrt $\{s\}$) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
31	Search for chargino-neutralino production in events with Higgs and W bosons using 137 fbd of proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
30	Study of the (${\text{mathrm}\{B\}}^{+}$ to mathrm ${\text{J}}$ /uppsi overline ${\text{Lambda}}$ mathrm ${\text{p}}$) decay in proton-proton collisions at (${\text{sqrt}\{s\}}$) = 8 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	1
29	Inclusive search for highly boosted Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at (sqrt $\{s\}$) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
28	Measurement of the cross section for (mathrm{t}overline{mathrm{t}}) production with additional jets and b jets in pp collisions at (sqrt{s}) = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1	5.4	1
27	Measurement of differential cross sections for Z bosons produced in association with charm jets in pp collisions at (sqrt $\{s\}$) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
26	Development and validation of HERWIGI' tunes from CMS underlying-event measurements. <i>European Physical Journal C</i> , 2021 , 81, 312	4.2	1
25	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in collisions at. <i>European Physical Journal C</i> , 2019 , 79, 969	4.2	1
24	Search for the lepton flavor violating decay [□-3][In proton-proton collisions at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
23	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	1
22	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in collisions at. <i>European Physical Journal C</i> , 2019 , 79, 773	4.2	O
21	Measurement of single-diffractive dijet production in proton-proton collisions at with the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2020 , 80, 1164	4.2	O
20	Measurement of b jet shapes in proton-proton collisions at ($sqrt{s}$) = 5.02 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	O
19	Study of Drell-Yan dimuon production in proton-lead collisions at (sqrt{s_{mathrm{NN}}}) = 8.16 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
18	In-medium modification of dijets in PbPb collisions at (sqrt{s_{mathrm{NN}}}) = 5.02 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	O

LIST OF PUBLICATIONS

17	Measurement of the top quark pair production cross section in dilepton final states containing one [lepton in pp collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	О
16	Search for a heavy vector resonance decaying to a Doson and a Higgs boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 688	4.2	O
15	Measurements of angular distance and momentum ratio distributions in three-jet and + two-jet final states in collisions. <i>European Physical Journal C</i> , 2021 , 81, 852	4.2	О
14	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	Ο
13	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at <i>European Physical Journal C</i> , 2022 , 82, 290	4.2	О
12	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	O
11	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	О
10	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	O
9	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	O
8	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\$$ sqrt $\$$ $\$$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	O
7	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	
6	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	
5	Measurement of hadronic shower punchthrough in magnetic field. Zeitschrift Fil Physik C-Particles and Fields, 1995, 69, 415-425		
4	Measurements of the differential cross sections of the production of Z + jets and □ jets and of Z boson emission collinear with a jet in pp collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	
3	Measurement of the Z boson differential production cross section using its invisible decay mode (Z	5.4	
2	Study of dijet events with large rapidity separation in proton-proton collisions at \$\$ sqrt{s} \$\$ = 2.76 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	
1	Measurement of the inclusive $$$ \$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in proton-proton collisions at $$$ \$ sqrt{s} $$$ \$ = 5.02 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	