

Ubirajara Coutinho Filho

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8595030/publications.pdf>

Version: 2024-02-01

21
papers

199
citations

1163117

8
h-index

1058476

14
g-index

22
all docs

22
docs citations

22
times ranked

294
citing authors

#	ARTICLE	IF	CITATIONS
1	Ethanol production from agroindustrial biomass using a crude enzyme complex produced by <i>Aspergillus niger</i> . <i>Renewable Energy</i> , 2013, 57, 432-435.	8.9	29
2	Mn(II) removal from water using emulsion liquid membrane composed of chelating agents and biosurfactant produced in loco. <i>Journal of Water Process Engineering</i> , 2019, 29, 100792.	5.6	29
3	MACHINE LEARNING TECHNIQUES APPLIED TO LIGNOCELLULOSIC ETHANOL IN SIMULTANEOUS HYDROLYSIS AND FERMENTATION. <i>Brazilian Journal of Chemical Engineering</i> , 2017, 34, 53-63.	1.3	22
4	Production of ethanol from enzymatically hydrolyzed soybean molasses. <i>Biochemical Engineering Journal</i> , 2012, 69, 61-68.	3.6	21
5	Biosurfactant and ethanol co-production using <i>Pseudomonas aeruginosa</i> and <i>Saccharomyces cerevisiae</i> co-cultures and exploded sugarcane bagasse. <i>Renewable Energy</i> , 2017, 109, 305-310.	8.9	19
6	L-asparaginase and Biosurfactants Produced by Extremophile Yeasts from Antarctic Environments. <i>Industrial Biotechnology</i> , 2020, 16, 107-116.	0.8	12
7	The role of the erythrocyte in the outcome of pregnancy with preeclampsia. <i>PLoS ONE</i> , 2019, 14, e0212763.	2.5	10
8	OPTIMIZATION OF THE OPERATING CONDITIONS FOR RHAMNOLIPID PRODUCTION USING SLAUGHTERHOUSE-GENERATED INDUSTRIAL FLOAT AS SUBSTRATE. <i>Brazilian Journal of Chemical Engineering</i> , 2015, 32, 357-365.	1.3	9
9	Influence of the reaction products in the inversion of sucrose by invertase. <i>Brazilian Journal of Chemical Engineering</i> , 1999, 16, 149-153.	1.3	7
10	Evaluation of the bioremoval of Cr(VI) and TOC in biofilters under continuous operation using response surface methodology. <i>Biodegradation</i> , 2012, 23, 441-454.	3.0	6
11	Immobilized <i>Lactobacillus acidophilus</i> produced from whey and alginate. <i>Brazilian Journal of Chemical Engineering</i> , 2013, 30, 267-276.	1.3	6
12	Biopolymer production using fungus <i>Mucor racemosus</i> Fresenius and glycerol as substrate. <i>Polimeros</i> , 2016, 26, 144-151.	0.7	6
13	Bio-oil production and removal of organic load by microalga <i>Scenedesmus</i> sp. using culture medium contaminated with different sugars, cheese whey and whey permeate. <i>Journal of Environmental Management</i> , 2016, 173, 134-140.	7.8	5
14	Neural network for fractal dimension evolution. <i>Water Science and Technology</i> , 2018, 78, 795-802.	2.5	4
15	Purification of phenolic compounds from genipap (<i>Genipa americana</i> L.) extract by the ultrasound assisted ultrafiltration process. <i>Acta Scientiarum - Technology</i> , 2019, 41, 35571.	0.4	4
16	Ultrasound-assisted transesterification reactions for biodiesel production with sodium zirconate supported in polyvinyl alcohol as catalyst. <i>Environmental Progress and Sustainable Energy</i> , 2017, 36, 1262-1267.	2.3	3
17	Performance of asymmetric spinel hollow fiber membranes for hibiscus (<i>Hibiscus sabdariffa</i> L.) extract clarification: Flux modeling and extract stability. <i>Journal of Food Processing and Preservation</i> , 2020, 44, e14948.	2.0	3
18	Experimental Investigation about Rinse Water Consumption of a CIP Process Applied to a Shell and Tube Exchanger. <i>Advanced Materials Research</i> , 0, 785-786, 1294-1298.	0.3	2

#	ARTICLE	IF	CITATIONS
19	Clean in place (CIP) of different stainless steel geometries contaminated with Pseudomonas fluorescens. Research, Society and Development, 2020, 9, e23491210866.	0.1	1
20	Simulação do Campo Elétrico e Magnético de um Canal Línico Utilizando o Software Femm DOI: 10.5585/exacta.v8i3.2251. Exacta, 2010, 8, 331-344.	0.5	0
21	Evaluation of Water Consumption and Neuro-Fuzzy Model of the Detergent Leavings Kinetics™ Removal in a Clean in Place System. , 2014, , 97-106.		0