

# Brendan F Abrahams

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8597323/brendan-f-abrahams-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

135  
papers

5,415  
citations

41  
h-index

70  
g-index

139  
ext. papers

5,727  
ext. citations

5.8  
avg, IF

5.45  
L-index

#	Paper	IF	Citations
135	Inducing Structural Diversity in Anionic Metal-Tetraoxolene Coordination Polymers Using Templating Methyl Viologen Counteranions. <i>Crystal Growth and Design</i> , <b>2022</b> , 22, 1319-1332	3.5	0
134	Synthesis, structure and properties of coordination polymers formed from bridging 4-hydroxybenzoic acid anions. <i>CrystEngComm</i> , <b>2022</b> , 24, 1924-1933	3.3	0
133	The elusive crystals of calcium acetate hemihydrate: chiral rods linked by parallel hydrophilic strips. <i>CrystEngComm</i> , <b>2021</b> , 23, 707-713	3.3	1
132	Multifunctional Coordination Polymer Exhibiting Reversible Mechanical Motion Allowing Selective Uptake of Guests and Leading to Enhanced Electrical Conductivity. <i>Inorganic Chemistry</i> , <b>2021</b> , 60, 13658-13668	5.1	0
131	Semi-conducting mixed-valent X4TCNQ2 <sup>n</sup> (X = H, F) charge-transfer complexes with C6H2(NH2)4. <i>Journal of Materials Chemistry C</i> , <b>2020</b> , 8, 9422-9426	7.1	2
130	The Effect of Sterically Active Ligand Substituents on Gas Adsorption within a Family of 3D Zn-Based Coordination Polymers. <i>Inorganic Chemistry</i> , <b>2020</b> , 59, 8871-8881	5.1	2
129	Effects of Mixed Valency in an Fe-Based Framework: Coexistence of Slow Magnetic Relaxation, Semiconductivity, and Redox Activity. <i>Inorganic Chemistry</i> , <b>2020</b> , 59, 3619-3630	5.1	10
128	Clam-like Cyclotricatechylene-based Capsules: Identifying the Roles of Protonation State and Guests as well as the Drivers for Stability and (Anti-)Cooperativity. <i>Chemistry - an Asian Journal</i> , <b>2020</b> , 15, 1301-1314	4.5	3
127	A Semiconducting Cationic Square-Grid Network with FeIII Centers Displaying Unusual Dynamic Behavior. <i>European Journal of Inorganic Chemistry</i> , <b>2020</b> , 2020, 1255-1259	2.3	1
126	A new fluorone-based bridging ligand for discrete and polymeric assemblies including Mo and W based [4+4] metallocycles. <i>New Journal of Chemistry</i> , <b>2020</b> , 44, 11437-11440	3.6	
125	Tuning Charge-State Localization in a Semiconductive Iron(III) Chloranilate Framework Magnet Using a Redox-Active Cation. <i>Chemistry of Materials</i> , <b>2020</b> , 32, 7551-7563	9.6	7
124	A Multifunctional, Charge-Neutral, Chiral Octahedral M L Cage. <i>Chemistry - A European Journal</i> , <b>2019</b> , 25, 8489-8493	4.8	14
123	A 3D [WScu] cluster-based material with high iodine uptake capability. <i>Dalton Transactions</i> , <b>2019</b> , 48, 6695-6699	4.3	7
122	Square Grid Metal-Chloranilate Networks as Robust Host Systems for Guest Sorption. <i>Chemistry - A European Journal</i> , <b>2019</b> , 25, 5222-5234	4.8	22
121	Reversible and Vapochromic Chemisorption of Ammonia by a Copper(II) Coordination Polymer. <i>Australian Journal of Chemistry</i> , <b>2019</b> , 72, 817	1.2	1
120	X4TCNQ2 <sup>n</sup> dianions: versatile building blocks for supramolecular systems. <i>CrystEngComm</i> , <b>2018</b> , 20, 3131-3152	3.52	14
119	Interligand Charge-Transfer Interactions in Electroactive Coordination Frameworks Based on N, N'-Dicyanoquinonediimine (DCNQI). <i>Inorganic Chemistry</i> , <b>2018</b> , 57, 9766-9774	5.1	7

118	Solvent-, Cation- and Anion-Induced Structure Variations in Manganese-Based TCNQF Complexes: Synthesis, Crystal Structures, Electrochemistry and Their Catalytic Properties. <i>ChemPlusChem</i> , <b>2018</b> , 83, 24-34	2.8	4
117	Covalent switching, involving divinylbenzene ligands within 3D coordination polymers, indicated by changes in fluorescence. <i>Chemical Communications</i> , <b>2018</b> , 54, 5831-5834	5.8	47
116	Stereoselective Solid-State Synthesis of Substituted Cyclobutanes Assisted by Pseudorotaxane-like MOFs. <i>Angewandte Chemie</i> , <b>2018</b> , 130, 12878-12883	3.6	15
115	Stereoselective Solid-State Synthesis of Substituted Cyclobutanes Assisted by Pseudorotaxane-like MOFs. <i>Angewandte Chemie - International Edition</i> , <b>2018</b> , 57, 12696-12701	16.4	75
114	Self-assembly of a Si-based cage by the formation of 24 equivalent covalent bonds. <i>Chemical Communications</i> , <b>2018</b> , 54, 11877-11880	5.8	7
113	In Situ Spectroelectrochemical Investigations of Rull Complexes with Bispyrazolyl Methane Triarylamine Ligands. <i>Australian Journal of Chemistry</i> , <b>2017</b> , 70, 546	1.2	1
112	Tunable Porous Coordination Polymers for the Capture, Recovery and Storage of Inhalation Anesthetics. <i>Chemistry - A European Journal</i> , <b>2017</b> , 23, 7871-7875	4.8	16
111	Solid-State Gas Adsorption Studies with Discrete Palladium(II) [Pd (L) ] Cages. <i>Chemistry - A European Journal</i> , <b>2017</b> , 23, 10559-10567	4.8	41
110	Guest-induced Assembly of Bis(thiosemicarbazonato) Zinc(II) Coordination Nanotubes. <i>Angewandte Chemie - International Edition</i> , <b>2017</b> , 56, 8370-8374	16.4	12
109	Role of NEt <sub>4</sub> <sup>+</sup> in Orienting and Locking Together [M <sub>2</sub> lig <sub>3</sub> ] <sub>2</sub> [(6,3) Sheets (H <sub>2</sub> lig = Chloranilic or Fluoranilic Acid) to Generate Spacious Channels Perpendicular to the Sheets. <i>Crystal Growth and Design</i> , <b>2017</b> , 17, 1465-1470	3.5	42
108	Mixed Valency in a 3D Semiconducting Iron-Fluoranilate Coordination Polymer. <i>Inorganic Chemistry</i> , <b>2017</b> , 56, 9025-9035	5.1	50
107	Lattice response of the porous coordination framework Zn(hba) to guest adsorption. <i>Powder Diffraction</i> , <b>2017</b> , 32, S49-S53	1.8	1
106	Structural, Spectroscopic, and Electrochemical Characterization of Semi-Conducting, Solvated [Pt(NH <sub>3</sub> ) <sub>4</sub> ](TCNQ) <sub>2</sub> [(DMF) <sub>2</sub> ] and Non-Solvated [Pt(NH <sub>3</sub> ) <sub>4</sub> ](TCNQ) <sub>2</sub> . <i>Australian Journal of Chemistry</i> , <b>2017</b> , 70, 997	1.2	0
105	Lightweight Ionic Networks Composed of Li or Mg Centres Linked Together by Dicarboxylate Ligands. <i>ChemPlusChem</i> , <b>2016</b> , 81, 877-884	2.8	1
104	Structural and optical investigations of charge transfer complexes involving the radical anions of TCNQ and F4TCNQ. <i>CrystEngComm</i> , <b>2016</b> , 18, 8906-8914	3.3	28
103	Controlling Interpenetration in Electroactive Co(II) Frameworks Based on the Tris(4-(pyridin-4-yl)phenyl)amine Ligand. <i>Crystal Growth and Design</i> , <b>2016</b> , 16, 1149-1155	3.5	13
102	Porous Polyrotaxane Coordination Networks Containing Two Distinct Conformers of a Discontinuously Flexible Ligand. <i>Inorganic Chemistry</i> , <b>2016</b> , 55, 10467-10474	5.1	10
101	Surface-Confined Amorphous Films from Metal-Coordinated Simple Phenolic Ligands. <i>Chemistry of Materials</i> , <b>2015</b> , 27, 5825-5832	9.6	141

100	Heterometallic 3d-4f single-molecule magnets: ligand and metal ion influences on the magnetic relaxation. <i>Inorganic Chemistry</i> , <b>2015</b> , 54, 3631-42	5.1	81
99	New Cu <sub>2</sub> (TCNQ <sup>II</sup> ) and Cu <sub>2</sub> (F <sub>4</sub> TCNQ <sup>II</sup> ) Coordination Polymers. <i>Crystal Growth and Design</i> , <b>2015</b> , 15, 2437-2444	3.5	11
98	A New Structural Family of Gas-Sorbing Coordination Polymers Derived from Phenolic Carboxylic Acids. <i>Chemistry - A European Journal</i> , <b>2015</b> , 21, 18057-61	4.8	16
97	Structural chemistry and selective CO <sub>2</sub> uptake of a piperazine-derived porous coordination polymer. <i>CrystEngComm</i> , <b>2015</b> , 17, 2196-2203	3.3	9
96	Observance of a large conformational change associated with the rotation of the naphthyl groups during the photodimerization of criss-cross aligned CC bonds within a 2D coordination polymer. <i>CrystEngComm</i> , <b>2015</b> , 17, 4903-4911	3.3	19
95	Isomeric ionic lithium isonicotinate three-dimensional networks and single-crystal-to-single-crystal rearrangements generating microporous materials. <i>Inorganic Chemistry</i> , <b>2014</b> , 53, 4956-69	5.1	21
94	Magnetic Exchange Effects in {Cr <sup>III</sup> Dy <sup>III</sup> } Single Molecule Magnets Containing Alcoholamine Ligands. <i>Australian Journal of Chemistry</i> , <b>2014</b> , 67, 1581	1.2	12
93	Super-Efficient Platinum Catalyst Derived from a Semiconducting, DMF Solvate: Structural, Spectroscopic, Electrochemical, and Catalytic Characterization. <i>ChemCatChem</i> , <b>2014</b> , 6, 2345-2353	5.2	10
92	Li <sup>+</sup> and Ca <sup>2+</sup> Derivatives of the Isonicotinate-N-oxide Ion Including Single Crystal-to-Single Crystal Transformations. <i>Crystal Growth and Design</i> , <b>2014</b> , 14, 4602-4609	3.5	8
91	Synthesis, structure and cation-binding properties of some [4 + 4] metallocyclic MO <sub>2</sub> (2+) (M = Mo or W) derivatives of 9-phenyl-2,3,7-trihydroxyfluor-6-one. <i>Inorganic Chemistry</i> , <b>2014</b> , 53, 1721-8	5.1	3
90	Electrochemically directed synthesis of Cu <sub>2</sub> (I)(TCNQF <sub>4</sub> (II-))(MeCN) <sub>2</sub> (TCNQF <sub>4</sub> = 2,3,5,6-tetrafluoro-7,7,8,8-tetracyanoquinodimethane): voltammetry, simulations, bulk electrolysis, spectroscopy, photoactivity, and X-ray crystal structure of the Cu <sub>2</sub> (I)(TCNQF <sub>4</sub> (II-))(EtCN) <sub>2</sub> analogue. <i>Inorganic Chemistry</i> , <b>2014</b> , 53, 3230-42	5.1	14
89	Structural and optical investigations of charge transfer complexes involving the F <sub>4</sub> TCNQ dianion. <i>CrystEngComm</i> , <b>2014</b> , 16, 5234	3.3	13
88	Magnetic coupling between metal spins through the 7,7,8,8-tetracyanoquinodimethane (TCNQ) dianion. <i>Chemistry - A European Journal</i> , <b>2014</b> , 20, 7593-7	4.8	16
87	Coordination Polymers Constructed from TCNQ <sup>2-</sup> Anions and Chelating Ligands. <i>Australian Journal of Chemistry</i> , <b>2014</b> , 67, 1871	1.2	11
86	Water-soluble scorpionate ligands and their reactions with molybdenum complexes. Crystal structures of lithium tris(3-isopropylpyrazol-1-yl)methanesulfonate and MoVOCl <sub>3</sub> (OPPh <sub>3</sub> ) <sub>2</sub> [MoVIO <sub>2</sub> Cl <sub>2</sub> (OPPh <sub>3</sub> ) <sub>2</sub> ]. <i>Journal of Coordination Chemistry</i> , <b>2013</b> , 66, 1252-1263	1.6	5
85	A {Cr(III)Dy(III)} single-molecule magnet: enhancing the blocking temperature through 3d magnetic exchange. <i>Angewandte Chemie - International Edition</i> , <b>2013</b> , 52, 12014-9	16.4	289
84	Copper(II) coordination polymers of imdc <sup>+</sup> [H <sub>2</sub> imdc <sup>+</sup> = the 1,3-bis(carboxymethyl)imidazolium cation]: unusual sheet interpenetration and an unexpected single crystal-to-single crystal transformation. <i>CrystEngComm</i> , <b>2013</b> , 15, 9729	3.3	13
83	PtS-Related {[Cu(F <sub>4</sub> TCNQ <sup>II</sup> )] <sub>n</sub> } <sub>n</sub> Networks. <i>Crystal Growth and Design</i> , <b>2013</b> , 13, 3018-3027	3.5	19

82	Redox activity and two-step valence tautomerism in a family of dinuclear cobalt complexes with a spiroconjugated bis(dioxolene) ligand. <i>Journal of the American Chemical Society</i> , <b>2013</b> , 135, 8304-23	16.4	84
81	Fluorite Topology in Lanthanoid Coordination Polymers with Di- and Trimetallic Building Blocks. <i>Crystal Growth and Design</i> , <b>2012</b> , 12, 4425-4430	3.5	36
80	Voltammetric reduction and re-oxidation of solid coordination polymers of dihydroxybenzoquinone. <i>Chemical Communications</i> , <b>2012</b> , 48, 11422-4	5.8	24
79	A new type of 3D [(MII) <sub>2</sub> (TCNQII) <sub>3</sub> ] <sub>2</sub> coordination network with spacious channels of hexagonal cross-section generated from TCNQH <sub>2</sub> . <i>CrystEngComm</i> , <b>2012</b> , 14, 351-354	3.3	27
78	A two-step valence tautomeric transition in a dinuclear cobalt complex. <i>Inorganic Chemistry</i> , <b>2012</b> , 51, 3944-6	5.1	44
77	3d-Metal derivatives of the [Cu(I)(SO <sub>3</sub> ) <sub>4</sub> ] <sup>7-</sup> ion: structure and magnetism. <i>Dalton Transactions</i> , <b>2012</b> , 41, 4091-9	4.3	5
76	Two Cu <sub>21</sub> clusters with pseudo-D <sub>3</sub> symmetry derived from the D-saccharate pentaanion, C <sub>6</sub> H <sub>5</sub> O <sub>8</sub> ( <sup>5-</sup> ). <i>Chemistry - A European Journal</i> , <b>2011</b> , 17, 7454-9	4.8	6
75	A highly symmetric diamond-like assembly of cyclotricatechylene-based tetrahedral cages. <i>Chemical Communications</i> , <b>2011</b> , 47, 7404-6	5.8	30
74	Synthesis, structure and host-guest properties of (Et <sub>4</sub> N) <sub>2</sub> [Sn(IV)Ca(II)(chloranilate) <sub>4</sub> ], a new type of robust microporous coordination polymer with a 2D square grid structure. <i>Dalton Transactions</i> , <b>2011</b> , 40, 12242-7	4.3	32
73	Highly efficient separation of a solid mixture of naphthalene and anthracene by a reusable porous metal-organic framework through a single-crystal-to-single-crystal transformation. <i>Journal of the American Chemical Society</i> , <b>2011</b> , 133, 11042-5	16.4	236
72	Coordination Polymers of 2,5-Dihydroxybenzoquinone and Chloranilic Acid with the (10,3)-aTopology. <i>Crystal Growth and Design</i> , <b>2011</b> , 11, 2717-2720	3.5	78
71	A New Class of Easily Generated TCNQ <sub>2</sub> -Based Coordination Polymers. <i>Crystal Growth and Design</i> , <b>2010</b> , 10, 2860-2862	3.5	27
70	A New Approach to DCNQI-Based Coordination Polymers via DCNQIH <sub>2</sub> . <i>Crystal Growth and Design</i> , <b>2010</b> , 10, 1468-1470	3.5	6
69	Chiral and achiral linear coordination polymers from aldaric acids. <i>CrystEngComm</i> , <b>2010</b> , 12, 2885	3.3	7
68	A doughnut-like (Mn(III)) <sub>12</sub> metallocycle formed by a rigid angular bis-catecholate with a nanometer-sized central hole. <i>Inorganic Chemistry</i> , <b>2010</b> , 49, 5953-6	5.1	13
67	A simple lithium(I) salt with a microporous structure and its gas sorption properties. <i>Angewandte Chemie - International Edition</i> , <b>2010</b> , 49, 1087-9	16.4	99
66	Cages with tetrahedron-like topology formed from the combination of cyclotricatechylene ligands with metal cations. <i>Angewandte Chemie - International Edition</i> , <b>2010</b> , 49, 2896-9	16.4	52
65	Single-crystal-to-single-crystal transformations of two three-dimensional coordination polymers through regioselective [2+2] photodimerization reactions. <i>Angewandte Chemie - International Edition</i> , <b>2010</b> , 49, 4767-70	16.4	311

64	A 2D hydrogen-bonded network constructed from large organic dications. <i>Journal of Molecular Structure</i> , <b>2010</b> , 975, 186-189	3.4	0
63	Closed and open clamlike structures formed by hydrogen-bonded pairs of cyclotricatechylene anions that contain cationic "meat". <i>Angewandte Chemie - International Edition</i> , <b>2009</b> , 48, 3129-32	16.4	45
62	Crystallographic studies on a series of salts of 2,3,7-trihydroxy-9-phenyl-fluorone. <i>Journal of Molecular Structure</i> , <b>2009</b> , 920, 466-471	3.4	4
61	New family of ferric spin clusters incorporating redox-active ortho-dioxolene ligands. <i>Inorganic Chemistry</i> , <b>2009</b> , 48, 7765-81	5.1	15
60	Trianionic organoborate triangles. <i>Inorganic Chemistry</i> , <b>2008</b> , 47, 9797-803	5.1	13
59	Cu(SO <sub>3</sub> ) <sub>4</sub> <sup>2-</sup> : A Readily Accessible Building Block for New Coordination Polymers. <i>Crystal Growth and Design</i> , <b>2008</b> , 8, 1288-1293	3.5	12
58	A New Approach to TCNQ-Based Coordination Polymers via TCNQH <sub>2</sub> . <i>Crystal Growth and Design</i> , <b>2008</b> , 8, 1123-1125	3.5	27
57	Stepwise Guest Exchange in a Cluster-Supported Three-Dimensional Host. <i>Crystal Growth and Design</i> , <b>2008</b> , 8, 399-401	3.5	46
56	Construction of symmetric and asymmetric Mo/S/Cu clusters from a cluster precursor [Et <sub>4</sub> N] <sub>2</sub> [(edt) <sub>2</sub> Mo <sub>2</sub> S <sub>2</sub> (μ-S) <sub>2</sub> ] (edt = ethanedithiolate). <i>Inorganic Chemistry</i> , <b>2008</b> , 47, 10461-8	5.1	5
55	Structural Influence of Cations on the Topology of Ferrocenemonosulfonate Salts. <i>Crystal Growth and Design</i> , <b>2008</b> , 8, 3193-3199	3.5	6
54	A mixed-valence, hexadecamolybdenum cluster with an MoVI cubane "jewel" in a "setting" of five molybdateVI-linked dinuclear MoV nits. <i>Chemistry - A European Journal</i> , <b>2008</b> , 14, 2805-10	4.8	12
53	A neutral chiral diamond-like 3D zinc(II) coordination network with sulfasalazine. <i>Journal of Molecular Structure</i> , <b>2008</b> , 882, 134-139	3.4	6
52	Coordination polymers constructed by linking metal ions with azodibenzoate anions. <i>CrystEngComm</i> , <b>2008</b> , 10, 217-231	3.3	57
51	Ni <sub>2</sub> (R*COO) <sub>4</sub> (H <sub>2</sub> O)(4,4'-bipy) <sub>2</sub> ⊂ robust homochiral quartz-like network with large chiral channels. <i>CrystEngComm</i> , <b>2007</b> , 9, 27-29	3.3	52
50	An extensive class of solids full of holes large enough to enclose over 200 molecules of H <sub>2</sub> O. <i>Angewandte Chemie - International Edition</i> , <b>2007</b> , 46, 8640-3	16.4	8
49	Synthesis, structure and luminescent properties of a unique [WS <sub>4</sub> Cu <sub>4</sub> ]-based supramolecular compound [WS <sub>4</sub> Cu <sub>4</sub> (dmpzm) <sub>2</sub> (dca) <sub>2</sub> ]. <i>Inorganic Chemistry Communication</i> , <b>2007</b> , 10, 623-626	3.1	13
48	The structure-directing influence of guanidinium cations in the crystal structures of [C(NH <sub>2</sub> ) <sub>3</sub> ] <sub>2</sub> [MII(H <sub>2</sub> O) <sub>4</sub> (VO <sub>3</sub> ) <sub>4</sub> ] · 4H <sub>2</sub> O (M = Mn, Co, Ni). <i>Polyhedron</i> , <b>2007</b> , 26, 300-304	2.7	5
47	Incorporation of a tripodal ligand with a (N,O,O)-donor set into a new family of nickel and cobalt spin clusters. <i>Polyhedron</i> , <b>2007</b> , 26, 369-377	2.7	23

46	Synthesis and structural characterisation of a series of cobalt complexes of N-appended anthracenyl cyclam. <i>Polyhedron</i> , <b>2007</b> , 26, 1669-1676	2.7	4
45	Synthesis, structure and magnetic properties of a novel Tb <sub>4</sub> spin cluster and synthesis of a Tb chain. <i>Polyhedron</i> , <b>2007</b> , 26, 3023-3028	2.7	17
44	A pillared discrete bilayer formed from guanidinium and ferrocenedisulfonate ions: synthesis, crystal structure, and initial electrochemical properties. <i>Inorganic Chemistry</i> , <b>2007</b> , 46, 9027-9	5.1	8
43	Ferrocene Mono- and Di-Sulfonates as Building Blocks in Hydrogen-Bonded Networks. <i>Australian Journal of Chemistry</i> , <b>2007</b> , 60, 578	1.2	6
42	Synthesis and voltammetry of [bmim] <sub>4</sub> [α-S <sub>2</sub> W <sub>18</sub> O <sub>62</sub> ] and related compounds: rapid precipitation and dissolution of reduced surface films. <i>Inorganic Chemistry</i> , <b>2007</b> , 46, 2530-40	5.1	25
41	Metal Exchange within a Body-Centred Cubic Hydrogen-Bonded Network. <i>Australian Journal of Chemistry</i> , <b>2007</b> , 60, 68	1.2	2
40	In situ synthesis of trisubstituted methanol ligands and their potential as one-pot generators of cubane-like metal complexes. <i>Chemistry - A European Journal</i> , <b>2006</b> , 12, 7095-102	4.8	62
39	Mixed-valent cobalt spin clusters: a hexanuclear complex and a one-dimensional coordination polymer comprised of alternating hepta- and mononuclear fragments. <i>Inorganic Chemistry</i> , <b>2006</b> , 45, 8950-7	5.1	71
38	Coordination networks incorporating the in situ generated ligands [OC(CO <sub>2</sub> ) <sub>3</sub> ] <sub>4</sub> and [OCH(CO <sub>2</sub> ) <sub>2</sub> ] <sub>3</sub> . <i>Journal of Molecular Structure</i> , <b>2006</b> , 796, 2-8	3.4	9
37	Syntheses and structural studies of platinum(II) complexes of O-methylselenomethionine and related ligands. <i>Inorganica Chimica Acta</i> , <b>2006</b> , 359, 3252-3256	2.7	10
36	Guanidinium ion as a symmetrical template in the formation of cubic hydrogen-bonded borate networks with the boracite topology. <i>Journal of the American Chemical Society</i> , <b>2005</b> , 127, 816-7	16.4	46
35	An unexpected network in guanidinium rhodizonate. <i>CrystEngComm</i> , <b>2005</b> , 7, 629	3.3	17
34	Acetic acid induced self-assembly of supramolecular compounds [Et <sub>4</sub> N] <sub>3</sub> [(WS <sub>4</sub> Cu <sub>2</sub> ) <sub>2</sub> (μ-CN) <sub>3</sub> ].2MeCN and [PPh <sub>4</sub> ][WS <sub>4</sub> Cu <sub>3</sub> (μ-CN) <sub>2</sub> ].MeCN from preformed clusters [A] <sub>2</sub> [WS <sub>4</sub> (CuCN) <sub>2</sub> ] (A = Et <sub>4</sub> N, PPh <sub>4</sub> ). <i>Inorganic Chemistry</i> , <b>2005</b> , 44, 3664-8	5.1	49
33	Hydrogen-bonded networks from novel platinum(II) dimers. <i>CrystEngComm</i> , <b>2005</b> , 7, 701	3.3	3
32	[[WS <sub>4</sub> Cu <sub>4</sub> (4,4'-bpy) <sub>4</sub> ][WS <sub>4</sub> Cu <sub>4</sub> (4,4'-bpy) <sub>2</sub> ]]infinity—an unusual 3D porous coordination polymer formed from the preformed cluster [Et <sub>4</sub> N] <sub>4</sub> [WS <sub>4</sub> Cu <sub>4</sub> ]. <i>Angewandte Chemie - International Edition</i> , <b>2004</b> , 43, 4741-5	16.4	204
31	Cubic, hydrogen-bonded (10,3)-a networks in the family [C(NH <sub>2</sub> ) <sub>3</sub> ][N(CH <sub>3</sub> ) <sub>4</sub> ][XO <sub>4</sub> ] (X = S, Cr, and Mo). <i>Angewandte Chemie - International Edition</i> , <b>2004</b> , 43, 6157-60	16.4	34
30	Synthesis of novel chiral and acentric coordination polymers by the reaction of zinc or cadmium salts with racemic 3-pyridyl-3-aminopropionic acid. <i>Chemistry - A European Journal</i> , <b>2004</b> , 10, 53-60	4.8	98
29	Noncentrosymmetric organic solids with very strong harmonic generation response. <i>Chemistry - A European Journal</i> , <b>2004</b> , 10, 2386-90	4.8	52

28	Highly symmetric networks derived from cubane-related octametallic complexes of a new oxyanion of carbon, C <sub>4</sub> O <sub>7</sub> (4-), each molecule attached to eight neighbors by 24 equivalent hydrogen bonds. <i>Journal of the American Chemical Society</i> , <b>2004</b> , 126, 8624-5	16.4	37
27	Serendipity and design in the generation of new coordination polymers: an extensive series of highly symmetrical guanidinium-templated, carbonate-based networks with the sodalite topology. <i>Journal of the American Chemical Society</i> , <b>2004</b> , 126, 2894-904	16.4	90
26	Homochiral Zn and Cd coordination polymers containing amino acid-tetrazole ligands. <i>Inorganic Chemistry</i> , <b>2003</b> , 42, 7710-2	5.1	117
25	Zinc saccharate: a robust, 3D coordination network with two types of isolated, parallel channels, one hydrophilic and the other hydrophobic. <i>Angewandte Chemie - International Edition</i> , <b>2003</b> , 42, 1848-51	16.4	150
24	New tricks for an old dog: the carbonate ion as a building block for networks including examples of composition [Cu <sub>6</sub> (CO <sub>3</sub> ) <sub>12</sub> (C(NH <sub>2</sub> ) <sub>3</sub> ) <sub>8</sub> ] <sup>4-</sup> with the sodalite topology. <i>Angewandte Chemie - International Edition</i> , <b>2003</b> , 42, 1112-5	16.4	54
23	Assembly of a supramolecular cube, [(Cp*WS <sub>3</sub> Cu <sub>3</sub> ) <sub>8</sub> Cl <sub>8</sub> (CN) <sub>12</sub> Li <sub>4</sub> ] from a preformed incomplete cubane-like compound [PPh <sub>4</sub> ][Cp*WS <sub>3</sub> (CuCN) <sub>3</sub> ]. <i>Journal of the American Chemical Society</i> , <b>2003</b> , 125, 12682-3	16.4	125
22	Ferroelectric Copper Quinine Complexes. <i>Chemistry of Materials</i> , <b>2003</b> , 15, 4166-4168	9.6	63
21	AgC(CN) <sub>3</sub> -based coordination polymers. <i>Inorganic Chemistry</i> , <b>2003</b> , 42, 2654-64	5.1	100
20	The First Highly Stable Homochiral Olefin-Copper(I) 2D Coordination Polymer Grid Based on Quinine as a Building Block. <i>Organometallics</i> , <b>2003</b> , 22, 2814-2816	3.8	44
19	Channel-containing lanthanide mucate structures. <i>CrystEngComm</i> , <b>2003</b> , 5, 313-317	3.3	16
18	An Unexpected Zinc Coordination Polymer Formed during the Preparation of 5-Substituted 1H-Tetrazoles from a Nitrile in Water. <i>Australian Journal of Chemistry</i> , <b>2002</b> , 55, 495	1.2	48
17	Hydrothermal preparation of novel Cd(II) coordination polymers employing 5-(4-pyridyl)tetrazolate as a bridging ligand. <i>Inorganic Chemistry</i> , <b>2002</b> , 41, 6544-6	5.1	211
16	Polonium coordination networks constructed from bis(imidazole) ligands. <i>CrystEngComm</i> , <b>2002</b> , 4, 478-482	3.3	70
15	A Reexamination of the Structure of Honeycomb Cadmium Cyanide. <i>Journal of Solid State Chemistry</i> , <b>2001</b> , 156, 51-56	3.3	13
14	Ni(tpt)(NO <sub>2</sub> ) <sub>2</sub> -A Three-Dimensional Network with the Exceptional (12,3) Topology: A Self-Entangled Single Net. <i>Angewandte Chemie - International Edition</i> , <b>1999</b> , 38, 1475-1477	16.4	229
13	A Robust (10,3)-a Network Containing Chiral Micropores in the Ag Coordination Polymer of a Bridging Ligand that Provides Three Bidentate Metal-Binding Sites. <i>Angewandte Chemie - International Edition</i> , <b>1998</b> , 37, 2656-2659	16.4	230
12	Topological rearrangement within a single crystal from a honeycomb cadmium cyanide [Cd(CN) <sub>2</sub> ] <sub>n</sub> 3D net to a diamond net. <i>Journal of the American Chemical Society</i> , <b>1992</b> , 114, 10641-10643	16.4	73
11	The Crystal and Molecular-Structure of fac, fac-Mo <sub>2</sub> (CO) <sub>6</sub> (Ph <sub>2</sub> AsCH <sub>2</sub> CH <sub>2</sub> PPh <sub>2</sub> ) <sub>3</sub> a Case of Chemically Imposed Disorder in the Crystal Structure. <i>Australian Journal of Chemistry</i> , <b>1992</b> , 45, 941	1.2	4



10	NMR studies of mercury 1,1-dithiolate tricyclohexylphosphine complexes. The crystal and molecular structure of $[\text{Hg}(\text{S}_2\text{CNEt}_2)(\text{P}(\text{C}_6\text{H}_{11})_3)(\text{ClO}_4)]_2 \cdot 0.6\text{CH}_2\text{Cl}_2$ . <i>Inorganica Chimica Acta</i> , <b>1992</b> , 201, 95-100	2.7	1
9	Properties and structure of the cobalt(III) chromate cation, $\text{Co}(\text{NH}_3)_5\text{CrO}_4^+$ , as its perchlorate salt. <i>Inorganica Chimica Acta</i> , <b>1991</b> , 182, 135-138	2.7	3
8	The archetype for a new class of simple extended 3D honeycomb frameworks. The synthesis and x-ray crystal structures of $\text{Cd}(\text{CN})_5/3(\text{OH})_1/3 \cdot 1/3(\text{C}_6\text{H}_{12}\text{N}_4)$ , $\text{Cd}(\text{CN})_2 \cdot 1/3(\text{C}_6\text{H}_{12}\text{N}_4)$ , and $\text{Cd}(\text{CN})_2 \cdot 2/3\text{H}_2\text{O} \cdot \text{tBuOH}$ ( $\text{C}_6\text{H}_{12}\text{N}_4$ = hexamethylenetetramine) revealing two topologically equivalent but geometrically different frameworks. <i>Journal of the American Chemical Society</i> , <b>1991</b> ,	16.4	103
7	A new type of infinite 3D polymeric network containing 4-connected, peripherally-linked metalloporphyrin building blocks. <i>Journal of the American Chemical Society</i> , <b>1991</b> , 113, 3606-3607	16.4	211
6	The Structure of Cadmium Bis(isopropylxanthate)-4,4'-Bipyridine. <i>Australian Journal of Chemistry</i> , <b>1990</b> , 43, 1759	1.2	25
5	NMR studies of anionic cadmium and mercury 1,1-dithiolate complexes. <i>Inorganica Chimica Acta</i> , <b>1989</b> , 162, 211-216	2.7	8
4	The structure of the cadmium tris(methoxyethylxanthato)anion, $\text{Cd}(\text{CH}_3\text{OCH}_2\text{CH}_2\text{OCS}_2)_3^-$ as its tetraethylammonium salt. <i>Inorganica Chimica Acta</i> , <b>1988</b> , 150, 147-148	2.7	8
3	Investigation of a New Xanthate Ligand. The Crystal and Molecular Structures of Nickel and Cadmium (Methoxyethyl)xanthates. <i>Australian Journal of Chemistry</i> , <b>1988</b> , 41, 1117	1.2	19
2	Syntheses and NMR-Studies of Cationic Mercury Xanthate, Dithiophosphate and Dithiocarbamate Tricyclohexylphosphine Adducts - the Crystal and Molecular-Structures of $[\text{Hg}(\text{S}_2\text{cnet}_2)(\text{P}(\text{C}-\text{C}_6\text{h}_{11})_3)_2]^+$ ( $\text{CF}_3\text{so}_3^-$ ) - $[\text{Hg}(\text{S}_2\text{copri})(\text{P}(\text{C}-\text{C}_6\text{h}_{11})_3)_2]^+$ ( $\text{ClO}_4^-$ ) - $\cdot \text{ch}_2\text{cl}_2$ And $[\text{Hg}(\text{S}_2\text{p}(\text{Opr}_i)_2)(\text{P}(\text{C}-\text{C}_6\text{h}_{11})_3)_2]^+$ ( $\text{CF}_3\text{so}_3^-$ ) - <i>Australian Journal of Chemistry</i> , <b>1988</b> , 41, 757	1.2	7
1	N.M.R. Studies of Phosphine Adducts of Mercury and Cadmium Xanthates and Halo Xanthates: Crystal and Molecular Structures of $\text{Cd}(\text{S}_2\text{COPri})_2\text{PPh}_3$ , $\text{Hg}(\text{S}_2\text{COPri})_2\text{PPh}_3$ and $\text{Hg}(\text{S}_2\text{COPri})_2\text{p}(\text{c}-\text{C}_6\text{H}_{11})_3$ . <i>Australian Journal of Chemistry</i> , <b>1986</b> , 39, 1993	1.2	7