

List of Publications by Citations

Source: <https://exaly.com/author-pdf/85979/andrea-cipriani-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

372 papers	17,739 citations	57 h-index	127 g-index
435 ext. papers	22,853 ext. citations	8.9 avg, IF	6.91 L-index

#	Paper	IF	Citations
372	Comparative efficacy and tolerability of 15 antipsychotic drugs in schizophrenia: a multiple-treatments meta-analysis. <i>Lancet, The</i> , 2013 , 382, 951-62	40	1665
371	Comparative efficacy and acceptability of 21 antidepressant drugs for the acute treatment of adults with major depressive disorder: a systematic review and network meta-analysis. <i>Lancet, The</i> , 2018 , 391, 1357-1366	40	1283
370	Comparative efficacy and acceptability of 12 new-generation antidepressants: a multiple-treatments meta-analysis. <i>Lancet, The</i> , 2009 , 373, 746-58	40	1217
369	Imputing missing standard deviations in meta-analyses can provide accurate results. <i>Journal of Clinical Epidemiology</i> , 2006 , 59, 7-10	5.7	937
368	Conceptual and technical challenges in network meta-analysis. <i>Annals of Internal Medicine</i> , 2013 , 159, 130-7	8	553
367	Comparative efficacy and tolerability of 32 oral antipsychotics for the acute treatment of adults with multi-episode schizophrenia: a systematic review and network meta-analysis. <i>Lancet, The</i> , 2019 , 394, 939-951	40	504
366	Evidence-based guidelines for treating bipolar disorder: Revised third edition recommendations from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2016 , 30, 495-553	4.6	468
365	Lithium in the prevention of suicidal behavior and all-cause mortality in patients with mood disorders: a systematic review of randomized trials. <i>American Journal of Psychiatry</i> , 2005 , 162, 1805-19	11.9	451
364	Lithium in the prevention of suicide in mood disorders: updated systematic review and meta-analysis. <i>BMJ, The</i> , 2013 , 346, f3646	5.9	449
363	Comparative efficacy and acceptability of antimanic drugs in acute mania: a multiple-treatments meta-analysis. <i>Lancet, The</i> , 2011 , 378, 1306-15	40	420
362	Comparative efficacy and tolerability of medications for attention-deficit hyperactivity disorder in children, adolescents, and adults: a systematic review and network meta-analysis. <i>Lancet Psychiatry, the</i> , 2018 , 5, 727-738	23.3	378
361	Lithium plus valproate combination therapy versus monotherapy for relapse prevention in bipolar I disorder (BALANCE): a randomised open-label trial. <i>Lancet, The</i> , 2010 , 375, 385-95	40	375
360	Comparative efficacy and tolerability of antidepressants for major depressive disorder in children and adolescents: a network meta-analysis. <i>Lancet, The</i> , 2016 , 388, 881-90	40	343
359	Association of Cannabis Use in Adolescence and Risk of Depression, Anxiety, and Suicidality in Young Adulthood: A Systematic Review and Meta-analysis. <i>JAMA Psychiatry</i> , 2019 , 76, 426-434	14.5	278
358	Comparative effects of 18 antipsychotics on metabolic function in patients with schizophrenia, predictors of metabolic dysregulation, and association with psychopathology: a systematic review and network meta-analysis. <i>Lancet Psychiatry, the</i> , 2020 , 7, 64-77	23.3	229
357	Sixty Years of Placebo-Controlled Antipsychotic Drug Trials in Acute Schizophrenia: Systematic Review, Bayesian Meta-Analysis, and Meta-Regression of Efficacy Predictors. <i>American Journal of Psychiatry</i> , 2017 , 174, 927-942	11.9	227
356	Comparative efficacy and tolerability of pharmacological treatments in the maintenance treatment of bipolar disorder: a systematic review and network meta-analysis. <i>Lancet Psychiatry, the</i> , 2014 , 1, 351-9	23.3	207

355	Imputing response rates from means and standard deviations in meta-analyses. <i>International Clinical Psychopharmacology</i> , 2005 , 20, 49-52	2.2	199
354	Dose equivalents of antidepressants: Evidence-based recommendations from randomized controlled trials. <i>Journal of Affective Disorders</i> , 2015 , 180, 179-84	6.6	178
353	Selective serotonin reuptake inhibitors and risk of suicide: a systematic review of observational studies. <i>Cmaj</i> , 2009 , 180, 291-7	3.5	169
352	Efficacy of antidepressants and benzodiazepines in minor depression: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2011 , 198, 11-6, sup 1	5.4	155
351	Lack of evidence to favor specific preventive interventions in psychosis: a network meta-analysis. <i>World Psychiatry</i> , 2018 , 17, 196-209	14.4	134
350	Effectiveness and Acceptability of Cognitive Behavior Therapy Delivery Formats in Adults With Depression: A Network Meta-analysis. <i>JAMA Psychiatry</i> , 2019 , 76, 700-707	14.5	128
349	Dose Equivalents for Second-Generation Antipsychotic Drugs: The Classical Mean Dose Method. <i>Schizophrenia Bulletin</i> , 2015 , 41, 1397-402	1.3	127
348	Does the addition of a second antipsychotic drug improve clozapine treatment?. <i>Schizophrenia Bulletin</i> , 2009 , 35, 458-68	1.3	127
347	A primer on network meta-analysis with emphasis on mental health. <i>Evidence-Based Mental Health</i> , 2015 , 18, 40-6	11.1	119
346	Side-effect profile of fluoxetine in comparison with other SSRIs, tricyclic and newer antidepressants: a meta-analysis of clinical trial data. <i>Pharmacopsychiatry</i> , 2005 , 38, 69-77	2	114
345	Placebo response rates in antidepressant trials: a systematic review of published and unpublished double-blind randomised controlled studies. <i>Lancet Psychiatry</i> , 2016 , 3, 1059-1066	23.3	112
344	Lithium and suicide in mood disorders: Updated meta-review of the scientific literature. <i>Bipolar Disorders</i> , 2017 , 19, 575-586	3.8	106
343	Comparative efficacy and acceptability of first-generation and second-generation antidepressants in the acute treatment of major depression: protocol for a network meta-analysis. <i>BMJ Open</i> , 2016 , 6, e010919	3	105
342	Fluoxetine versus other types of pharmacotherapy for depression. <i>Cochrane Database of Systematic Reviews</i> , 2005 , CD004185		103
341	Optimal dose of selective serotonin reuptake inhibitors, venlafaxine, and mirtazapine in major depression: a systematic review and dose-response meta-analysis. <i>Lancet Psychiatry</i> , 2019 , 6, 601-609	33.3	99
340	A network meta-analysis of the effects of psychotherapies, pharmacotherapies and their combination in the treatment of adult depression. <i>World Psychiatry</i> , 2020 , 19, 92-107	14.4	89
339	Comparative Efficacy and Acceptability of 21 Antidepressant Drugs for the Acute Treatment of Adults With Major Depressive Disorder: A Systematic Review and Network Meta-Analysis. <i>Focus (American Psychiatric Publishing)</i> , 2018 , 16, 420-429	1.1	89
338	Comparative efficacy and acceptability of psychosocial interventions for individuals with cocaine and amphetamine addiction: A systematic review and network meta-analysis. <i>PLoS Medicine</i> , 2018 , 15, e1002715	11.6	86

337	Escitalopram versus other antidepressive agents for depression. <i>The Cochrane Library</i> , 2009 , CD006532	5.2	81
336	Mirtazapine versus other antidepressive agents for depression. <i>The Cochrane Library</i> , 2011 , CD006528	5.2	80
335	Ketamine and other glutamate receptor modulators for depression in adults. <i>The Cochrane Library</i> , 2015 , CD011612	5.2	79
334	Effectiveness of selective serotonin reuptake inhibitors. <i>Cmaj</i> , 2008 , 178, 1185-1186	3.5	78
333	Bupropion versus other antidepressive agents for depression. <i>The Cochrane Library</i> ,	5.2	78
332	Reboxetine versus other antidepressive agents for depression. <i>The Cochrane Library</i> ,	5.2	78
331	Effectiveness of paroxetine in the treatment of acute major depression in adults: a systematic re-examination of published and unpublished data from randomized trials. <i>Cmaj</i> , 2008 , 178, 296-305	3.5	76
330	Agomelatine efficacy and acceptability revisited: systematic review and meta-analysis of published and unpublished randomised trials. <i>British Journal of Psychiatry</i> , 2013 , 203, 179-87	5.4	71
329	Associations between rejection sensitivity and mental health outcomes: A meta-analytic review. <i>Clinical Psychology Review</i> , 2017 , 57, 59-74	10.8	70
328	Valproic acid, valproate and divalproex in the maintenance treatment of bipolar disorder. <i>The Cochrane Library</i> , 2013 , CD003196	5.2	70
327	Initial severity of schizophrenia and efficacy of antipsychotics: participant-level meta-analysis of 6 placebo-controlled studies. <i>JAMA Psychiatry</i> , 2015 , 72, 14-21	14.5	69
326	Assessment and management of bipolar disorder: summary of updated NICE guidance. <i>BMJ, The</i> , 2014 , 349, g5673	5.9	65
325	Comparison of systematic and narrative reviews: the example of the atypical antipsychotics. <i>Epidemiologia E Psichiatria Sociale</i> , 2003 , 12, 146-53		65
324	Efficacy and Acceptability of Interventions for Attenuated Positive Psychotic Symptoms in Individuals at Clinical High Risk of Psychosis: A Network Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2018 , 9, 187	5	64
323	A systematic review of calcium channel antagonists in bipolar disorder and some considerations for their future development. <i>Molecular Psychiatry</i> , 2016 , 21, 1324-32	15.1	62
322	Safety reporting and adverse-event profile of mirtazapine described in randomized controlled trials in comparison with other classes of antidepressants in the acute-phase treatment of adults with depression: systematic review and meta-analysis. <i>CNS Drugs</i> , 2010 , 24, 35-53	6.7	62
321	Comparative efficacy and acceptability of pharmacological treatments for post-traumatic stress disorder in adults: a network meta-analysis. <i>Psychological Medicine</i> , 2018 , 48, 1975-1984	6.9	59
320	Ketamine for suicidal ideation in adults with psychiatric disorders: A systematic review and meta-analysis of treatment trials. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020 , 54, 29-45	2.6	59

319	Comparative efficacy and acceptability of antidepressants, psychotherapies, and their combination for acute treatment of children and adolescents with depressive disorder: a systematic review and network meta-analysis. <i>Lancet Psychiatry, the</i> , 2020 , 7, 581-601	23.3	58
318	Antipsychotic drug exposure and risk of venous thromboembolism: a systematic review and meta-analysis of observational studies. <i>Drug Safety</i> , 2014 , 37, 79-90	5.1	58
317	Suicide, depression, and antidepressants. <i>BMJ, The</i> , 2005 , 330, 373-4	5.9	58
316	Innovative approaches to bipolar disorder and its treatment. <i>Annals of the New York Academy of Sciences</i> , 2016 , 1366, 76-89	6.5	57
315	Polyunsaturated fatty acids metabolism, purine metabolism and inosine as potential independent diagnostic biomarkers for major depressive disorder in children and adolescents. <i>Molecular Psychiatry</i> , 2019 , 24, 1478-1488	15.1	57
314	Sertraline versus other antidepressive agents for depression. <i>The Cochrane Library</i> , 2010 , CD006117	5.2	56
313	Sertraline versus other antidepressive agents for depression. <i>Cochrane Database of Systematic Reviews</i> , 2009 , CD006117		54
312	COVID-19 and Telepsychiatry: Development of Evidence-Based Guidance for Clinicians. <i>JMIR Mental Health</i> , 2020 , 7, e21108	6	52
311	Efficacy of pharmacotherapy against core traits of borderline personality disorder: meta-analysis of randomized controlled trials. <i>International Clinical Psychopharmacology</i> , 2006 , 21, 345-53	2.2	51
310	Mirtazapine versus other antidepressants in the acute-phase treatment of adults with major depression: systematic review and meta-analysis. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1404-15	4.6	51
309	Living network meta-analysis compared with pairwise meta-analysis in comparative effectiveness research: empirical study. <i>BMJ, The</i> , 2018 , 360, k585	5.9	49
308	Identifying outcomes for depression that matter to patients, informal caregivers, and health-care professionals: qualitative content analysis of a large international online survey. <i>Lancet Psychiatry, the</i> , 2020 , 7, 692-702	23.3	49
307	Allowing for uncertainty due to missing continuous outcome data in pairwise and network meta-analysis. <i>Statistics in Medicine</i> , 2015 , 34, 721-41	2.3	48
306	Mental health care for university students: a way forward?. <i>Lancet Psychiatry, the</i> , 2019 , 6, 885-887	23.3	48
305	Ketamine and other glutamate receptor modulators for depression in bipolar disorder in adults. <i>The Cochrane Library</i> , 2015 , CD011611	5.2	48
304	Clozapine combined with different antipsychotic drugs for treatment resistant schizophrenia. <i>Cochrane Database of Systematic Reviews</i> , 2009 , CD006324		47
303	Measuring Disturbance of the Endocannabinoid System in Psychosis: A Systematic Review and Meta-analysis. <i>JAMA Psychiatry</i> , 2019 , 76, 914-923	14.5	46
302	"Wish bias" in antidepressant drug trials?. <i>Journal of Clinical Psychopharmacology</i> , 2004 , 24, 126-30	1.7	46

301	Common pitfalls and mistakes in the set-up, analysis and interpretation of results in network meta-analysis: what clinicians should look for in a published article. <i>Evidence-Based Mental Health</i> , 2017 , 20, 88-94	11.1	44
300	Choice of data extraction tools for systematic reviews depends on resources and review complexity. <i>Journal of Clinical Epidemiology</i> , 2009 , 62, 506-10	5.7	44
299	Metareview on short-term effectiveness and safety of antidepressants for depression: an evidence-based approach to inform clinical practice. <i>Canadian Journal of Psychiatry</i> , 2007 , 52, 553-62	4.8	44
298	Fluoxetine versus other types of pharmacotherapy for depression. <i>The Cochrane Library</i> , 2013 , CD004185	5.2	43
297	Duloxetine versus other anti-depressive agents for depression. <i>The Cochrane Library</i> , 2012 , 10, CD006533	5.2	43
296	Are all antidepressants really the same? The case of fluoxetine: a systematic review. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 850-64	4.6	41
295	Cognitive-Behavioral Analysis System of Psychotherapy, Drug, or Their Combination for Persistent Depressive Disorder: Personalizing the Treatment Choice Using Individual Participant Data Network Metaregression. <i>Psychotherapy and Psychosomatics</i> , 2018 , 87, 140-153	9.4	41
294	Which Dopamine Polymorphisms Are Functional? Systematic Review and Meta-analysis of COMT, DAT, DBH, DDC, DRD1-5, MAOA, MAOB, TH, VMAT1, and VMAT2. <i>Biological Psychiatry</i> , 2019 , 86, 608-620	7.9	40
293	National Prescription Patterns of Antidepressants in the Treatment of Adults With Major Depression in the US Between 1996 and 2015: A Population Representative Survey Based Analysis. <i>Frontiers in Psychiatry</i> , 2020 , 11, 35	5	40
292	A fully Bayesian application of the Copas selection model for publication bias extended to network meta-analysis. <i>Statistics in Medicine</i> , 2013 , 32, 51-66	2.3	40
291	Olanzapine in the long-term treatment of bipolar disorder: a systematic review and meta-analysis. <i>Journal of Psychopharmacology</i> , 2010 , 24, 1729-38	4.6	39
290	Citalopram versus other anti-depressive agents for depression. <i>The Cochrane Library</i> , 2012 , CD006534	5.2	37
289	Hydroxyzine for generalised anxiety disorder. <i>The Cochrane Library</i> , 2010 , CD006815	5.2	37
288	Imaging of the dopamine transporter predicts pattern of disease progression and response to levodopa in patients with schizophrenia and parkinsonism: a 2-year follow-up multicenter study. <i>Schizophrenia Research</i> , 2014 , 152, 344-9	3.6	36
287	Adjunctive Psychotherapy for Bipolar Disorder: A Systematic Review and Component Network Meta-analysis. <i>JAMA Psychiatry</i> , 2021 , 78, 141-150	14.5	35
286	Recent meta-analyses neglect previous systematic reviews and meta-analyses about the same topic: a systematic examination. <i>BMC Medicine</i> , 2015 , 13, 82	11.4	34
285	Evaluating the impact of imputations for missing participant outcome data in a network meta-analysis. <i>Clinical Trials</i> , 2013 , 10, 378-88	2.2	34
284	Benzodiazepine use in the real world of psychiatric practice: low-dose, long-term drug taking and low rates of treatment discontinuation. <i>European Journal of Clinical Pharmacology</i> , 2007 , 63, 867-73	2.8	34

283	Different Types and Acceptability of Psychotherapies for Acute Anxiety Disorders in Children and Adolescents: A Network Meta-analysis. <i>JAMA Psychiatry</i> , 2019 , 76, 41-50	14.5	34
282	Treatment-resistant and multi-therapy-resistant criteria for bipolar depression: consensus definition. <i>British Journal of Psychiatry</i> , 2019 , 214, 27-35	5.4	33
281	An approach for modelling multiple correlated outcomes in a network of interventions using odds ratios. <i>Statistics in Medicine</i> , 2014 , 33, 2275-87	2.3	30
280	Initial severity of major depression and efficacy of new generation antidepressants: individual participant data meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 450-458	6.5	29
279	Milnacipran versus other antidepressive agents for depression. <i>The Cochrane Library</i> , 2009 , CD006529	5.2	29
278	Generating comparative evidence on new drugs and devices before approval. <i>Lancet, The</i> , 2020 , 395, 986-997	4.0	28
277	Efficacy of selective serotonin reuptake inhibitors and adverse events: meta-regression and mediation analysis of placebo-controlled trials. <i>British Journal of Psychiatry</i> , 2016 , 208, 114-9	5.4	28
276	Aripiprazole versus haloperidol in combination with clozapine for treatment-resistant schizophrenia in routine clinical care: a randomized, controlled trial. <i>Journal of Clinical Psychopharmacology</i> , 2011 , 31, 266-73	1.7	28
275	What are evidence-based treatment recommendations?. <i>Epidemiology and Psychiatric Sciences</i> , 2011 , 20, 29-31	5.1	28
274	Haloperidol alone or in combination for acute mania. <i>The Cochrane Library</i> , 2006 , CD004362	5.2	28
273	Biological rationale and potential clinical use of gabapentin and pregabalin in bipolar disorder, insomnia and anxiety: protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2017 , 7, e013433	3	27
272	Joint synthesis of multiple correlated outcomes in networks of interventions. <i>Biostatistics</i> , 2015 , 16, 84-97	3.7	27
271	[111]FP-CIT single photon emission computed tomography findings in drug-induced Parkinsonism. <i>Schizophrenia Research</i> , 2012 , 139, 40-5	3.6	27
270	Seven criteria for improving effectiveness trials in psychiatry. <i>Psychological Medicine</i> , 2006 , 36, 711-20	6.9	27
269	Validity of the impact factor of journals as a measure of randomized controlled trial quality. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 37-40	4.6	27
268	Dismantling, optimising, and personalising internet cognitive behavioural therapy for depression: a systematic review and component network meta-analysis using individual participant data. <i>Lancet Psychiatry, the</i> , 2021 , 8, 500-511	23.3	27
267	Network Meta-analysis for Clinical Practice Guidelines: A Case Study on First-Line Medical Therapies for Primary Open-Angle Glaucoma. <i>Annals of Internal Medicine</i> , 2016 , 164, 674-82	8	27
266	Pharmacological treatment for psychotic depression. <i>The Cochrane Library</i> , 2015 , CD004044	5.2	26

265	Fluvoxamine versus other anti-depressive agents for depression. <i>The Cochrane Library</i> , 2010 , CD006114	5.2	26
264	Lithium versus antidepressants in the long-term treatment of unipolar affective disorder. <i>The Cochrane Library</i> , 2006 , CD003492	5.2	26
263	How to carry out a literature search for a systematic review: a practical guide. <i>BJ Psych Advances</i> , 2018 , 24, 74-82	0.8	24
262	Psychotherapies for depression: a network meta-analysis covering efficacy, acceptability and long-term outcomes of all main treatment types. <i>World Psychiatry</i> , 2021 , 20, 283-293	14.4	24
261	Generating comparative evidence on new drugs and devices after approval. <i>Lancet, The</i> , 2020 , 395, 998-1010	10.10	23
260	Paroxetine versus other anti-depressive agents for depression. <i>The Cochrane Library</i> , 2014 , CD006531	5.2	23
259	Impact of placebo arms on outcomes in antidepressant trials: systematic review and meta-regression analysis. <i>International Journal of Epidemiology</i> , 2018 , 47, 1454-1464	7.8	22
258	Clozapine combined with different antipsychotic drugs for treatment-resistant schizophrenia. <i>The Cochrane Library</i> , 2017 , 3, CD006324	5.2	21
257	A deep fluid source of radiogenic Sr and highly dynamic seepage conditions recorded in Miocene seep carbonates of the northern Apennines (Italy). <i>Chemical Geology</i> , 2019 , 522, 135-147	4.2	21
256	Implementation of treatment guidelines for specialist mental health care. <i>Cochrane Database of Systematic Reviews</i> , 2014 , CD009780		21
255	Efficacy and tolerability of milnacipran in the treatment of major depression in comparison with other antidepressants : a systematic review and meta-analysis. <i>CNS Drugs</i> , 2008 , 22, 587-602	6.7	21
254	Comparative efficacy and tolerability of pharmacological interventions for attention-deficit/hyperactivity disorder in children, adolescents and adults: protocol for a systematic review and network meta-analysis. <i>BMJ Open</i> , 2017 , 7, e013967	3	20
253	Individual Differences in Response to Antidepressants: A Meta-analysis of Placebo-Controlled Randomized Clinical Trials. <i>JAMA Psychiatry</i> , 2020 , 77, 607-617	14.5	20
252	Is placebo response in antidepressant trials rising or not? A reanalysis of datasets to conclude this long-lasting controversy. <i>Evidence-Based Mental Health</i> , 2018 , 21, 1-3	11.1	20
251	Initial symptom severity of bipolar I disorder and the efficacy of olanzapine: a meta-analysis of individual participant data from five placebo-controlled studies. <i>Lancet Psychiatry</i> , 2017 , 4, 859-867	23.3	20
250	Efficacy, tolerability and side-effect profile of fluvoxamine for major depression: meta-analysis. <i>Journal of Psychopharmacology</i> , 2009 , 23, 539-50	4.6	20
249	Rationale and design of an independent randomised controlled trial evaluating the effectiveness of aripiprazole or haloperidol in combination with clozapine for treatment-resistant schizophrenia. <i>Trials</i> , 2009 , 10, 31	2.8	20
248	Does randomized evidence support sertraline as first-line antidepressant for adults with acute major depression? A systematic review and meta-analysis. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1732-42	4.6	20

247	Implementation of treatment guidelines for specialist mental health care. <i>The Cochrane Library</i> , 2016 , 12, CD009780	5.2	20
246	Aripiprazole versus haloperidol in combination with clozapine for treatment-resistant schizophrenia: a 12-month, randomized, naturalistic trial. <i>Journal of Clinical Psychopharmacology</i> , 2013 , 33, 533-7	1.7	19
245	EMA must improve the quality of its clinical trial reports. <i>BMJ, The</i> , 2011 , 342, d2291	5.9	19
244	Antidepressant drug prescription and risk of abnormal bleeding: a case-control study. <i>Journal of Clinical Psychopharmacology</i> , 2009 , 29, 33-8	1.7	19
243	Long-term treatment of depression with antidepressants: a systematic narrative review. <i>Canadian Journal of Psychiatry</i> , 2007 , 52, 545-52	4.8	19
242	Comparative efficacy and acceptability of psychological interventions for the treatment of adult outpatients with anorexia nervosa: a systematic review and network meta-analysis. <i>Lancet Psychiatry</i> , 2021 , 8, 215-224	23.3	19
241	The effects of incretin-based therapies on β -cell function and insulin resistance in type 2 diabetes: A systematic review and network meta-analysis combining 360 trials. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 975-983	6.7	18
240	Natural language processing for structuring clinical text data on depression using UK-CRIS. <i>Evidence-Based Mental Health</i> , 2020 , 23, 21-26	11.1	17
239	Persistence with pharmacological treatment in the specialist mental healthcare of patients with severe mental disorders. <i>European Journal of Clinical Pharmacology</i> , 2012 , 68, 1647-55	2.8	17
238	Olanzapine in long-term treatment for bipolar disorder. <i>The Cochrane Library</i> , 2009 , CD004367	5.2	17
237	Impact of regulatory changes on first- and second-generation antipsychotic drug consumption and expenditure in Italy. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 72-7	4.5	17
236	60 years of placebo-controlled antipsychotic drug trials in acute schizophrenia: Meta-regression of predictors of placebo response. <i>Schizophrenia Research</i> , 2018 , 201, 315-323	3.6	17
235	The cardiovascular effect of incretin-based therapies among type 2 diabetes: a systematic review and network meta-analysis. <i>Expert Opinion on Drug Safety</i> , 2018 , 17, 243-249	4.1	16
234	Comparative efficacy and acceptability of antidepressants in the long-term treatment of major depression: protocol for a systematic review and network meta-analysis. <i>BMJ Open</i> , 2019 , 9, e027574	3	15
233	Exploratory analyses of effect modifiers in the antidepressant treatment of major depression: Individual-participant data meta-analysis of 2803 participants in seven placebo-controlled randomized trials. <i>Journal of Affective Disorders</i> , 2019 , 250, 419-424	6.6	15
232	Effectiveness of universal programmes for the prevention of suicidal ideation, behaviour and mental ill health in medical students: a systematic review and meta-analysis. <i>Evidence-Based Mental Health</i> , 2019 , 22, 84-90	11.1	15
231	Antidepressants and benzodiazepines for panic disorder in adults. <i>The Cochrane Library</i> , 2016 , 9, CD011567	5.7	15
230	Oxford Lithium Trial (OxLith) of the early affective, cognitive, neural and biochemical effects of lithium carbonate in bipolar disorder: study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 116	2.8	15

229	Effectiveness of lithium in subjects with treatment-resistant depression and suicide risk: results and lessons of an underpowered randomised clinical trial. <i>BMC Research Notes</i> , 2014 , 7, 731	2.3	15
228	Clinical and regulatory implications of active run-in phases in long-term studies for bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 129, 328-42	6.5	15
227	Why it is important to include unpublished data in systematic reviews. <i>Epidemiology and Psychiatric Sciences</i> , 2011 , 20, 133-5	5.1	15
226	Associations between statin use and suicidality, depression, anxiety, and seizures: a Swedish total-population cohort study. <i>Lancet Psychiatry</i> , 2020 , 7, 982-990	23.3	15
225	A web-based clinical decision tool to support treatment decision-making in psychiatry: a pilot focus group study with clinicians, patients and carers. <i>BMC Psychiatry</i> , 2017 , 17, 265	4.2	14
224	Effectiveness of lithium in subjects with treatment-resistant depression and suicide risk: a protocol for a randomised, independent, pragmatic, multicentre, parallel-group, superiority clinical trial. <i>BMC Psychiatry</i> , 2013 , 13, 212	4.2	14
223	Antipsychotic drugs and cerebrovascular events in elderly patients with dementia: a systematic review. <i>Mini-Reviews in Medicinal Chemistry</i> , 2008 , 8, 776-83	3.2	14
222	Venlafaxine for major depression. <i>BMJ, The</i> , 2007 , 334, 215-6	5.9	14
221	The Oxford study of Calcium channel Antagonism, Cognition, Mood instability and Sleep (OxCaMS): study protocol for a randomised controlled, experimental medicine study. <i>Trials</i> , 2019 , 20, 120	2.8	13
220	Personalise antidepressant treatment for unipolar depression combining individual choices, risks and big data (PETRUSHKA): rationale and protocol. <i>Evidence-Based Mental Health</i> , 2020 , 23, 52-56	11.1	13
219	What is a randomised controlled trial?. <i>Epidemiologia E Psichiatria Sociale</i> , 2009 , 18, 191-194		13
218	Duloxetine versus other anti-depressive agents for depression 2007 ,		13
217	Antidepressants might work for people with major depression: where do we go from here?. <i>Lancet Psychiatry</i> , 2018 , 5, 461-463	23.3	12
216	Benzodiazepines and risk of dementia: true association or reverse causation?. <i>Epidemiology and Psychiatric Sciences</i> , 2013 , 22, 307-8	5.1	12
215	Relationship between quality of reports of antidepressant randomized controlled trials and treatment estimates: systematic review, meta-analysis, and meta-regression analysis. <i>Journal of Clinical Psychopharmacology</i> , 2007 , 27, 352-6	1.7	12
214	Pharmacological treatments for social anxiety disorder in adults: a systematic review and network meta-analysis. <i>Acta Neuropsychiatrica</i> , 2020 , 32, 169-176	3.9	11
213	Antidepressants versus placebo for panic disorder in adults. <i>The Cochrane Library</i> , 2018 , 4, CD010676	5.2	11
212	Using the contribution matrix to evaluate complex study limitations in a network meta-analysis: a case study of bipolar maintenance pharmacotherapy review. <i>BMC Research Notes</i> , 2016 , 9, 218	2.3	11

211	Comparative efficacy and acceptability of antidepressants, psychological interventions, and their combination for depressive disorder in children and adolescents: protocol for a network meta-analysis. <i>BMJ Open</i> , 2017 , 7, e016608	3	11
210	Study protocol for a randomised pragmatic trial comparing the clinical and cost effectiveness of lithium and quetiapine augmentation in treatment resistant depression (the LQD study). <i>BMC Psychiatry</i> , 2017 , 17, 231	4.2	11
209	Ranking antidepressants [Authors Reply]. <i>Lancet, The</i> , 2009 , 373, 1761-1762	40	11
208	What is a risk ratio?. <i>Epidemiologia E Psichiatria Sociale</i> , 2007 , 16, 20-21		11
207	Validity of indirect comparisons in meta-analysis. <i>Lancet, The</i> , 2007 , 369, 270-1; author reply 271	40	11
206	Incidence and prevalence of primary care antidepressant prescribing in children and young people in England, 1998-2017: A population-based cohort study. <i>PLoS Medicine</i> , 2020 , 17, e1003215	11.6	11
205	Cognitive-Behavioural Analysis System of Psychotherapy (CBASP), a drug, or their combination: differential therapeutics for persistent depressive disorder: a study protocol of an individual participant data network meta-analysis. <i>BMJ Open</i> , 2016 , 6, e011769	3	11
204	Dismantling, personalising and optimising internet cognitive-behavioural therapy for depression: a study protocol for individual participant data component network meta-analysis. <i>BMJ Open</i> , 2019 , 8, e026137	3	11
203	Comparative efficacy and tolerability of 32 oral and long-acting injectable antipsychotics for the maintenance treatment of adults with schizophrenia: a systematic review and network meta-analysis.. <i>Lancet, The</i> , 2022 , 399, 824-836	40	11
202	Azapirones versus placebo for panic disorder in adults. <i>The Cochrane Library</i> , 2014 , CD010828	5.2	10
201	The impact of trial characteristics on premature discontinuation of antipsychotics in schizophrenia. <i>European Neuropsychopharmacology</i> , 2013 , 23, 1010-6	1.2	10
200	Use of antipsychotic drugs and mood stabilizers in women of childbearing age with schizophrenia and bipolar disorder: epidemiological survey. <i>Epidemiology and Psychiatric Sciences</i> , 2013 , 22, 355-61	5.1	10
199	What is a Cochrane review?. <i>Epidemiology and Psychiatric Sciences</i> , 2011 , 20, 231-3	5.1	10
198	Mirtazapine versus other anti-depressive agents for depression 2007 ,		10
197	Citalopram versus other anti-depressive agents for depression 2007 ,		10
196	Predicting treatment effects in unipolar depression: A meta-review. <i>Pharmacology & Therapeutics</i> , 2020 , 212, 107557	13.9	10
195	Antidepressants in Children and Adolescents: Meta-Review of Efficacy, Tolerability and Suicidality in Acute Treatment. <i>Frontiers in Psychiatry</i> , 2020 , 11, 717	5	10
194	Association between mental disorders and somatic conditions: protocol for an umbrella review. <i>Evidence-Based Mental Health</i> , 2020 , 23, 135-139	11.1	10

193	The gut-microbiome as a target for the treatment of schizophrenia: A systematic review and meta-analysis of randomised controlled trials of add-on strategies. <i>Schizophrenia Research</i> , 2021 , 234, 1-13	3.6	10
192	Quantifying indirect evidence in network meta-analysis. <i>Statistics in Medicine</i> , 2017 , 36, 917-927	2.3	9
191	Side effect profile and comparative tolerability of 21 antidepressants in the acute treatment of major depression in adults: protocol for a network meta-analysis. <i>Evidence-Based Mental Health</i> , 2019 , 22, 61-66	11.1	9
190	Efficacy and acceptability of pharmacological and non-pharmacological interventions for non-specific chronic low back pain: a protocol for a systematic review and network meta-analysis. <i>Systematic Reviews</i> , 2020 , 9, 130	3	9
189	Disconnection of drug-response and placebo-response in acute-phase antipsychotic drug trials on schizophrenia? Meta-regression analysis. <i>Neuropsychopharmacology</i> , 2019 , 44, 1955-1966	8.7	9
188	Benzodiazepines versus placebo for panic disorder in adults. <i>The Cochrane Library</i> , 2019 , 3, CD010677	5.2	9
187	Implementation of treatment guidelines for specialist mental health care. <i>Schizophrenia Bulletin</i> , 2014 , 40, 737-9	1.3	9
186	Azapirones versus placebo for panic disorder in adults 2013 ,		9
185	Why internal and external validity of experimental studies are relevant for clinical practice?. <i>Epidemiologia E Psichiatria Sociale</i> , 2009 , 18, 101-103		9
184	Explanatory and pragmatic trials. <i>Epidemiologia E Psichiatria Sociale</i> , 2007 , 16, 124-5		9
183	Allowing for uncertainty due to missing and LOCF imputed outcomes in meta-analysis. <i>Statistics in Medicine</i> , 2019 , 38, 720-737	2.3	9
182	Efficacy and tolerability of lithium for the treatment of acute mania in children with bipolar disorder: A systematic review: A report from the ISBD-IGSLI joint task force on lithium treatment. <i>Bipolar Disorders</i> , 2018 , 20, 583-593	3.8	9
181	Randomized trials published in Chinese or Western journals: comparative empirical analysis. <i>Journal of Clinical Psychopharmacology</i> , 2012 , 32, 354-61	1.7	8
180	Antidepressants and suicide symptoms: compelling new insights from the FDAQ analysis of individual patient level data. <i>Evidence-Based Mental Health</i> , 2008 , 11, 34-5	11.1	8
179	Sertraline versus other anti-depressive agents for depression. <i>The Cochrane Library</i> , 2006 ,	5.2	8
178	Depression in adults: drug and physical treatments. <i>Clinical Evidence</i> , 2011 , 2011,		8
177	Producing and using timely comparative evidence on drugs: lessons from clinical trials for covid-19. <i>BMJ, The</i> , 2020 , 371, m3869	5.9	8
176	Individual Differences in Response to Antidepressants: A Meta-analysis of Placebo-Controlled Randomized Clinical Trials. <i>JAMA Psychiatry</i> , 2021 , 78, 490-497	14.5	8

175	Systematic Review and Meta-analysis: Depressive Symptoms and Risky Behaviors Among Adolescents in Low- and Middle-Income Countries. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2021 ,	7.2	8
174	Changes in daily mental health service use and mortality at the commencement and lifting of COVID-19 Closures Policy in 10 UK sites: a regression discontinuity in time design. <i>BMJ Open</i> , 2021 , 11, e049721	3	8
173	Cognitive restructuring, behavioral activation and cognitive-behavioral therapy in the treatment of adult depression: A network meta-analysis. <i>Journal of Consulting and Clinical Psychology</i> , 2021 , 89, 563-574	6.5	8
172	Meta-Review: Network Meta-Analyses in Child and Adolescent Psychiatry. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2019 , 58, 167-179	7.2	8
171	Evidence synthesis, practice guidelines and real-world prescriptions of new generation antidepressants in the treatment of depression: a protocol for cumulative network meta-analyses and meta-epidemiological study. <i>BMJ Open</i> , 2018 , 8, e023222	3	8
170	Challenges in identifying behavioural markers of bipolar disorder through objective smartphone data. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019 , 53, 168-169	2.6	7
169	Maximizing the use of social and behavioural information from secondary care mental health electronic health records. <i>Journal of Biomedical Informatics</i> , 2020 , 107, 103429	10.2	7
168	The evidence for lithium in suicide prevention. <i>British Journal of Psychiatry</i> , 2017 , 211, 396	5.4	7
167	Time to abandon placebo control in pivotal phase III trials?. <i>World Psychiatry</i> , 2015 , 14, 306-7	14.4	7
166	Placebo for depression: we need to improve the quality of scientific information but also reject too simplistic approaches or ideological nihilism. <i>BMC Medicine</i> , 2014 , 12, 105	11.4	7
165	Benzodiazepines versus placebo for panic disorder in adults. <i>The Cochrane Library</i> , 2013 ,	5.2	7
164	Assessing risk of bias in randomized controlled trials. <i>Epidemiology and Psychiatric Sciences</i> , 2010 , 19, 296-297	5.1	7
163	Superiority, equivalence or non-inferiority?. <i>Epidemiology and Psychiatric Sciences</i> , 2009 , 18, 311-3	5.1	7
162	Agomelatine and the brave old world of narrative-based medicine. <i>Evidence-Based Mental Health</i> , 2012 , 15, 2-3	11.1	7
161	Milnacipran versus other anti-depressive agents for depression 2007 ,		7
160	CNS drugs approved by the centralised European procedure: true innovation or dangerous stagnation?. <i>Psychopharmacology</i> , 2007 , 190, 265-8	4.7	7
159	Safety, immunogenicity, and efficacy of a COVID-19 vaccine (NVX-CoV2373) co-administered with seasonal influenza vaccines: an exploratory substudy of a randomised, observer-blinded, placebo-controlled, phase 3 trial. <i>Lancet Respiratory Medicine</i> , 2021 ,	35.1	7
158	Comparative efficacy and acceptability of pharmacological treatments for insomnia in adults: a systematic review and network meta-analysis. <i>The Cochrane Library</i> , 2016 ,	5.2	7

157	Development and validation of a prediction model for the probability of responding to placebo in antidepressant trials: a pooled analysis of individual patient data. <i>Evidence-Based Mental Health</i> , 2019 , 22, 10-16	11.1	7
156	Initial treatment choices to achieve sustained response in major depression: a systematic review and network meta-analysis. <i>World Psychiatry</i> , 2021 , 20, 387-396	14.4	7
155	Implementing a digital clinical decision support tool for side effects of antipsychotics: a focus group study. <i>Evidence-Based Mental Health</i> , 2019 , 22, 56-60	11.1	6
154	Combining Pharmacological and Nonpharmacological Interventions in Network Meta-analysis in Psychiatry. <i>JAMA Psychiatry</i> , 2019 , 76, 867-868	14.5	6
153	Cancer and suicidal ideation and behaviours: protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2018 , 8, e020463	3	6
152	Antidepressants versus placebo for panic disorder in adults. <i>The Cochrane Library</i> , 2013 ,	5.2	6
151	Ketamine and other glutamate receptor modulators for depression in adults 2015 ,		6
150	Sertraline versus other antidepressive agents for depression 2010 ,		6
149	Paroxetine versus other anti-depressive agents for depression. <i>Cochrane Database of Systematic Reviews</i> , 2007 ,		6
148	Venlafaxine versus other anti-depressive agents for depression. <i>The Cochrane Library</i> , 2007 ,	5.2	6
147	Publication bias in systematic reviews. <i>Archives of General Psychiatry</i> , 2007 , 64, 868		6
146	Fluvoxamine versus other anti-depressive agents for depression 2006 ,		6
145	Risk of suicidal behaviour in adults taking antidepressants. <i>BMJ, The</i> , 2009 , 339, b3066	5.9	6
144	Comparative Efficacy and Tolerability of 32 Oral Antipsychotics for the Acute Treatment of Adults With Multi-Episode Schizophrenia: A Systematic Review and Network Meta-Analysis. <i>Focus (American Psychiatric Publishing)</i> , 2020 , 18, 443-455	1.1	6
143	No benefit from flexible titration above minimum licensed dose in prescribing antidepressants for major depression: systematic review. <i>Acta Psychiatrica Scandinavica</i> , 2020 , 141, 401-409	6.5	6
142	Psychologic Treatment of Depression Compared With Pharmacotherapy and Combined Treatment in Primary Care: A Network Meta-Analysis. <i>Annals of Family Medicine</i> , 2021 , 19, 262-270	2.9	6
141	Placebo and nocebo responses in randomised, controlled trials of medications for ADHD: a systematic review and meta-analysis. <i>Molecular Psychiatry</i> , 2021 ,	15.1	6
140	Valproate for acute mania. <i>The Cochrane Library</i> , 2019 , 10, CD004052	5.2	6

139	The Kilim plot: A tool for visualizing network meta-analysis results for multiple outcomes. <i>Research Synthesis Methods</i> , 2021 , 12, 86-95	7.2	6
138	A Bayesian dose-response meta-analysis model: A simulations study and application. <i>Statistical Methods in Medical Research</i> , 2021 , 30, 1358-1372	2.3	6
137	Sertraline versus other antidepressive agents for depression. <i>Cochrane Database of Systematic Reviews</i> , 2010 , CD006117		6
136	Patient fibroblast circadian rhythms predict lithium sensitivity in bipolar disorder. <i>Molecular Psychiatry</i> , 2021 , 26, 5252-5265	15.1	5
135	Cumulative network meta-analyses, practice guidelines, and actual prescriptions for postmenopausal osteoporosis: a meta-epidemiological study. <i>Archives of Osteoporosis</i> , 2020 , 15, 21	2.9	5
134	Comparative efficacy of pharmacological and non-pharmacological interventions for the acute treatment of adult outpatients with anorexia nervosa: study protocol for the systematic review and network meta-analysis of individual data. <i>Journal of Eating Disorders</i> , 2017 , 5, 24	4.1	5
133	Comparative efficacy and tolerability of new-generation antidepressants for major depressive disorder in children and adolescents: protocol of an individual patient data meta-analysis. <i>BMJ Open</i> , 2018 , 8, e018357	3	5
132	Efficacy of antipsychotic drugs for schizophrenia - AuthorsReply. <i>Lancet, The</i> , 2013 , 382, 1874-5	40	5
131	What is a run-in phase?. <i>Epidemiologia E Psichiatria Sociale</i> , 2010 , 19, 21-22		5
130	SSRI plus supportive care more effective than supportive care alone for mild to moderate depression. <i>Evidence-Based Mental Health</i> , 2009 , 12, 109	11.1	5
129	Understanding antipsychotic non-classical prescriptions: a quantitative and qualitative approach. <i>Epidemiologia E Psichiatria Sociale</i> , 2008 , 17, 236-41		5
128	Conventional vs. atypical antipsychotic medications. <i>New England Journal of Medicine</i> , 2006 , 354, 972-4; author reply 972-4	59.2	5
127	What is a systematic review?. <i>Epidemiologia E Psichiatria Sociale</i> , 2006 , 15, 174-5		5
126	Representation and Outcomes of Individuals With Schizophrenia Seen in Everyday Practice Who Are Ineligible for Randomized Clinical Trials.. <i>JAMA Psychiatry</i> , 2022 ,	14.5	5
125	Linking the Mini-Mental State Examination, the Alzheimer's Disease Assessment Scale-Cognitive Subscale and the Severe Impairment Battery: evidence from individual participant data from five randomised clinical trials of donepezil. <i>Evidence-Based Mental Health</i> , 2021 , 24, 56-61	11.1	5
124	Ketamine and other glutamate receptor modulators for depression in adults with bipolar disorder. <i>The Cochrane Library</i> , 2021 , 10, CD011611	5.2	5
123	What is a randomised controlled trial?. <i>Epidemiologia E Psichiatria Sociale</i> , 2009 , 18, 191-4		5
122	Consent to discuss participation in research: a pilot study. <i>Evidence-Based Mental Health</i> , 2020 , 23, 77-82	11.1	4

121	Quality and impact of secondary information in promoting evidence-based clinical practice: a cross-sectional study about EBMH. <i>Evidence-Based Mental Health</i> , 2016 , 19, 82-5	11.1	4
120	Novel melatonin-based treatments for major depression. <i>Lancet, The</i> , 2012 , 379, 215; author reply 217-9	4	
119	Making the best use of available evidence: the case of new generation antidepressants: a response to: are all antidepressants equal?. <i>Evidence-Based Mental Health</i> , 2009 , 12, 101-4	11.1	4
118	Reboxetine versus other antidepressive agents for depression. <i>The Cochrane Library</i> , 2009 ,	5.2	4
117	Evidence-based psychopharmacology: an agenda for the future. <i>Evidence-Based Mental Health</i> , 2007 , 10, 4-6	11.1	4
116	Aripiprazole in Addition to Clozapine in Partially Responsive Patients with Schizophrenia: A Critical Review of Case Series. <i>Clinical Schizophrenia and Related Psychoses</i> , 2008 , 1, 341-347	1.6	4
115	Lithium for acute mania. <i>The Cochrane Library</i> , 2019 , 6, CD004048	5.2	4
114	Why internal and external validity of experimental studies are relevant for clinical practice?. <i>Epidemiologia E Psichiatria Sociale</i> , 2009 , 18, 101-3		4
113	Associations between mental and physical conditions in children and adolescents: An umbrella review.. <i>Neuroscience and Biobehavioral Reviews</i> , 2022 , 137, 104662	9	4
112	Efficacy and tolerability of lithium in treating acute mania in youth with bipolar disorder: protocol for a systematic review. <i>International Journal of Bipolar Disorders</i> , 2017 , 5, 22	5.4	3
111	Specialised early intervention teams (extended time) for recent-onset psychosis. <i>The Cochrane Library</i> , 2020 , 11, CD013287	5.2	3
110	Real-world effect of antidepressants for depressive disorder in primary care: protocol of a population-based cohort study. <i>Evidence-Based Mental Health</i> , 2020 , 23, 122-126	11.1	3
109	Ethical implications of poor comparative effectiveness evidence: obligations in industry-research partnerships. <i>Lancet, The</i> , 2020 , 395, 926-928	4	3
108	Improving access to treatment for mental health problems as a major component of suicide prevention strategy. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016 , 50, 176-8	2.6	3
107	Trends in antidepressant prescriptions in children and young people in England, 1998-2017: protocol of a cohort study using linked primary care and secondary care datasets. <i>Evidence-Based Mental Health</i> , 2019 , 22, 129-133	11.1	3
106	Lessons learned from Restoring Study 329: Transparent reporting, open databases and network meta-analyses as the way forward. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 407-409	2.6	3
105	What is a factorial trial?. <i>Epidemiology and Psychiatric Sciences</i> , 2013 , 22, 213-5	5.1	3
104	What is a clinical trial protocol?. <i>Epidemiologia E Psichiatria Sociale</i> , 2010 , 19, 116-117		3

103	Outcome reporting bias in clinical trials. <i>Epidemiologia E Psichiatria Sociale</i> , 2009 , 18, 17-18		3
102	What is an individual patient data meta-analysis?. <i>Epidemiologia E Psichiatria Sociale</i> , 2007 , 16, 203-204		3
101	Review: selective serotonin reuptake inhibitors as effective as tricyclic antidepressants for major depression, and may have fewer adverse effects. <i>Evidence-Based Mental Health</i> , 2003 , 6, 117	11.1	3
100	International dosage differences in fluoxetine clinical trials. <i>Canadian Journal of Psychiatry</i> , 2005 , 50, 31-8	4.8	3
99	Selective publication of antidepressant trials and its influence on apparent efficacy: Updated comparisons and meta-analyses of newer versus older trials.. <i>PLoS Medicine</i> , 2022 , 19, e1003886	11.6	3
98	Depression in adults: drug and physical treatments. <i>Clinical Evidence</i> , 2007 , 2007,		3
97	Optimal Dose of Selective Serotonin Reuptake Inhibitors, Venlafaxine, and Mirtazapine in Major Depression: A Systematic Review and Dose-Response Meta-Analysis. <i>Focus (American Psychiatric Publishing)</i> , 2020 , 18, 211-219	1.1	3
96	The usefulness and interpretation of systematic reviews. <i>BJ Psych Advances</i> , 2016 , 22, 132-141	0.8	3
95	Neurological Manifestation of Incretin-Based Therapies in Patients with Type 2 Diabetes: A Systematic Review and Network Meta-Analysis 2019 , 10, 1311-1319		3
94	Informing National Health Service patients about participation in clinical research: A comparison of opt-in and opt-out approaches across the United Kingdom. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 55, 400-408	2.6	3
93	Network meta-analysis of antidepressants - AuthorsReply. <i>Lancet, The</i> , 2018 , 392, 1012-1013	40	3
92	Impact of COVID-19 on telepsychiatry at the service and individual patient level across two UK NHS mental health Trusts. <i>Evidence-Based Mental Health</i> , 2021 , 24, 161-166	11.1	3
91	Comparative efficacy and acceptability of psychotherapies for post-traumatic stress disorder in children and adolescents: a systematic review and network meta-analysis. <i>Evidence-Based Mental Health</i> , 2021 , 24, 153-160	11.1	3
90	Depressive disorders. <i>Clinical Evidence</i> , 2004 , 1391-436		3
89	Pharmacological treatment for psychotic depression. <i>The Cochrane Library</i> , 2021 , 12, CD004044	5.2	3
88	Lithium and Suicide Prevention 2017 , 223-240		2
87	Secondary care specialist visits made by children and young people prescribed antidepressants in primary care: a descriptive study using the QResearch database. <i>BMC Medicine</i> , 2020 , 18, 93	11.4	2
86	3,4-methylenedioxymethamphetamine (MDMA)-assisted psychotherapy for post-traumatic stress disorder in service personnel. <i>Lancet Psychiatry</i> , 2018 , 5, 453-455	23.3	2

85	Predicting treatment outcome in depression: so far, so good. <i>Lancet Psychiatry</i> , 2016 , 3, 192-4	23.3	2
84	Evidence-based mental health and e-learning: a guide for clinicians. <i>BJ Psych Advances</i> , 2016 , 22, 55-63	0.8	2
83	Antidepressants, benzodiazepines and azapirones for panic disorder in adults: a network meta-analysis. <i>The Cochrane Library</i> , 2017 ,	5.2	2
82	Ketamine and other glutamate receptor modulators for depression in bipolar disorder in adults 2015 ,		2
81	Antidepressants and benzodiazepines for panic disorder in adults 2015 ,		2
80	Lithium Plus Valproate Combination Therapy Versus Monotherapy for Relapse Prevention in Bipolar I Disorder (BALANCE): A Randomised Open-Label Trial. <i>Focus (American Psychiatric Publishing)</i> , 2011 , 9, 488-499	1.1	2
79	Review: maintenance antidepressants reduce risk of relapse but effect is not as great in recurrent depression. <i>Evidence-Based Mental Health</i> , 2009 , 12, 79	11.1	2
78	Implementation of treatment guidelines for specialist mental health care 2012 ,		2
77	Allocation concealment and blinding in clinical trials. <i>Epidemiologia E Psichiatria Sociale</i> , 2008 , 17, 115-116		2
76	What is a forest plot?. <i>Epidemiology and Psychiatric Sciences</i> , 2006 , 15, 258-259	5.1	2
75	Hydroxyzine for generalised anxiety disorder 2007 ,		2
74	Escitalopram versus other anti-depressive agents for depression 2007 ,		2
73	Clozapine combined with different antipsychotic drugs for treatment resistant schizophrenia 2007 ,		2
72	Fluoxetine versus other types of pharmacotherapy for depression 2003 ,		2
71	Cognitive impairment networks in Alzheimer's disease: Analysis of three double-blind randomized, placebo-controlled, clinical trials of donepezil. <i>European Neuropsychopharmacology</i> , 2022 , 57, 50-58	1.2	2
70	Study protocol: the OxWell school survey investigating social, emotional and behavioural factors associated with mental health and well-being. <i>BMJ Open</i> , 2021 , 11, e052717	3	2
69	ROB-MEN: a tool to assess risk of bias due to missing evidence in network meta-analysis. <i>BMC Medicine</i> , 2021 , 19, 304	11.4	2
68	Effect of lithium on circadian rhythm in bipolar disorder: A systematic review and meta-analysis. <i>Bipolar Disorders</i> , 2021 , 23, 445-453	3.8	2

67	An efficient way to assess the effect of COVID-19 on mental health in the general population. <i>Lancet Psychiatry, the</i> , 2021 , 8, e14-e15	23.3	2
66	Visualizing the evolution of evidence: Cumulative network meta-analyses of new generation antidepressants in the last 40 years. <i>Research Synthesis Methods</i> , 2021 , 12, 74-85	7.2	2
65	Unbalanced risk-benefit analysis of ADHD drugs - Authors Reply. <i>Lancet Psychiatry, the</i> , 2018 , 5, 871-873	23.3	2
64	Ketamine and other glutamate receptor modulators for depression in adults with unipolar major depressive disorder. <i>The Cochrane Library</i> , 2021 , 9, CD011612	5.2	2
63	What is a run-in phase?. <i>Epidemiologia E Psichiatria Sociale</i> , 2010 , 19, 21-2		2
62	Assessing risk of bias in randomized controlled trials. <i>Epidemiologia E Psichiatria Sociale</i> , 2010 , 19, 296-7		2
61	DSM-III-R change in definition might have affected placebo response to antidepressants - Authors Reply. <i>Lancet Psychiatry, the</i> , 2017 , 4, 22-23	23.3	1
60	Optimal dosing of antidepressant drugs - Authors Reply. <i>Lancet Psychiatry, the</i> , 2019 , 6, 806-807	23.3	1
59	Did you add the same study twice in the meta-analysis?. <i>British Journal of Psychiatry</i> , 2015 , 207, 177	5.4	1
58	Specialised early intervention teams for recent-onset psychosis. <i>The Cochrane Library</i> , 2020 , 11, CD013288	5.2	1
57	Mood instability and regulatory oversight: Checkpoints on the pursuit of true mood stabilisers. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 87-88	2.6	1
56	Efficacy of antidepressants over placebo is similar in two-armed versus three-armed or more-armed randomized placebo-controlled trials. <i>International Clinical Psychopharmacology</i> , 2018 , 33, 66-72	2.2	1
55	Modelling suicide in bipolar disorders: Limitations and opportunities. <i>Bipolar Disorders</i> , 2018 , 20, 566-567	3.8	1
54	Comparative Efficacy and Tolerability of 15 Antipsychotic Drugs in Schizophrenia: A Multiple-Treatments Meta-Analysis. <i>Focus (American Psychiatric Publishing)</i> , 2014 , 12, 192-204	1.1	1
53	Bupropion versus other antidepressive agents for depression. <i>The Cochrane Library</i> , 2014 ,	5.2	1
52	Comparative efficacy of anti-manic drugs in acute mania - Authors Reply. <i>Lancet, The</i> , 2012 , 379, 894	40	1
51	Review: is aripiprazole as effective as risperidone in people with schizophrenia?. <i>Evidence-Based Mental Health</i> , 2010 , 13, 51	11.1	1
50	Review: atypical antipsychotics are effective adjuncts for treatment resistant depression but increase discontinuation due to adverse effects. <i>Evidence-Based Mental Health</i> , 2008 , 11, 14	11.1	1

49	What is an intention to treat analysis?. <i>Epidemiologia E Psichiatria Sociale</i> , 2008 , 17, 26-27		1
48	Review: antidepressant plus antipsychotic increases clinical response rates in psychotic depression. <i>Evidence-Based Mental Health</i> , 2007 , 10, 10	11.1	1
47	Effect of Antipsychotic Drugs on Cerebrovascular Morbidity and Mortality: A Systematic Review. <i>Current Drug Therapy</i> , 2006 , 1, 241-248	0.7	1
46	Personalised treatment for cognitive impairment in dementia: development and validation of an artificial intelligence model.. <i>BMC Medicine</i> , 2022 , 20, 45	11.4	1
45	Use of online cultural content for mental health and well-being during COVID-19 restrictions: cross-sectional survey. <i>BJPsych Bulletin</i> , 2021 , 1-10	1.2	1
44	Optimal dose of aripiprazole for augmentation therapy of antidepressant-refractory depression: preliminary findings based on a systematic review and dose-effect meta-analysis.. <i>British Journal of Psychiatry</i> , 2021 , 1-8	5.4	1
43	COVID-19 and Telepsychiatry: Development of Evidence-Based Guidance for Clinicians (Preprint)		1
42	Antidepressant prescriptions have not fully reflected evolving evidence from cumulative network meta-analyses and guideline recommendations. <i>Journal of Clinical Epidemiology</i> , 2021 , 133, 14-23	5.7	1
41	Quantifying the heterogeneity of cognitive functioning in Alzheimer's disease to extend the placebo-treatment dichotomy: Latent class analysis of individual-participant data from five pivotal randomized clinical trials of donepezil. <i>European Psychiatry</i> , 2021 , 64, e16	6	1
40	Cumulative network-meta-analyses, practice guidelines and actual prescriptions of drug treatments for postmenopausal osteoporosis: a study protocol for cumulative network meta-analyses and meta-epidemiological study. <i>BMJ Open</i> , 2018 , 8, e023218	3	1
39	Specialised early intervention teams (extended time) for first episode psychosis. <i>The Cochrane Library</i> ,	5.2	1
38	Specialised early intervention teams for first episode psychosis. <i>The Cochrane Library</i> ,	5.2	1
37	Depressive disorders. <i>American Family Physician</i> , 2006 , 73, 1999-2004	1.3	1
36	What is a risk ratio?. <i>Epidemiologia E Psichiatria Sociale</i> , 2007 , 16, 20-1		1
35	Review: antipsychotic plus mood stabiliser co-therapy is more effective than mood stabiliser mono-therapy at reducing acute bipolar mania. <i>Evidence-Based Mental Health</i> , 2007 , 10, 83	11.1	1
34	Allocation concealment and blinding in clinical trials. <i>Epidemiologia E Psichiatria Sociale</i> , 2008 , 17, 115-6		1
33	Pharmacological and non-pharmacological interventions for adults with ADHD: protocol for a systematic review and network meta-analysis.. <i>BMJ Open</i> , 2022 , 12, e058102	3	1
32	Early- and subsequent- response of cognitive functioning in Alzheimer's disease: Individual-participant data from five pivotal randomized clinical trials of donepezil.. <i>Journal of Psychiatric Research</i> , 2022 , 148, 159-164	5.2	0

31	Promoting inclusivity by ensuring that all patients with mental health issues are offered research opportunities in the NHS.. <i>Evidence-Based Mental Health</i> , 2022 ,	11.1	O
30	Coordinate-Based Network Mapping of Brain Structure in Major Depressive Disorder in Younger and Older Adults: A Systematic Review and Meta-Analysis. <i>American Journal of Psychiatry</i> , 2021 , 178, 1119-1128	11.9	O
29	Linking the Clinical Dementia Rating Scale-Sum of Boxes, the ClinicianQ Interview-Based Impression Plus Caregiver Input, and the Clinical Global Impression Scale: Evidence based on Individual Participant Data from Five Randomized Clinical Trials of Donepezil. <i>Journal of Alzheimer's Disease</i> , 2021 , 82, 1075-1084	4.3	O
28	A dose-effect network meta-analysis model with application in antidepressants using restricted cubic splines.. <i>Statistical Methods in Medical Research</i> , 2022 , 9622802211070256	2.3	O
27	COVID-19 and substance use disorders: a review of international guidelines for frontline healthcare workers of addiction services.. <i>BMC Psychiatry</i> , 2022 , 22, 228	4.2	O
26	Reappraising the variability of effects of antipsychotic medication in schizophrenia: a meta-analysis.. <i>World Psychiatry</i> , 2022 , 21, 287-294	14.4	O
25	Development and validation of a meta-learner for combining statistical and machine learning prediction models in individuals with depression.. <i>BMC Psychiatry</i> , 2022 , 22, 337	4.2	O
24	Bipolar treatment efficacy - AuthorsQreply. <i>Lancet Psychiatry</i> , 2014 , 1, 418-9	23.3	
23	Prophylactic mood stabilization: What is the evidence for lithium exposure in drinking water?. <i>Bipolar Disorders</i> , 2017 , 19, 601-602	3.8	
22	Review: Short-term benefit of escitalopram versus citalopram for depression uncertain, but big difference in French health insurance costs. <i>Evidence-Based Mental Health</i> , 2013 , 16, 51	11.1	
21	Review: clinically important differences between antidepressants. <i>Evidence-Based Mental Health</i> , 2009 , 12, 107	11.1	
20	Cognitive improvements with antipsychotics: real or practice effect?. <i>Evidence-Based Mental Health</i> , 2008 , 11, 42	11.1	
19	Adding aripiprazole improves major depressive disorder following incomplete response to antidepressants alone. <i>Evidence-Based Mental Health</i> , 2008 , 11, 15	11.1	
18	Haloperidol, risperidone and olanzapine are similarly effective for first-episode non-affective psychosis but have differing side effects. <i>Evidence-Based Mental Health</i> , 2007 , 10, 74	11.1	
17	Dr. Cipriani and Colleagues Reply. <i>American Journal of Psychiatry</i> , 2006 , 163, 550-a-551	11.9	
16	Forensic database study suggests selective serotonin reuptake inhibitors do not increase the risk of suicide in people taking antidepressants. <i>Evidence-Based Mental Health</i> , 2005 , 8, 113	11.1	
15	Psychotropic drug epidemiology and systematic reviews of randomised clinical trials317-339		
14	Interpreting the Findings of a Meta-analysis of Psychosocial Interventions in Bipolar Disorder. <i>JAMA Psychiatry</i> , 2021 , 78, 448-449	14.5	

- 13 Treatment of depression in children and adolescents - AuthorsReply. *Lancet Psychiatry,the*, **2021**, 8, 97-98,3
- 12 What is a forest plot?. *Epidemiologia E Psichiatria Sociale*, **2006**, 15, 258-9
- 11 Adherence therapy does not improve quality of life in people with schizophrenia. *Evidence-Based Mental Health*, **2007**, 10, 75 11.1
- 10 What is an intention to treat analysis?. *Epidemiologia E Psichiatria Sociale*, **2008**, 17, 26-7
- 9 Outcome reporting bias in clinical trials. *Epidemiologia E Psichiatria Sociale*, **2009**, 18, 17-8
- 8 What is a clinical trial protocol?. *Epidemiologia E Psichiatria Sociale*, **2010**, 19, 116-7
- 7 Efficacy and acceptability of next step treatment strategies in adults with treatment-resistant major depressive disorder: protocol for systematic review and network meta-analysis.. *BMJ Open*, **2022**, 12, e056777 3
- 6 Incidence and prevalence of primary care antidepressant prescribing in children and young people in England, 1998-2017: A population-based cohort study **2020**, 17, e1003215
- 5 Incidence and prevalence of primary care antidepressant prescribing in children and young people in England, 1998-2017: A population-based cohort study **2020**, 17, e1003215
- 4 Incidence and prevalence of primary care antidepressant prescribing in children and young people in England, 1998-2017: A population-based cohort study **2020**, 17, e1003215
- 3 Incidence and prevalence of primary care antidepressant prescribing in children and young people in England, 1998-2017: A population-based cohort study **2020**, 17, e1003215
- 2 Incidence and prevalence of primary care antidepressant prescribing in children and young people in England, 1998-2017: A population-based cohort study **2020**, 17, e1003215
- 1 Incidence and prevalence of primary care antidepressant prescribing in children and young people in England, 1998-2017: A population-based cohort study **2020**, 17, e1003215