

Thumbi Ndungu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8599483/thumbi-ndungu-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

168
papers

5,806
citations

41
h-index

72
g-index

184
ext. papers

7,411
ext. citations

9.5
avg. IF

5.24
L-index

#	Paper	IF	Citations
168	Adaptation of HIV-1 to human leukocyte antigen class I. <i>Nature</i> , 2009 , 458, 641-5	50.4	361
167	Cervicovaginal bacteria are a major modulator of host inflammatory responses in the female genital tract. <i>Immunity</i> , 2015 , 42, 965-76	32.3	343
166	Lactobacillus-Deficient Cervicovaginal Bacterial Communities Are Associated with Increased HIV Acquisition in Young South African Women. <i>Immunity</i> , 2017 , 46, 29-37	32.3	320
165	Viral immunology. Comprehensive serological profiling of human populations using a synthetic human virome. <i>Science</i> , 2015 , 348, aaa0698	33.3	231
164	HIV transmission. Selection bias at the heterosexual HIV-1 transmission bottleneck. <i>Science</i> , 2014 , 345, 1254031	33.3	177
163	Magnitude and Kinetics of CD8+ T Cell Activation during Hyperacute HIV Infection Impact Viral Set Point. <i>Immunity</i> , 2015 , 43, 591-604	32.3	164
162	Clonal expansion of genome-intact HIV-1 in functionally polarized Th1 CD4+ T cells. <i>Journal of Clinical Investigation</i> , 2017 , 127, 2689-2696	15.9	164
161	Translating HIV sequences into quantitative fitness landscapes predicts viral vulnerabilities for rational immunogen design. <i>Immunity</i> , 2013 , 38, 606-17	32.3	160
160	Evolution of HLA-B*5703 HIV-1 escape mutations in HLA-B*5703-positive individuals and their transmission recipients. <i>Journal of Experimental Medicine</i> , 2009 , 206, 909-21	16.6	149
159	Central role of reverting mutations in HLA associations with human immunodeficiency virus set point. <i>Journal of Virology</i> , 2008 , 82, 8548-59	6.6	128
158	Additive contribution of HLA class I alleles in the immune control of HIV-1 infection. <i>Journal of Virology</i> , 2010 , 84, 9879-88	6.6	123
157	Diagnostic accuracy of quantitative PCR (Xpert MTB/RIF) for tuberculous meningitis in a high burden setting: a prospective study. <i>PLoS Medicine</i> , 2013 , 10, e1001536	11.6	117
156	HLA class I-driven evolution of human immunodeficiency virus type 1 subtype c proteome: immune escape and viral load. <i>Journal of Virology</i> , 2008 , 82, 6434-46	6.6	115
155	Innate Lymphoid Cells Are Depleted Irreversibly during Acute HIV-1 Infection in the Absence of Viral Suppression. <i>Immunity</i> , 2016 , 44, 391-405	32.3	99
154	The fitness landscape of HIV-1 gag: advanced modeling approaches and validation of model predictions by in vitro testing. <i>PLoS Computational Biology</i> , 2014 , 10, e1003776	5	93
153	Widespread impact of HLA restriction on immune control and escape pathways of HIV-1. <i>Journal of Virology</i> , 2012 , 86, 5230-43	6.6	90
152	Elevated expression impairs HIV control through inhibition of NKG2A-expressing cells. <i>Science</i> , 2018 , 359, 86-90	33.3	89

151	Nonprogressing HIV-infected children share fundamental immunological features of nonpathogenic SIV infection. <i>Science Translational Medicine</i> , 2016 , 8, 358ra125	17.5	80
150	Elevated tumor necrosis factor-alpha activation of human immunodeficiency virus type 1 subtype C in Southern Africa is associated with an NF-kappaB enhancer gain-of-function. <i>Journal of Infectious Diseases</i> , 2000 , 181, 76-81	7	80
149	Clinical and mycological predictors of cryptococcosis-associated immune reconstitution inflammatory syndrome. <i>Aids</i> , 2013 , 27, 2089-99	3.5	79
148	Low levels of peripheral CD161++CD8+ mucosal associated invariant T (MAIT) cells are found in HIV and HIV/TB co-infection. <i>PLoS ONE</i> , 2013 , 8, e83474	3.7	76
147	Association between injectable progestin-only contraceptives and HIV acquisition and HIV target cell frequency in the female genital tract in South African women: a prospective cohort study. <i>Lancet Infectious Diseases</i> , 2016 , 16, 441-8	25.5	73
146	Gag-protease-mediated replication capacity in HIV-1 subtype C chronic infection: associations with HLA type and clinical parameters. <i>Journal of Virology</i> , 2010 , 84, 10820-31	6.6	71
145	Impact of pre-adapted HIV transmission. <i>Nature Medicine</i> , 2016 , 22, 606-13	50.5	66
144	Impact of HLA-driven HIV adaptation on virulence in populations of high HIV seroprevalence. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, E5393-400	11.5	65
143	Cerebrospinal T-cell responses aid in the diagnosis of tuberculous meningitis in a human immunodeficiency virus- and tuberculosis-endemic population. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2010 , 182, 569-77	10.2	58
142	Chemokine levels and chemokine receptor expression in the blood and the cerebrospinal fluid of HIV-infected patients with cryptococcal meningitis and cryptococcosis-associated immune reconstitution inflammatory syndrome. <i>Journal of Infectious Diseases</i> , 2013 , 208, 1604-12	7	57
141	Ability of HIV-1 Nef to downregulate CD4 and HLA class I differs among viral subtypes. <i>Retrovirology</i> , 2013 , 10, 100	3.6	56
140	Why and where an HIV cure is needed and how it might be achieved. <i>Nature</i> , 2019 , 576, 397-405	50.4	52
139	Extended high viremics: a substantial fraction of individuals maintain high plasma viral RNA levels after acute HIV-1 subtype C infection. <i>Aids</i> , 2011 , 25, 1515-22	3.5	51
138	Progression to AIDS in South Africa is associated with both reverting and compensatory viral mutations. <i>PLoS ONE</i> , 2011 , 6, e19018	3.7	50
137	Selection of an HLA-C*03:04-Restricted HIV-1 p24 Gag Sequence Variant Is Associated with Viral Escape from KIR2DL3+ Natural Killer Cells: Data from an Observational Cohort in South Africa. <i>PLoS Medicine</i> , 2015 , 12, e1001900; discussion e1001900	11.6	49
136	HLArestrictor--a tool for patient-specific predictions of HLA restriction elements and optimal epitopes within peptides. <i>Immunogenetics</i> , 2011 , 63, 43-55	3.2	49
135	Latent and Active Tuberculosis Infection Increase Immune Activation in Individuals Co-Infected with HIV. <i>EBioMedicine</i> , 2015 , 2, 334-340	8.8	48
134	Impact of HLA-B*81-associated mutations in HIV-1 Gag on viral replication capacity. <i>Journal of Virology</i> , 2012 , 86, 3193-9	6.6	46

133	Impact of HLA in mother and child on disease progression of pediatric human immunodeficiency virus type 1 infection. <i>Journal of Virology</i> , 2009 , 83, 10234-44	6.6	45
132	HLA-A*7401-mediated control of HIV viremia is independent of its linkage disequilibrium with HLA-B*5703. <i>Journal of Immunology</i> , 2011 , 186, 5675-86	5.3	45
131	Detection and treatment of Fiebig stage I HIV-1 infection in young at-risk women in South Africa: a prospective cohort study. <i>Lancet HIV,the</i> , 2018 , 5, e35-e44	7.8	42
130	Influence of Gag-protease-mediated replication capacity on disease progression in individuals recently infected with HIV-1 subtype C. <i>Journal of Virology</i> , 2011 , 85, 3996-4006	6.6	42
129	Differential clade-specific HLA-B*3501 association with HIV-1 disease outcome is linked to immunogenicity of a single Gag epitope. <i>Journal of Virology</i> , 2012 , 86, 12643-54	6.6	42
128	HIV-1 subtype C in vitro growth and coreceptor utilization. <i>Virology</i> , 2006 , 347, 247-60	3.6	42
127	Human TRIM5alpha expression levels and reduced susceptibility to HIV-1 infection. <i>Journal of Infectious Diseases</i> , 2009 , 199, 1657-63	7	41
126	Discordant Impact of HLA on Viral Replicative Capacity and Disease Progression in Pediatric and Adult HIV Infection. <i>PLoS Pathogens</i> , 2015 , 11, e1004954	7.6	40
125	Effect of female genital schistosomiasis and anti-schistosomal treatment on monocytes, CD4+ T-cells and CCR5 expression in the female genital tract. <i>PLoS ONE</i> , 2014 , 9, e98593	3.7	39
124	Prevalence and Characteristics of Hepatitis B Virus (HBV) Coinfection among HIV-Positive Women in South Africa and Botswana. <i>PLoS ONE</i> , 2015 , 10, e0134037	3.7	38
123	Integrated single-cell analysis of multicellular immune dynamics during hyperacute HIV-1 infection. <i>Nature Medicine</i> , 2020 , 26, 511-518	50.5	36
122	HIV-1 vaccine immunogen design strategies. <i>Virology Journal</i> , 2015 , 12, 3	6.1	36
121	HLA footprints on human immunodeficiency virus type 1 are associated with interclade polymorphisms and intraclade phylogenetic clustering. <i>Journal of Virology</i> , 2009 , 83, 4605-15	6.6	35
120	HIV control through a single nucleotide on the HLA-B locus. <i>Journal of Virology</i> , 2012 , 86, 11493-500	6.6	35
119	Broad and persistent Gag-specific CD8+ T-cell responses are associated with viral control but rarely drive viral escape during primary HIV-1 infection. <i>Aids</i> , 2015 , 29, 23-33	3.5	34
118	Augmentation of HIV-specific T cell function by immediate treatment of hyperacute HIV-1 infection. <i>Science Translational Medicine</i> , 2019 , 11,	17.5	31
117	Nef-specific CD8+ T cell responses contribute to HIV-1 immune control. <i>PLoS ONE</i> , 2013 , 8, e73117	3.7	30
116	HIV-1 DNA sequence diversity and evolution during acute subtype C infection. <i>Nature Communications</i> , 2019 , 10, 2737	17.4	29

115	Limited immunogenicity of HIV CD8+ T-cell epitopes in acute Clade C virus infection. <i>Journal of Infectious Diseases</i> , 2011 , 204, 768-76	7	29
114	Replicative capacity of human immunodeficiency virus type 1 transmitted from mother to child is associated with pediatric disease progression rate. <i>Journal of Virology</i> , 2010 , 84, 492-502	6.6	28
113	Mosaic HIV-1 Gag antigens can be processed and presented to human HIV-specific CD8+ T cells. <i>Journal of Immunology</i> , 2011 , 186, 6914-24	5.3	28
112	Utility of a novel lipoarabinomannan assay for the diagnosis of tuberculous meningitis in a resource-poor high-HIV prevalence setting. <i>Cerebrospinal Fluid Research</i> , 2009 , 6, 13		27
111	Frequencies of Circulating Th1-Biased T Follicular Helper Cells in Acute HIV-1 Infection Correlate with the Development of HIV-Specific Antibody Responses and Lower Set Point Viral Load. <i>Journal of Virology</i> , 2018 , 92,	6.6	26
110	Subtype-Specific Differences in Gag-Protease-Driven Replication Capacity Are Consistent with Intersubtype Differences in HIV-1 Disease Progression. <i>Journal of Virology</i> , 2017 , 91,	6.6	25
109	Association between the cytokine storm, immune cell dynamics, and viral replicative capacity in hyperacute HIV infection. <i>BMC Medicine</i> , 2020 , 18, 81	11.4	25
108	Knowledge of HIV serodiscordance, transmission, and prevention among couples in Durban, South Africa. <i>PLoS ONE</i> , 2015 , 10, e0124548	3.7	24
107	Challenges of HIV diagnosis and management in the context of pre-exposure prophylaxis (PrEP), post-exposure prophylaxis (PEP), test and start and acute HIV infection: a scoping review. <i>Journal of the International AIDS Society</i> , 2019 , 22, e25419	5.4	24
106	Plasma CXCL13 but Not B Cell Frequencies in Acute HIV Infection Predicts Emergence of Cross-Neutralizing Antibodies. <i>Frontiers in Immunology</i> , 2017 , 8, 1104	8.4	23
105	Malnutrition in HIV-Infected Children Is an Indicator of Severe Disease with an Impaired Response to Antiretroviral Therapy. <i>AIDS Research and Human Retroviruses</i> , 2018 , 34, 46-55	1.6	22
104	SARS-CoV-2 prolonged infection during advanced HIV disease evolves extensive immune escape.. <i>Cell Host and Microbe</i> , 2022 ,	23.4	22
103	Comparison of amplicor and GeneXpert MTB/RIF tests for diagnosis of tuberculous meningitis. <i>Journal of Clinical Microbiology</i> , 2014 , 52, 3777-80	9.7	21
102	African-led health research and capacity building- is it working?. <i>BMC Public Health</i> , 2020 , 20, 1104	4.1	21
101	CD8+ T Cell Breadth and Ex Vivo Virus Inhibition Capacity Distinguish between Viremic Controllers with and without Protective HLA Class I Alleles. <i>Journal of Virology</i> , 2016 , 90, 6818-6831	6.6	21
100	Drug resistance and viral tropism in HIV-1 subtype C-infected patients in KwaZulu-Natal, South Africa: implications for future treatment options. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011 , 58, 233-40	3.1	20
99	Drug resistance and coreceptor usage in HIV type 1 subtype C-infected children initiating or failing highly active antiretroviral therapy in South Africa. <i>AIDS Research and Human Retroviruses</i> , 2012 , 28, 324-32	1.6	19
98	Implementation of couples voluntary HIV counseling and testing services in Durban, South Africa. <i>BMC Public Health</i> , 2015 , 15, 601	4.1	18

97	Compartmentalization of innate immune responses in the central nervous system during cryptococcal meningitis/HIV coinfection. <i>Aids</i> , 2014 , 28, 657-66	3.5	18
96	Impact of select immunologic and virologic biomarkers on CD4 cell count decrease in patients with chronic HIV-1 subtype C infection: results from Sinikithemba Cohort, Durban, South Africa. <i>Clinical Infectious Diseases</i> , 2009 , 49, 956-64	11.6	18
95	The case for an HIV cure and how to get there. <i>Lancet HIV,the</i> , 2021 , 8, e51-e58	7.8	18
94	Association Between Plasma Antibody Responses and Risk for Cryptococcus-Associated Immune Reconstitution Inflammatory Syndrome. <i>Journal of Infectious Diseases</i> , 2019 , 219, 420-428	7	17
93	TRIM5 and TRIM22 are differentially regulated according to HIV-1 infection phase and compartment. <i>Journal of Virology</i> , 2014 , 88, 4291-303	6.6	17
92	Reduced Expression of Siglec-7, NKG2A, and CD57 on Terminally Differentiated CD56CD16 Natural Killer Cell Subset Is Associated with Natural Killer Cell Dysfunction in Chronic HIV-1 Clade C Infection. <i>AIDS Research and Human Retroviruses</i> , 2017 , 33, 1205-1213	1.6	17
91	Research priorities for an HIV cure: International AIDS Society Global Scientific Strategy 2021. <i>Nature Medicine</i> , 2021 ,	50.5	16
90	Diagnostic Accuracy of the HemoCue Hb 301, STAT-Site MHgb and URIT-12 Point-of-Care Hemoglobin Meters in a Central Laboratory and a Community Based Clinic in Durban, South Africa. <i>PLoS ONE</i> , 2016 , 11, e0152184	3.7	16
89	Convergence of infectious and non-communicable disease epidemics in rural South Africa: a cross-sectional, population-based multimorbidity study. <i>The Lancet Global Health</i> , 2021 , 9, e967-e976	13.6	16
88	Nef-mediated down-regulation of CD4 and HLA class I in HIV-1 subtype C infection: association with disease progression and influence of immune pressure. <i>Virology</i> , 2014 , 468-470, 214-225	3.6	15
87	Plasma But Not Cerebrospinal Fluid Interleukin 7 and Interleukin 5 Levels Pre-Antiretroviral Therapy Commencement Predict Cryptococcosis-Associated Immune Reconstitution Inflammatory Syndrome. <i>Clinical Infectious Diseases</i> , 2017 , 65, 1551-1559	11.6	15
86	Sex Differences in Antiretroviral Therapy Initiation in Pediatric HIV Infection. <i>PLoS ONE</i> , 2015 , 10, e0131591	5.91	15
85	Genetic characteristics, coreceptor usage potential and evolution of Nigerian HIV-1 subtype G and CRF02_AG isolates. <i>PLoS ONE</i> , 2011 , 6, e17865	3.7	15
84	HIV status alters disease severity and immune cell responses in variant SARS-CoV-2 infection wave		15
83	HIV-1 subtype C envelope characteristics associated with divergent rates of chronic disease progression. <i>Retrovirology</i> , 2010 , 7, 92	3.6	14
82	Multi-stakeholder consensus on a target product profile for an HIV cure. <i>Lancet HIV,the</i> , 2021 , 8, e42-e50	7.8	14
81	Functional and genetic analysis of coreceptor usage by dualtropic HIV-1 subtype C isolates. <i>Virology</i> , 2009 , 393, 56-67	3.6	13
80	Drug resistance pattern of HIV type 1 isolates sampled in 2007 from therapy-naive pregnant women in North-Central Nigeria. <i>AIDS Research and Human Retroviruses</i> , 2012 , 28, 115-8	1.6	13

79	Preservation HIV-1-specific IFN γ CD4+ T-cell responses in breakthrough infections after exposure to tenofovir gel in the CAPRISA 004 microbicide trial. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012 , 60, 124-7	3.1	13
78	The potential of lactoferrin, ovotransferrin and lysozyme as antiviral and immune-modulating agents in COVID-19. <i>Future Virology</i> , 2020 , 15, 609-624	2.4	13
77	Biomarkers for Tuberculosis Based on Secreted, Species-Specific, Bacterial Small Molecules. <i>Journal of Infectious Diseases</i> , 2015 , 212, 1827-34	7	12
76	Co-infection with Mycobacterium tuberculosis impairs HIV-Specific CD8+ and CD4+ T cell functionality. <i>PLoS ONE</i> , 2015 , 10, e0118654	3.7	12
75	SARS-CoV-2 evolved during advanced HIV disease immunosuppression has Beta-like escape of vaccine and Delta infection elicited immunity. 2021 ,		12
74	HIV Controllers Exhibit Enhanced Frequencies of Major Histocompatibility Complex Class II Tetramer Gag-Specific CD4 T Cells in Chronic Clade C HIV-1 Infection. <i>Journal of Virology</i> , 2017 , 91,	6.6	11
73	Resistance of Major Histocompatibility Complex Class B (MHC-B) to Nef-Mediated Downregulation Relative to that of MHC-A Is Conserved among Primate Lentiviruses and Influences Antiviral T Cell Responses in HIV-1-Infected Individuals. <i>Journal of Virology</i> , 2018 , 92,	6.6	11
72	Evaluation of the NucliSens EasyQ v2.0 assay in comparison with the Roche Amplicor v1.5 and the Roche CAP/CTM HIV-1 Test v2.0 in quantification of C-clade HIV-1 in plasma. <i>PLoS ONE</i> , 2014 , 9, e103983	3.7	10
71	Comparative utility of cytokine levels and quantitative RD-1-specific T cell responses for rapid immunodiagnosis of tuberculous meningitis. <i>Journal of Clinical Microbiology</i> , 2011 , 49, 3971-6	9.7	10
70	HIGH-FREQUENCY failure of combination antiretroviral therapy in paediatric HIV infection is associated with unmet maternal needs causing maternal NON-ADHERENCE. <i>EClinicalMedicine</i> , 2020 , 22, 100344	11.3	9
69	HIV Disrupts Human T Cells That Target Mycobacterial Glycolipids. <i>Journal of Infectious Diseases</i> , 2016 , 213, 628-33	7	9
68	High frequency of transmitted HIV-1 Gag HLA class I-driven immune escape variants but minimal immune selection over the first year of clade C infection. <i>PLoS ONE</i> , 2015 , 10, e0119886	3.7	9
67	No evidence for selection of HIV-1 with enhanced gag-protease or Nef function among breakthrough infections in the CAPRISA 004 tenofovir microbicide trial. <i>PLoS ONE</i> , 2013 , 8, e71758	3.7	9
66	Intersubtype differences in the effect of a rare p24 gag mutation on HIV-1 replicative fitness. <i>Journal of Virology</i> , 2012 , 86, 13423-33	6.6	9
65	PARV4 prevalence, phylogeny, immunology and coinfection with HIV, HBV and HCV in a multicentre African cohort. <i>Wellcome Open Research</i> , 2017 , 2, 26	4.8	9
64	Relationship of Human Immunodeficiency Virus Viral Load in Cerebrospinal Fluid and Plasma in Patients Co-infected With Cryptococcal Meningitis. <i>Open Forum Infectious Diseases</i> , 2017 , 4, ofx032	1	8
63	Cellular Architecture of Spinal Granulomas and the Immunological Response in Tuberculosis Patients Coinfected with HIV. <i>Frontiers in Immunology</i> , 2017 , 8, 1120	8.4	8
62	HIV status alters disease severity and immune cell responses in beta variant SARS-CoV-2 infection wave. <i>ELife</i> , 2021 , 10,	8.9	8

61	Sex-specific innate immune selection of HIV-1 in utero is associated with increased female susceptibility to infection. <i>Nature Communications</i> , 2020 , 11, 1767	17.4	8
60	Measuring sexual relationship power equity among young women and young men South Africa: Implications for gender-transformative programming. <i>PLoS ONE</i> , 2019 , 14, e0221554	3.7	7
59	HLA-A is a Predictor of Hepatitis B e Antigen Status in HIV-Positive African Adults. <i>Journal of Infectious Diseases</i> , 2016 , 213, 1248-52	7	7
58	Pol-Driven Replicative Capacity Impacts Disease Progression in HIV-1 Subtype C Infection. <i>Journal of Virology</i> , 2018 , 92,	6.6	7
57	Dual HLA B*42 and B*81-reactive T cell receptors recognize more diverse HIV-1 Gag escape variants. <i>Nature Communications</i> , 2018 , 9, 5023	17.4	7
56	Evaluation of a synthetic peptide for the detection of anti-Mycobacterium tuberculosis curli pili IgG antibodies in patients with pulmonary tuberculosis. <i>Tuberculosis</i> , 2018 , 109, 80-84	2.6	6
55	Soluble CD14 as a Diagnostic Biomarker for Smear-Negative HIV-Associated Tuberculosis. <i>Pathogens</i> , 2018 , 7,	4.5	6
54	Tuberculous meningitis is associated with higher cerebrospinal HIV-1 viral loads compared to other HIV-1-associated meningitides. <i>PLoS ONE</i> , 2018 , 13, e0192060	3.7	6
53	Modelling and testing of the HIV-1 Nef fitness landscape. <i>Virus Evolution</i> , 2019 , 5, vez029	3.7	6
52	Genetic determinants of Nef-mediated CD4 and HLA class I down-regulation differences between HIV-1 subtypes B and C. <i>Virology Journal</i> , 2015 , 12, 200	6.1	6
51	Immunodominant HIV-1-specific HLA-B- and HLA-C-restricted CD8+ T cells do not differ in polyfunctionality. <i>Virology</i> , 2010 , 405, 483-91	3.6	6
50	Prospective monitoring reveals dynamic levels of T cell immunity to Mycobacterium tuberculosis in HIV infected individuals. <i>PLoS ONE</i> , 2012 , 7, e37920	3.7	6
49	Regulatory T cells expanded from HIV-1-infected individuals maintain phenotype, TCR repertoire and suppressive capacity. <i>PLoS ONE</i> , 2014 , 9, e86920	3.7	6
48	Variation in HIV-1 Nef function within and among viral subtypes reveals genetically separable antagonism of SERINC3 and SERINC5. <i>PLoS Pathogens</i> , 2020 , 16, e1008813	7.6	6
47	Complex Subtype Diversity of HIV-1 Among Drug Users in Major Kenyan Cities. <i>AIDS Research and Human Retroviruses</i> , 2017 , 33, 500-510	1.6	5
46	Nef-mediated inhibition of NFAT following TCR stimulation differs between HIV-1 subtypes. <i>Virology</i> , 2019 , 531, 192-202	3.6	5
45	Low expression alleles and tuberculosis in HIV infected South Africans. <i>Cytokine: X</i> , 2019 , 1, 100004	5	5
44	HLA-A*68:02-restricted Gag-specific cytotoxic T lymphocyte responses can drive selection pressure on HIV but are subdominant and ineffective. <i>Aids</i> , 2013 , 27, 1717-23	3.5	5

43	A Novel HIV-1 RNA Testing Intervention to Detect Acute and Prevalent HIV Infection in Young Adults and Reduce HIV Transmission in Kenya: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2020 , 9, e16198	2	5
42	Cryptococcosis-Associated Immune Reconstitution Inflammatory Syndrome Is Associated With Dysregulation of IL-7/IL-7 Receptor Signaling Pathway in T Cells and Monocyte Activation. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019 , 80, 596-604	3.1	5
41	Mother-to-Child HIV Transmission Bottleneck Selects for Consensus Virus with Lower Gag-Protease-Driven Replication Capacity. <i>Journal of Virology</i> , 2017 , 91,	6.6	4
40	Differential Vpu-Mediated CD4 and Tetherin Downregulation Functions among Major HIV-1 Group M Subtypes. <i>Journal of Virology</i> , 2020 , 94,	6.6	4
39	Lower Viral Loads and Slower CD4+ T-Cell Count Decline in MRKAd5 HIV-1 Vaccinees Expressing Disease-Susceptible HLA-B*58:02. <i>Journal of Infectious Diseases</i> , 2016 , 214, 379-89	7	4
38	Plasma IL-5 but Not CXCL13 Correlates With Neutralization Breadth in HIV-Infected Children. <i>Frontiers in Immunology</i> , 2019 , 10, 1497	8.4	4
37	Integrated Single-Cell Analysis of Multicellular Immune Dynamics during Hyper-Acute HIV-1 Infection		4
36	Neutrophil Effector Functions Are Not Impaired in Duffy Antigen Receptor for Chemokines (DARC)-Null Black South Africans. <i>Frontiers in Immunology</i> , 2019 , 10, 551	8.4	3
35	Unbiased Profiling Reveals Compartmentalization of Unconventional T-Cells Within the Intestinal Mucosa Irrespective of HIV Infection. <i>Frontiers in Immunology</i> , 2020 , 11, 579743	8.4	3
34	Envelope characteristics in individuals who developed neutralizing antibodies targeting different epitopes in HIV-1 subtype C infection. <i>Virology</i> , 2020 , 546, 1-12	3.6	3
33	Individuals with HIV-1 Subtype C Infection and Cryptococcal Meningitis Exhibit Viral Genetic Intermixing of HIV-1 Between Plasma and Cerebrospinal Fluid and a High Prevalence of CXCR4-Using Variants. <i>AIDS Research and Human Retroviruses</i> , 2018 , 34, 607-620	1.6	3
32	Characterization of Nucleoside Reverse Transcriptase Inhibitor-Associated Mutations in the RNase H Region of HIV-1 Subtype C Infected Individuals. <i>Viruses</i> , 2017 , 9,	6.2	3
31	Prevalence of Mycobacterium tuberculosis in sputum and reported symptoms among clinic attendees compared to a community survey in rural South Africa. <i>Clinical Infectious Diseases</i> , 2021 ,	11.6	3
30	Irreversible depletion of intestinal CD4+ T cells is associated with T cell activation during chronic HIV infection. <i>JCI Insight</i> , 2021 , 6,	9.9	3
29	Cytomegalovirus-Mediated T Cell Receptor Repertoire Perturbation Is Present in Early Life. <i>Frontiers in Immunology</i> , 2020 , 11, 1587	8.4	3
28	Modeling the temporal dynamics of cervicovaginal microbiota identifies targets that may promote reproductive health. <i>Microbiome</i> , 2021 , 9, 163	16.6	3
27	Cysteine dependence of <i>Lactobacillus iners</i> is a potential therapeutic target for vaginal microbiota modulation.. <i>Nature Microbiology</i> , 2022 , 7, 434-450	26.6	3
26	Characterization of anti-HIV-1 neutralizing and binding antibodies in chronic HIV-1 subtype C infection. <i>Virology</i> , 2012 , 433, 410-20	3.6	2

25	TRIM E3 ligases in HIV infection: can these intrinsic immunity factors be harnessed for novel vaccines or therapies?. <i>Virulence</i> , 2011 , 2, 360-6	4.7	2
24	Distinct Immunoglobulin Fc Glycosylation Patterns Are Associated with Disease Nonprogression and Broadly Neutralizing Antibody Responses in Children with HIV Infection. <i>MSphere</i> , 2020 , 5,	5	2
23	Plasma host protein biomarkers correlating with increasing Mycobacterium tuberculosis infection activity prior to tuberculosis diagnosis in people living with HIV.. <i>EBioMedicine</i> , 2021 , 75, 103787	8.8	2
22	Epigenetic Regulation of Expression Levels and the Effect on HIV-1 Pathogenesis. <i>Frontiers in Immunology</i> , 2021 , 12, 669241	8.4	2
21	An HLA-I signature favouring KIR-educated Natural Killer cells mediates immune control of HIV in children and contrasts with the HLA-B-restricted CD8+ T-cell-mediated immune control in adults. <i>PLoS Pathogens</i> , 2021 , 17, e1010090	7.6	1
20	Frequencies of circulating Th1-biased T follicular helper cells in acute HIV-1 infection correlate with the development of HIV-specific antibody responses and lower set point viral load		1
19	Innate Lymphoid Cell Activation and Sustained Depletion in Blood and Tissue of Children Infected with HIV from Birth Despite Antiretroviral Therapy. <i>Cell Reports</i> , 2020 , 32, 108153	10.6	1
18	Tracking the Trajectory of Functional Humoral Immune Responses Following Acute HIV Infection. <i>Frontiers in Immunology</i> , 2020 , 11, 1744	8.4	1
17	An HIV-1 Nef genotype that diminishes immune control mediated by protective human leucocyte antigen alleles. <i>Aids</i> , 2020 , 34, 1325-1330	3.5	1
16	Early Initiation of Antiretroviral Therapy Following In Utero HIV Infection Is Associated With Low Viral Reservoirs but Other Factors Determine Viral Rebound. <i>Journal of Infectious Diseases</i> , 2021 , 224, 1925-1934	7	1
15	Vulnerable targets in HIV-1 Pol for attenuation-based vaccine design. <i>Virology</i> , 2021 , 554, 1-8	3.6	1
14	A Stronger Innate Immune Response During Hyperacute Human Immunodeficiency Virus Type 1 (HIV-1) Infection Is Associated With Acute Retroviral Syndrome. <i>Clinical Infectious Diseases</i> , 2021 , 73, 832-841	11.6	1
13	Low immune activation in early pregnancy is associated with preterm but not small-for-gestational age delivery in HIV infected women initiating antiretroviral therapy in pregnancy: a PIMS case-control study in Cape Town, South Africa. <i>Clinical Infectious Diseases</i> , 2021 ,	11.6	1
12	Effect of an opt-out point-of-care HIV-1 nucleic acid testing intervention to detect acute and prevalent HIV infection in symptomatic adult outpatients and reduce HIV transmission in Kenya: a randomized controlled trial. <i>HIV Medicine</i> , 2021 ,	2.7	1
11	Antigen Presenting Cells Contribute to Persistent Immune Activation Despite Antiretroviral Therapy Initiation During Hyperacute HIV-1 Infection. <i>Frontiers in Immunology</i> , 2021 , 12, 738743	8.4	1
10	Consequences of HLA-associated mutations in HIV-1 subtype C Nef on HLA-I downregulation ability. <i>Journal of Medical Virology</i> , 2020 , 92, 1182-1190	19.7	0
9	Bringing social context into global biomedical HIV cure-related research: An urgent call to action.. <i>Journal of Virus Eradication</i> , 2022 , 8, 100062	2.8	0
8	HIV-1 evades a Gag mutation that abrogates killer cell immunoglobulin-like receptor binding and disinhibits natural killer cells in infected individuals with KIR2DL2+/HLA-C*03: 04+ genotype. <i>Aids</i> , 2021 , 35, 151-154	3.5	0

7	The DARC-null trait is associated with moderate modulation of NK cell profiles and unaltered cytolytic T cell profiles in black South Africans. <i>PLoS ONE</i> , 2020 , 15, e0242448	3.7	o
6	Second-generation mother-to-child HIV transmission in South Africa is characterized by poor outcomes. <i>Aids</i> , 2021 , 35, 1597-1604	3.5	o
5	Subtype-specific differences in Gag-protease replication capacity of HIV-1 isolates from East and West Africa. <i>Retrovirology</i> , 2021 , 18, 11	3.6	o
4	Antigen Presenting Cells Link the Female Genital Tract Microbiome to Mucosal Inflammation, With Hormonal Contraception as an Additional Modulator of Inflammatory Signatures. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021 , 11, 733619	5.9	o
3	Bone marrow stromal antigen 2 (BST-2) genetic variants influence expression levels and disease outcome in HIV-1 chronically infected patients.. <i>Retrovirology</i> , 2022 , 19, 3	3.6	
2	Will Long-Acting Antiretroviral Therapy be a Game Changer Globally?. <i>Med</i> , 2021 , 2, 115-117	31.7	
1	A PowerPack of SuperScientists: An innovative concept by African scientists to address gender bias and inequity in science. <i>Wellcome Open Research</i> , 7 , 87	4.8	