Abhishek Bhaskaran

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8599988/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Five seconds of 50–60 W radio frequency atrial ablations were transmural and safe: an <i>in vitro</i> mechanistic assessment and force-controlled <i>in vivo</i> validation. Europace, 2017, 19, euw077.	1.7	111
2	High-resolution, live, directional mapping. Heart Rhythm, 2020, 17, 1621-1628.	0.7	30
3	Circuit Impedance Could Be a Crucial Factor Influencing Radiofrequency Ablation Efficacy and Safety: A Myocardial Phantom Study of the Problem and Its Correction. Journal of Cardiovascular Electrophysiology, 2016, 27, 351-357.	1.7	29
4	Omnipolarity applied to equi-spaced electrode array for ventricular tachycardia substrate mapping. Europace, 2019, 21, 813-821.	1.7	28
5	Magnetic guidance versus manual control: comparison of radiofrequency lesion dimensions and evaluation of the effect of heart wall motion in a myocardial phantom. Journal of Interventional Cardiac Electrophysiology, 2015, 44, 1-8.	1.3	27
6	Determinants of atrial bipolar voltage: Inter electrode distance and wavefront angle. Computers in Biology and Medicine, 2018, 102, 449-457.	7.0	21
7	Early and long-term outcomes after manual and remote magnetic navigation-guided catheter ablation for ventricular tachycardia. Europace, 2018, 20, ii11-ii21.	1.7	19
8	Electroanatomical mapping–guided stereotactic radiotherapy for right ventricular tachycardia storm. HeartRhythm Case Reports, 2019, 5, 590-592.	0.4	19
9	A review of the safety aspects of radio frequency ablation. IJC Heart and Vasculature, 2015, 8, 147-153.	1.1	16
10	The Wearable Cardioverter Defibrillator: an Early Single Centre Australian Experience. Some Pitfalls and Caveats for Use. Heart Lung and Circulation, 2016, 25, 155-159.	0.4	15
11	Influence of Intramyocardial Adipose Tissue on the Accuracy of Endocardial Contact Mapping of the Chronic Myocardial Infarction Substrate. Circulation: Arrhythmia and Electrophysiology, 2017, 10, .	4.8	15
12	Electrogram-Gated Radiofrequency Ablations With Duty Cycle Power Delivery Negate Effects of Ablation Catheter Motion. Circulation: Arrhythmia and Electrophysiology, 2014, 7, 920-928.	4.8	12
13	Exit sites on the epicardium rarely subtend critical diastolic path of ischemic VT on the endocardium: Implications for noninvasive ablation. Journal of Cardiovascular Electrophysiology, 2019, 30, 520-527.	1.7	9
14	Acoustic Signal Emission Monitoring as a Novel Method to Predict Steam Pops During Radiofrequency Ablation: Preliminary Observations. Journal of Cardiovascular Electrophysiology, 2015, 26, 440-447.	1.7	8
15	Stimulation and propagation of activation in conduction tissue: Implications for left bundle branch area pacing. Heart Rhythm, 2021, 18, 813-821.	0.7	8
16	Safety, efficacy, and monitoring of bipolar radiofrequency ablation in beating myopathic human and healthy swine hearts. Heart Rhythm, 2021, 18, 1772-1779.	0.7	8
17	Posterior left atrial isolation for atrial fibrillation in left ventricular diastolic impairment is associated with better arrhythmia free survival. International Journal of Cardiology, 2015, 184, 674-679.	1.7	7
18	Quantifying the determinants of decremental response in critical ventricular tachycardia substrate. Computers in Biology and Medicine, 2018, 102, 260-266.	7.0	7

Abhishek Bhaskaran

#	Article	IF	CITATIONS
19	Direct and indirect mapping of intramural space in ventricular tachycardia. Heart Rhythm, 2020, 17, 439-446.	0.7	7
20	On the Electrophysiology and Mapping of Intramural Arrhythmic Focus. Circulation: Arrhythmia and Electrophysiology, 2022, 15, CIRCEP121010384.	4.8	7
21	Slow Pathway Radiofrequency Ablation Using Magnetic Navigation: A Description of Technique and Retrospective Case Analysis. Heart Lung and Circulation, 2017, 26, 1297-1302.	0.4	6
22	Observations on Attenuation of Local Electrogram Amplitude and Circuit Impedance During Atrial Radiofrequency Ablation: An <i>In vivo</i> Investigation Using a Novel Direct Endocardial Visualization Catheter. Journal of Cardiovascular Electrophysiology, 2015, 26, 1250-1256.	1.7	5
23	Information theory to tachycardia therapy: electrogram entropy predicts diastolic microstructure of reentrant ventricular tachycardia. American Journal of Physiology - Heart and Circulatory Physiology, 2019, 316, H134-H144.	3.2	5
24	Ninety Seconds Could be the Optimal Duration for Ventricular Radiofrequency Ablation – Results From a Myocardial Phantom Model. Heart Lung and Circulation, 2017, 26, 219-225.	0.4	4
25	Atrial decremental evoked potentials accurately determine the critical isthmus of intra-atrial re-entrant tachycardia. Europace, 2018, 20, 1620-1620.	1.7	3
26	Lateral tunnel Fontan atrial tachycardia ablation trans-baffle access is not mandatory as the initial strategy. Journal of Interventional Cardiac Electrophysiology, 2020, 58, 299-306.	1.3	3
27	Transâ€myocardial bipolar electrogram: A strategy for mapping and determining efficacy of bipolar ablation of deep foci. PACE - Pacing and Clinical Electrophysiology, 2020, 43, 760-762.	1.2	2
28	High density intramural mapping of postâ€infarct premature ventricular contractions and ventricular tachycardia. PACE - Pacing and Clinical Electrophysiology, 2021, 44, 1781-1785.	1.2	2
29	Implementation of Cardiac Stereotactic Radiotherapy: From Literature to the Linac. Cureus, 2021, 13, e13606.	0.5	1
30	KATP Channel Blockade as a Novel Antiarrhythmic Strategy: Evolving From Tachy to Brady Therapy. Endocrinology, 2018, 159, 3081-3082.	2.8	0
31	Minimalistic strategy for coronary sinus lead implant: A single tool capable of electrophysiological mapping, pressure measurement, and angiography. PACE - Pacing and Clinical Electrophysiology, 2020, 43, 1072-1077.	1.2	0
32	Multi-Axis Lead with Tetrahedral Electrode Tip for Cardiac Implantable Devices: Creative Concept for Pacing and Sensing Technology. Canadian Journal of Cardiology, 2021, 37, 1808-1817.	1.7	0