Dietrich Or Keppler

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8600343/dietrich-or-keppler-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

20,366 78 140 200 h-index g-index citations papers 206 6.5 6.44 21,311 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
200	Progress in the Molecular Characterization of Hepatobiliary Transporters. <i>Digestive Diseases</i> , 2017 , 35, 197-202	3.2	18
199	The roles of MRP2, MRP3, OATP1B1, and OATP1B3 in conjugated hyperbilirubinemia. <i>Drug Metabolism and Disposition</i> , 2014 , 42, 561-5	4	136
198	In vitro methods to support transporter evaluation in drug discovery and development. <i>Clinical Pharmacology and Therapeutics</i> , 2013 , 94, 95-112	6.1	184
197	Emerging transporters of clinical importance: an update from the International Transporter Consortium. <i>Clinical Pharmacology and Therapeutics</i> , 2013 , 94, 52-63	6.1	265
196	Promoting drug discovery by collaborative innovation: a novel risk- and reward-sharing partnership between the German Cancer Research Center and Bayer HealthCare. <i>Drug Discovery Today</i> , 2012 , 17, 1242-8	8.8	14
195	Multidrug resistance proteins (MRPs, ABCCs): importance for pathophysiology and drug therapy. Handbook of Experimental Pharmacology, 2011 , 299-323	3.2	216
194	Cholestasis and the role of basolateral efflux pumps. Zeitschrift Fur Gastroenterologie, 2011, 49, 1553-7	1.6	30
193	Membrane transporters in drug development. <i>Nature Reviews Drug Discovery</i> , 2010 , 9, 215-36	64.1	2464
192	Vectorial transport of nucleoside analogs from the apical to the basolateral membrane in double-transfected cells expressing the human concentrative nucleoside transporter hCNT3 and the export pump ABCC4. <i>Drug Metabolism and Disposition</i> , 2010 , 38, 1054-63	4	20
191	Channels and transporters. Mini-symposium of the Division of Medicinal Chemistry (DMC) of the Swiss Chemical Society (SCS) at the Department of Chemistry, University of Basel, May 27, 2010. <i>Chimia</i> , 2010 , 64, 662-6	1.3	3
190	Human concentrative nucleoside transporter 1-mediated uptake of 5-azacytidine enhances DNA demethylation. <i>Molecular Cancer Therapeutics</i> , 2009 , 8, 225-31	6.1	49
189	Expression of organic cation transporters OCT1 (SLC22A1) and OCT3 (SLC22A3) is affected by genetic factors and cholestasis in human liver. <i>Hepatology</i> , 2009 , 50, 1227-40	11.2	272
188	ATP-dependent transport of leukotrienes B4 and C4 by the multidrug resistance protein ABCC4 (MRP4). <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2008 , 324, 86-94	4.7	109
187	Interplay of conjugating enzymes with OATP uptake transporters and ABCC/MRP efflux pumps in the elimination of drugs. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2008 , 4, 545-68	5.5	102
186	Vectorial transport of the plant alkaloid berberine by double-transfected cells expressing the human organic cation transporter 1 (OCT1, SLC22A1) and the efflux pump MDR1 P-glycoprotein (ABCB1). Naunyn-Schmiedebergh: Archives of Pharmacology, 2008, 376, 449-61	3.4	87
185	The apical conjugate efflux pump ABCC2 (MRP2). <i>Pflugers Archiv European Journal of Physiology</i> , 2007 , 453, 643-59	4.6	279
184	Involvement of mitogen-activated protein kinase signaling pathways in microcystin-LR-induced apoptosis after its selective uptake mediated by OATP1B1 and OATP1B3. <i>Toxicological Sciences</i> , 2007 , 97, 407-16	4.4	114

(2003-2007)

183	Data-based mathematical modeling of vectorial transport across double-transfected polarized cells. <i>Drug Metabolism and Disposition</i> , 2007 , 35, 1476-81	4	21
182	Substrate specificity of human ABCC4 (MRP4)-mediated cotransport of bile acids and reduced glutathione. <i>American Journal of Physiology - Renal Physiology</i> , 2006 , 290, G640-9	5.1	130
181	Vectorial transport of enalapril by Oatp1a1/Mrp2 and OATP1B1 and OATP1B3/MRP2 in rat and human livers. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006 , 318, 395-402	4.7	89
180	Human multidrug resistance protein 8 (MRP8/ABCC11), an apical efflux pump for steroid sulfates, is an axonal protein of the CNS and peripheral nervous system. <i>Neuroscience</i> , 2006 , 137, 1247-57	3.9	85
179	Molecular characterization and inhibition of amanitin uptake into human hepatocytes. <i>Toxicological Sciences</i> , 2006 , 91, 140-9	4.4	213
178	Uptake and efflux transporters for conjugates in human hepatocytes. <i>Methods in Enzymology</i> , 2005 , 400, 531-42	1.7	33
177	Prostanoid transport by multidrug resistance protein 4 (MRP4/ABCC4) localized in tissues of the human urogenital tract. <i>Journal of Urology</i> , 2005 , 174, 2409-14	2.5	84
176	Expression and localization of hepatobiliary transport proteins in progressive familial intrahepatic cholestasis. <i>Hepatology</i> , 2005 , 41, 1160-72	11.2	188
175	Expression and localization of human multidrug resistance protein (ABCC) family members in pancreatic carcinoma. <i>International Journal of Cancer</i> , 2005 , 115, 359-67	7.5	154
174	Human hepatobiliary transport of organic anions analyzed by quadruple-transfected cells. <i>Molecular Pharmacology</i> , 2005 , 68, 1031-8	4.3	182
173	ABCC drug efflux pumps and organic anion uptake transporters in human gliomas and the blood-tumor barrier. <i>Cancer Research</i> , 2005 , 65, 11419-28	10.1	235
172	Vectorial transport of the peptide CCK-8 by double-transfected MDCKII cells stably expressing the organic anion transporter OATP1B3 (OATP8) and the export pump ABCC2. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2005 , 313, 549-56	4.7	65
171	Expression and immunolocalization of the multidrug resistance proteins, MRP1-MRP6 (ABCC1-ABCC6), in human brain. <i>Neuroscience</i> , 2004 , 129, 349-60	3.9	299
170	Mutations in the SLCO1B3 gene affecting the substrate specificity of the hepatocellular uptake transporter OATP1B3 (OATP8). <i>Pharmacogenetics and Genomics</i> , 2004 , 14, 441-52		156
169	Identification and functional characterization of the natural variant MRP3-Arg1297His of human multidrug resistance protein 3 (MRP3/ABCC3). <i>Pharmacogenetics and Genomics</i> , 2004 , 14, 213-23		77
168	Transport of Bilirubin Conjugates across Hepatocellular Membrane Domains and the Conjugated Hyperbilirubinemia of Dubin-Johnson Syndrome 2004 , 195-210		
167	A common Dubin-Johnson syndrome mutation impairs protein maturation and transport activity of MRP2 (ABCC2). <i>American Journal of Physiology - Renal Physiology</i> , 2003 , 284, G165-74	5.1	93
166	Cotransport of reduced glutathione with bile salts by MRP4 (ABCC4) localized to the basolateral hepatocyte membrane. <i>Hepatology</i> , 2003 , 38, 374-84	11.2	272

165	Characterization of the transport of the bicyclic peptide phalloidin by human hepatic transport proteins. <i>Naunyn-Schmiedebergh Archives of Pharmacology</i> , 2003 , 368, 415-20	3.4	81
164	Detection of the human organic anion transporters SLC21A6 (OATP2) and SLC21A8 (OATP8) in liver and hepatocellular carcinoma. <i>Laboratory Investigation</i> , 2003 , 83, 527-38	5.9	103
163	Changes in the expression and localization of hepatocellular transporters and radixin in primary biliary cirrhosis. <i>Journal of Hepatology</i> , 2003 , 39, 693-702	13.4	137
162	MRP2, THE APICAL EXPORT PUMP FOR ANIONIC CONJUGATES 2003 , 423-443		24
161	Inhibition of transport across the hepatocyte canalicular membrane by the antibiotic fusidate. <i>Biochemical Pharmacology</i> , 2002 , 64, 151-8	6	47
160	Cysteinyl leukotrienes in the bile of patients with obstructive jaundice. <i>Journal of Gastroenterology</i> , 2002 , 37, 821-30	6.9	6
159	Structural requirements for the apical sorting of human multidrug resistance protein 2 (ABCC2). <i>FEBS Journal</i> , 2002 , 269, 1866-76		61
158	Radixin deficiency causes conjugated hyperbilirubinemia with loss of Mrp2 from bile canalicular membranes. <i>Nature Genetics</i> , 2002 , 31, 320-5	36.3	276
157	Reconstitution of transport-active multidrug resistance protein 2 (MRP2; ABCC2) in proteoliposomes. <i>Biological Chemistry</i> , 2002 , 383, 1001-9	4.5	12
156	A naturally occurring mutation in the SLC21A6 gene causing impaired membrane localization of the hepatocyte uptake transporter. <i>Journal of Biological Chemistry</i> , 2002 , 277, 43058-63	5.4	111
155	The human hepatocyte-specific organic anion transporter encoded by the SLC21A8 gene. <i>Gastroenterology</i> , 2002 , 122, 1545-6; author reply 1546	13.3	2
154	Transport of leukotriene C4 and structurally related conjugates. Vitamins and Hormones, 2002, 64, 153-	8 4 .5	46
153	Immunolocalization of Multidrug Resistance Protein 5 in the Human Genitourinary System. <i>Journal of Urology</i> , 2002 , 167, 2271-2275	2.5	50
152	The multidrug resistance protein MRP1 mediates the release of glutathione disulfide from rat astrocytes during oxidative stress. <i>Journal of Neurochemistry</i> , 2001 , 76, 627-36	6	142
151	Expression of the multidrug resistance proteins MRP2 and MRP3 in human hepatocellular carcinoma. <i>International Journal of Cancer</i> , 2001 , 94, 492-9	7.5	141
150	Tauroursodeoxycholic acid inserts the apical conjugate export pump, Mrp2, into canalicular membranes and stimulates organic anion secretion by protein kinase C-dependent mechanisms in cholestatic rat liver. <i>Hepatology</i> , 2001 , 33, 1206-16	11.2	202
149	Up-regulation of basolateral multidrug resistance protein 3 (Mrp3) in cholestatic rat liver. <i>Hepatology</i> , 2001 , 34, 351-9	11.2	237
148	Hepatic uptake of bilirubin and its conjugates by the human organic anion transporter SLC21A6. Journal of Biological Chemistry, 2001, 276, 9626-30	5.4	391

147	Expression and localization of the multidrug resistance proteins MRP2 and MRP3 in human gallbladder epithelia. <i>Gastroenterology</i> , 2001 , 121, 1203-8	13.3	88
146	Vectorial transport by double-transfected cells expressing the human uptake transporter SLC21A8 and the apical export pump ABCC2. <i>Molecular Pharmacology</i> , 2001 , 60, 934-43	4.3	201
145	ATP-dependent para-aminohippurate transport by apical multidrug resistance protein MRP2. <i>Kidney International</i> , 2000 , 57, 1636-42	9.9	138
144	Characterization of the 5Rflanking region of the human multidrug resistance protein 2 (MRP2) gene and its regulation in comparison withthe multidrug resistance protein 3 (MRP3) gene. <i>FEBS Journal</i> , 2000 , 267, 1347-58		77
143	Impaired protein maturation of the conjugate export pump multidrug resistance protein 2 as a consequence of a deletion mutation in Dubin-Johnson syndrome. <i>Hepatology</i> , 2000 , 32, 1317-28	11.2	116
142	A novel human organic anion transporting polypeptide localized to the basolateral hepatocyte membrane. <i>American Journal of Physiology - Renal Physiology</i> , 2000 , 278, G156-64	5.1	409
141	MRP2, a human conjugate export pump, is present and transports fluo 3 into apical vacuoles of Hep G2 cells. <i>American Journal of Physiology - Renal Physiology</i> , 2000 , 278, G522-31	5.1	52
140	The multidrug resistance protein 5 functions as an ATP-dependent export pump for cyclic nucleotides. <i>Journal of Biological Chemistry</i> , 2000 , 275, 30069-74	5.4	345
139	Hepatic secretion of conjugated drugs and endogenous substances. <i>Seminars in Liver Disease</i> , 2000 , 20, 265-72	7.3	193
138	Localization and genomic organization of a new hepatocellular organic anion transporting polypeptide. <i>Journal of Biological Chemistry</i> , 2000 , 275, 23161-8	5.4	408
137	Localization, substrate specificity, and drug resistance conferred by conjugate export pumps of the MRP family. <i>Advances in Enzyme Regulation</i> , 2000 , 40, 339-49		66
136	Enhanced urinary excretion of cysteinyl leukotrienes in patients with acute alcohol intoxication. <i>Gastroenterology</i> , 2000 , 118, 1140-8	13.3	7
135	Purification of the human apical conjugate export pump MRP2 reconstitution and functional characterization as substrate-stimulated ATPase. <i>FEBS Journal</i> , 1999 , 265, 281-9		34
134	Selective inhibition of MDR1 P-glycoprotein-mediated transport by the acridone carboxamide derivative GG918. <i>British Journal of Cancer</i> , 1999 , 79, 1053-60	8.7	47
133	Export pumps for glutathione S-conjugates. Free Radical Biology and Medicine, 1999, 27, 985-91	7.8	118
132	Changes in the localization of the rat canalicular conjugate export pump Mrp2 in phalloidin-induced cholestasis. <i>Hepatology</i> , 1999 , 29, 814-21	11.2	119
131	Characterization of the human multidrug resistance protein isoform MRP3 localized to the basolateral hepatocyte membrane. <i>Hepatology</i> , 1999 , 29, 1156-63	11.2	377
130	Transport of monoglucuronosyl and bisglucuronosyl bilirubin by recombinant human and rat multidrug resistance protein 2. <i>Hepatology</i> , 1999 , 30, 485-90	11.2	127

129	Export pumps for anionic conjugates encoded by MRP genes. <i>Advances in Enzyme Regulation</i> , 1999 , 39, 237-46		79
128	Conjugate export pumps of the multidrug resistance protein (MRP) family: localization, substrate specificity, and MRP2-mediated drug resistance. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1999 , 1461, 377-94	3.8	601
127	Exon-intron organization of the human multidrug-resistance protein 2 (MRP2) gene mutated in Dubin-Johnson syndrome. <i>Gastroenterology</i> , 1999 , 117, 653-60	13.3	139
126	Expression of the MRP2 gene-encoded conjugate export pump in human kidney proximal tubules and in renal cell carcinoma. <i>Journal of the American Society of Nephrology: JASN</i> , 1999 , 10, 1159-69	12.7	202
125	Multidrug resistance protein-mediated transport of chlorambucil and melphalan conjugated to glutathione. <i>British Journal of Cancer</i> , 1998 , 77, 201-9	8.7	72
124	ATP-dependent transport of glutathione S-conjugates by the multidrug resistance protein MRP1 and its apical isoform MRP2. <i>Chemico-Biological Interactions</i> , 1998 , 111-112, 153-61	5	78
123	Expression of the apical conjugate export pump, Mrp2, in the polarized hepatoma cell line, WIF-B. <i>Hepatology</i> , 1998 , 28, 1332-40	11.2	80
122	Induction of hepatic mrp2 (cmrp/cmoat) gene expression in nonhuman primates treated with rifampicin or tamoxifen. <i>Archives of Toxicology</i> , 1998 , 72, 763-8	5.8	64
121	Transport function and substrate specificity of multidrug resistance protein. <i>Methods in Enzymology</i> , 1998 , 292, 607-16	1.7	88
120	Human mast cells secreting leukotriene C4 express the MRP1 gene-encoded conjugate export pump. <i>Biological Chemistry</i> , 1998 , 379, 1121-6	4.5	23
119	Identification and characterization of two cysteinyl-leukotriene high affinity binding sites with receptor characteristics in human lung parenchyma. <i>Molecular Pharmacology</i> , 1998 , 53, 750-8	4.3	33
118	Tumorzellregulation 1998 , 43-56		
117	ATP-dependent transport of bilirubin glucuronides by the multidrug resistance protein MRP1 and its hepatocyte canalicular isoform MRP2. <i>Biochemical Journal</i> , 1997 , 327 (Pt 1), 305-10	3.8	257
116	Osmodependent dynamic localization of the multidrug resistance protein 2 in the rat hepatocyte canalicular membrane. <i>Gastroenterology</i> , 1997 , 113, 1438-42	13.3	110
115	The canalicular multidrug resistance protein, cMRP/MRP2, a novel conjugate export pump expressed in the apical membrane of hepatocytes. <i>Advances in Enzyme Regulation</i> , 1997 , 37, 321-33		76
114	Induction of cMrp/cMoat gene expression by cisplatin, 2- acetylaminofluorene, or cycloheximide in rat hepatocytes. <i>Hepatology</i> , 1997 , 26, 980-985	11.2	3
113	The rat canalicular conjugate export pump (Mrp2) is down-regulated in intrahepatic and obstructive cholestasis. <i>Gastroenterology</i> , 1997 , 113, 255-64	13.3	446
112	Hepatic canalicular membrane. Introduction: transport across the hepatocyte canalicular membrane. <i>FASEB Journal</i> , 1997 , 11, 15-8	0.9	87

111	Hepatic canalicular membrane 5: Expression and localization of the conjugate export pump encoded by the MRP2 (cMRP/cMOAT) gene in liver. <i>FASEB Journal</i> , 1997 , 11, 509-16	0.9	244
110	Characterization and quantification of rat bile phosphatidylcholine by electrospray-tandem mass spectrometry. <i>Analytical Biochemistry</i> , 1997 , 246, 102-10	3.1	80
109	The function of the multidrug resistance proteins (MRP and cMRP) in drug conjugate transport and hepatobiliary excretion. <i>Advances in Enzyme Regulation</i> , 1996 , 36, 17-29		35
108	Absence of the canalicular isoform of the MRP gene-encoded conjugate export pump from the hepatocytes in Dubin-Johnson syndrome. <i>Hepatology</i> , 1996 , 23, 1061-6	11.2	69
107	ATP-dependent glutathione disulphide transport mediated by the MRP gene-encoded conjugate export pump. <i>Biochemical Journal</i> , 1996 , 314 (Pt 2), 433-7	3.8	261
106	Activation of gene transcription by prostacyclin analogues is mediated by the peroxisome-proliferators-activated receptor (PPAR). <i>FEBS Journal</i> , 1996 , 235, 242-7		82
105	Identification of the multidrug-resistance protein (MRP) as the glutathione-S-conjugate export pump of erythrocytes. <i>FEBS Journal</i> , 1996 , 241, 644-8		69
104	Identification of the biosynthetic leukotriene C4 export pump in murine mastocytoma cells as a homolog of the multidrug-resistance protein. <i>FEBS Journal</i> , 1996 , 242, 201-5		16
103	cDNA cloning of the hepatocyte canalicular isoform of the multidrug resistance protein, cMrp, reveals a novel conjugate export pump deficient in hyperbilirubinemic mutant rats. <i>Journal of Biological Chemistry</i> , 1996 , 271, 15091-8	5.4	487
102	Expression of the MRP gene-encoded conjugate export pump in liver and its selective absence from the canalicular membrane in transport-deficient mutant hepatocytes. <i>Journal of Cell Biology</i> , 1995 , 131, 137-50	7.3	203
101	Noninvasive assessment of hepatobiliary and renal elimination of cysteinyl leukotrienes by positron emission tomography. <i>Hepatology</i> , 1995 , 21, 1568-1575	11.2	41
100	Noninvasive assessment of hepatobiliary and renal elimination of cysteinyl leukotrienes by positron emission tomography 1995 , 21, 1568		1
99	Phorbol ester-induced leukotriene biosynthesis and tumor promotion in mouse epidermis. <i>Carcinogenesis</i> , 1994 , 15, 2823-7	4.6	26
98	Impaired degradation of prostaglandins and thromboxane in Zellweger syndrome. <i>Pediatric Research</i> , 1994 , 36, 449-55	3.2	10
97	Cysteinyl leukotrienes in the urine of patients with liver diseases. <i>Hepatology</i> , 1994 , 20, 804-12	11.2	32
96	Functional reconstitution of ATP-dependent transporters from the solubilized hepatocyte canalicular membrane. <i>FEBS Journal</i> , 1994 , 224, 345-52		17
95	Characterization of the ATP-dependent leukotriene C4 export carrier in mastocytoma cells. <i>FEBS Journal</i> , 1994 , 220, 599-606		128
94	Hepatobiliary elimination of the peroxisome proliferator nafenopin by conjugation and subsequent ATP-dependent transport across the canalicular membrane. <i>Biochemical Pharmacology</i> , 1994 , 48, 1113-2	- 26 _	13

93	ATP-dependent transport of amphiphilic cations across the hepatocyte canalicular membrane mediated by mdr1 P-glycoprotein. <i>FEBS Letters</i> , 1994 , 343, 168-72	3.8	45
92	ATP-dependent export pumps and their inhibition by cyclosporins. <i>Advances in Enzyme Regulation</i> , 1994 , 34, 371-80		46
91	Cholestasis caused by inhibition of the adenosine triphosphate-dependent bile salt transport in rat liver. <i>Gastroenterology</i> , 1994 , 107, 255-65	13.3	145
90	Peroxisomal leukotriene degradation: biochemical and clinical implications. <i>Advances in Enzyme Regulation</i> , 1993 , 33, 181-94		26
89	Inhibition by cyclosporin A of adenosine triphosphate-dependent transport from the hepatocyte into bile. <i>Gastroenterology</i> , 1993 , 104, 1507-14	13.3	97
88	Differential inhibition by cyclosporins of primary-active ATP-dependent transporters in the hepatocyte canalicular membrane. <i>FEBS Letters</i> , 1993 , 333, 193-6	3.8	101
87	Impaired degradation of leukotrienes in patients with peroxisome deficiency disorders. <i>Journal of Clinical Investigation</i> , 1993 , 91, 881-8	15.9	56
86	Inhibition of protein N-glycosylation by 2-deoxy-2-fluoro-D-galactose. <i>Biochemical Journal</i> , 1992 , 285 (Pt 3), 821-6	3.8	3
85	Transport and in vivo elimination of cysteinyl leukotrienes. <i>Advances in Enzyme Regulation</i> , 1992 , 32, 107-16		24
84	Leukotrienes: biosynthesis, transport, inactivation, and analysis. <i>Reviews of Physiology, Biochemistry and Pharmacology</i> , 1992 , 121, 1-30	2.9	72
83	Halothane metabolism. Impairment of hepatic omega-oxidation of leukotrienes in vivo and in vitro. <i>FEBS Journal</i> , 1992 , 206, 869-79		13
82	Leukotriene uptake by hepatocytes and hepatoma cells. <i>FEBS Journal</i> , 1992 , 209, 281-9		23
81	The preparation of a 11C-labelled 5-lipoxygenase product. 5(S)-hydroxy-6(R)-(N-[1-11C]acetyl)cysteinyl-7,9-trans-11,14-ciseicosatetraenoic acid. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 1992 , 31, 903-913	1.9	5
80	Transport of Cysteinyl Leukotrienes 1992 , 275-282		
79	ATP-dependent leukotriene export from mastocytoma cells. FEBS Letters, 1991, 279, 83-6	3.8	58
78	2-Deoxy-2-fluoro-D-galactose protein N-glycosylation. <i>FEBS Letters</i> , 1991 , 294, 217-20	3.8	9
77	Generation and metabolism of cysteinyl leukotrienes in vivo. <i>Annals of the New York Academy of Sciences</i> , 1991 , 629, 100-4	6.5	15
76	Leukotrienes as mediators in ischemia-reperfusion injury in a microcirculation model in the hamster. <i>Journal of Clinical Investigation</i> , 1991 , 87, 2036-41	15.9	167

75	Metabolism and actions of 2-deoxy-2-fluoro-D-galactose in vivo. FEBS Journal, 1990, 190, 11-9		20
74	Metabolism of cysteinyl leukotrienes in monkey and man. FEBS Journal, 1990, 194, 309-15		68
73	Inhibition of leukotriene omega-oxidation by omega-trifluoro analogs of leukotrienes. <i>Archives of Biochemistry and Biophysics</i> , 1990 , 282, 333-9	4.1	14
72	In vivo metabolism and UTP-depleting action of 2-deoxy-2-fluoro-D-galactose. <i>Advances in Enzyme Regulation</i> , 1990 , 30, 231-42		6
71	Prevention of endogenous leukotriene production during anaphylaxis in the guinea pig by an inhibitor of leukotriene biosynthesis (MK-886) but not by dexamethasone. <i>Journal of Experimental Medicine</i> , 1989 , 170, 1905-18	16.6	36
70	Analysis of cysteinyl leukotrienes in human urine:enhanced excretion in patients with liver cirrhosis and hepatorenal syndrome*. <i>European Journal of Clinical Investigation</i> , 1989 , 19, 53-60	4.6	42
69	Ethanol-induced inhibition of leukotriene degradation by omega-oxidation. <i>FEBS Journal</i> , 1989 , 182, 223-9		36
68	Direct photoaffinity labeling of leukotriene binding sites. FEBS Journal, 1989, 186, 741-7		31
67	Metabolic inactivation of leukotrienes. Advances in Enzyme Regulation, 1989, 28, 307-19		20
66	Tumor necrosis factor alpha stimulates leukotriene production in vivo. <i>European Journal of Immunology</i> , 1988 , 18, 2085-8	6.1	74
65	Metabolism and analysis of endogenous cysteinyl leukotrienes. <i>Annals of the New York Academy of Sciences</i> , 1988 , 524, 68-74	6.5	34
64	Leukotriene C4 metabolism during its action on glucose and lactate balance and flow in perfused rat liver. <i>Biological Chemistry Hoppe-Seyler</i> , 1988 , 369, 1131-6		12
63	Leukotrienes as mediators in diseases of the liver. Seminars in Liver Disease, 1988, 8, 357-66	7.3	39
62	Role of leukotrienes in endotoxin action in vivo. Clinical Infectious Diseases, 1987, 9 Suppl 5, S580-4	11.6	19
61	Enterohepatic circulation of N-acetyl-leukotriene E4. <i>Prostaglandins</i> , 1987 , 34, 63-70		6
60	w-oxidation products of leukotriene E4 in bile and urine of the monkey. <i>Biochemical and Biophysical Research Communications</i> , 1987 , 148, 664-70	3.4	33
59	Leukotriene C4 metabolism by hepatoma cells and liver. Advances in Enzyme Regulation, 1987, 26, 211-2	24	22
58	Staphylococcal enterotoxin B as a nonimmunological mast cell stimulus in primates: the role of endogenous cysteinyl leukotrienes. <i>International Archives of Allergy and Immunology</i> , 1987 , 82, 289-91	3.7	42

57	Hereditary defect of hepatobiliary cysteinyl leukotriene elimination in mutant rats with defective hepatic anion excretion. <i>Hepatology</i> , 1987 , 7, 224-8	11.2	139
56	Leukotrienes as mediators in frog virus 3-induced hepatitis in rats. <i>Hepatology</i> , 1987 , 7, 732-6	11.2	70
55	Inhibition of leukotriene D4 catabolism by D-penicillamine. FEBS Journal, 1987, 167, 73-9		40
54	Cysteinyl leukotrienes as mediators of staphylococcal enterotoxin B in the monkey. <i>European Journal of Clinical Investigation</i> , 1987 , 17, 455-9	4.6	30
53	Sugar Analogs and 5-Fluorouridine in Combination Chemotherapy 1987 , 119-126		
52	UDP-glucosamine as a substrate for dolichyl monophosphate glucosamine synthesis. <i>Biochemical Journal</i> , 1986 , 233, 749-54	3.8	11
51	Leukotriene C4 metabolism by hepatoma cells deficient in the uptake of cysteinyl leukotrienes. <i>FEBS Journal</i> , 1986 , 154, 559-62		25
50	Cysteinyl leukotrienes undergo enterohepatic circulation. <i>Prostaglandins, Leukotrienes, and Medicine</i> , 1986 , 21, 321-2		15
49	Identification of the major endogenous leukotriene metabolite in the bile of rats as N-acetyl leukotriene E4. <i>Prostaglandins</i> , 1986 , 31, 239-51		106
48			
40	The relation of leukotrienes to liver injury. <i>Hepatology</i> , 1985 , 5, 883-91	11.2	191
47	Leukotrienes as mediators in tissue trauma. <i>Science</i> , 1985 , 230, 330-2	33.3	191
47	Leukotrienes as mediators in tissue trauma. <i>Science</i> , 1985 , 230, 330-2 Uridylate-trapping sugar analogs in combination with inhibitors of uridylate synthesis de novo and		195
47 46	Leukotrienes as mediators in tissue trauma. <i>Science</i> , 1985 , 230, 330-2 Uridylate-trapping sugar analogs in combination with inhibitors of uridylate synthesis de novo and 5-fluorouridine. <i>Advances in Enzyme Regulation</i> , 1985 , 23, 61-79 Potentiation of antimetabolite action by uridylate trapping. <i>Advances in Enzyme Regulation</i> , 1985 ,	33.3	195
47 46 45	Leukotrienes as mediators in tissue trauma. <i>Science</i> , 1985 , 230, 330-2 Uridylate-trapping sugar analogs in combination with inhibitors of uridylate synthesis de novo and 5-fluorouridine. <i>Advances in Enzyme Regulation</i> , 1985 , 23, 61-79 Potentiation of antimetabolite action by uridylate trapping. <i>Advances in Enzyme Regulation</i> , 1985 , 24, 417-27 First clinical experiences with a selective chemotherapy of hepatocellular carcinoma with	33.3	195 11 8
47 46 45 44	Leukotrienes as mediators in tissue trauma. <i>Science</i> , 1985 , 230, 330-2 Uridylate-trapping sugar analogs in combination with inhibitors of uridylate synthesis de novo and 5-fluorouridine. <i>Advances in Enzyme Regulation</i> , 1985 , 23, 61-79 Potentiation of antimetabolite action by uridylate trapping. <i>Advances in Enzyme Regulation</i> , 1985 , 24, 417-27 First clinical experiences with a selective chemotherapy of hepatocellular carcinoma with 5-fluorouridine in combination with other antipyrimidines. <i>Advances in Enzyme Regulation</i> , 1985 , 24, 42	33-3	195 11 8
47 46 45 44 43	Leukotrienes as mediators in tissue trauma. <i>Science</i> , 1985 , 230, 330-2 Uridylate-trapping sugar analogs in combination with inhibitors of uridylate synthesis de novo and 5-fluorouridine. <i>Advances in Enzyme Regulation</i> , 1985 , 23, 61-79 Potentiation of antimetabolite action by uridylate trapping. <i>Advances in Enzyme Regulation</i> , 1985 , 24, 417-27 First clinical experiences with a selective chemotherapy of hepatocellular carcinoma with 5-fluorouridine in combination with other antipyrimidines. <i>Advances in Enzyme Regulation</i> , 1985 , 24, 42 Production of peptide leukotrienes in endotoxin shock. <i>FEBS Letters</i> , 1985 , 180, 309-13 45Calcium uptake during the transition from reversible to irreversible liver injury induced by	33·3 29-34 3.8	195 11 8 3 107

39	Separation and analysis of 4Repimeric UDP-sugars by borate high-performance liquid chromatography. <i>Analytical Biochemistry</i> , 1983 , 132, 405-12	3.1	27
38	Combined action of acivicin and D-galactosamine on pyrimidine nucleotide metabolism in hepatoma cells. <i>Biochemical Pharmacology</i> , 1983 , 32, 1865-9	6	5
37	Dual role of hexose-1-phosphate uridylyltransferase in galactosamine metabolism. <i>FEBS Journal</i> , 1982 , 128, 163-8		23
36	Uridylate trapping, induction of UTP deficiency, and stimulation of pyrimidine synthesis de novo by D-galactosone. <i>Biochemical Journal</i> , 1982 , 206, 139-46	3.8	17
35	Uridylate trapping induced by the C-2-modified D-glucose analogs glucosone, fluoroglucose, and glucosamine. <i>FEBS Journal</i> , 1982 , 121, 469-74		42
34	Liver calcium and endotoxin action. <i>Die Naturwissenschaften</i> , 1982 , 69, 147-9	2	4
33	Leukotriene antagonists prevent endotoxin lethality. <i>Die Naturwissenschaften</i> , 1982 , 69, 594-5	2	51
32	Inhibition of tyrosine aminotransferase induction by UTP deficiency and its reversal by 5-fluorouridine in cultured hepatoma cells. <i>Nucleic Acids and Protein Synthesis</i> , 1981 , 655, 34-40		
31	Preventive effects of 5-fluorouridine and uridine on d-galactosamine-induced liver injury. <i>Experimental and Molecular Pathology</i> , 1981 , 34, 170-82	4.4	13
30	Selective guanosine phosphate deficiency in hepatoma cells induced by inhibitors of IMP dehydrogenase. <i>Hoppe-Seylerl</i> Zeitschrift Fa Physiologische Chemie, 1980 , 361, 1503-10		8
29	Depletion of cytidine triphosphate as a consequence of cellular uridine triphosphate deficiency. <i>FEBS Letters</i> , 1979 , 103, 165-7	3.8	6
28	Enzymatic analysis of guanine nucleotides in tissues and cells. <i>Analytical Biochemistry</i> , 1978 , 86, 147-53	3.1	17
27	Increased formation of nucleotide derivatives of 5-fluorouridine in hepatoma cells treated with inhibitors of pyrimidine synthesis and D-galactosamine. <i>FEBS Letters</i> , 1978 , 95, 361-5	3.8	26
26	Aspartate carbamoyltransferase inhibition and uridylate trapping result in a synergistic depression of uridine triphosphate in hepatoma cells. <i>FEBS Letters</i> , 1977 , 73, 263-6	3.8	14
25	Metabolism of 2-deoxy-D-galactose results in the accumulation of 2-deoxy-D-galactose 1-phosphate in brain. <i>Journal of Neurochemistry</i> , 1977 , 29, 603-4	6	10
24	2-Deoxy-D-galactose metabolism in ascites hepatoma cells results in phosphate trapping and glycolysis inhibition. <i>FEBS Journal</i> , 1977 , 73, 83-92		35
23	Increased de novo pyrimidine nucleotide synthesis in liver induced by ammonium ions in amounts surpassing the urea cycle capacity. <i>FEBS Journal</i> , 1977 , 76, 157-63		27
22	Metabolism of 2-deoxy-D-galactose in liver induces phosphate and uridylate trapping. <i>FEBS Journal</i> , 1977 , 80, 373-9		26

21	Increased serum urate in galactosemia patients after a galactose load: a possible role of nucleotide deficiency in galactosemic liver injury. <i>Klinische Wochenschrift</i> , 1975 , 53, 1169-70		2
20	Effects of galactose on human leukocyte uracil nucleotides. <i>International Journal of Biochemistry & Cell Biology</i> , 1975 , 6, 751-755		1
19	Uridine-5?-triphosphate, Uridine-5?-diphosphate, and Uridine-5?-monophosphate 1974 , 2172-2178		9
18	Determination of 5?-Nucleotides as Nucleoside-5?-monophosphates 1974 , 2088-2096		10
17	Selective Uridine Triphosphate Deficiency Induced by d-Galactosamine in Liver and Reversed by Pyrimidine Nucleotide Precursors. <i>Journal of Biological Chemistry</i> , 1974 , 249, 211-216	5-4	178
16	Liver injury induced by 2-deoxy-D-galactose. <i>Experimental and Molecular Pathology</i> , 1973 , 19, 365-77 4	∤ ∙4	12
15	Increased activities of hepatic orotidine 5Rphosphate pyrophosphorylase and orotidine 5Rphosphate decarboxylase induced by orotate. <i>FEBS Letters</i> , 1972 , 20, 330-332	₃ .8	7
14	Activity and distribution of the enzymes of uridylate synthesis from orotate in animal tissues. Biochimica Et Biophysica Acta - Biomembranes, 1972, 258, 395-403	3.8	26
13	Ultrastructural studies on the effect of choline orotate on galactosamine induced hepatic injury in rats. <i>Experimental and Molecular Pathology</i> , 1972 , 16, 33-46	l·4	23
12	Cytosine nucleotides in liver. <i>Hoppe-Seylerh Zeitschrift Fil Physiologische Chemie</i> , 1971 , 352, 275-9		28
11	Cell damage by trapping of biosynthetic intermediates. The role of uracil nucleotides in experimental hepatitis. <i>Hoppe-Seylerls Zeitschrift Fl Physiologische Chemie</i> , 1971 , 352, 412-8		44
10	Fate of intravenously administered UDPglucose. <i>Hoppe-Seylerl</i> s <i>Zeitschrift Fl Physiologische Chemie</i> , 1970 , 351, 729-36		23
9	Liver restitution after acute galactosamine hepatitis: autoradiographic and biochemical studies in rats. <i>Experimental and Molecular Pathology</i> , 1970 , 12, 58-69	∤ ∙4	67
8	The trapping of uridine phosphates by D-galactosamine. D-glucosamine, and 2-deoxy-D-galactose. A study on the mechanism of galactosamine hepatitis. <i>FEBS Journal</i> , 1970 , 17, 246-53		253
7	Enzymic determination of uracil nucleotides in tissues. <i>Analytical Biochemistry</i> , 1970 , 38, 105-14	3.1	119
6	Trapping of uridine phosphates by D-galactose in ethanol-treated liver. <i>FEBS Letters</i> , 1970 , 11, 193-196 $_3$,.8	16
5	Studies on the mechanism of galactosamine-1-phosphate and its inhibition of UDP-glucose pyrophosphorylase. <i>FEBS Journal</i> , 1969 , 10, 219-25		181
4	Changes in uridine nucleotides during liver perfusion with D-galactosamine. <i>FEBS Letters</i> , 1969 , 4, 278-28	,0 8	34

LIST OF PUBLICATIONS

3	Experimental hepatitis induced by D-galactosamine. Experimental and Molecular Pathology, 1968 , 9, 279- <u>워</u> ቧ	442
2	The substrate supply of the human skeletal muscle at rest, during and after work. <i>Experientia</i> , 1967 , 23, 974-9	44
1	Multidrug Resistance Proteins of the ABCC Subfamily263-318	7