

Allan Clark

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8601184/allan-clark-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

95
papers

1,840
citations

24
h-index

39
g-index

101
ext. papers

2,276
ext. citations

3.8
avg. IF

4.66
L-index

#	Paper	IF	Citations
95	Barriers to pulmonary rehabilitation: characteristics that predict patient attendance and adherence. <i>Respiratory Medicine</i> , 2013 , 107, 401-7	4.6	135
94	The effects of increased dose of exercise-based therapies to enhance motor recovery after stroke: a systematic review and meta-analysis. <i>BMC Medicine</i> , 2010 , 8, 60	11.4	107
93	Cystic fibrosis diagnosed after 2 months of age leads to worse outcomes and requires more therapy. <i>Pediatrics</i> , 2007 , 119, 19-28	7.4	89
92	Spatial mixture relative risk models applied to disease mapping. <i>Statistics in Medicine</i> , 2002 , 21, 359-70	2.3	84
91	Quality of clinical primary care and targeted incentive payments: an observational study. <i>British Journal of General Practice</i> , 2007 , 57, 449-54	1.6	68
90	The burden of revision sinonasal surgery in the UK-data from the Chronic Rhinosinusitis Epidemiology Study (CRES): a cross-sectional study. <i>BMJ Open</i> , 2015 , 5, e006680	3	65
89	Economic implications of newborn screening for cystic fibrosis: a cost of illness retrospective cohort study. <i>Lancet, The</i> , 2007 , 369, 1187-95	4.0	64
88	Efficacy of functional strength training on restoration of lower-limb motor function early after stroke: phase I randomized controlled trial. <i>Neurorehabilitation and Neural Repair</i> , 2010 , 24, 88-96	4.7	61
87	Simulation evaluation of statistical properties of methods for indirect and mixed treatment comparisons. <i>BMC Medical Research Methodology</i> , 2012 , 12, 138	4.7	59
86	Physical accessibility and utilization of health services in Yemen. <i>International Journal of Health Geographics</i> , 2010 , 9, 38	3.5	58
85	Clinical outcomes of rehabilitation for patients following lateral patellar dislocation: a systematic review. <i>Physiotherapy</i> , 2010 , 96, 269-81	3	46
84	Comparison of subjective perception with objective measurement of olfaction. <i>Otolaryngology - Head and Neck Surgery</i> , 2006 , 134, 488-90	5.5	46
83	Association Between Renin-Angiotensin-Aldosterone System Inhibitors and Clinical Outcomes in Patients With COVID-19: A Systematic Review and Meta-analysis. <i>JAMA Network Open</i> , 2021 , 4, e213594 ^{10.4}	10.4	43
82	Observation-to-imitate plus practice could add little to physical therapy benefits within 31 days of stroke: translational randomized controlled trial. <i>Neurorehabilitation and Neural Repair</i> , 2013 , 27, 173-82 ^{4.7}	4.7	39
81	Does eating yogurt prevent antibiotic-associated diarrhoea? A placebo-controlled randomised controlled trial in general practice. <i>British Journal of General Practice</i> , 2007 , 57, 953-9	1.6	39
80	The intra- and inter-observer reliability of the physical examination methods used to assess patients with patellofemoral joint instability. <i>Knee</i> , 2012 , 19, 404-10	2.6	38
79	The development, validation and internal consistency of the Norwich Patellar Instability (NPI) score. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014 , 22, 324-35	5.5	38

78	What activities do patients with patellar instability perceive makes their patella unstable?. <i>Knee</i> , 2011 , 18, 333-9	2.6	37
77	The effects of maintenance schedules following pulmonary rehabilitation in patients with chronic obstructive pulmonary disease: a randomised controlled trial. <i>BMJ Open</i> , 2015 , 5, e005921	3	32
76	Dose-response study of mobilisation and tactile stimulation therapy for the upper extremity early after stroke: a phase I trial. <i>Neurorehabilitation and Neural Repair</i> , 2011 , 25, 314-22	4.7	32
75	Methods for analyzing cost effectiveness data from cluster randomized trials. <i>Cost Effectiveness and Resource Allocation</i> , 2007 , 5, 12	2.4	32
74	Association between prestroke disability and inpatient mortality and length of acute hospital stay after acute stroke. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 726-32	5.6	31
73	Improving adherence to glaucoma medication: a randomised controlled trial of a patient-centred intervention (The Norwich Adherence Glaucoma Study). <i>BMC Ophthalmology</i> , 2014 , 14, 32	2.3	27
72	Vigorous intensity aerobic interval exercise in bladder cancer patients prior to radical cystectomy: a feasibility randomised controlled trial. <i>Supportive Care in Cancer</i> , 2018 , 26, 1515-1523	3.9	24
71	Methodological issues in the design and evaluation of supported communication for aphasia training: a cluster-controlled feasibility study. <i>BMJ Open</i> , 2016 , 6, e011207	3	21
70	Cost-effectiveness of a lifestyle intervention in preventing Type 2 diabetes. <i>International Journal of Technology Assessment in Health Care</i> , 2011 , 27, 275-82	1.8	20
69	Attitudinal predictors of older peoples' and caregivers' desire to deprescribe in hospital. <i>BMC Geriatrics</i> , 2019 , 19, 108	4.1	19
68	Kinematic Components of the Reach-to-Target Movement After Stroke for Focused Rehabilitation Interventions: Systematic Review and Meta-Analysis. <i>Frontiers in Neurology</i> , 2018 , 9, 472	4.1	19
67	Is there a difference in physical activity levels in patients before and up to one year after unilateral total hip replacement? A systematic review and meta-analysis. <i>Clinical Rehabilitation</i> , 2017 , 31, 639-650	3.3	17
66	Oral delivery of a probiotic induced changes at the nasal mucosa of seasonal allergic rhinitis subjects after local allergen challenge: a randomised clinical trial. <i>PLoS ONE</i> , 2013 , 8, e78650	3.7	17
65	A Randomized Controlled Evaluation of the Efficacy of an Ankle-Foot Cast on Walking Recovery Early After Stroke: SWIFT Cast Trial. <i>Neurorehabilitation and Neural Repair</i> , 2016 , 30, 40-8	4.7	16
64	A comparison of measures used to describe adherence to glaucoma medication in a randomised controlled trial. <i>Clinical Trials</i> , 2015 , 12, 608-17	2.2	16
63	What do patients need to know? A study to assess patients' satisfaction with information about medicines. <i>International Journal of Pharmacy Practice</i> , 2016 , 24, 229-36	1.7	16
62	Photoplethysmography, an easy and accurate method for measuring ankle brachial pressure index: can photoplethysmography replace Doppler?. <i>Vascular and Endovascular Surgery</i> , 2009 , 43, 578-82	1.4	15
61	Study Protocol: The Norfolk Diabetes Prevention Study [NDPS]: a 46-month multi - centre, randomised, controlled parallel group trial of a lifestyle intervention [with or without additional support from lay lifestyle mentors with Type 2 diabetes] to prevent transition to Type 2 diabetes in high-risk groups with non-diabetic hyperglycaemia, or impaired fasting glucose. <i>BMJ Public Health</i> , 2017 , 17, 31	4.1	14

60	The association between ankle brachial pressure index and pulse wave velocity: clinical implication of pulse wave velocity. <i>Angiology</i> , 2009 , 60, 732-8	2.1	14
59	The Cost Effectiveness of Maintenance Schedules Following Pulmonary Rehabilitation in Patients with Chronic Obstructive Pulmonary Disease: An Economic Evaluation Alongside a Randomised Controlled Trial. <i>Applied Health Economics and Health Policy</i> , 2016 , 14, 105-15	3.4	14
58	Lifestyle Intervention With or Without Lay Volunteers to Prevent Type 2 Diabetes in People With Impaired Fasting Glucose and/or Nondiabetic Hyperglycemia: A Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , 2021 , 181, 168-178	11.5	14
57	A national survey of the physiotherapy management of patients following first-time patellar dislocation. <i>Physiotherapy</i> , 2011 , 97, 327-38	3	13
56	Development of a hospital deprescribing implementation framework: A focus group study with geriatricians and pharmacists. <i>Age and Ageing</i> , 2019 , 49, 102-110	3	13
55	Deprescribing admission medication at a UK teaching hospital; a report on quantity and nature of activity. <i>International Journal of Clinical Pharmacy</i> , 2018 , 40, 991-996	2.3	12
54	Validation of the olfactory disorders questionnaire for English-speaking patients with olfactory disorders. <i>Clinical Otolaryngology</i> , 2019 , 44, 715-728	1.8	11
53	The clinical utility of Multiplate analyser measurement in platelet function testing following stroke and transient ischaemic attack. <i>European Journal of Haematology</i> , 2015 , 94, 138-44	3.8	11
52	A case-control study of medical, psychological and socio-economic factors influencing the severity of chronic rhinosinusitis. <i>Rhinology</i> , 2016 , 54, 134-40	7	11
51	Microinvasive Glaucoma Stent (MIGS) Surgery With Concomitant Phakoemulsification Cataract Extraction: Outcomes and the Learning Curve. <i>Journal of Glaucoma</i> , 2017 , 26, 646-651	2.1	10
50	Development of the Thai version of Mini-Cog, a brief cognitive screening test. <i>Geriatrics and Gerontology International</i> , 2015 , 15, 594-600	2.9	10
49	Discordance in glycemic categories and regression to normality at baseline in 10,000 people in a Type 2 diabetes prevention trial. <i>Scientific Reports</i> , 2018 , 8, 6240	4.9	10
48	Feasibility of a randomized controlled trial of functional strength training for people between six months and five years after stroke: FeSTivaLS trial. <i>Trials</i> , 2014 , 15, 322	2.8	10
47	Self-reported quality of care for older adults from 2004 to 2011: a cohort study. <i>Age and Ageing</i> , 2014 , 43, 716-20	3	10
46	Aortic arch morphology and late systemic hypertension following correction of coarctation of aorta. <i>Congenital Heart Disease</i> , 2007 , 2, 410-5	3.1	10
45	A feasibility study comparing UK older adult mental health inpatient wards which use protected engagement time with other wards which do not: study protocol. <i>Pilot and Feasibility Studies</i> , 2016 , 2, 7	1.9	9
44	Evaluation of the effectiveness of manual chest physiotherapy techniques on quality of life at six months post exacerbation of COPD (MATREX): a randomised controlled equivalence trial. <i>BMC Pulmonary Medicine</i> , 2012 , 12, 33	3.5	9
43	The SWIFT Cast trial protocol: a randomized controlled evaluation of the efficacy of an ankle-foot cast on walking recovery early after stroke and the neural-biomechanical correlates of response. <i>International Journal of Stroke</i> , 2012 , 7, 86-93	6.3	9

42	Multifactorial falls prevention programme compared with usual care in UK care homes for older people: multicentre cluster randomised controlled trial with economic evaluation. <i>BMJ, The</i> , 2021 , 375, e066991	5.9	9
41	Getting a kinematic handle on reach-to-grasp: a meta-analysis. <i>Physiotherapy</i> , 2018 , 104, 153-166	3	8
40	Access to primary care for socio-economically disadvantaged older people in rural areas: exploring realist theory using structural equation modelling in a linked dataset. <i>BMC Medical Research Methodology</i> , 2018 , 18, 57	4.7	8
39	Olfactory dysfunction in allergic fungal rhinosinusitis. <i>JAMA Otolaryngology</i> , 2011 , 137, 694-7		8
38	Bed exercises following total hip replacement: a randomised controlled trial. <i>Physiotherapy</i> , 2008 , 94, 286-291	3	8
37	Randomized clinical trial comparing two mastectomy techniques. <i>World Journal of Surgery</i> , 2007 , 31, 1164-8	3.3	8
36	The effectiveness of a multidisciplinary intervention strategy for the treatment of symptomatic joint hypermobility in childhood: a randomised, single Centre parallel group trial (The Bendy Study). <i>Pediatric Rheumatology</i> , 2019 , 17, 2	3.5	7
35	Protocol for a randomised controlled trial to estimate the effects and costs of a patient centred educational intervention in glaucoma management. <i>BMC Ophthalmology</i> , 2012 , 12, 57	2.3	7
34	Bed exercises following total hip replacement: 1 year follow-up of a single-blinded randomised controlled trial. <i>HIP International</i> , 2009 , 19, 268-73	1.7	7
33	Association of increasing age with receipt of specialist care and long-term mortality in patients with non-ST elevation myocardial infarction. <i>Age and Ageing</i> , 2016 , 45, 96-103	3	6
32	Do novel risk biomarkers reflect the severity of peripheral arterial disease?. <i>Angiology</i> , 2011 , 62, 126-33	2.1	6
31	The evaluation of bony union after frontofacial distraction. <i>Journal of Craniofacial Surgery</i> , 2009 , 20, 275-8	1.2	6
30	Evaluation of Smoking as a Modifying Factor in Chronic Rhinosinusitis. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2021 , 147, 159-165	3.9	6
29	Feasibility study suggests no impact from protected engagement time on adverse events in mental health wards for older adults. <i>International Journal of Mental Health Nursing</i> , 2018 , 27, 756-764	3.8	5
28	Sequential change detection and monitoring of temporal trends in random-effects meta-analysis. <i>Research Synthesis Methods</i> , 2017 , 8, 220-235	7.2	4
27	The FeSTivaLS trial protocol: a randomized evaluation of the efficacy of functional strength training on enhancing walking and upper limb function later post stroke. <i>International Journal of Stroke</i> , 2013 , 8, 374-82	6.3	4
26	Determinants of Length of Stay Following Total Anterior Circulatory Stroke. <i>Geriatrics (Switzerland)</i> , 2017 , 2,	2.2	4
25	Can Health-care Assistant Training improve the relational care of older people? (CHAT) A development and feasibility study of a complex intervention. <i>Health Services and Delivery Research</i> , 2017 , 5, 1-202	1.5	4

24	Neurostructural and Neurophysiological Correlates of Multiple Sclerosis Physical Fatigue: Systematic Review and Meta-Analysis of Cross-Sectional Studies. <i>Neuropsychology Review</i> , 2021 , 1	7.7	4
23	Recruitment, retention, and training of people with type 2 diabetes as diabetes prevention mentors (DPM) to support a healthcare professional-delivered diabetes prevention program: the Norfolk Diabetes Prevention Study (NDPS). <i>BMJ Open Diabetes Research and Care</i> , 2019 , 7, e000619	4.5	4
22	The mid-term clinical results of the phase 3 Oxford unicompartmental knee arthroplasty: a 6- to 8-year follow-up. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2012 , 22, 307-314	2.2	3
21	Estimating treatment effects in a two-arm parallel trial of a continuous outcome. <i>Statistics in Medicine</i> , 2013 , 32, 941-55	2.3	3
20	Implementing supportive exercise interventions in the colorectal cancer care pathway: a process evaluation of the PREPARE-ABC randomised controlled trial. <i>BMC Cancer</i> , 2021 , 21, 1137	4.8	3
19	Clinical and cost effectiveness of a multi-professional medication reviews in care homes (CAREMED). <i>International Journal of Pharmacy Practice</i> , 2020 , 28, 626-634	1.7	3
18	Neuromechanical Differences Between Successful and Failed Sit-to-Stand Movements and Response to Rehabilitation Early After Stroke. <i>Neurorehabilitation and Neural Repair</i> , 2019 , 33, 395-403	4.7	2
17	Cholesteatoma and family history: An international survey. <i>Clinical Otolaryngology</i> , 2020 , 45, 500-505	1.8	2
16	Service use of older people who participate in primary care health promotion: a latent class analysis. <i>BMC Health Services Research</i> , 2017 , 17, 176	2.9	2
15	Can Healthcare Assistant Training (CHAT) improve the relational care of older people? Study protocol for a pilot cluster randomised controlled trial. <i>Trials</i> , 2015 , 16, 559	2.8	2
14	Long-term outcomes and recurrence patterns in upper gastrointestinal tract gastrointestinal stromal tumours (GISTs) treated by minimally invasive surgery. <i>Digestive Surgery</i> , 2014 , 31, 185-9	2.5	2
13	Randomised controlled trial of the effect, cost and acceptability of a bronchiectasis self-management intervention. <i>Chronic Respiratory Disease</i> , 2020 , 17, 147997312094807	3	2
12	Improving primary care Access in Context and Theory (I-ACT trial): a theory-informed randomised cluster feasibility trial using a realist perspective. <i>Trials</i> , 2019 , 20, 193	2.8	1
11	CAPability: comparison of the JOURNEY II Bi-Cruciate Stabilised and GENESIS II total knee arthroplasty in performance and functional ability: protocol of a randomised controlled trial. <i>Trials</i> , 2020 , 21, 222	2.8	1
10	Morbid RANKIN score strongly predicts in-patient mortality within 90 days in older people in both acute and community care settings independently of FANGG (fracture, acquired neurological deficit or any geriatric giants) and acute illness markers (AIMs). <i>Archives of Gerontology and Geriatrics</i> , 2012 , 54, 439-42	4	1
9	A multidomain decision support tool to prevent falls in older people: the FinCH cluster RCT.. <i>Health Technology Assessment</i> , 2022 , 26, 1-136	4.4	1
8	Psychometric properties of patient reported outcome measures in idiopathic pulmonary fibrosis. <i>Chronic Respiratory Disease</i> , 2021 , 18, 14799731211033925	3	1
7	Cultural Adaptation and Validity of the SniffinSticks Psychophysical Test for the UK Setting. <i>Chemosensory Perception</i> , 2021 , 14, 102	1.2	1

6	Effects of the Norfolk diabetes prevention lifestyle intervention (NDPS) on glycaemic control in screen-detected type 2 diabetes: a randomised controlled trial. <i>BMC Medicine</i> , 2021 , 19, 183	11.4	1
5	A feasibility study to assess the design of a multicentre randomized controlled trial of the clinical and cost-effectiveness of a caregiving intervention for people following hip fracture surgery. <i>Bone & Joint Open</i> , 2021 , 2, 909-920	2.8	0
4	Socioeconomic, comorbidity, lifestyle, and quality of life comparisons between chronic rhinosinusitis phenotypes. <i>Laryngoscope</i> , 2021 , 131, 2179-2186	3.6	0
3	Maximizing Adherence and Gaining New Information For Your Chronic Obstructive Pulmonary Disease (MAGNIFY COPD): Study Protocol for the Pragmatic, Cluster Randomized Trial Evaluating the Impact of Dual Bronchodilator with Add-On Sensor and Electronic Monitoring on Clinical Outcomes. <i>Journal of Pragmatic and Observational Research</i> , 2021 , 12, 25-35	7.4	0
2	Pre- and postoperative prognostic factors for resectable esophageal adenocarcinoma. <i>Surgical Oncology</i> , 2020 , 35, 132-138	2.5	
1	Impact of source data on the interpretation of contrast-enhanced magnetic resonance angiography of the lower limbs. <i>BMC Research Notes</i> , 2014 , 7, 263	2.3	