

# Tracey Jane Turner

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8603650/publications.pdf>

Version: 2024-02-01

167  
papers

9,507  
citations

31976

53  
h-index

43889

91  
g-index

169  
all docs

169  
docs citations

169  
times ranked

2862  
citing authors

| #  | ARTICLE                                                                                                                                                                                                                 | IF  | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1  | <i>Hubble Space Telescope</i> [O <sup>+</sup> ] emission-line kinematics in two nearby QSO2s: a case for X-ray feedback. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 505, 3054-3069.               | 4.4 | 6         |
| 2  | Elucidating the global distribution of reprocessing gas in NGC 1194. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 498, 1983-1991.                                                                   | 4.4 | 2         |
| 3  | Mass outflow of the X-ray emission line gas in NGC 4151. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 493, 3893-3910.                                                                               | 4.4 | 14        |
| 4  | X-ray variability analysis of a large series of <i>XMM-Newton</i> + <i>NuSTAR</i> observations of NGC 3227. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 494, 5056-5074.                            | 4.4 | 8         |
| 5  | <i>Hubble Space Telescope</i> observations of [O <sup>+</sup> ] emission in nearby QSO2s: physical properties of the ionized outflows. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 500, 1491-1504. | 4.4 | 16        |
| 6  | The Accretion History of AGN: A Newly Defined Population of Cold Quasars. <i>Astrophysical Journal</i> , 2020, 900, 5.                                                                                                  | 4.5 | 14        |
| 7  | Dying of the Light: An X-Ray Fading Cold Quasar at $z \approx 0.405$ . <i>Astrophysical Journal</i> , 2020, 903, 106.                                                                                                   | 4.5 | 7         |
| 8  | Accretion History of AGNs. III. Radiative Efficiency and AGN Contribution to Reionization. <i>Astrophysical Journal</i> , 2020, 903, 85.                                                                                | 4.5 | 11        |
| 9  | Mass outflow of the X-ray emission line gas in NGC 4151. <i>Proceedings of the International Astronomical Union</i> , 2019, 15, 131-135.                                                                                | 0.0 | 0         |
| 10 | Hubble Space Telescope Observations of Extended [O III] 5007 Emission in Nearby QSO2s: New Constraints on AGN Host Galaxy Interaction. <i>Astrophysical Journal</i> , 2018, 856, 102.                                   | 4.5 | 70        |
| 11 | A rapid occultation event in NGC 3227. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 481, 2470-2478.                                                                                                 | 4.4 | 25        |
| 12 | Resolving the X-Ray Obscuration in a Low-flux Observation of the Quasar PDS 456. <i>Astrophysical Journal</i> , 2018, 867, 38.                                                                                          | 4.5 | 15        |
| 13 | A new powerful and highly variable disc wind in an AGN star-forming galaxy, the case of MCG-03-58-007. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 479, 3592-3603.                                 | 4.4 | 25        |
| 14 | On the nature of the high-energy rollover in 1H 0419-577. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 476, 1258-1270.                                                                              | 4.4 | 8         |
| 15 | High-resolution X-Ray Spectroscopy of the Seyfert 1 Galaxy Mrk 1040. Revealing the Failed Nuclear Wind with Chandra. <i>Astrophysical Journal</i> , 2017, 837, 23.                                                      | 4.5 | 4         |
| 16 | Measuring light echoes in NGC 4051. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 467, 3924-3933.                                                                                                    | 4.4 | 9         |
| 17 | DISCOVERY OF BROAD SOFT X-RAY ABSORPTION LINES FROM THE QUASAR WIND IN PDS 456. <i>Astrophysical Journal</i> , 2016, 824, 20.                                                                                           | 4.5 | 30        |
| 18 | THE GLOBAL IMPLICATIONS OF THE HARD EXCESS. II. ANALYSIS OF THE LOCAL POPULATION OF RADIO-QUIET AGNs. <i>Astrophysical Journal</i> , 2016, 818, 12.                                                                     | 4.5 | 1         |

| #  | ARTICLE                                                                                                                                                                                                       | IF   | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 19 | A DEEP X-RAY VIEW OF THE BARE AGN ARK 120. I. REVEALING THE SOFT X-RAY LINE EMISSION. <i>Astrophysical Journal</i> , 2016, 828, 98.                                                                           | 4.5  | 23        |
| 20 | No signatures of black hole spin in the X-ray spectrum of the Seyfert 1 galaxy Fairall 9. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 462, 4038-4054.                                    | 4.4  | 14        |
| 21 | NEW INSIGHTS INTO THE SPECTRAL VARIABILITY AND PHYSICAL CONDITIONS OF THE X-RAY ABSORBERS IN NGC 4151. <i>Astrophysical Journal</i> , 2016, 833, 191.                                                         | 4.5  | 15        |
| 22 | A Compton-thin solution for the <i>Suzaku</i> X-ray spectrum of the Seyfert 2 galaxy Mkn 3. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 454, 973-990.                                    | 4.4  | 36        |
| 23 | The <i>Suzaku</i> view of highly ionized outflows in AGN " II. Location, energetics and scalings with bolometric luminosity. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 451, 4169-4182. | 4.4  | 112       |
| 24 | PHYSICAL CONDITIONS IN THE X-RAY EMISSION-LINE GAS IN NGC 1068. <i>Astrophysical Journal</i> , 2015, 798, 53.                                                                                                 | 4.5  | 17        |
| 25 | Black hole feedback in the luminous quasar PDS 456. <i>Science</i> , 2015, 347, 860-863.                                                                                                                      | 12.6 | 194       |
| 26 | Revealing a hard X-ray spectral component that reverberates within one light hour of the central supermassive black hole in Ark 564. <i>Astronomy and Astrophysics</i> , 2015, 577, A8.                       | 5.1  | 11        |
| 27 | LONG-TERM X-RAY STABILITY AND ULTRAVIOLET VARIABILITY OF THE IONIZED ABSORPTION IN NGC 3783. <i>Astrophysical Journal</i> , 2014, 797, 105.                                                                   | 4.5  | 13        |
| 28 | The variable ionized absorber in the Seyfert 2 Mrk 348. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 437, 2806-2815.                                                                      | 4.4  | 5         |
| 29 | REVEALING THE LOCATION AND STRUCTURE OF THE ACCRETION DISK WIND IN PDS 456. <i>Astrophysical Journal</i> , 2014, 784, 77.                                                                                     | 4.5  | 33        |
| 30 | DETERMINING INCLINATIONS OF ACTIVE GALACTIC NUCLEI VIA THEIR NARROW-LINE REGION KINEMATICS. II. CORRELATION WITH OBSERVED PROPERTIES. <i>Astrophysical Journal</i> , 2014, 785, 25.                           | 4.5  | 33        |
| 31 | VARIABILITY OF THE HIGH-VELOCITY OUTFLOW IN THE QUASAR PDS 456. <i>Astrophysical Journal</i> , 2014, 780, 45.                                                                                                 | 4.5  | 33        |
| 32 | THE GLOBAL IMPLICATIONS OF THE HARD X-RAY EXCESS IN TYPE 1 ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2013, 762, 80.                                                                              | 4.5  | 30        |
| 33 | Decoupling absorption and continuum variability in the Seyfert 2 NGC 4507. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 428, 2516-2528.                                                   | 4.4  | 19        |
| 34 | THE HARD X-RAY SPECTRUM OF NGC 1365: SCATTERED LIGHT, NOT BLACK HOLE SPIN. <i>Astrophysical Journal Letters</i> , 2013, 773, L5.                                                                              | 8.3  | 20        |
| 35 | A HIGH RESOLUTION VIEW OF THE WARM ABSORBER IN THE QUASAR MR 2251-178. <i>Astrophysical Journal</i> , 2013, 776, 99.                                                                                          | 4.5  | 31        |
| 36 | X-ray signatures of circumnuclear gas in AGN. , 2012, , .                                                                                                                                                     |      | 0         |

| #  | ARTICLE                                                                                                                                                                                                         | IF  | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | DIRECT MEASUREMENT OF THE X-RAY TIME-DELAY TRANSFER FUNCTION IN ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2012, 760, 73.                                                                           | 4.5 | 32        |
| 38 | OBSERVATIONS OF OUTFLOWING ULTRAVIOLET ABSORBERS IN NGC 4051 WITH THE COSMIC ORIGINS SPECTROGRAPH. <i>Astrophysical Journal</i> , 2012, 751, 84.                                                                | 4.5 | 12        |
| 39 | MODELING THE Fe K LINE PROFILES IN TYPE I ACTIVE GALACTIC NUCLEI WITH A COMPTON-THICK DISK WIND. <i>Astrophysical Journal</i> , 2012, 752, 94.                                                                  | 4.5 | 35        |
| 40 | Synthetic X-ray spectra for simulations of the dynamics of an accretion flow irradiated by a quasar. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 426, 2859-2869.                           | 4.4 | 20        |
| 41 | X-RAY CHARACTERISTICS OF NGC 3516: A VIEW THROUGH THE COMPLEX ABSORBER. <i>Astrophysical Journal</i> , 2011, 733, 48.                                                                                           | 4.5 | 47        |
| 42 | Contemporaneous Chandra HETG and Suzaku X-ray observations of NGC 4051. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011, 414, 1965-1986.                                                        | 4.4 | 40        |
| 43 | A broad-band X-ray view of the warm absorber in radio-quiet quasar MRâ€f2251âˆ²178. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011, 414, 3307-3321.                                            | 4.4 | 26        |
| 44 | A MULTI-WAVELENGTH STUDY OF THE NATURE OF TYPE 1.8/1.9 SEYFERT GALAXIES. <i>Astrophysical Journal</i> , 2010, 725, 1749-1767.                                                                                   | 4.5 | 50        |
| 45 | COSMIC-RAY SPALLATION IN RADIO-QUIET ACTIVE GALACTIC NUCLEI: A CASE STUDY OF NGC 4051. <i>Astrophysical Journal</i> , 2010, 709, 1230-1237.                                                                     | 4.5 | 10        |
| 46 | SIGNIFICANT X-RAY LINE EMISSION IN THE 5-6 keV BAND OF NGC 4051. <i>Astrophysical Journal</i> , 2010, 712, 209-217.                                                                                             | 4.5 | 10        |
| 47 | REMARKABLE SPECTRAL VARIABILITY OF PDS 456. <i>Astrophysical Journal</i> , 2010, 712, 26-37.                                                                                                                    | 4.5 | 22        |
| 48 | Multidimensional modelling of X-ray spectra for AGN accretion disc outflows - III. Application to a hydrodynamical simulation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, 408, 1396-1408. | 4.4 | 107       |
| 49 | X-ray reverberation in 1Hâ€f0707âˆ²495 revisited. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, 408, 1928-1935.                                                                              | 4.4 | 78        |
| 50 | Spectral variability and reverberation time delays in the<i>Suzaku</i> X-ray spectrum of NGC 4051. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, 403, 196-210.                               | 4.4 | 62        |
| 51 | Multidimensional modelling of X-ray spectra for AGN accretion disc outflows - II. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, , .                                                          | 4.4 | 32        |
| 52 | On the efficiency of production of the Fe KâŽš emission line in neutral matter. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, 401, 411-417.                                                  | 4.4 | 58        |
| 53 | A COMPTON-THICK WIND IN THE HIGH-LUMINOSITY QUASAR, PDS 456. <i>Astrophysical Journal</i> , 2009, 701, 493-507.                                                                                                 | 4.5 | 150       |
| 54 | <i>SUZAKU</i> OBSERVATION OF A HARD EXCESS IN 1H 0419 â€“ 577: DETECTION OF A COMPTON-THICK PARTIAL-COVERING ABSORBER. <i>Astrophysical Journal</i> , 2009, 698, 99-105.                                        | 4.5 | 53        |

| #  | ARTICLE                                                                                                                                                                                            | IF   | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 55 | X-ray absorption and reflection in active galactic nuclei. <i>Astronomy and Astrophysics Review</i> , 2009, 17, 47-104.                                                                            | 25.5 | 147       |
| 56 | The absorption-dominated model for the X-ray spectra of type I active galaxies: MCG 6-30-15. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2009, 399, L69-L73.               | 3.3  | 56        |
| 57 | Fourier-resolved energy spectra of the Narrow-Line Seyfert 1 Mkn 766. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008, 387, 279-288.                                               | 4.4  | 14        |
| 58 | Multidimensional modelling of X-ray spectra for AGN accretion disc outflows. <i>Monthly Notices of the Royal Astronomical Society</i> , 2008, 388, 611-624.                                        | 4.4  | 84        |
| 59 | Tracing a disk wind in NGC 3516. <i>Astronomy and Astrophysics</i> , 2008, 483, 161-169.                                                                                                           | 5.1  | 69        |
| 60 | An absorption origin for the X-ray spectral variability of MCG 6-30-15. <i>Astronomy and Astrophysics</i> , 2008, 483, 437-452.                                                                    | 5.1  | 163       |
| 61 | Spitzer IRS Observations of Seyfert 1.8 and 1.9 Galaxies: A Comparison with Seyfert 1 and Seyfert 2. <i>Astrophysical Journal</i> , 2007, 671, 124-135.                                            | 4.5  | 63        |
| 62 | Relativistic Iron K Emission and Absorption in the Seyfert 1.9 Galaxy MCG 5-23-16. <i>Astrophysical Journal</i> , 2007, 670, 978-991.                                                              | 4.5  | 68        |
| 63 | The variable X-ray spectrum of Markarian 766. <i>Astronomy and Astrophysics</i> , 2007, 463, 131-143.                                                                                              | 5.1  | 89        |
| 64 | The variable X-ray spectrum of Markarian 766. <i>Astronomy and Astrophysics</i> , 2007, 475, 121-131.                                                                                              | 5.1  | 64        |
| 65 | The Energy-dependent X-ray Timing Characteristics of the Narrow-Line Seyfert 1 Mrk 766. <i>Astrophysical Journal</i> , 2007, 656, 116-128.                                                         | 4.5  | 35        |
| 66 | A Photoionization Model for the Soft X-ray Spectrum of NGC 4151. <i>Astrophysical Journal</i> , 2007, 665, 237-246.                                                                                | 4.5  | 31        |
| 67 | A Cloudy/XSPEC Interface. <i>Publications of the Astronomical Society of the Pacific</i> , 2006, 118, 920-923.                                                                                     | 3.1  | 20        |
| 68 | Evidence for orbital motion of material close to the central black hole of Mrk 766. <i>Astronomy and Astrophysics</i> , 2006, 445, 59-67.                                                          | 5.1  | 57        |
| 69 | Simultaneous Ultraviolet and X-ray Observations of the Seyfert Galaxy NGC 4151. II. Physical Conditions in the UV Absorbers. <i>Astrophysical Journal, Supplement Series</i> , 2006, 167, 161-176. | 7.7  | 40        |
| 70 | An XMM-Newton survey of broad iron lines in AGN. <i>Astronomische Nachrichten</i> , 2006, 327, 1039-1042.                                                                                          | 1.2  | 15        |
| 71 | The iron emission line complex of MCG-5-23-16: the long XMMNewton look. <i>Astronomische Nachrichten</i> , 2006, 327, 1067-1070.                                                                   | 1.2  | 4         |
| 72 | Variable iron-line emission near the black hole of Markarian 766. <i>Astronomy and Astrophysics</i> , 2006, 453, L13-L16.                                                                          | 5.1  | 33        |

| #  | ARTICLE                                                                                                                                                                                         | IF  | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | The Ionized Gas and Nuclear Environment in NGC 3783. V. Variability and Modeling of the Intrinsic Ultraviolet Absorption. <i>Astrophysical Journal</i> , 2005, 631, 741-761.                    | 4.5 | 82        |
| 74 | XMM-Newton Spectroscopy of the Starburst-Dominated Ultraluminous Infrared Galaxy NGC 6240. <i>Astrophysical Journal</i> , 2005, 629, 739-749.                                                   | 4.5 | 29        |
| 75 | Evidence for Gravitational Infall of Matter onto the Supermassive Black Hole in the Quasar PG 1211+143?. <i>Astrophysical Journal</i> , 2005, 633, L81-L84.                                     | 4.5 | 24        |
| 76 | Simultaneous Ultraviolet and X-Ray Observations of Seyfert Galaxy NGC 4151. I. Physical Conditions in the X-Ray Absorbers. <i>Astrophysical Journal</i> , 2005, 633, 693-705.                   | 4.5 | 75        |
| 77 | The relationship between X-ray variability amplitude and black hole mass in active galactic nuclei. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005, 358, 1405-1416.            | 4.4 | 88        |
| 78 | Simultaneous X-ray and UV spectroscopy of the Seyfert galaxy NGC 5548. <i>Astronomy and Astrophysics</i> , 2005, 434, 569-584.                                                                  | 5.1 | 134       |
| 79 | Complex X-Ray Absorption and the Fe K $\pm$ Profile in NGC 3516. <i>Astrophysical Journal</i> , 2005, 618, 155-166.                                                                             | 4.5 | 69        |
| 80 | The XMM-Newton Iron Line Profile of NGC 3783. <i>Astrophysical Journal</i> , 2004, 602, 648-658.                                                                                                | 4.5 | 117       |
| 81 | The Spectral Energy Distribution and Emission-Line Properties of the Narrow-Line Seyfert 1 Galaxy Arakelian 564. <i>Astrophysical Journal</i> , 2004, 602, 635-647.                             | 4.5 | 37        |
| 82 | Transient Relativistically Shifted Lines as a Probe of Black Hole Systems. <i>Astrophysical Journal</i> , 2004, 603, 62-66.                                                                     | 4.5 | 43        |
| 83 | An Extreme, Blueshifted Iron-Line Profile in the Narrow-Line Seyfert 1 PG 1402+261: An Edge-on Accretion Disk or Highly Ionized Absorption?. <i>Astrophysical Journal</i> , 2004, 615, 150-155. | 4.5 | 11        |
| 84 | The Properties and Evolution of the Highly Ionized Gas in MR 2251 $\alpha$ 178. <i>Astrophysical Journal</i> , 2004, 611, 68-80.                                                                | 4.5 | 42        |
| 85 | High-Resolution Ultraviolet Spectra of the Dwarf Seyfert 1 Galaxy NGC 4395: Evidence for Intrinsic Absorption. <i>Astrophysical Journal</i> , 2004, 612, 152-158.                               | 4.5 | 15        |
| 86 | Elemental Abundances in NGC 3516. <i>Astrophysical Journal</i> , 2003, 594, 128-135.                                                                                                            | 4.5 | 18        |
| 87 | The Kinematics and Physical Conditions of the Ionized Gas in NGC 4593 from Chandra High-Energy Grating Spectroscopy. <i>Astrophysical Journal</i> , 2003, 593, 142-159.                         | 4.5 | 30        |
| 88 | The Ionized Gas and Nuclear Environment in NGC 3783. III. Detection of a Decreasing Radial Velocity in an Intrinsic Ultraviolet Absorber. <i>Astrophysical Journal</i> , 2003, 595, 120-126.    | 4.5 | 46        |
| 89 | Fxv and Fxvi Diagnostics of the Black Hole and Accretion Disk in Active Galaxies: Chandra Time-Resolved Grating Spectroscopy of NGC 7314. <i>Astrophysical Journal</i> , 2003, 596, 85-104.     | 4.5 | 71        |
| 90 | XMM-Newton Observation of Fe K $\pm$ Emission from a Broad Absorption Line Quasar: Markarian 231. <i>Astrophysical Journal</i> , 2003, 598, 916-921.                                            | 4.5 | 7         |

| #   | ARTICLE                                                                                                                                                                                              | IF  | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 91  | Simultaneous Ultraviolet and X-Ray Spectroscopy of the Seyfert 1 Galaxy NGC 5548. I. Physical Conditions in the Ultraviolet Absorbers. <i>Astrophysical Journal</i> , 2003, 594, 116-127.            | 4.5 | 46        |
| 92  | The Ionized Gas and Nuclear Environment in NGC 3783. IV. Variability and Modeling of the 900 Kilosecond Chandra Spectrum. <i>Astrophysical Journal</i> , 2003, 599, 933-948.                         | 4.5 | 164       |
| 93  | SHEEP: The Search for the High-Energy Extragalactic Population. <i>Astrophysical Journal</i> , 2003, 582, 615-632.                                                                                   | 4.5 | 11        |
| 94  | The Ionized Gas and Nuclear Environment in NGC 3783. II. Averaged Hubble Space Telescope/STIS and Far Ultraviolet Spectroscopic Explorer Spectra. <i>Astrophysical Journal</i> , 2003, 583, 178-191. | 4.5 | 76        |
| 95  | The Kinematics and Physical Conditions of the Ionized Gas in Markarian 509. II. STIS Echelle Observations. <i>Astrophysical Journal</i> , 2003, 582, 125-132.                                        | 4.5 | 30        |
| 96  | The Ionized Gas and Nuclear Environment in NGC 3783. I. Time-Averaged 900 Kilosecond Chandra Grating Spectroscopy. <i>Astrophysical Journal</i> , 2002, 574, 643-662.                                | 4.5 | 271       |
| 97  | A 12 Day ASCA Observation of the Narrow-Line Seyfert 1 Galaxy Ton S180: Time-Selected Spectroscopy. <i>Astrophysical Journal</i> , 2002, 564, 162-175.                                               | 4.5 | 18        |
| 98  | Variable Ultraviolet Absorption in the Seyfert 1 Galaxy NGC 3516: The Case for Associated Ultraviolet and X-Ray Absorption. <i>Astrophysical Journal</i> , 2002, 577, 98-113.                        | 4.5 | 50        |
| 99  | X-Ray Spectral Variability and Rapid Variability of the Soft X-Ray Spectrum Seyfert 1 Galaxies Arakelian 564 and Ton S180. <i>Astrophysical Journal</i> , 2002, 568, 610-626.                        | 4.5 | 343       |
| 100 | Reddening, Emission-Line, and Intrinsic Absorption Properties in the Narrow-Line Seyfert 1 Galaxy Arakelian 564. <i>Astrophysical Journal</i> , 2002, 566, 187-194.                                  | 4.5 | 49        |
| 101 | The Spectral Energy Distribution of the Seyfert Galaxy Ton S180. <i>Astrophysical Journal</i> , 2002, 568, 120-132.                                                                                  | 4.5 | 27        |
| 102 | The Density and Location of the X-Ray-absorbing Gas in NGC 3516. <i>Astrophysical Journal</i> , 2002, 571, 256-264.                                                                                  | 4.5 | 56        |
| 103 | The Detection of Circumnuclear X-Ray Emission from the Seyfert Galaxy NGC 3516. <i>Astrophysical Journal</i> , 2002, 571, 265-271.                                                                   | 4.5 | 9         |
| 104 | Narrow Components within the F[O III] Profile of NGC 3516: Evidence of the Importance of General Relativistic Effects?. <i>Astrophysical Journal</i> , 2002, 574, L123-L127.                         | 4.5 | 118       |
| 105 | X-Ray Emission from the Nucleus of the Dwarf Elliptical Galaxy NGC 3226. <i>Astrophysical Journal</i> , 2001, 559, 167-172.                                                                          | 4.5 | 13        |
| 106 | Physical Diagnostics from a Narrow Fe K $\alpha$ Emission Line Detected by Chandra in the Seyfert 1 Galaxy NGC 5548. <i>Astrophysical Journal</i> , 2001, 546, 759-768.                              | 4.5 | 139       |
| 107 | [Chandra] Grating Spectroscopy of the Seyfert Galaxy Ton S180. <i>Astrophysical Journal</i> , 2001, 548, L13-L16.                                                                                    | 4.5 | 35        |
| 108 | Multiwavelength Monitoring of the Narrow-Line Seyfert 1 Galaxy Arakelian 564. III. Optical Observations and the Optical-UV-X-Ray Connection. <i>Astrophysical Journal</i> , 2001, 561, 162-170.      | 4.5 | 58        |

| #   | ARTICLE                                                                                                                                                                                                     | IF  | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 109 | Temporal and Spatial Gain Corrections for the ROSAT PSPC. <i>Astrophysical Journal, Supplement Series</i> , 2001, 132, 107-115.                                                                             | 7.7 | 4         |
| 110 | Multiwavelength Monitoring of the Narrow-Line Seyfert 1 Galaxy Arakelian 564. I. ASCA Observations and the Variability of the X-Ray Spectral Components. <i>Astrophysical Journal</i> , 2001, 561, 131-145. | 4.5 | 65        |
| 111 | Multiwavelength Monitoring of the Narrow-Line Seyfert 1 Galaxy Arakelian 564. II. Ultraviolet Continuum and Emission-Line Variability. <i>Astrophysical Journal</i> , 2001, 561, 146-161.                   | 4.5 | 62        |
| 112 | The Origin of the X-Ray and Ultraviolet Emission in NGC 7469. <i>Astrophysical Journal</i> , 2000, 544, 734-746.                                                                                            | 4.5 | 110       |
| 113 | On the Reddening in X-Ray-absorbed Seyfert 1 Galaxies. <i>Astrophysical Journal</i> , 2000, 535, 53-57.                                                                                                     | 4.5 | 23        |
| 114 | BeppoSAX Observation of NGC 7582: Constraints on the X-Ray Absorber. <i>Astrophysical Journal</i> , 2000, 531, 245-256.                                                                                     | 4.5 | 41        |
| 115 | X-Ray Observations of Optically Selected, Radio-quiet Quasars. I. The ASCA Results. <i>Astrophysical Journal</i> , 2000, 531, 52-80.                                                                        | 4.5 | 171       |
| 116 | Are there any Type 2 QSOs? The case of AXJ0341.4-4453. <i>Monthly Notices of the Royal Astronomical Society</i> , 1999, 307, L47-L50.                                                                       | 4.4 | 33        |
| 117 | X-Ray Observations of the Seyfert Galaxy LB 1727 (1H 0419+577). <i>Astrophysical Journal</i> , 1999, 510, 178-187.                                                                                          | 4.5 | 21        |
| 118 | X-Ray Observations of Markarian 231. <i>Astrophysical Journal</i> , 1999, 511, 142-148.                                                                                                                     | 4.5 | 24        |
| 119 | The Effect of Intrinsic Ultraviolet Absorbers on the Ionizing Continuum and Narrow Emission Line Ratios in Seyfert Galaxies. <i>Astrophysical Journal</i> , 1999, 519, 69-79.                               | 4.5 | 16        |
| 120 | On X-Ray Variability in Seyfert Galaxies. <i>Astrophysical Journal</i> , 1999, 524, 667-673.                                                                                                                | 4.5 | 143       |
| 121 | Arakelian 564: An Unusual Component in the X-Ray Spectra of Narrow-Line Seyfert 1 Galaxies. <i>Astrophysical Journal</i> , 1999, 526, 52-59.                                                                | 4.5 | 35        |
| 122 | The Properties of the Relativistic Iron K-Line in NGC 3516. <i>Astrophysical Journal</i> , 1999, 523, L17-L20.                                                                                              | 4.5 | 114       |
| 123 | A Highly Doppler Blueshifted F[O III] K Emission Line in the High-Redshift QSO PKS 2149+306. <i>Astrophysical Journal</i> , 1999, 525, L9-L12.                                                              | 4.5 | 30        |
| 124 | A Peculiar Emission-Line Feature in the X-Ray Spectrum of the Quasar PKS 0637+752. <i>Astrophysical Journal</i> , 1998, 505, L87-L90.                                                                       | 4.5 | 25        |
| 125 | New Constraints on the Continuum Emission Mechanism of Active Galactic Nuclei: Intensive Monitoring of NGC 7469 in the X-Ray and Ultraviolet. <i>Astrophysical Journal</i> , 1998, 505, 594-606.            | 4.5 | 92        |
| 126 | X-Ray Signatures of an Ionized Reprocessor in the Seyfert Galaxy Ton S180. <i>Astrophysical Journal</i> , 1998, 508, 648-656.                                                                               | 4.5 | 41        |



| #   | ARTICLE                                                                                                                                                                                                                                          | IF  | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 127 | Steps toward Determination of the Size and Structure of the Broadâ€šLine Region in Active Galactic Nuclei. XIII. Ultraviolet Observations of the Broadâ€šLine Radio Galaxy 3C 390.3. <i>Astrophysical Journal</i> , 1998, 509, 163-176.          | 4.5 | 84        |
| 128 | ASCA Observations of Type 2 Seyfert Galaxies. III. Orientation and Xâ€šRay Absorption. <i>Astrophysical Journal</i> , 1998, 493, 91-101.                                                                                                         | 4.5 | 54        |
| 129 | ASCA Observations of the Ionized Gas in the Seyfert Galaxy NGC 3783. <i>Astrophysical Journal</i> , 1998, 503, 174-185.                                                                                                                          | 4.5 | 39        |
| 130 | The Soft Xâ€šRay Spectrum of Scatteringâ€šdominated Active Galactic Nuclei. <i>Astrophysical Journal</i> , 1998, 504, 680-692.                                                                                                                   | 4.5 | 39        |
| 131 | The Xâ€šRay Spectral Variability of the Seyfert Galaxy NGC 3227. <i>Astrophysical Journal</i> , 1998, 509, 146-162.                                                                                                                              | 4.5 | 31        |
| 132 | ASCA Observations of Seyfert 1 Galaxies. III. The Evidence for Absorption and Emission Due to Photoionized Gas. <i>Astrophysical Journal, Supplement Series</i> , 1998, 114, 73-120.                                                             | 7.7 | 304       |
| 133 | Variability of the iron K emission line in the Seyfert 1 galaxy NGC 3516. <i>Monthly Notices of the Royal Astronomical Society</i> , 1997, 284, L7-L10.                                                                                          | 4.4 | 21        |
| 134 | ASCA Observations of Seyfert 1 Galaxies. I. Data Analysis, Imaging, and Timing. <i>Astrophysical Journal</i> , 1997, 476, 70-82.                                                                                                                 | 4.5 | 400       |
| 135 | ASCA Observations of Seyfert 1 Galaxies. II. Relativistic Iron K $\pm$ Emission. <i>Astrophysical Journal</i> , 1997, 477, 602-622.                                                                                                              | 4.5 | 507       |
| 136 | ASCA Observations of Type 2 Seyfert Galaxies. I. Data Analysis Results. <i>Astrophysical Journal, Supplement Series</i> , 1997, 113, 23-67.                                                                                                      | 7.7 | 287       |
| 137 | An Xâ€šRay Absorption Feature in the BL Lacertae Object H1426+428. <i>Astrophysical Journal</i> , 1997, 483, 774-782.                                                                                                                            | 4.5 | 27        |
| 138 | ASCA Observations of Type 2 Seyfert Galaxies. II. The Importance of Xâ€šRay Scattering and Reflection. <i>Astrophysical Journal</i> , 1997, 488, 164-173.                                                                                        | 4.5 | 131       |
| 139 | On the Dependence of the Iron K-Line Profiles with Luminosity in Active Galactic Nuclei. <i>Astrophysical Journal</i> , 1997, 488, L91-L94.                                                                                                      | 4.5 | 135       |
| 140 | Reprocessing Models and the ASCA Spectrum of Mkn 290. <i>International Astronomical Union Colloquium</i> , 1997, 159, 244-245.                                                                                                                   | 0.1 | 0         |
| 141 | Deconvolution of the Xâ€šRay Emission and Absorption Components in Centaurus A. <i>Astrophysical Journal</i> , 1997, 475, 118-133.                                                                                                               | 4.5 | 55        |
| 142 | Soft Xâ€šRay Lines and Gas Composition in NGC 1068. <i>Astrophysical Journal</i> , 1997, 488, 694-701.                                                                                                                                           | 4.5 | 26        |
| 143 | Evidence of Absorption Due to Highly Ionized Gas in the Radioâ€šquiet Quasar PG 1114+445. <i>Astrophysical Journal</i> , 1997, 491, 508-514.                                                                                                     | 4.5 | 16        |
| 144 | Steps toward Determination of the Size and Structure of the Broadâ€šLine Region in Active Galactic Nuclei. XI. Intensive Monitoring of the Ultraviolet Spectrum of NGC 7469. <i>Astrophysical Journal, Supplement Series</i> , 1997, 113, 69-88. | 7.7 | 143       |

| #   | ARTICLE                                                                                                                                                                                                                | IF  | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 145 | The X-Ray Spectrum of the BL Lacertae Object EXO 055625-3838.6. <i>Astrophysical Journal</i> , 1996, 461, 198.                                                                                                         | 4.5 | 2         |
| 146 | Reprocessing Models and the Advanced Satellite for Cosmology and Astrophysics Spectrum of Markarian 290. <i>Astrophysical Journal</i> , 1996, 472, 571-581.                                                            | 4.5 | 8         |
| 147 | Discovery of Rapid Variability of the Iron K-Line Profile in the Seyfert Galaxy NGC 7314. <i>Astrophysical Journal</i> , 1996, 470, L27-L30.                                                                           | 4.5 | 46        |
| 148 | Soft X-ray and ultraviolet observations of MRK 841: implications for the blue bump. <i>Monthly Notices of the Royal Astronomical Society</i> , 1995, 273, 85-92.                                                       | 4.4 | 14        |
| 149 | ASCA and ROSAT observations of NRAO 140 and IX Persei. <i>Astrophysical Journal</i> , 1995, 445, 660.                                                                                                                  | 4.5 | 8         |
| 150 | The discovery of an O VII emission line in the ASCA spectrum of the Seyfert galaxy NGC 3783. <i>Astrophysical Journal</i> , 1995, 438, L67.                                                                            | 4.5 | 33        |
| 151 | X-ray color analysis of the spectra of active galactic nuclei. <i>Astrophysical Journal</i> , 1994, 435, 106.                                                                                                          | 4.5 | 13        |
| 152 | The broad-band X-ray spectral variability of Mrk 841. <i>Monthly Notices of the Royal Astronomical Society</i> , 1993, 260, 111-120.                                                                                   | 4.4 | 15        |
| 153 | BBXRT and GINGA observations of the Seyfert 1 galaxy Markarian 335. <i>Astrophysical Journal</i> , 1993, 407, 556.                                                                                                     | 4.5 | 18        |
| 154 | ROSAT Position Sensitive Proportional Counter spectra of six Seyfert 1 galaxies. <i>Astrophysical Journal</i> , 1993, 412, 72.                                                                                         | 4.5 | 38        |
| 155 | Position Sensitive Proportional Counter Soft X-Ray Observations of Seyfert 2 Galaxies. <i>Astrophysical Journal</i> , 1993, 418, 653.                                                                                  | 4.5 | 29        |
| 156 | X-Ray Observations of the Warm Absorber in NGC 3783. <i>Astrophysical Journal</i> , 1993, 419, 127.                                                                                                                    | 4.5 | 50        |
| 157 | Evidence for an ionized reprocessor in NGC 6814. <i>Astrophysical Journal</i> , 1992, 391, 102.                                                                                                                        | 4.5 | 19        |
| 158 | Steps toward determination of the size and structure of the broad-line region in active galactic nuclei. III - Further observations of NGC 5548 at optical wavelengths. <i>Astrophysical Journal</i> , 1992, 392, 470. | 4.5 | 42        |
| 159 | The X-ray variability of NGC 6814 - Power spectrum. <i>Astrophysical Journal</i> , 1992, 400, 138.                                                                                                                     | 4.5 | 59        |
| 160 | Einstein Observatory SSS and MPC observations of the complex X-ray spectra of Seyfert galaxies. <i>Astrophysical Journal</i> , 1991, 381, 85.                                                                          | 4.5 | 55        |
| 161 | The EXOSAT spectral survey of AGN. <i>Monthly Notices of the Royal Astronomical Society</i> , 1989, 240, 833-880.                                                                                                      | 4.4 | 306       |
| 162 | Variability of the soft excess in the Seyfert I galaxy Mkn 335. <i>Monthly Notices of the Royal Astronomical Society</i> , 1988, 232, 463-471.                                                                         | 4.4 | 33        |

| #   | ARTICLE                                                                                                                                                      | IF  | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 163 | Variable low-energy absorption in the X-ray spectrum of ESO 103-G35. Monthly Notices of the Royal Astronomical Society, 1988, 231, 1145-1152.                | 4.4 | 17        |
| 164 | Discovery of a strong soft X-ray excess in Mkn 335 - evidence for an accretion disc?. Monthly Notices of the Royal Astronomical Society, 1987, 224, 443-452. | 4.4 | 37        |
| 165 | Dramatic X-ray variability in the narrow emission line galaxy NGC 7314. Monthly Notices of the Royal Astronomical Society, 1987, 226, 9P-13P.                | 4.4 | 14        |
| 166 | Rapid X-ray variability of the Seyfert galaxy MCG-6-30-15. Monthly Notices of the Royal Astronomical Society, 1986, 221, 7P-12P.                             | 4.4 | 25        |
| 167 | Evidence for a truncated accretion disc in the low-luminosity Seyfert galaxy, NGC 7213?. Monthly Notices of the Royal Astronomical Society, 0, 408, 551-564. | 4.4 | 26        |