

Nicholas G White

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8605499/nicholas-g-white-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78 papers	2,435 citations	28 h-index	48 g-index
96 ext. papers	2,747 ext. citations	6.4 avg, IF	5.52 L-index

#	Paper	IF	Citations
78	Amidinium-carboxylate frameworks: predictable, robust, water-stable hydrogen bonded materials. <i>Chemical Communications</i> , 2021 , 57, 10998-11008	5.8	2
77	What's in an Atom? A Comparison of Carbon and Silicon-Centred Amidinium-Carboxylate Frameworks*. <i>Chemistry - A European Journal</i> , 2021 , 27, 1768-1776	4.8	2
76	Simple acyclic molecules containing a single charge-assisted O-H group can recognize anions in acetonitrile : water mixtures. <i>Organic and Biomolecular Chemistry</i> , 2021 , 19, 2794-2803	3.9	0
75	Iron-based energy storage materials from carbon dioxide and scrap metal. <i>Materials Advances</i> , 2021 , 2, 292-302	3.3	
74	An Investigation of Five Component [3+2] Self-Assembled Cage Formation Using Amidinium-Carboxylate Hydrogen Bonds*, <i>Australian Journal of Chemistry</i> , 2021 ,	1.2	3
73	Monolayer nanosheets formed by liquid exfoliation of charge-assisted hydrogen-bonded frameworks. <i>Chemical Science</i> , 2021 , 12, 3322-3327	9.4	13
72	Anion Templated Supramolecular Structures Assembled using 1,2,3-Triazole and Triazolium motifs. <i>Chemistry - an Asian Journal</i> , 2021 , 16, 575-587	4.5	5
71	Room Temperature Hydrolysis of Benzamidines and Benzamidiniums in Weakly Basic Water. <i>Journal of Organic Chemistry</i> , 2021 , 86, 13762-13767	4.2	2
70	A new halogen bonding 1,2-iodo-triazolium-triazole benzene motif for anion recognition. <i>Polyhedron</i> , 2021 , 209, 115482	2.7	1
69	Recognition and applications of anion-anion dimers based on anti-electrostatic hydrogen bonds (AEHBs). <i>Chemical Society Reviews</i> , 2020 , 49, 7893-7906	58.5	31
68	Anion templated crystal engineering of halogen bonding tripodal tris(halopyridinium) compounds. <i>CrystEngComm</i> , 2020 , 22, 2526-2536	3.3	7
67	Recent advances in self-assembled amidinium and guanidinium frameworks. <i>Dalton Transactions</i> , 2019 , 48, 7062-7068	4.3	22
66	Hydrogen Bonding Guests Direct the Packing of a Small Organic Cage Molecule. <i>Crystal Growth and Design</i> , 2019 , 19, 4121-4126	3.5	3
65	Host-guest interactions of catechol and 4-ethylcatechol with surface-immobilized blue-box molecules. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 12713-12722	13	1
64	Anion coordination chemistry using O-H groups. <i>Chemical Society Reviews</i> , 2019 , 48, 2596-2614	58.5	23
63	Easily-prepared Hydroxy-containing Receptors Recognize Anions in Aqueous Media. <i>Chemistry - an Asian Journal</i> , 2019 , 14, 1271-1277	4.5	2
62	Enzyme Encapsulation in a Porous Hydrogen-Bonded Organic Framework. <i>Journal of the American Chemical Society</i> , 2019 , 141, 14298-14305	16.4	78

61	Open Penttiptycene Networks Assembled through Charge-Assisted Hydrogen Bonds. <i>Crystal Growth and Design</i> , 2019 , 19, 4829-4835	3.5	9
60	Antielectrostatically hydrogen bonded anion dimers: counter-intuitive, common and consistent. <i>CrystEngComm</i> , 2019 , 21, 4855-4858	3.3	22
59	Molecular Tectonics: A Node-and-Linker Building Block Approach to a Family of Hydrogen-Bonded Frameworks. <i>Chemistry - A European Journal</i> , 2019 , 25, 10006-10012	4.8	29
58	A three dimensional hydrogen bonded organic framework assembled through antielectrostatic hydrogen bonds. <i>Chemical Communications</i> , 2019 , 55, 12020-12023	5.8	19
57	A Rapid and Straightforward Supramolecular Self-Assembly Experiment To Prepare and Characterize a Triple Helicate Complex. <i>Journal of Chemical Education</i> , 2018 , 95, 648-651	2.4	2
56	Coordination Polymers from Functionalized Bipyrimidine Ligands and Silver(I) Salts. <i>Crystal Growth and Design</i> , 2018 , 18, 2210-2216	3.5	2
55	A Bis-Triazacyclononane Tris-Pyridyl N -Azacryptand "Beer Can" Receptor for Complexation of Alkali Metal and Lead(II) Cations. <i>Chemistry - A European Journal</i> , 2018 , 24, 10434-10442	4.8	9
54	Supramolecular frameworks based on 5,10,15,20-tetra(4-carboxyphenyl)porphyrins. <i>Dalton Transactions</i> , 2018 , 47, 783-790	4.3	12
53	Solvent Polarity Predictably Tunes Spin Crossover T in Isomeric Iron(II) Pyrimidine Triazoles. <i>Inorganic Chemistry</i> , 2018 , 57, 6266-6282	5.1	24
52	Supramolecular anion recognition in water: synthesis of hydrogen-bonded supramolecular frameworks. <i>Chemical Science</i> , 2017 , 8, 3019-3025	9.4	44
51	Mixed halide/oxoanion-templated frameworks. <i>CrystEngComm</i> , 2017 , 19, 2367-2371	3.3	8
50	Hydrogen bond-Driven Self-Assembly between Amidinium Cations and Carboxylate Anions: A Combined Molecular Dynamics, NMR Spectroscopy, and Single Crystal X-ray Diffraction Study. <i>Chemistry - an Asian Journal</i> , 2017 , 12, 1587-1597	4.5	18
49	Tuneable reversible redox of cobalt(iii) carbazole complexes. <i>Dalton Transactions</i> , 2017 , 46, 4696-4710	4.3	14
48	Copper(ii)-directed synthesis of neutral heteroditopic [2]rotaxane ion-pair host systems incorporating hydrogen and halogen bonding anion binding cavities. <i>Dalton Transactions</i> , 2017 , 46, 13376-13385	4.3	16
47	Tuning the tautomeric behavior of tris(salicylaldimines). <i>Organic and Biomolecular Chemistry</i> , 2017 , 15, 8418-8424	3.9	4
46	New complexation behaviour of the potentially bis-terdentate triazole based ligands PMAT and PMPT : Fe III 4 oxo-bridged metallomacrocycles. <i>Polyhedron</i> , 2016 , 103, 283-287	2.7	2
45	The Rich Tautomeric Behavior of Campestarenes. <i>Chemistry - A European Journal</i> , 2016 , 22, 17657-17672	4.8	17
44	Shielded alkyl-functionalised rotaxane host cavities for improved anion recognition. <i>Supramolecular Chemistry</i> , 2016 , 28, 62-83	1.8	4

43	Anion-templated 2D frameworks from hexahydroxytriphenylene. <i>CrystEngComm</i> , 2016 , 18, 4281-4284	3.3	3
42	Soluble Tetraaminotriptycene Precursors. <i>Journal of Organic Chemistry</i> , 2015 , 80, 8390-7	4.2	15
41	Anion and Cation Effects on Anion-Templated Assembly of Tetrahydroxytriptycene. <i>Crystal Growth and Design</i> , 2015 , 15, 5629-5636	3.5	13
40	Anion-templated hexagonal nanotubes. <i>Chemical Science</i> , 2015 , 6, 6245-6249	9.4	22
39	Evidence for halogen bond covalency in acyclic and interlocked halogen-bonding receptor anion recognition. <i>Journal of the American Chemical Society</i> , 2015 , 137, 499-507	16.4	173
38	Metal organic frameworks from extended, conjugated pentiptycene-based ligands. <i>CrystEngComm</i> , 2015 , 17, 4912-4918	3.3	13
37	Layered 2D Sheetlike Supramolecular Polymers Formed by OH \cdots Anion Hydrogen Bonds. <i>Crystal Growth and Design</i> , 2015 , 15, 1540-1545	3.5	14
36	Hysteretic spin crossover in iron(II) complexes of a new pyridine-triazole-pyrazine ligand is tuned by choice of NCE co-ligand. <i>Chemical Communications</i> , 2014 , 50, 1435-7	5.8	29
35	Bis-triazolium containing macrocycles, pseudorotaxanes and interlocked structures for anion recognition. <i>RSC Advances</i> , 2014 , 4, 12133	3.7	19
34	Observation of strong halogen bonds in the solid state structures of bis-haloimidazolium macrocycles. <i>CrystEngComm</i> , 2014 , 16, 3722-3729	3.3	13
33	Structural Study of Triazole and Amide Containing Anion-Templated Pseudorotaxanes. <i>Crystal Growth and Design</i> , 2014 , 14, 3472-3479	3.5	11
32	Halide selective anion recognition by an amide-triazolium axle containing [2]rotaxane. <i>Organic and Biomolecular Chemistry</i> , 2014 , 12, 4924-31	3.9	21
31	A ferrocene imidazolium-based macrocycle as an electrochemical chemosensor for halide anions. <i>CrystEngComm</i> , 2014 , 16, 3694-3698	3.3	18
30	Halogen- and hydrogen-bonding triazole-functionalised porphyrin-based receptors for anion recognition. <i>Dalton Transactions</i> , 2013 , 42, 15766-73	4.3	72
29	Effect of N4-substituent choice on spin crossover in dinuclear iron(II) complexes of bis-terdentate 1,2,4-triazole-based ligands. <i>Inorganic Chemistry</i> , 2013 , 52, 11185-99	5.1	35
28	Towards a self-assembled honeycomb structure via diaminotriptycene metal complexes. <i>Dalton Transactions</i> , 2013 , 42, 16474-7	4.3	2
27	A rotaxane host system containing integrated triazole C-H hydrogen bond donors for anion recognition. <i>Organic and Biomolecular Chemistry</i> , 2013 , 11, 1326-33	3.9	27
26	Metal acetates form diverse polynuclear complexes with 4-amino-3,5-di(2-pyridyl)-1,2,4-triazole (adpt). <i>Supramolecular Chemistry</i> , 2013 , 25, 806-811	1.8	3

25	Increased halide recognition strength by enhanced intercomponent preorganisation in triazolium containing [2]rotaxanes. <i>Chemistry - A European Journal</i> , 2013 , 19, 17751-65	4.8	16
24	A halogen-bonding catenane for anion recognition and sensing. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 1876-80	16.4	179
23	A catenane host system containing integrated triazole C-H hydrogen bond donors for anion recognition. <i>Chemical Communications</i> , 2012 , 48, 8499-501	5.8	35
22	Understanding the forces that govern packing: a density functional theory and structural investigation of anion- π and nonclassical C-H \cdots anion interactions. <i>Inorganic Chemistry</i> , 2012 , 51, 10334-40	5.1	30
21	Jack of all trades: anion and transition metal binding by bis-triazole receptors. <i>Supramolecular Chemistry</i> , 2012 , 24, 473-480	1.8	18
20	Copper-induced N-N bond cleavage results in an octanuclear expanded-core grid-like complex. <i>Chemical Communications</i> , 2012 , 48, 6229-31	5.8	12
19	A ferrocene redox-active triazolium macrocycle that binds and senses chloride. <i>Beilstein Journal of Organic Chemistry</i> , 2012 , 8, 246-52	2.5	34
18	Investigating the effect of macrocycle size in anion templated imidazolium-based interpenetrated and interlocked assemblies. <i>Organic and Biomolecular Chemistry</i> , 2012 , 10, 7282-91	3.9	10
17	Triazole- and triazolium-containing porphyrin-cages for optical anion sensing. <i>Dalton Transactions</i> , 2012 , 41, 7092-7	4.3	57
16	Anion binding in aqueous media by a tetra-triazolium macrocycle. <i>Organic and Biomolecular Chemistry</i> , 2012 , 10, 6951-9	3.9	37
15	A Halogen-Bonding Catenane for Anion Recognition and Sensing. <i>Angewandte Chemie</i> , 2012 , 124, 1912-1916	3.1	48
14	Fluorescent charge-assisted halogen-bonding macrocyclic halo-imidazolium receptors for anion recognition and sensing in aqueous media. <i>Journal of the American Chemical Society</i> , 2012 , 134, 11533-41	16.4	186
13	Effect of counteranion X on the spin crossover properties of a family of diiron(II) triazole complexes [Fe(II) ₂ (PMAT) ₂](X) ₄ . <i>Inorganic Chemistry</i> , 2011 , 50, 4586-97	5.1	56
12	A Bidentate Halogen-Bonding Bromoimidazoliophane Receptor for Bromide Ion Recognition in Aqueous Media. <i>Angewandte Chemie</i> , 2011 , 123, 1885-1888	3.6	37
11	A bidentate halogen-bonding bromoimidazoliophane receptor for bromide ion recognition in aqueous media. <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 1845-8	16.4	155
10	A 1,2,3,4,5-pentaphenylferrocene-stoppered rotaxane capable of electrochemical anion recognition. <i>Chemistry - A European Journal</i> , 2011 , 17, 12347-54	4.8	32
9	Cation-induced molecular motion of spring-like [2]catenanes. <i>Chemical Science</i> , 2011 , 2, 922	9.4	28
8	Enhancement of anion recognition exhibited by a halogen-bonding rotaxane host system. <i>Journal of the American Chemical Society</i> , 2010 , 132, 11893-5	16.4	236

7	Towards Langmuir-Blodgett films of magnetically interesting materials: solution equilibria in amphiphilic iron(II) complexes of a triazole-containing ligand. <i>Dalton Transactions</i> , 2010 , 39, 3751-8	4.3	24
6	Room-temperature spin crossover and Langmuir-Blodgett film formation of an iron(II) triazole complex featuring a long alkyl chain substituent: the tail that wags the dog. <i>Chemical Communications</i> , 2010 , 46, 6464-6	5.8	59
5	A Structural Investigation of Anion-Triazole Interactions: Observation of 'Pockets' and 'Sandwiches' <i>European Journal of Inorganic Chemistry</i> , 2009 , 2009, 1172-1180	2.3	40
4	Iron(II) tris-[N4-substituted-3,5-di(2-pyridyl)-1,2,4-triazole] complexes: structural, magnetic, NMR, and density functional theory studies. <i>Inorganic Chemistry</i> , 2009 , 48, 6670-9	5.1	53
3	Effect of pressure and light on the spin transition behavior of the dinuclear iron(II) compound [FeII2(PMAT)2](BF4)4·DMF. <i>Applied Physics Letters</i> , 2008 , 92, 174104	3.4	34
2	Factors influencing tetranuclear [2 x 2] grid vs dinuclear side-by-side structures for silver(I) complexes of pyridazine-based bis-bidentate ligands. <i>Inorganic Chemistry</i> , 2008 , 47, 10729-38	5.1	36
1	Synthesis and Structures of 3,5-disubstituted 1,2,4-triazole Head Units and Incorporation of 3,5-dibenzoyl-1,2,4-triazolate into New [2 + 2] Schiff-Base Macrocyclic Complexes. <i>Supramolecular Chemistry</i> , 2007 , 19, 17-27	1.8	30