

Clett Erridge

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8607022/publications.pdf>

Version: 2024-02-01

29
papers

2,831
citations

394390

19
h-index

477281

29
g-index

29
all docs

29
docs citations

29
times ranked

5116
citing authors

#	ARTICLE	IF	CITATIONS
1	A high-fat meal induces low-grade endotoxemia: evidence of a novel mechanism of postprandial inflammation. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 1286-1292.	4.7	632
2	Structure and function of lipopolysaccharides. <i>Microbes and Infection</i> , 2002, 4, 837-851.	1.9	525
3	Endogenous ligands of TLR2 and TLR4: agonists or assistants?. <i>Journal of Leukocyte Biology</i> , 2010, 87, 989-999.	3.3	466
4	Saturated Fatty Acids Do Not Directly Stimulate Toll-Like Receptor Signaling. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009, 29, 1944-1949.	2.4	227
5	Oxidized Phospholipid Inhibition of Toll-like Receptor (TLR) Signaling Is Restricted to TLR2 and TLR4. <i>Journal of Biological Chemistry</i> , 2008, 283, 24748-24759.	3.4	216
6	Monocytes Heterozygous for the Asp299Gly and Thr399Ile Mutations in the Toll-like Receptor 4 Gene Show No Deficit in Lipopolysaccharide Signalling. <i>Journal of Experimental Medicine</i> , 2003, 197, 1787-1791.	8.5	163
7	Diet, commensals and the intestine as sources of pathogen-associated molecular patterns in atherosclerosis, type 2 diabetes and non-alcoholic fatty liver disease. <i>Atherosclerosis</i> , 2011, 216, 1-6.	0.8	67
8	Toll-like receptor 4 signalling is neither sufficient nor required for oxidised phospholipid mediated induction of interleukin-8 expression. <i>Atherosclerosis</i> , 2007, 193, 77-85.	0.8	50
9	The Roles of Toll-Like Receptors in Atherosclerosis. <i>Journal of Innate Immunity</i> , 2009, 1, 340-349.	3.8	50
10	25-Hydroxycholesterol, 7 β -hydroxycholesterol and 7-ketocholesterol upregulate interleukin-8 expression independently of Toll-like receptor 1, 2, 4 or 6 signalling in human macrophages. <i>Free Radical Research</i> , 2007, 41, 260-266.	3.3	45
11	Non-enterobacterial endotoxins stimulate human coronary artery but not venous endothelial cell activation via Toll-like receptor 2. <i>Cardiovascular Research</i> , 2007, 73, 181-189.	3.8	44
12	<i>Bacteroides fragilis</i> signals through Toll-like receptor (TLR) 2 and not through TLR4. <i>Journal of Medical Microbiology</i> , 2009, 58, 1015-1022.	1.8	41
13	The capacity of foodstuffs to induce innate immune activation of human monocytes <i>in vitro</i> is dependent on food content of stimulants of Toll-like receptors 2 and 4. <i>British Journal of Nutrition</i> , 2011, 105, 15-23.	2.3	39
14	The Roles of Pathogen-Associated Molecular Patterns in Atherosclerosis. <i>Trends in Cardiovascular Medicine</i> , 2008, 18, 52-56.	4.9	36
15	The Soluble Form of Toll-Like Receptor 2 Is Elevated in Serum of Multiple Sclerosis Patients: A Novel Potential Disease Biomarker. <i>Frontiers in Immunology</i> , 2018, 9, 457.	4.8	36
16	Maternal Antibiotic-Induced Early Changes in Microbial Colonization Selectively Modulate Colonic Permeability and Inducible Heat Shock Proteins, and Digesta Concentrations of Alkaline Phosphatase and TLR-Stimulants in Swine Offspring. <i>PLoS ONE</i> , 2015, 10, e0118092.	2.5	33
17	Regulation of low-density lipoprotein cholesterol by intestinal inflammation and the acute phase response. <i>Cardiovascular Research</i> , 2018, 114, 226-232.	3.8	25
18	Host defenses against metabolic endotoxaemia and their impact on lipopolysaccharide detection. <i>International Reviews of Immunology</i> , 2017, 36, 125-144.	3.3	22

#	ARTICLE	IF	CITATIONS
19	Accumulation of Stimulants of Toll-Like Receptor (TLR) 2 and TLR4 in Meat Products Stored at 5 °C. <i>Journal of Food Science</i> , 2011, 76, H72-9.	3.1	21
20	Oxidised phospholipid regulation of Toll-like receptor signalling. <i>Redox Report</i> , 2007, 12, 76-80.	4.5	19
21	The 9p21 Locus Does Not Affect Risk of Coronary Artery Disease Through Induction of Type 1 Interferons. <i>Journal of the American College of Cardiology</i> , 2013, 62, 1376-1381.	2.8	18
22	Bacteria in the Adventitia of Cardiovascular Disease Patients with and without Rheumatoid Arthritis. <i>PLoS ONE</i> , 2014, 9, e98627.	2.5	13
23	Genetic Analysis of Leukocyte Type-I Interferon Production and Risk of Coronary Artery Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015, 35, 1456-1462.	2.4	11
24	The biological activity of a liposomal complete core lipopolysaccharide vaccine. <i>Journal of Endotoxin Research</i> , 2002, 8, 39-46.	2.5	9
25	Dietary Toll-Like Receptor Stimulants Promote Hepatic Inflammation and Impair Reverse Cholesterol Transport in Mice via Macrophage-Dependent Interleukin-1 Production. <i>Frontiers in Immunology</i> , 2019, 10, 1404.	4.8	6
26	Lysozyme promotes the release of toll-like receptor-2 stimulants from Gram-positive but not Gram-negative intestinal bacteria. <i>Gut Microbes</i> , 2010, 1, 383-387.	9.8	5
27	Stimulants of Toll-like receptor (TLR)-2 and TLR-4 are abundant in certain minimally-processed vegetables. <i>Food and Chemical Toxicology</i> , 2011, 49, 1464-1467.	3.6	4
28	Are toll-like receptors potential drug targets for atherosclerosis? Evidence from genetic studies to date. <i>Immunogenetics</i> , 2019, 71, 1-11.	2.4	4
29	Reversal of Tetracycline Resistance by Cepharanthine, Cinchonidine, Ellagic Acid and Propyl Gallate in a Multi-drug Resistant <i>Escherichia coli</i> . <i>Natural Products and Bioprospecting</i> , 2021, 11, 345-355.	4.3	4