

Clett Erridge

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8607022/clett-erridge-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

29
papers

2,416
citations

18
h-index

29
g-index

29
ext. papers

2,632
ext. citations

6
avg, IF

5.49
L-index

#	Paper	IF	Citations
29	A high-fat meal induces low-grade endotoxemia: evidence of a novel mechanism of postprandial inflammation. <i>American Journal of Clinical Nutrition</i> , 2007 , 86, 1286-92	7	532
28	Structure and function of lipopolysaccharides. <i>Microbes and Infection</i> , 2002 , 4, 837-51	9.3	436
27	Endogenous ligands of TLR2 and TLR4: agonists or assistants?. <i>Journal of Leukocyte Biology</i> , 2010 , 87, 989-99	6.5	399
26	Saturated fatty acids do not directly stimulate Toll-like receptor signaling. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009 , 29, 1944-9	9.4	215
25	Oxidized phospholipid inhibition of toll-like receptor (TLR) signaling is restricted to TLR2 and TLR4: roles for CD14, LPS-binding protein, and MD2 as targets for specificity of inhibition. <i>Journal of Biological Chemistry</i> , 2008 , 283, 24748-59	5.4	180
24	Monocytes heterozygous for the Asp299Gly and Thr399Ile mutations in the Toll-like receptor 4 gene show no deficit in lipopolysaccharide signalling. <i>Journal of Experimental Medicine</i> , 2003 , 197, 1787-91	16.6	155
23	Diet, commensals and the intestine as sources of pathogen-associated molecular patterns in atherosclerosis, type 2 diabetes and non-alcoholic fatty liver disease. <i>Atherosclerosis</i> , 2011 , 216, 1-6	3.1	57
22	The roles of Toll-like receptors in atherosclerosis. <i>Journal of Innate Immunity</i> , 2009 , 1, 340-9	6.9	47
21	Toll-like receptor 4 signalling is neither sufficient nor required for oxidised phospholipid mediated induction of interleukin-8 expression. <i>Atherosclerosis</i> , 2007 , 193, 77-85	3.1	42
20	25-Hydroxycholesterol, 7beta-hydroxycholesterol and 7-ketocholesterol upregulate interleukin-8 expression independently of Toll-like receptor 1, 2, 4 or 6 signalling in human macrophages. <i>Free Radical Research</i> , 2007 , 41, 260-6	4	39
19	Non-enterobacterial endotoxins stimulate human coronary artery but not venous endothelial cell activation via Toll-like receptor 2. <i>Cardiovascular Research</i> , 2007 , 73, 181-9	9.9	37
18	<i>Bacteroides fragilis</i> signals through Toll-like receptor (TLR) 2 and not through TLR4. <i>Journal of Medical Microbiology</i> , 2009 , 58, 1015-1022	3.2	32
17	The capacity of foodstuffs to induce innate immune activation of human monocytes in vitro is dependent on food content of stimulants of Toll-like receptors 2 and 4. <i>British Journal of Nutrition</i> , 2011 , 105, 15-23	3.6	32
16	The roles of pathogen-associated molecular patterns in atherosclerosis. <i>Trends in Cardiovascular Medicine</i> , 2008 , 18, 52-6	6.9	31
15	Maternal antibiotic-induced early changes in microbial colonization selectively modulate colonic permeability and inducible heat shock proteins, and digesta concentrations of alkaline phosphatase and TLR-stimulants in swine offspring. <i>PLoS ONE</i> , 2015 , 10, e0118092	3.7	26
14	The Soluble Form of Toll-Like Receptor 2 Is Elevated in Serum of Multiple Sclerosis Patients: A Novel Potential Disease Biomarker. <i>Frontiers in Immunology</i> , 2018 , 9, 457	8.4	24
13	Host defenses against metabolic endotoxaemia and their impact on lipopolysaccharide detection. <i>International Reviews of Immunology</i> , 2017 , 36, 125-144	4.6	19

12	Accumulation of stimulants of Toll-like receptor (TLR)-2 and TLR4 in meat products stored at 5 °C. <i>Journal of Food Science</i> , 2011 , 76, H72-9	3.4	18
11	Regulation of low-density lipoprotein cholesterol by intestinal inflammation and the acute phase response. <i>Cardiovascular Research</i> , 2018 , 114, 226-232	9.9	17
10	The 9p21 locus does not affect risk of coronary artery disease through induction of type 1 interferons. <i>Journal of the American College of Cardiology</i> , 2013 , 62, 1376-81	15.1	17
9	Oxidised phospholipid regulation of Toll-like receptor signalling. <i>Redox Report</i> , 2007 , 12, 76-80	5.9	15
8	Genetic analysis of leukocyte type-I interferon production and risk of coronary artery disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015 , 35, 1456-62	9.4	11
7	Bacteria in the adventitia of cardiovascular disease patients with and without rheumatoid arthritis. <i>PLoS ONE</i> , 2014 , 9, e98627	3.7	11
6	The biological activity of a liposomal complete core lipopolysaccharide vaccine. <i>Journal of Endotoxin Research</i> , 2002 , 8, 39-46		9
5	Stimulants of Toll-like receptor (TLR)-2 and TLR-4 are abundant in certain minimally-processed vegetables. <i>Food and Chemical Toxicology</i> , 2011 , 49, 1464-7	4.7	4
4	Lysozyme promotes the release of Toll-like receptor-2 stimulants from gram-positive but not gram-negative intestinal bacteria. <i>Gut Microbes</i> , 2010 , 1, 383-7	8.8	4
3	Dietary Toll-Like Receptor Stimulants Promote Hepatic Inflammation and Impair Reverse Cholesterol Transport in Mice via Macrophage-Dependent Interleukin-1 Production. <i>Frontiers in Immunology</i> , 2019 , 10, 1404	8.4	3
2	Are toll-like receptors potential drug targets for atherosclerosis? Evidence from genetic studies to date. <i>Immunogenetics</i> , 2019 , 71, 1-11	3.2	3
1	Reversal of Tetracycline Resistance by Cepharanthine, Cinchonidine, Ellagic Acid and Propyl Gallate in a Multi-drug Resistant Escherichia coli. <i>Natural Products and Bioprospecting</i> , 2021 , 11, 345-355	4.9	1