

# Mirjana Carli

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8607040/publications.pdf>

Version: 2024-02-01

8  
papers

311  
citations

1478505

6  
h-index

1588992

8  
g-index

10  
all docs

10  
docs citations

10  
times ranked

489  
citing authors

#	ARTICLE	IF	CITATIONS
1	Fluoxetine increases brain MeCP2 immuno-positive cells in a female Mecp2 heterozygous mouse model of Rett syndrome through endogenous serotonin. <i>Scientific Reports</i> , 2021, 11, 14690.	3.3	4
2	Fluoxetine rescues rotarod motor deficits in Mecp2 heterozygous mouse model of Rett syndrome via brain serotonin. <i>Neuropharmacology</i> , 2020, 176, 108221.	4.1	8
3	Mouse aldehyde-oxidase-4 controls diurnal rhythms, fat deposition and locomotor activity. <i>Scientific Reports</i> , 2016, 6, 30343.	3.3	15
4	Lovastatin fails to improve motor performance and survival in methyl-CpG-binding protein2-null mice. <i>ELife</i> , 2016, 5, .	6.0	14
5	Tph2 gene deletion enhances amphetamine-induced hypermotility: effect of 5-HT restoration and role of striatal noradrenaline release. <i>Journal of Neurochemistry</i> , 2015, 135, 674-685.	3.9	3
6	Serotonergic and dopaminergic modulation of cortico-striatal circuit in executive and attention deficits induced by NMDA receptor hypofunction in the 5-choice serial reaction time task. <i>Frontiers in Neural Circuits</i> , 2014, 8, 58.	2.8	46
7	Effects of aripiprazole, olanzapine, and haloperidol in a model of cognitive deficit of schizophrenia in rats: relationship with glutamate release in the medial prefrontal cortex. <i>Psychopharmacology</i> , 2011, 214, 639-652.	3.1	58
8	Dissociable Contribution of 5-HT1A and 5-HT2A Receptors in the Medial Prefrontal Cortex to Different Aspects of Executive Control such as Impulsivity and Compulsive Perseveration in Rats. <i>Neuropsychopharmacology</i> , 2006, 31, 757-767.	5.4	162